

From: [Enes, Diana](#)
To: [Candace Krout](#)
Cc: [Marra, Mario R.](#); [Gallaher, Troy](#)
Subject: [External_Sender] RE: [EXTERNAL] RE: RE: [EXTERNAL] TRC Engineers, Inc., 29-27857-01, MC: 659176
Date: Wednesday, August 19, 2026 11:34:03 AM
Attachments: image001.png
image002.png
image003.png

Hello Ms. Krout,

To confirm, the address to the new office location is:

520 Fellowship Road
Suite 505
Mount Laurel, NJ 08054

Thank you for your assistance with this.

Thank you,
Diana Enes
Administrative Assistant

16000 Commerce Parkway, Suite B2 Mount Laurel, NJ 08054
T 856.273.1224 | **D** 856.780.8541 | denes@trccompanies.com
[LinkedIn](#) | [Instagram](#) | TRCcompanies.com



**PLEASE NOTE: AS OF AUGUST 17TH, ENGINEERING OFFICE / SOIL LAB
WILL BE MOVING TO A NEW LOCATION:**

**520 FELLOWSHIP ROAD
SUITE 505
MOUNT LAUREL, NJ 08054**

From: Candace Krout <Candace.Krout@nrc.gov>
Sent: Tuesday, August 18, 2026 7:07 AM
To: Enes, Diana <diana.enes@wsp.com>
Cc: Marra, Mario R. <MMarra@trccompanies.com>; Gallaher, Troy <TGallaher@trccompanies.com>
Subject: [EXTERNAL] RE: RE: [EXTERNAL] TRC Engineers, Inc., 29-27857-01, MC: 659176

This is an **External** email. Do not click links or open attachments unless you validate the sender and know the content is safe.

ALWAYS hover over the link to preview the actual URL/site and confirm its legitimacy.

Good Morning,

Thank you for reaching out!

We can amend the license to reflect the correct mailing address. Attached is the email that contains the most additional information containing the address currently listed on the license.

For our internal records and documentation purposes, please reply to this email confirming the correct mailing address that should appear on the license.

Best Regards,

Candace Krout | Health Physicist

Inspection and Licensing East
Division of Federal Materials Programs
Office of Nuclear Materials Safety and Safeguards
Candace.Krout@nrc.gov | O: (610) 337-5246



From: Enes, Diana <DEnes@trccompanies.com>
Sent: Monday, August 17, 2026 4:00 PM
To: Candace Krout <Candace.Krout@nrc.gov>
Cc: Marra, Mario R. <MMarra@trccompanies.com>; Gallaher, Troy <TGallaher@trccompanies.com>
Subject: [External_Sender] RE: [EXTERNAL] TRC Engineers, Inc., 29-27857-01, MC: 659176

Good Afternoon Ms. Krout,

Thank you for sending the amended license for NRC License No 29-27857-01

I noticed that the address listed on the amended license is incorrect. The correct address is:
520 Fellowship Rd.
Suite 505
Mount Laurel, NJ 08054

There should not be a "C" in the suite number.

Would it be possible to have the license amended to reflect the correct address?

Thank you for your assistance!

Diana Enes
Administrative Assistant

16000 Commerce Parkway, Suite B2 Mount Laurel, NJ 08054
T 856.273.1224 | **D** 856.780.8541 | denes@trccompanies.com
[LinkedIn](#) | [Instagram](#) | TRCcompanies.com



**PLEASE NOTE: AS OF AUGUST 17TH, ENGINEERING OFFICE / SOIL LAB
WILL BE MOVING TO A NEW LOCATION:**

**520 FELLOWSHIP ROAD
SUITE 505
MOUNT LAUREL, NJ 08054**

From: Candace Krout <Candace.Krout@nrc.gov>
Sent: Monday, August 17, 2026 10:27 AM
To: Marra, Mario R. <MMarra@trccompanies.com>
Cc: Gallaher, Troy <TGallaher@trccompanies.com>
Subject: [EXTERNAL] TRC Engineers, Inc., 29-27857-01, MC: 659176

This is an **External** email. Do not click links or open attachments unless you validate the sender and know the content is safe.

ALWAYS hover over the link to preview the actual URL/site and confirm its legitimacy.

Good Afternoon,

Attached are the copies of your amended license and cover letter for NRC License No 29-27857-01. You will not be receiving a paper copy of these documents in the mail. Please save a copy of these documents for your records.

If you have any questions regarding your amended license, you can reach me via email at Candace.Krout@nrc.gov or via phone at 610-337-5246.

Best Regards,

Candace Krout | Health Physicist
Inspection and Licensing Branch 1
Division of Federal Materials Programs
Office of Nuclear Materials Safety and Safeguards
Candace.Krout@nrc.gov | O: (610) 337-5246

