

```
<html>
<head>
<title>NRC TECHNICAL CONFERENCE Reply To Message</title>
</head>
<body TOPMARGIN=10 LEFTMARGIN=10 RIGHTMARGIN=10 BOTTOMMARGIN=10
BGCOLOR="FFFFFF" TEXT="000000">
<P>
<CENTER>
<TABLE CELLSPACING=0 CELLPADDING=0 BORDER=0 WIDTH=550>
<TR>
<TD WIDTH=120><A HREF="http://techconf.llnl.gov/index.html"><IMG
BORDER=0 WIDTH=120 HEIGHT=102
SRC="http://techconf.llnl.gov/images/BannerTableImages/NRCSealBnr.gif"
>
</A></TD>

<TD WIDTH=430><IMG WIDTH=430 HEIGHT=102
SRC="http://techconf.llnl.gov/images/BannerTableImages/ConfBnrHd.gif">
<
/ TD>
</TR>
</TABLE>

<TABLE CELLSPACING=0 CELLPADDING=0 BORDER=0 WIDTH=550 HEIGHT=17>
<TR>
<TD WIDTH=120><A HREF="http://techconf.llnl.gov/index.html"><IMG
WIDTH=120 HEIGHT=17 BORDER=0
SRC="http://techconf.llnl.gov/images/BannerTableImages/NRCHomeBtnOn.gif"
"></A></TD>
<TD WIDTH=86><IMG WIDTH=86 HEIGHT=17 BORDER=0
SRC="http://techconf.llnl.gov/images/BannerTableImages/BlankBtn.gif"><
/
TD>
<TD WIDTH=86><A
HREF="http://techconf.llnl.gov/cgi-bin/topics?news"><IMG WIDTH=86
HEIGHT=17 BORDER=0
SRC="http://techconf.llnl.gov/images/BannerTableImages/NewsBtnOff.gif"
">
</A></TD>
<TD WIDTH=86><A HREF="http://techconf.llnl.gov/cgi-bin/topics"><IMG
WIDTH=86 HEIGHT=17 BORDER=0
SRC="http://techconf.llnl.gov/images/BannerTableImages/ConfBtnOn.gif">
<
/A></TD>
<TD WIDTH=86><A HREF="http://techconf.llnl.gov/Email.html"><IMG
WIDTH=86 HEIGHT=17 BORDER=0
SRC="http://techconf.llnl.gov/images/BannerTableImages/FeedBtnOn.gif">
<
/A></TD>
<TD WIDTH=86><A
```

Baker comment.htm.txt

```
HREF="http://techconf.llnl.gov/docs/about/aboutNetForum.html"><IMG  
WIDTH=86 HEIGHT=17 BORDER=0  
SRC="http://techconf.llnl.gov/images/BannerTableImages/HelpBtnOff.gif"  
>  
</A></TD>  
</TR></TABLE>
```

<H1>Revised Requirements for the Domestic Licensing of Special Nuclear
Material, 10 CFR Part 70</H1>

```
<IMG  
SRC="http://techconf.llnl.gov/images/BannerTableImages/ConfHB.gif">  
</CENTER>  
<ul><li><b>Messages Sorted by: </b>|  
  <a  
href="http://techconf.llnl.gov/cgi-bin/messages?dom_lic/Thread">Thread  
<  
</a> |  
  <a  
href="http://techconf.llnl.gov/cgi-bin/messages?dom_lic/Date">Date</a>  
|  
  <a  
href="http://techconf.llnl.gov/cgi-bin/messages?dom_lic/Author">Author  
<  
</a> |  
  <a  
href="http://techconf.llnl.gov/cgi-bin/messages?dom_lic/Position">Posi  
t  
ion</a> |  
  <a  
href="http://techconf.llnl.gov/cgi-bin/messages?dom_lic/Subject">Subje  
c  
t</a> |  
  <a  
href="http://techconf.llnl.gov/cgi-bin/messages?dom_lic/Text">Abstract  
<  
</a> |  
</ul>  
<p>  
<ul><li><a  
href="http://techconf.llnl.gov/cgi-bin/replyto?dom_lic/5.1">Previous  
Message</a><li><a  
href="http://techconf.llnl.gov/cgi-bin/replyto?dom_lic/5.1.2">Next  
Message</a><li><a  
href="http://techconf.llnl.gov/cgi-bin/replyto?dom_lic/4">Previous  
Thread</a><li><a  
href="http://techconf.llnl.gov/cgi-bin/replyto?dom_lic/6">Next  
Thread</a></ul><p>  
<hr>
```

Baker comment.htm.txt

Criticality safety

<p>

From: James S. Baker <i>jbaker@lanl.gov</i>

Date: 2/3/99 8:34:42

Thread ID: 5.1.1

<p>

I urge the NRC to carefully review and act up the recommendations

made by NEI and Dr. McLaughlin relative to the proposed 10CFR70

revisions. I will not repeat their statements, except to emphasize

the following point.

The ANSI/ANS-8 series of standards provide terse, yet

comprehensive guidelines for the practice of nuclear criticality

safety (NCS). Deviating from these guidelines will almost always

lead to wasted time and effort, and a decrease in real safety. If

safety is the primary goal, then the NRC must encourage compliance to

these standards. The NRC must understand the varied nature of

activities of concern to NCS practitioners, and why they demand a

different approach to safety than commercial reactors. Then the

wisdom of using the standards alone will be obvious.

</html>