



UNITED STATES  
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

November 17, 1999

MEMORANDUM TO: Catherine Haney, Acting Chief  
Rulemaking and Guidance Branch  
Division of Industrial and Medical  
Nuclear Safety, NMSS

THRU:  E. William Brach, Director  
Spent Fuel Project Office, NMSS

FROM:  Susan F. Shankman, Deputy Director  
Licensing and Inspection Directorate  
Spent Fuel Project Office, NMSS

SUBJECT: FORWARDING OF A PROPOSED CERTIFICATE OF  
COMPLIANCE FOR NAC UNIVERSAL MULTI-PURPOSE  
CANISTER STORAGE SYSTEM AND DOCUMENTS TO  
SUPPORT RULEMAKING

Attached are copies of a proposed Certificate of Compliance (CoC) No. 1015 and preliminary Safety Evaluation Report (SER) associated with the NAC International Inc. (NAC) UMS Universal Storage System (NAC-UMS). These documents have been approved by the Director of the Spent Fuel Project Office and are forwarded to you for inclusion in the proposed rule package to amend 10 CFR 72.214 to add the NAC-UMS system to the list of Part 72 approved spent fuel storage designs. Copies of these documents will also be distributed to the Public Document Room.

Docket No.: 72-1015

Attachments:

1. Proposed CoC No. 1015
2. Preliminary SER for the NAC-UMS

CONTACTS: Philip Brochman, SFPO/SLID  
(301) 415-8592

Tim McGinty, SFPO/SLID  
(301) 415-8580

PDR A DOCK

NFO7

**MEMORANDUM TO:** Catherine Haney, Acting Chief  
 Rulemaking and Guidance Branch  
 Division of Industrial and Medical  
 Nuclear Safety, NMSS

**THRU:** E. William Brach, Director  
 Spent Fuel Project Office, NMSS

**FROM:** Susan F. Shankman, Deputy Director  
 Licensing and Inspection Directorate  
 Spent Fuel Project Office, NMSS

**SUBJECT:** FORWARDING OF A PROPOSED CERTIFICATE OF  
 COMPLIANCE FOR NAC UNIVERSAL MULTI-PURPOSE  
 CANISTER STORAGE SYSTEM AND DOCUMENTS TO  
 SUPPORT RULEMAKING

Attached are copies of a proposed Certificate of Compliance (CoC) No. 1015 and preliminary Safety Evaluation Report (SER) associated with the NAC International Inc. (NAC) UMS Universal Storage System (NAC-UMS). These documents have been approved by the Director of the Spent Fuel Project Office and are forwarded to you for inclusion in the proposed rule package to amend 10 CFR 72.214 to add the NAC-UMS system to the list of Part 72 approved spent fuel storage designs. Copies of these documents will also be distributed to the Public Document Room.

Docket No.: 72-1015

**Attachments:**

1. Proposed CoC No. 1015
2. Preliminary SER for the NAC-UMS

**DISTRIBUTION:** (a = via e-mail)

NRC File Center	PUBLIC	DOCKET	SFPO r/f	NMSS r/f	PHolahan
STurel	MHorn	NJensen	VTharpe	ELeeds <sup>a</sup>	EEaston <sup>a</sup>
LKokajko <sup>a</sup>	FYoung <sup>a</sup>				

\*See previous concurrence

G:\BROCHMAN\RULES\COC\NAC-UMS\ fwd CoC and SER.wpd

<b>OFC:</b>	TSSI	E	SFL	E	SFL		TSSI		DD:STRD		DD:SLID	
<b>NAME:</b>	PBrochman *		TMcGinty*		CRChappell		PEng*		MWHodges*		SFShankman	
<b>DATE:</b>	10/29/99		10/29/99		10/ /99		10/29 /99		10/29/99		10/15/99	
<b>OFC:</b>	D:SFPO											
<b>NAME:</b>	EWBrach*											
<b>DATE:</b>	10/30/99											

## CONCLUSIONS

The staff has reviewed Revision 2 to the Safety Analysis Report for the NAC-UMS system. Based on the statements and representations contained in the SAR and the conditions given in the CoC, we conclude that the Model No. NAC-UMS spent fuel storage cask system meets the requirements of 10 CFR Part 72.

Principal Contributors:

D. Carlson  
 K. Gruss  
 E. Keegan  
 T. McGinty  
 R. Parkhill  
 D. Tang

**G:\NAC\UMSS\SER\MSTERSE\drft.WPD**

OFC:	SFPO	E	SFPO		SFPO	E	SFPO	E	SFPO	E	SFPO	E
NAME:	TMcGinty		DCarlson		KGruss		EKeegan		RParkhill		DTang	
DATE:	10/29/99		10/29/99		10/29/99		10/29/99		10/29/99		10/29/99	

OFFICIAL RECORD COPY

MEMORANDUM TO: Catherine Haney, Acting Chief  
 Rulemaking and Guidance Branch  
 Division of Industrial and Medical  
 Nuclear Safety, NMSS

THRU: E. William Brach, Director  
 Spent Fuel Project Office, NMSS

FROM: Susan F. Shankman, Deputy Director  
 Licensing and Inspection Directorate  
 Spent Fuel Project Office, NMSS

SUBJECT: FORWARDING OF A PROPOSED CERTIFICATE OF  
 COMPLIANCE FOR NAC UNIVERSAL MULTI-PURPOSE  
 CANISTER STORAGE SYSTEM AND DOCUMENTS TO  
 SUPPORT RULEMAKING

Attached are copies of a proposed Certificate of Compliance (CoC) No. 1015 and preliminary Safety Evaluation Report (SER) associated with the NAC International, Inc. (NAC) Universal Multi-Purpose Canister Storage (UMS) System design. These documents have been approved by the Director of the Spent Fuel Project Office and are forwarded to you for inclusion in the proposed rule package to amend 10 CFR 72.214 to add the NAC-UMS system to the list of Part 72 approved spent fuel storage designs. Copies of these documents will also be distributed to the Public Document Room.

Docket No.: 72-1015

Attachments:

1. Proposed CoC No. 1015
2. Preliminary SER for the NAC-UMS

**DISTRIBUTION:** (a = via e-mail)

NRC File Center	PUBLIC	DOCKET	SFPO r/f	NMSS r/f	PHolahan
STurel	MHorn	NJensen	VTharpe	ELeeds <sup>a</sup>	EEaston <sup>a</sup>
LKokajko <sup>a</sup>	FYoung <sup>a</sup>				

G:\BROCHMAN\RULES\COC\NAC-UMS\ fwd CoC and SER.wpd

OFC:	TSSI	SFE	SFL	TSSI	DD:STRD	DD:SLID
NAME:	PBrochman	CRChappell	PEng	MWHodges	SShankman	
DATE:	10/1/99	10/2/99	10/ /99	10/ /99	10/ /99	10/ /99
OFC:	D:SFPO					
NAME:	EWBach					
DATE:	10/3/99					

OFFICIAL RECORD COPY

## REFERENCES

American Welding Society, "Standard Symbols for Welding, Brazing, and Nondestructive Examination," AWS Standard A2.4.

American Society of Mechanical Engineers, Boiler and Pressure Vessel Code, Section VIII, "Rules for the Construction of Pressure Vessels."

American National Standards Institute, Institute for Nuclear Materials Management, "American Standard for Radioactive Materials - Leakage Tests on Packages for Shipment," ANSI N14.5, January 1997.

American Welding Society, "Structural Welding Code Steel," AWS D1.1-96.

American Society of Civil Engineers, "Minimum Design Loads for Buildings and Other Structures," ASCE 7-93, May 1994.

American National Standards Institute, "American National Standards for Radioactive Material Lifting Devices for Shipping Containers Weighing 10,000 lbs (4500 kg) or More," ANSI N14.6, 1993.

American Society of Mechanical Engineers, Boiler and Pressure Vessel Code, Section III, "Rules for Construction of Nuclear Power Plant Components."

American Institute of Steel Construction, "Manual of Steel Construction."

American Society of Civil Engineers, "Seismic Analysis of Safety-Related Nuclear Structures," ASCE 4-86, September 1986.

American National Standards Institute/American Nuclear Society, "Design Criteria for an Independent Spent Fuel Storage Installation (Dry Storage Type)," ANSI/ANS-57.9, 1984.

American Concrete Institute, "Building Code Requirements for Reinforced Concrete," ACI 318.

American Concrete Institute, "Code Requirements for Nuclear Safety Related Concrete Structures," ACI 349.

Cunningham, M.E., et al., Pacific Northwest Laboratory, "Control of Degradation of Spent LWR Fuel During Dry Storage in an Inert Atmosphere," PNL-6364, September 1987.

DOE/RW-0184, Volume 3 of 6, "Characteristics of Spent Fuel, High-Level Waste, and Other Radioactive Wastes Which May Require Long-Term Storage," 1987.

Johnson, A.B. and Gilbert, E.R., Pacific Northwest Laboratory, "Technical Basis for Storage of Zircalloy-Clad Spent Fuel in Inert Gases," PNL-4835, September 1983.

Knoll, R.W., et al., Pacific Northwest Laboratory, "Evaluation of Cover Gas Impurities and Their Effects on the Dry Storage of LWR Spent Fuel," PNL-6365, November 1987.

Levy, I.S., et al., Pacific Northwest Laboratory, "Recommended Temperature Limits for Dry Storage of Spent Light-Water Zircalloy Clad Fuel Rods in Inert Gas," PNL-6189, May 1987.

Maddux, Gene E., "Stress Analysis Manual," AFFDL-TR-69-42, Air Force Flight Dynamics Laboratory, August 1969.

NAC International Inc., Safety Analysis Report for the NAC UMS Universal Storage System, Revision 2.

Oak Ridge National Laboratory, "SCALE: A Modular Code System for Performing Standardized Computer Analyses for Licensing Evaluations," NUREG/CR-0200, Vol. 1-3, Revision 5, 1997.

Petrie, L.M., et al., Oak Ridge National Laboratory, "SCALE: A Modular Code System for Performing Standardized Computer Analyses for Licensing Evaluations," NUREG/CR-0200, Vol. 1-4, Revision 4, 1995.

Spent Fuel Project Office, Interim Staff Guidance No. 3, "Post Accident Recovery and Compliance with 10 CFR 72.122(l)," October 6, 1998.

Spent Fuel Project Office, Interim Staff Guidance No. 4, Revision 1, "Cask Closure Weld Inspections," May 21, 1999.

Spent Fuel Project Office, Interim Staff Guidance No. 8, Revision 1, "Burnup Credit in the Criticality Safety Analyses of PWR Spent Fuel in Transport and Storage Casks," July 30, 1999.

U.S. Nuclear Regulatory Commission, Bulletin 96-04, "Chemical, Galvanic, or other Reactions in Spent Fuel Storage and Transportation Casks," July 1996.

U.S. Nuclear Regulatory Commission, "Standard Format and Content for a Topical Safety Analysis Report for a Spent Fuel Dry Storage Cask," Regulatory Guide 3.61, February 1989.

U.S. Nuclear Regulatory Commission, "Design-Basis Tornado for Nuclear Power Plants," Regulatory Guide 1.76, April 1974.

U.S. Nuclear Regulatory Commission, NUREG-0800, "Standard Review Plan for Nuclear Power Plants."

U.S. Code of Federal Regulations, "Licensing Requirements for the Independent Storage of Spent Nuclear Fuel and High-Level Radioactive Waste," Title 10, Part 72.

U.S. Code of Federal Regulations, "Standards for Protection Against Radiation," Title 10, Part 20.

U.S. Nuclear Regulatory Commission, NUREG/CR-6322, "Buckling Analysis of Spent Fuel Basket," May 1995.

U.S. Nuclear Regulatory Commission, NUREG-0612, "Control of Heavy Loads at Nuclear Power Plants," July 1980.

U.S. Nuclear Regulatory Commission, NUREG-1536, "Standard Review Plan for Dry Cask Storage Systems."

U.S. Nuclear Regulatory Commission, NUREG/CR-6407, "Classification of Transportation Packaging and Dry Spent Fuel Storage System Components According to Importance to Safety."

U.S. Nuclear Regulatory Commission, "Information Relevant to Ensuring that Occupational Radiation Exposures at Nuclear Power Stations Will Be As Low As Reasonably Achievable," Regulatory Guide 8.8, Revision 3, June 1978.

U.S. Nuclear Regulatory Commission, "Operating Philosophy for Maintaining Occupational Radiation Exposures As Low As is Reasonably Achievable," Regulatory Guide 8.10, Revision 1-R, May 1997.

U.S. Nuclear Regulatory Commission, NUREG/CR-6608, "Summary and Evaluation of Low-Velocity Impact Tests of Solid Steel Billet Onto Concrete Pads," February 1998.

U.S. Code of Federal Regulations, "Reporting of Defects and Noncompliance," Title 10, Part 21.