

In Reply Refer to:
IEB:JMB

Oak Ridge, Tennessee
March 15, 1957

Dr. William A. Gore
Veterans Administration Center
Department of Radiology
Therapy Section
Los Angeles 25, California

Subject: LICENSING OF STRONTIUM 90

Dear Doctor Gore:

In response to your telephone request of March 13 we are forwarding additional copies of Forms AEC 313, 313a and 313b. In order to complete an application for a Byproduct Material License to cover the Strontium 90 in the eye applicator you must fill in all pertinent items of the Forms AEC 313, 313a and 313b. Please read the instructions thoroughly prior to completing the applications. Note that information, which has been previously submitted, may be referenced.

Your completed application forms, in triplicate, should be forwarded through:

Dr. Ben Miller
Director, Radiology Service
Veterans Administration
Washington, D. C.

As mentioned in the telephone conversation, our letter IEB:28, dated October 31, 1956, cancels authorization Number 22835. Therefore, you should make application for a byproduct material license to cover the strontium 90 at your earliest convenience.

Handwritten signature/initials

OFFICE ▶						
SURNAME ▶						
DATE ▶						

Dr. William A. Gore

March 15, 1957

Should you have any further questions concerning this matter, please feel free to present them.

Very truly yours,

Cecil R. Buchanan
Assistant Chief
Byproduct Licensing Branch
Isotopes Extension
Division of Civilian Application


Enclosed:

1. Form AES 313 w/a and b (4 copies)
2. Instructions
3. Regulations

Beli/hm

OFFICE	Isotopes			
SURNAME	BMB			
DATE	3/15/57			

IN REPLY REFER TO:
IEB:WOM (LIC 4-181-7)

Oak Ridge, Tennessee
March 21, 1957

Dr. William H. Bland & Nome Baker
Radioisotope Service
Veterans Administration Center
Wilshire and Sawtelle Boulevards
Los Angeles 25, California

Subject: BYPRODUCT MATERIAL LICENSE NO. 4-181-7

Dear Drs. Bland and Baker:

Enclosed please find Byproduct Material License No. 4-181-7.

This license supersedes License No. 4-181-5 and Amendment No. 1 thereto. Please return your copies of the superseded license and Amendment No. 1 to this office. We also recommend that you notify your supplier of byproduct materials of your new license number.

The new license corrects the error which was made in Amendment No. 1 to License No. 4-181-5. We regret any inconvenience incurred by this error.

Very truly yours,

Cecil R. Buchanan, Assistant Chief
Byproduct Licensing Branch
Isotopes Extension
Division of Civilian Application

Enclosures:

1. License No. 4-181-7
2. Form AEC-313, 313a w/instructions & regulations

Handwritten initials: A/25

OFFICE ▶	Isotopes Miller/dwp	Isotopes <i>[Signature]</i>				
SURNAME ▶	<i>WOM</i>					
DATE ▶	3-21-57	3-21-57				