

December 9, 1999

Mr. W. R. McCollum, Jr.
Vice President, Oconee Site
Duke Energy Corporation
7800 Rochester Highway
Seneca, SC 29672

Distribution:
File Center
PUBLIC
PD II-1 R/F
HBerkow

CCarpenter
OGC
ACRS
COgle, RII

SUBJECT: OCONEE NUCLEAR STATION, UNITS 1, 2 AND 3 RE: ENVIRONMENTAL ASSESSMENT FOR EXEMPTION OF CERTAIN 10 CFR 50, APPENDIX J REQUIREMENTS (TAC NOS. MA6868, MA6869, AND MA6870)

Dear Mr. McCollum:

Enclosed is a copy of the Environmental Assessment and Finding of No Significant Impact related to your application dated October 5, 1999, for an exemption from the requirements of Title 10 of the *Code of Federal Regulations* (10 CFR) Part 50, Appendix J, Section III.D.2(b)(ii) regarding the performance of containment air lock leakage testing at the Oconee Nuclear Station, Units 1, 2 and 3. The proposed exemption was submitted pursuant to 10 CFR 50.12 and would allow performance of an air lock door seal test in lieu of a full pressure test, provided that no maintenance has been performed on the air lock that could affect its sealing capability. The seal test would be performed during startup prior to entry into Mode 4 where containment integrity is required. If maintenance has been performed on the air lock that could affect its sealing capability, then an overall air lock leakage test at the required test pressure would be necessary prior to establishing containment integrity.

The assessment is being forwarded to the Office of the Federal Register for publication.

Sincerely,

Original signed by:

David E. LaBarge, Senior Project Manager, Section 1
Project Directorate II
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. 50-269, 50-270, and 50-287

Enclosures: Environmental Assessment

cc w/encl: See next page

Document Name: G:\PDII-1\EA A6868.WPD

To receive a copy of this document, indicate in the box:

"C" = Copy without attachment/enclosure "E" = Copy with attachment/enclosure

"N" = No copy

| | | | | | |
|--------|-------------|------------|---------|---------|------------|
| OFFICE | PM:PDII/S1 | LA:PDII/S1 | IOLB | SPLB | SC:PDII/S1 |
| NAME | DLaBarge:cn | CHawes | TEssig | JHannon | REmch |
| DATE | 11/29/99 | 11/10/99 | 12/1/99 | 12/1/99 | 12/9/99 |

547 12/6/99
RGE B
C Carpenter
12/7/99

OFFICIAL RECORD COPY

DF01

ARC FILE CENTER COPY

PDR A DOCK 05000269



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

December 9, 1999

Mr. W. R. McCollum, Jr.
Vice President, Oconee Site
Duke Energy Corporation
7800 Rochester Highway
Seneca, SC 29672

SUBJECT: OCONEE NUCLEAR STATION, UNITS 1, 2 AND 3 RE: ENVIRONMENTAL
ASSESSMENT FOR EXEMPTION OF CERTAIN 10 CFR 50, APPENDIX J
REQUIREMENTS (TAC NOS. MA6868, MA6869, AND MA6870)

Dear Mr. McCollum:

Enclosed is a copy of the Environmental Assessment and Finding of No Significant Impact related to your application dated October 5, 1999, for an exemption from the requirements of Title 10 of the *Code of Federal Regulations* (10 CFR) Part 50, Appendix J, Section III.D.2(b)(ii) regarding the performance of containment air lock leakage testing at the Oconee Nuclear Station, Units 1, 2 and 3. The proposed exemption was submitted pursuant to 10 CFR 50.12 and would allow performance of an air lock door seal test in lieu of a full pressure test, provided that no maintenance has been performed on the air lock that could affect its sealing capability. The seal test would be performed during startup prior to entry into Mode 4 where containment integrity is required. If maintenance has been performed on the air lock that could affect its sealing capability, then an overall air lock leakage test at the required test pressure would be necessary prior to establishing containment integrity.

The assessment is being forwarded to the Office of the Federal Register for publication.

Sincerely,

A handwritten signature in black ink, appearing to read "De LaBarge".

David E. LaBarge, Senior Project Manager, Section 1
Project Directorate II
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. 50-269, 50-270 and 50-287

Enclosures: Environmental Assessment

cc w/encl: See next page

Oconee Nuclear Station

cc:

Ms. Lisa F. Vaughn
Legal Department (PBO5E)
Duke Energy Corporation
422 South Church Street
Charlotte, North Carolina 28201-1006

Anne W. Cottingham, Esquire
Winston and Strawn
1400 L Street, NW
Washington, DC 20005

Mr. Rick N. Edwards
Framatome Technologies
Suite 525
1700 Rockville Pike
Rockville, Maryland 20852-1631

Manager, LIS
NUS Corporation
2650 McCormick Drive, 3rd Floor
Clearwater, Florida 34619-1035

Senior Resident Inspector
U. S. Nuclear Regulatory
Commission
7812B Rochester Highway
Seneca, South Carolina 29672

Virgil R. Autry, Director
Division of Radioactive Waste Management
Bureau of Land and Waste Management
Department of Health and Environmental
Control
2600 Bull Street
Columbia, South Carolina 29201-1708

Heinz Mueller (5)
Environmental Protection Agency
Environmental Review Coordinator
345 Courtland Street, NE
Atlanta, Georgia 30365

Mr. L. E. Nicholson
Compliance Manager
Duke Energy Corporation
Oconee Nuclear Site
7800 Rochester Highway
Seneca, South Carolina 29672

Ms. Karen E. Long
Assistant Attorney General
North Carolina Department of
Justice
P. O. Box 629
Raleigh, North Carolina 27602

L. A. Keller
Manager - Nuclear Regulatory
Licensing
Duke Energy Corporation
526 South Church Street
Charlotte, North Carolina 28201-1006

Mr. Richard M. Fry, Director
Division of Radiation Protection
North Carolina Department of
Environment, Health, and
Natural Resources
3825 Barrett Drive
Raleigh, North Carolina 27609-7721

Mr. Steven P. Shaver
Senior Sales Engineer
Westinghouse Electric Company
5929 Carnegie Blvd.
Suite 500
Charlotte, North Carolina 28209