

Mr. William T. Cottle
 President and Chief Executive Officer
 STP Nuclear Operating Company
 South Texas Project Electric
 Generating Station
 P. O. Box 289
 Wadsworth, TX 77483

December 14, 1999 *File Center*

SUBJECT: SOUTH TEXAS PROJECT, UNITS 1 AND 2 - ISSUANCE OF AMENDMENTS
 RE: OPERATOR ACTION FOR SMALL-BREAK LOSS-OF-COOLANT
 ACCIDENT (TAC NOS. MA2498 AND MA2499)

Dear Mr. Cottle:

The Commission has issued the enclosed Amendment No. 119 to Facility Operating License No. NPF-76 and Amendment No. 107 to Facility Operating License No. NPF-80 for the South Texas Project, Units 1 and 2, respectively. The amendments consist of changes to the Updated Final Safety Analysis Report (UFSAR) in response to your application dated July 28, 1998, as supplemented by letters dated May 31 and October 21 (2 letters), 1999, which identified the changes as an unreviewed safety question. The amendments are being issued pursuant to the requirements of 10 CFR 50.59(c).

The amendments allow the use of operator action to reduce the steam generator (SG) power-operated relief valve setpoint consistent with the revised small-break loss-of-coolant accident (SBLOCA) analysis for the replacement Delta 94 SGs. The operator action and the associated revised SBLOCA analysis are reflected in your proposed revision to the UFSAR. Since approval of the amendments is based on the operator action and the revised SBLOCA analysis being incorporated into the UFSAR for the replacement SGs, the incorporation is a condition of the amendments and must be completed by the date the UFSAR is updated in accordance with 10 CFR 50.71(e).

A copy of our related Safety Evaluation is enclosed. The Notice of Issuance will be included in the Commission's next biweekly *Federal Register* notice.

Sincerely,
 ORIGINAL SIGNED BY
 Thomas W. Alexion, Project Manager, Section 1
 Project Directorate IV & Decommissioning
 Division of Licensing Project Management
 Office of Nuclear Reactor Regulation

Docket Nos. 50-498 and 50-499

- Enclosures: 1. Amendment No. 119 to NPF-76
 2. Amendment No. 107 to NPF-80
 3. Safety Evaluation

cc w/encls: See next page

DISTRIBUTION:

File Center	W. Beckner	L. Hurley, RIV
PUBLIC	G. Hill (4)	J. Kilcrease, RIV
PDIV-1 r/f	ACRS	R. Scholl (e-mail SE)
S. Richards (clo)	OGC	J. Bongarra
J. Tapia, RIV	F. Orr	D. O'Neal

*no substantive change from SE input

FILE CENTER COPY

DFOI

To receive a copy of this document, indicate "C" in the box										
OFFICE	PDIV-1/PM	<input checked="" type="checkbox"/>	PDIV-D/LA	<input type="checkbox"/>	IOLB/SC	<input type="checkbox"/>	SRXB/SC	<input type="checkbox"/>	OGC	<input type="checkbox"/>
NAME	TAlexion		CJamerson		DTrimble*		EWeiss*		RBushman	RGramm
DATE	11/17/99		11/28/99		07/27/99		11/02/99		12/1/99	12/1/99

DOCUMENT NAME: G:\PDIV-1\SouthTexas\AMDA2498.wpd

OFFICIAL RECORD COPY

PER A DOCK



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

December 14, 1999

Mr. William T. Cottle
President and Chief Executive Officer
STP Nuclear Operating Company
South Texas Project Electric
Generating Station
P. O. Box 289
Wadsworth, TX 77483

SUBJECT: SOUTH TEXAS PROJECT, UNITS 1 AND 2 - ISSUANCE OF AMENDMENTS
RE: OPERATOR ACTION FOR SMALL-BREAK LOSS-OF-COOLANT
ACCIDENT (TAC NOS. MA2498 AND MA2499)

Dear Mr. Cottle:

The Commission has issued the enclosed Amendment No. 119 to Facility Operating License No. NPF-76 and Amendment No. 107 to Facility Operating License No. NPF-80 for the South Texas Project, Units 1 and 2, respectively. The amendments consist of changes to the Updated Final Safety Analysis Report (UFSAR) in response to your application dated July 28, 1998, as supplemented by letters dated May 31 and October 21 (2 letters), 1999, which identified the changes as an unreviewed safety question. The amendments are being issued pursuant to the requirements of 10 CFR 50.59(c).

The amendments allow the use of operator action to reduce the steam generator (SG) power-operated relief valve setpoint consistent with the revised small-break loss-of-coolant accident (SBLOCA) analysis for the replacement Delta 94 SGs. The operator action and the associated revised SBLOCA analysis are reflected in your proposed revision to the UFSAR. Since approval of the amendments is based on the operator action and the revised SBLOCA analysis being incorporated into the UFSAR for the replacement SGs, the incorporation is a condition of the amendments and must be completed by the date the UFSAR is updated in accordance with 10 CFR 50.71(e).

A copy of our related Safety Evaluation is enclosed. The Notice of Issuance will be included in the Commission's next biweekly *Federal Register* notice.

Sincerely,

A handwritten signature in cursive script that reads "Thomas W. Alexion".

Thomas W. Alexion, Project Manager, Section 1
Project Directorate IV & Decommissioning
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket Nos. 50-498 and 50-499

Enclosures: 1. Amendment No. 119 to NPF-76
2. Amendment No. 107 to NPF-80
3. Safety Evaluation

cc w/encls: See next page

South Texas, Units 1 & 2

cc:

Mr. Cornelius F. O'Keefe
Senior Resident Inspector
U.S. Nuclear Regulatory Commission
P. O. Box 910
Bay City, TX 77414

A. Ramirez/C. M. Canady
City of Austin
Electric Utility Department
721 Barton Springs Road
Austin, TX 78704

Mr. M. T. Hardt
Mr. W. C. Gunst
City Public Service Board
P. O. Box 1771
San Antonio, TX 78296

Mr. G. E. Vaughn/C. A. Johnson
Central Power and Light Company
P. O. Box 289
Mail Code: N5012
Wadsworth, TX 74483

INPO
Records Center
700 Galleria Parkway
Atlanta, GA 30339-3064

Regional Administrator, Region IV
U.S. Nuclear Regulatory Commission
611 Ryan Plaza Drive, Suite 400
Arlington, TX 76011

D. G. Tees/R. L. Balcom
Houston Lighting & Power Co.
P. O. Box 1700
Houston, TX 77251

Judge, Matagorda County
Matagorda County Courthouse
1700 Seventh Street
Bay City, TX 77414

Jack R. Newman, Esq.
Morgan, Lewis & Bockius
1800 M Street, N.W.
Washington, DC 20036-5869

Mr. J. J. Sheppard, Vice President
Engineering & Technical Services
STP Nuclear Operating Company
P. O. Box 289
Wadsworth, TX 77483

S. M. Head, Supervisor, Licensing
Quality & Licensing Department
STP Nuclear Operating Company
P. O. Box 289
Wadsworth, TX 77483

Office of the Governor
ATTN: John Howard, Director
Environmental and Natural
Resources Policy
P. O. Box 12428
Austin, TX 78711

Jon C. Wood
Matthews & Branscomb
One Alamo Center
106 S. St. Mary's Street, Suite 700
San Antonio, TX 78205-3692

Arthur C. Tate, Director
Division of Compliance & Inspection
Bureau of Radiation Control
Texas Department of Health
1100 West 49th Street
Austin, TX 78756

Jim Calloway
Public Utility Commission of Texas
Electric Industry Analysis
P. O. Box 13326
Austin, TX 78711-3326