



GPU Nuclear, Inc.
Route 441 South
Post Office Box 480
Middletown, PA 17057-0480
Tel 717-944-7621
E910-00-015
717-948-8720

August 11, 2000

U.S. Nuclear Regulatory Commission
Attn: Document Control Desk
Washington, DC 20555

Subject: Saxton Nuclear Experimental Corporation
Operating License No. DPR-4
Docket No. 50-146
License Termination Plan References

Gentlemen,

Attached is the SNEC Facility License Termination Plan Reference as requested by the NRC Project Manager.

Reference 2-19: Attachment to the CoPhysics Corp. Report, "Review of The Final Release Survey Of the Reactor Support Buildings At The Saxton Nuclear Experimental Facility"

Sincerely,

A handwritten signature in black ink, appearing to read "G. A. Kuehn", written over a horizontal line.

G. A. Kuehn
Vice President SNEC

RDH/rdh

Attachment: Attachment to the CoPhysics Corp. Report, "Review of The Final Release Survey Of the Reactor Support Buildings At The Saxton Nuclear Experimental Facility"

cc: Alexander Adams
Thomas Dragoun

A001

ATTACHMENTS

(Dose Summation, Source Term Parameters, RESRAD runs)

DOSE SUMMATION

t (yr)	0	1	3	10	30	100	300	1000
VOL1	6.30E-07	3.10E-04	1.00E-03	1.10E-03	3.70E-04	4.20E-04	3.30E-03	1.20E-02
VOL2	6.30E-07	2.40E-04	9.30E-03	1.40E-03	5.20E-04	3.10E-04	3.60E-03	1.40E-02
VOL3	6.30E-07	2.10E-04	6.10E-04	5.40E-04	1.80E-04	2.90E-04	2.70E-03	9.30E-03
TOT mrem/yr	1.89E-06	7.60E-04	1.09E-02	3.04E-03	1.07E-03	1.02E-03	9.60E-03	3.53E-02

Max: 0.011 mrem/yr
(in 3rd year)

C&A BLDG AND RWDF RUBBLE BED SOURCE TERM PARAMETERS

SOURCE:

C&A surface area: 2585 sq.m (ref pag 46 of SNEC report)
RWDF surface area: 2232 sq.m
RWDF pad surface area: 65 sq.m TOTAL Surface Area: 4882 sq.m

Total Activity Estimation:

$< 5000 \text{ beta dpm/100 sq.cm} \times 4882 \text{ sq.m} \times 10000 \text{ sq.cm/1 sq.m} = 2.44\text{e}8 \text{ dpm}$
 $< = 1.1\text{e}8 \text{ pCi}$

Add factor of 10 self-abs/misc. correction factor: Activity $\leq 1.1\text{e}9 \text{ pCi}$

Average Concentration Estimation: $1.1\text{e}9 \text{ pCi/1340 cu.m} / (2 \text{ g/cc}) * 1 \text{ cu.m/1e6 cc} = 0.4 \text{ pCi/g}$
(volume & density from below) (gross beta activity)

TOTAL VOLUME FROM VOL1, VOL2, VOL3 BELOW = $450 + 410 + 480 = 1340 \text{ cu.m}$

VOLUME 1

Compressor Room and Evap. Gas Str Room (~ 150 sq.m)

Approx. Outside Dim: 28' x 57' (Includes shield walls, stairwells)

Cover Material Top Layer: 3' clean soil, Est. Density = 1.0 - 1.2 -> Density Used = 1.0

Contam Layer: 8' concrete rubble & clean #2 stone to fill voids; Est. Density = 1.7 - 2.4

Base Fill Material: 1' clean #2 stone; Est. Density = 1.7 - 2.4

Contam Layer: 1' concrete floor slab & clean #2 stone to fill holes in floor; Est. Density = 3

Assume contaminated layer includes Base Fill Material and Floor Slab

Therefore, contam. Layer thickness = 10' (3 m); Density used for entire layer = 2.0

Total Contam Volume: $28 \times 57 \times 10 = 15,960 \text{ cu. Ft} = 450 \text{ cu.m}$

VOLUME 2

Evap. Concentrates Room (6m x 12 m ~ 72 sq.m)

Approx. Outside Dim: 19' x 40' (Includes shield walls, stairwells)

Cover Material Top Layer: 3' clean soil, Est. Density = 1.0 - 1.2 -> Density Used = 1.0

Contam Layer: 17' concrete rubble & clean #2 stone to fill voids; Est. Density = 1.7 - 2.4

Base Fill Material: 1' clean #2 stone; Est. Density = 1.7 - 2.4

Contam Layer: 1' concrete floor slab & clean #2 stone to fill holes in floor; Est. Density = 3

→ Assume contaminated layer includes Base Fill Material and Floor Slab

Therefore, contam. Layer thickness = 19' (5.8 m); Density used for entire layer = 2.0

Total Contam Volume: $19 \times 40 \times 19 = 14,440$ cu. Ft = 410 cu.m

VOLUME 3

Yard Pipe & CV Tunnels (42m x 5.8 m ~ 250 sq.m)

Approx. Outside Dim: 137' x 19' (Includes entire width of excavation)

Cover Material Top Layer: 3' clean soil, Est. Density = 1.0 - 1.2 -> Density Used = 1.0

Contam Layer: 6.5' (2 m) concrete rubble (mostly crushed block) & base slab; Est. Density = 1.8 - 3.0

Base Fill Material: none

Density Used = 2.0

Total Contam Volume: $137 \times 19 \times 6.5 = 16,900$ cu. Ft = 480 cu.m

Table of Contents

Part 1: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	6
Summary of Pathway Selections	12
Contaminated Zone and Total Dose Summary	13
Total Dose Components	
Time = 0.000E+00	14
Time = 1.000E+00	15
Time = 3.000E+00	16
Time = 1.000E+01	17
Time = 3.000E+01	18
Time = 1.000E+02	19
Time = 3.000E+02	20
Time = 1.000E+03	21
Dose/Source Ratios Summed Over All Pathways	22
Single Radionuclide Soil Guidelines	23
Dose Per Nuclide Summed Over All Pathways	24
Soil Concentration Per Nuclide	25

Dose Conversion Factor (and Related) Parameter Summary
File: DOSFAC.BIN

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Ac-227+D	6.720E+00	6.720E+00	DCF2(1)
B-1	Am-241	4.440E-01	4.440E-01	DCF2(2)
B-1	Co-60	2.190E-04	2.190E-04	DCF2(3)
B-1	Cs-137+D	3.190E-05	3.190E-05	DCF2(4)
B-1	H-3	6.400E-08	6.400E-08	DCF2(5)
B-1	Np-237+D	5.400E-01	5.400E-01	DCF2(6)
B-1	Pa-231	1.280E+00	1.280E+00	DCF2(7)
B-1	Pb-210+D	2.320E-02	2.320E-02	DCF2(8)
B-1	Pu-238	3.920E-01	3.920E-01	DCF2(9)
B-1	Ra-226+D	8.600E-03	8.600E-03	DCF2(10)
B-1	Th-229+D	2.160E+00	2.160E+00	DCF2(11)
B-1	Th-230	3.260E-01	3.260E-01	DCF2(12)
B-1	U-233	1.350E-01	1.350E-01	DCF2(13)
B-1	U-234	1.320E-01	1.320E-01	DCF2(14)
B-1	U-235+D	1.230E-01	1.230E-01	DCF2(15)
B-1	U-238+D	1.180E-01	1.180E-01	DCF2(16)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Ac-227+D	1.480E-02	1.480E-02	DCF3(1)
D-1	Am-241	3.640E-03	3.640E-03	DCF3(2)
D-1	Co-60	2.690E-05	2.690E-05	DCF3(3)
D-1	Cs-137+D	5.000E-05	5.000E-05	DCF3(4)
D-1	H-3	6.400E-08	6.400E-08	DCF3(5)
D-1	Np-237+D	4.440E-03	4.440E-03	DCF3(6)
D-1	Pa-231	1.060E-02	1.060E-02	DCF3(7)
D-1	Pb-210+D	7.270E-03	7.270E-03	DCF3(8)
D-1	Pu-238	3.200E-03	3.200E-03	DCF3(9)
D-1	Ra-226+D	1.330E-03	1.330E-03	DCF3(10)
D-1	Th-229+D	4.030E-03	4.030E-03	DCF3(11)
D-1	Th-230	5.480E-04	5.480E-04	DCF3(12)
D-1	U-233	2.890E-04	2.890E-04	DCF3(13)
D-1	U-234	2.830E-04	2.830E-04	DCF3(14)
D-1	U-235+D	2.670E-04	2.670E-04	DCF3(15)
D-1	U-238+D	2.690E-04	2.690E-04	DCF3(16)
D-34	Food transfer factors:			
D-34	Ac-227+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(1,1)
D-34	Ac-227+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,2)
D-34	Ac-227+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,3)
D-34	Am-241 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(2,1)
D-34	Am-241 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-05	5.000E-05	RTF(2,2)
D-34	Am-241 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-06	2.000E-06	RTF(2,3)
D-34	Co-60 , plant/soil concentration ratio, dimensionless	8.000E-02	8.000E-02	RTF(3,1)
D-34	Co-60 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-02	2.000E-02	RTF(3,2)
D-34	Co-60 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-03	2.000E-03	RTF(3,3)

Dose Conversion Factor (and Related) Parameter Summary (continued)
File: DOSFAC.BIN

Menu	Parameter	Current Value	Default	Parameter Name
D-34	Cs-137+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(4,1)
D-34	Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.000E-02	3.000E-02	RTF(4,2)
D-34	Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	8.000E-03	8.000E-03	RTF(4,3)
D-34				
D-34	H-3 , plant/soil concentration ratio, dimensionless	4.800E+00	4.800E+00	RTF(5,1)
D-34	H-3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.200E-02	1.200E-02	RTF(5,2)
D-34	H-3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-02	1.000E-02	RTF(5,3)
D-34				
D-34	Np-237+D , plant/soil concentration ratio, dimensionless	2.000E-02	2.000E-02	RTF(6,1)
D-34	Np-237+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(6,2)
D-34	Np-237+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(6,3)
D-34				
D-34	Pa-231 , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(7,1)
D-34	Pa-231 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF(7,2)
D-34	Pa-231 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(7,3)
D-34				
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(8,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF(8,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF(8,3)
D-34				
D-34	Pu-238 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(9,1)
D-34	Pu-238 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(9,2)
D-34	Pu-238 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-06	1.000E-06	RTF(9,3)
D-34				
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(10,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(10,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(10,3)
D-34				
D-34	Th-229+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(11,1)
D-34	Th-229+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(11,2)
D-34	Th-229+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(11,3)
D-34				
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(12,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(12,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(12,3)
D-34				
D-34	U-233 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(13,1)
D-34	U-233 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(13,2)
D-34	U-233 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(13,3)
D-34				
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(14,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(14,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(14,3)
D-34				
D-34	U-235+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(15,1)
D-34	U-235+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(15,2)
D-34	U-235+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(15,3)
D-34				

Dose Conversion Factor (and Related) Parameter Summary (continued)
File: DOSFAC.BIN

Menu	Parameter	Current Value	Default	Parameter Name
D-34	U-238+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(16,1)
D-34	U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(16,2)
D-34	U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(16,3)
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Ac-227+D , fish	1.500E+01	1.500E+01	BIOFAC(1,1)
D-5	Ac-227+D , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(1,2)
D-5				
D-5	Am-241 , fish	3.000E+01	3.000E+01	BIOFAC(2,1)
D-5	Am-241 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(2,2)
D-5				
D-5	Co-60 , fish	3.000E+02	3.000E+02	BIOFAC(3,1)
D-5	Co-60 , crustacea and mollusks	2.000E+02	2.000E+02	BIOFAC(3,2)
D-5				
D-5	Cs-137+D , fish	2.000E+03	2.000E+03	BIOFAC(4,1)
D-5	Cs-137+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(4,2)
D-5				
D-5	H-3 , fish	1.000E+00	1.000E+00	BIOFAC(5,1)
D-5	H-3 , crustacea and mollusks	1.000E+00	1.000E+00	BIOFAC(5,2)
D-5				
D-5	Np-237+D , fish	3.000E+01	3.000E+01	BIOFAC(6,1)
D-5	Np-237+D , crustacea and mollusks	4.000E+02	4.000E+02	BIOFAC(6,2)
D-5				
D-5	Pa-231 , fish	1.000E+01	1.000E+01	BIOFAC(7,1)
D-5	Pa-231 , crustacea and mollusks	1.100E+02	1.100E+02	BIOFAC(7,2)
D-5				
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC(8,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(8,2)
D-5				
D-5	Pu-238 , fish	3.000E+01	3.000E+01	BIOFAC(9,1)
D-5	Pu-238 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(9,2)
D-5				
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC(10,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(10,2)
D-5				
D-5	Th-229+D , fish	1.000E+02	1.000E+02	BIOFAC(11,1)
D-5	Th-229+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(11,2)
D-5				
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC(12,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(12,2)
D-5				
D-5	U-233 , fish	1.000E+01	1.000E+01	BIOFAC(13,1)
D-5	U-233 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(13,2)
D-5				
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC(14,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(14,2)
D-5				
D-5	U-235+D , fish	1.000E+01	1.000E+01	BIOFAC(15,1)
D-5	U-235+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(15,2)
D-5				

Dose Conversion Factor (and Related) Parameter Summary (continued)

File: DOSFAC.BIN

Menu	Parameter	Current Value	Default	Parameter Name
D-5	U-238+D , fish	1.000E+01	1.000E+01	BIOFAC(16,1)
D-5	U-238+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(16,2)

Summary : SNEC Rubble Bed in Compressor Room and Evap. Gas Str Room

File : SNECVOL1.RAD

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	1.500E+02	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	3.000E+00	2.000E+00	---	THICKO
R011	Length parallel to aquifer flow (m)	1.800E+01	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Am-241	4.000E-03	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Co-60	2.000E-03	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Cs-137	4.000E-01	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): H-3	8.000E-01	0.000E+00	---	S1(5)
R012	Initial principal radionuclide (pCi/g): Pu-238	4.000E-04	0.000E+00	---	S1(9)
R012	Initial principal radionuclide (pCi/g): U-234	4.000E-03	0.000E+00	---	S1(14)
R012	Initial principal radionuclide (pCi/g): U-235	4.000E-03	0.000E+00	---	S1(15)
R012	Initial principal radionuclide (pCi/g): U-238	4.000E-03	0.000E+00	---	S1(16)
R012	Concentration in groundwater (pCi/L): Am-241	not used	0.000E+00	---	W1(2)
R012	Concentration in groundwater (pCi/L): Co-60	not used	0.000E+00	---	W1(3)
R012	Concentration in groundwater (pCi/L): Cs-137	not used	0.000E+00	---	W1(4)
R012	Concentration in groundwater (pCi/L): H-3	not used	0.000E+00	---	W1(5)
R012	Concentration in groundwater (pCi/L): Pu-238	not used	0.000E+00	---	W1(9)
R012	Concentration in groundwater (pCi/L): U-234	not used	0.000E+00	---	W1(14)
R012	Concentration in groundwater (pCi/L): U-235	not used	0.000E+00	---	W1(15)
R012	Concentration in groundwater (pCi/L): U-238	not used	0.000E+00	---	W1(16)
R013	Cover depth (m)	1.000E+00	0.000E+00	---	COVERO
R013	Density of cover material (g/cm**3)	1.500E+00	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	2.000E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	3.450E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone effective porosity	3.500E-01	2.000E-01	---	EPCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.730E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	1.050E+01	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	3.867E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	8.000E+00	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.940E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.024E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	2.000E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	3.500E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	5.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	---	EPS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Density of saturated zone (g/cm**3)	1.480E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.500E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	3.500E-01	2.000E-01	---	EPSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.730E+01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	3.000E-03	2.000E-02	---	HGWT
R014	Saturated zone b parameter	1.050E+01	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	5.000E-04	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	3.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.860E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	6.100E-01	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.600E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	3.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	1.050E+01	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.730E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Am-241				
R016	Contaminated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCC(2)
R016	Unsaturated zone 1 (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCU(2,1)
R016	Saturated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCS(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.907E-03	ALEACH(2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(2)
R016	Distribution coefficients for Co-60				
R016	Contaminated zone (cm**3/g)	5.000E+01	1.000E+03	---	DCNUCC(3)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+03	1.000E+03	---	DCNUCU(3,1)
R016	Saturated zone (cm**3/g)	5.000E+03	1.000E+03	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.168E-03	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(3)
R016	Distribution coefficients for Cs-137				
R016	Contaminated zone (cm**3/g)	5.000E+00	1.000E+03	---	DCNUCC(4)
R016	Unsaturated zone 1 (cm**3/g)	1.000E+03	1.000E+03	---	DCNUCU(4,1)
R016	Saturated zone (cm**3/g)	1.000E+03	1.000E+03	---	DCNUCS(4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.138E-02	ALEACH(4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(4)
R016	Distribution coefficients for H-3				
R016	Contaminated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCC(5)
R016	Unsaturated zone 1 (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCU(5,1)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCS(5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.937E-01	ALEACH(5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(5)

Summary : SNEC Rubble Bed in Compressor Room and Evap. Gas Str Room

File : SNECVOL1.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for Pu-238				
R016	Contaminated zone (cm**3/g)	5.000E+03	2.000E+03	---	DCNUCC(9)
R016	Unsaturated zone 1 (cm**3/g)	1.000E+04	2.000E+03	---	DCNUCU(9,1)
R016	Saturated zone (cm**3/g)	1.000E+04	2.000E+03	---	DCNUCS(9)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.171E-05	ALEACH(9)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(9)
R016	Distribution coefficients for U-234				
R016	Contaminated zone (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCC(14)
R016	Unsaturated zone 1 (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCU(14,1)
R016	Saturated zone (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCS(14)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.951E-04	ALEACH(14)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(14)
R016	Distribution coefficients for U-235				
R016	Contaminated zone (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCC(15)
R016	Unsaturated zone 1 (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCU(15,1)
R016	Saturated zone (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCS(15)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.951E-04	ALEACH(15)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(15)
R016	Distribution coefficients for U-238				
R016	Contaminated zone (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCC(16)
R016	Unsaturated zone 1 (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCU(16,1)
R016	Saturated zone (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCS(16)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.951E-04	ALEACH(16)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(16)
R016	Distribution coefficients for daughter Ac-227				
R016	Contaminated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.907E-03	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R016	Distribution coefficients for daughter Np-237				
R016	Contaminated zone (cm**3/g)	-1.000E+00	-1.000E+00	2.574E+02	DCNUCC(6)
R016	Unsaturated zone 1 (cm**3/g)	-1.000E+00	-1.000E+00	2.574E+02	DCNUCU(6,1)
R016	Saturated zone (cm**3/g)	-1.000E+00	-1.000E+00	2.574E+02	DCNUCS(6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.274E-04	ALEACH(6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(6)
R016	Distribution coefficients for daughter Pa-231				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC(7)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU(7,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS(7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.168E-03	ALEACH(7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(7)

Summary : SNEC Rubble Bed in Compressor Room and Evap. Gas Str Room

File : SNECVOL1.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for daughter Pb-210				
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC(8)
R016	Unsaturated zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU(8,1)
R016	Saturated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS(8)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.849E-04	ALEACH(8)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(8)
R016	Distribution coefficients for daughter Ra-226				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC(10)
R016	Unsaturated zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU(10,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS(10)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.350E-04	ALEACH(10)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(10)
R016	Distribution coefficients for daughter Th-229				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC(11)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU(11,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS(11)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	9.762E-07	ALEACH(11)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(11)
R016	Distribution coefficients for daughter Th-230				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC(12)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU(12,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS(12)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	9.762E-07	ALEACH(12)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(12)
R016	Distribution coefficients for daughter U-233				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC(13)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU(13,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS(13)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.168E-03	ALEACH(13)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(13)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	1.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	7.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	5.000E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.500E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	-1.000E+00	1.000E+00	-1 shows non-circular AREA.	FS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	5.000E+01	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	7.071E+01	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	0.000E+00	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	0.000E+00	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	0.000E+00	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	0.000E+00	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	0.000E+00	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	0.000E+00	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	0.000E+00	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	0.000E+00	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	0.000E+00	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	0.000E+00	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	1.000E+00	1.000E+00	---	FRACA(1)
R017	Ring 2	2.732E-01	2.732E-01	---	FRACA(2)
R017	Ring 3	0.000E+00	0.000E+00	---	FRACA(3)
R017	Ring 4	0.000E+00	0.000E+00	---	FRACA(4)
R017	Ring 5	0.000E+00	0.000E+00	---	FRACA(5)
R017	Ring 6	0.000E+00	0.000E+00	---	FRACA(6)
R017	Ring 7	0.000E+00	0.000E+00	---	FRACA(7)
R017	Ring 8	0.000E+00	0.000E+00	---	FRACA(8)
R017	Ring 9	0.000E+00	0.000E+00	---	FRACA(9)
R017	Ring 10	0.000E+00	0.000E+00	---	FRACA(10)
R017	Ring 11	0.000E+00	0.000E+00	---	FRACA(11)
R017	Ring 12	0.000E+00	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	5.200E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	6.400E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	3.100E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	1.100E+02	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	2.100E+01	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	5.000E+00	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	3.650E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	7.300E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	6.800E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	5.500E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.000E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	1.600E+02	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI

Summary : SNEC Rubble Bed in Compressor Room and Evap. Gas Str Room

File : SNECVOL1.RAD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	1.000E+00	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.100E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.000E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	suppressed

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	150.00 square meters	Am-241	4.000E-03
Thickness:	3.00 meters	Co-60	2.000E-03
Cover Depth:	1.00 meters	Cs-137	4.000E-01
		H-3	8.000E-01
		Pu-238	4.000E-04
		U-234	4.000E-03
		U-235	4.000E-03
		U-238	4.000E-03

Total Dose TDOSE(t), mrem/yr								
Basic Radiation Dose Limit = 25 mrem/yr								
Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)								
t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	6.345E-07	3.148E-04	1.045E-03	1.109E-03	3.701E-04	4.178E-04	3.304E-03	1.153E-02
M(t):	2.538E-08	1.259E-05	4.181E-05	4.437E-05	1.480E-05	1.671E-05	1.321E-04	4.612E-04

Maximum TDOSE(t): 1.153E-02 mrem/yr at t = 1.000E+03 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	3.571E-25	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	1.424E-07	0.2244	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	4.918E-07	0.7751	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	1.835E-21	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.605E-19	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	1.728E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	2.912E-10	0.0005	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	6.345E-07	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.571E-25	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.424E-07	0.2244
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.918E-07	0.7751
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.835E-21	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.605E-19	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.728E-12	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.912E-10	0.0005
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.345E-07	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	7.814E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	1.262E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	4.820E-07	0.0015	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	1.893E-21	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.928E-16	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	1.764E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	2.952E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	6.085E-07	0.0019	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.814E-18	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.262E-07	0.0004
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.820E-07	0.0015
H-3	1.578E-04	0.5013	3.601E-09	0.0000	0.000E+00	0.0000	9.748E-05	0.3096	8.390E-06	0.0266	5.052E-05	0.1605	3.142E-04	0.9981
Pu-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.893E-21	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.928E-16	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.764E-12	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.952E-10	0.0000
Total	1.578E-04	0.5013	3.601E-09	0.0000	0.000E+00	0.0000	9.748E-05	0.3096	8.390E-06	0.0266	5.052E-05	0.1605	3.148E-04	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	2.421E-17	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	9.909E-08	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	4.629E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	2.458E-21	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.776E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	1.838E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	3.033E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	5.623E-07	0.0005	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.421E-17	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.909E-08	0.0001
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.629E-07	0.0004
H-3	5.103E-04	0.4882	1.197E-08	0.0000	0.000E+00	0.0000	3.336E-04	0.3192	3.259E-05	0.0312	1.682E-04	0.1609	1.045E-03	0.9995
Pu-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.458E-21	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.776E-15	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.838E-12	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.033E-10	0.0000
Total	5.103E-04	0.4882	1.197E-08	0.0000	0.000E+00	0.0000	3.336E-04	0.3192	3.259E-05	0.0312	1.682E-04	0.1609	1.045E-03	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	9.032E-17	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	4.250E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	4.017E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	2.218E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	2.145E-14	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	2.127E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	3.336E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	4.446E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.032E-17	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.250E-08	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.017E-07	0.0004
H-3	5.395E-04	0.4864	1.270E-08	0.0000	0.000E+00	0.0000	3.554E-04	0.3204	3.525E-05	0.0318	1.785E-04	0.1609	1.109E-03	0.9996
Pu-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.218E-20	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.145E-14	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.127E-12	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.336E-10	0.0000
Total	5.395E-04	0.4864	1.270E-08	0.0000	0.000E+00	0.0000	3.554E-04	0.3204	3.525E-05	0.0318	1.785E-04	0.1609	1.109E-03	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	3.740E-16	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	3.785E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	2.681E-07	0.0007	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	6.617E-19	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	2.453E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	3.247E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	4.378E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	2.723E-07	0.0007	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.740E-16	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.785E-09	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.681E-07	0.0007
H-3	1.799E-04	0.4862	4.238E-09	0.0000	0.000E+00	0.0000	1.186E-04	0.3204	1.177E-05	0.0318	5.953E-05	0.1609	3.698E-04	0.9993
Pu-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.617E-19	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.453E-13	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.247E-12	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.378E-10	0.0000
Total	1.799E-04	0.4862	4.238E-09	0.0000	0.000E+00	0.0000	1.186E-04	0.3204	1.177E-05	0.0318	5.953E-05	0.1609	3.701E-04	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	3.869E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	7.978E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	6.504E-08	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	4.992E-17	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	6.296E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	1.437E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	1.133E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	6.620E-08	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	2.988E-04	0.7153	1.524E-06	0.0036	0.000E+00	0.0000	1.168E-04	0.2796	3.890E-07	0.0009	6.585E-08	0.0002	4.176E-04	0.9997
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.978E-13	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.504E-08	0.0002
H-3	4.522E-18	0.0000	1.072E-22	0.0000	0.000E+00	0.0000	3.019E-18	0.0000	3.072E-19	0.0000	1.506E-18	0.0000	9.354E-18	0.0000
Pu-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.992E-17	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.296E-12	0.0000
U-235	5.013E-08	0.0001	2.410E-10	0.0000	0.000E+00	0.0000	1.957E-08	0.0000	2.582E-11	0.0000	1.101E-10	0.0000	7.009E-08	0.0002
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.133E-09	0.0000
Total	2.989E-04	0.7154	1.524E-06	0.0036	0.000E+00	0.0000	1.168E-04	0.2797	3.890E-07	0.0009	6.596E-08	0.0002	4.178E-04	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	3.074E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.906E-04	0.1485	3.427E-07	0.0001	2.885E-08	0.0000	0.000E+00	0.0000
Co-60	2.503E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.895E-21	0.0000	7.412E-22	0.0000	1.690E-22	0.0000	0.000E+00	0.0000
Cs-137	1.138E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.341E-06	0.0010	1.285E-06	0.0004	7.809E-07	0.0002	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	1.095E-14	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.548E-05	0.0047	1.985E-08	0.0000	6.550E-10	0.0000	0.000E+00	0.0000
U-234	6.212E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.556E-04	0.1076	1.609E-06	0.0005	6.222E-06	0.0019	0.000E+00	0.0000
U-235	9.120E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.957E-04	0.2106	1.971E-05	0.0060	5.812E-06	0.0018	0.000E+00	0.0000
U-238	1.717E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.295E-04	0.0997	1.434E-06	0.0004	5.769E-06	0.0017	0.000E+00	0.0000
Total	1.984E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.890E-03	0.5722	2.440E-05	0.0074	1.861E-05	0.0056	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	9.739E-04	0.2948	4.967E-06	0.0015	0.000E+00	0.0000	3.809E-04	0.1153	1.272E-06	0.0004	2.148E-07	0.0001	1.852E-03	0.5607
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.830E-21	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.409E-06	0.0016
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	6.810E-16	0.0000	3.429E-18	0.0000	0.000E+00	0.0000	2.672E-16	0.0000	1.512E-17	0.0000	3.687E-17	0.0000	1.550E-05	0.0047
U-234	1.814E-10	0.0000	9.229E-13	0.0000	0.000E+00	0.0000	7.117E-11	0.0000	4.023E-12	0.0000	9.648E-12	0.0000	3.634E-04	0.1100
U-235	6.476E-06	0.0020	2.752E-08	0.0000	0.000E+00	0.0000	2.532E-06	0.0008	1.181E-07	0.0000	1.281E-08	0.0000	7.303E-04	0.2211
U-238	8.432E-15	0.0000	4.249E-17	0.0000	0.000E+00	0.0000	3.309E-15	0.0000	1.873E-16	0.0000	4.562E-16	0.0000	3.367E-04	0.1019
Total	9.804E-04	0.2968	4.994E-06	0.0015	0.000E+00	0.0000	3.834E-04	0.1161	1.390E-06	0.0004	2.276E-07	0.0001	3.304E-03	1.0000

*Sum of all water independent and dependent pathways.

Summary : SNEC Rubble Bed in Compressor Room and Evap. Gas Str Room

File : SNECVOL1.RAD

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	1.263E-06	0.0001	4.675E-07	0.0000	0.000E+00	0.0000	1.058E-04	0.0092	7.157E-07	0.0001	5.771E-08	0.0000	6.614E-07	0.0001
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	8.092E-16	0.0000	3.217E-22	0.0000	0.000E+00	0.0000	4.952E-16	0.0000	2.256E-16	0.0000	1.421E-16	0.0000	8.702E-20	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	9.510E-10	0.0000	1.754E-09	0.0000	0.000E+00	0.0000	3.343E-07	0.0000	3.958E-09	0.0000	4.382E-09	0.0000	2.073E-09	0.0000
U-234	3.202E-05	0.0028	1.056E-05	0.0009	0.000E+00	0.0000	1.717E-03	0.1489	2.923E-05	0.0025	1.189E-04	0.0103	4.051E-06	0.0004
U-235	1.470E-03	0.1275	1.736E-05	0.0015	0.000E+00	0.0000	4.881E-03	0.4234	3.271E-04	0.0284	1.073E-04	0.0093	7.957E-06	0.0007
U-238	2.545E-04	0.0221	9.270E-06	0.0008	0.000E+00	0.0000	1.297E-03	0.1125	2.225E-05	0.0019	1.053E-04	0.0091	3.646E-06	0.0003
Total	1.758E-03	0.1525	3.767E-05	0.0033	0.000E+00	0.0000	8.001E-03	0.6940	3.793E-04	0.0329	3.316E-04	0.0288	1.632E-05	0.0014

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	6.006E-04	0.0521	3.063E-06	0.0003	0.000E+00	0.0000	2.349E-04	0.0204	7.850E-07	0.0001	1.325E-07	0.0000	9.485E-04	0.0823
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.672E-15	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	4.756E-12	0.0000	2.513E-14	0.0000	0.000E+00	0.0000	1.867E-12	0.0000	1.049E-13	0.0000	2.361E-13	0.0000	3.475E-07	0.0000
U-234	2.157E-07	0.0000	1.141E-09	0.0000	0.000E+00	0.0000	8.472E-08	0.0000	4.757E-09	0.0000	1.069E-08	0.0000	1.912E-03	0.1658
U-235	1.164E-04	0.0101	4.613E-07	0.0000	0.000E+00	0.0000	4.554E-05	0.0039	3.184E-06	0.0003	2.169E-07	0.0000	6.977E-03	0.6051
U-238	1.016E-10	0.0000	5.360E-13	0.0000	0.000E+00	0.0000	3.988E-11	0.0000	2.240E-12	0.0000	5.055E-12	0.0000	1.692E-03	0.1467
Total	7.172E-04	0.0622	3.525E-06	0.0003	0.000E+00	0.0000	2.805E-04	0.0243	3.974E-06	0.0003	3.601E-07	0.0000	1.153E-02	1.0000

*Sum of all water independent and dependent pathways.

Dose/Source Ratios Summed Over All Pathways
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	DSR(j,t) (mrem/yr)/(pCi/g)							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Am-241	Am-241	1.000E+00	8.927E-23	9.314E-23	1.014E-22	1.365E-22	3.189E-22	1.044E-01	4.625E-01	2.339E-01
Am-241	Np-237	1.000E+00	0.000E+00	1.954E-15	6.052E-15	2.258E-14	9.349E-14	7.450E-08	5.980E-04	3.183E-03
Am-241	U-233	1.000E+00	0.000E+00	4.748E-25	4.438E-24	5.628E-23	7.391E-22	2.545E-12	3.895E-09	7.566E-08
Am-241	Th-229	1.000E+00	0.000E+00	8.637E-25	2.405E-23	9.925E-22	3.651E-20	3.999E-18	2.065E-10	2.164E-08
Am-241	ΣDSR(j)		8.927E-23	1.954E-15	6.052E-15	2.258E-14	9.349E-14	1.044E-01	4.631E-01	2.371E-01
Co-60	Co-60	1.000E+00	7.121E-05	6.310E-05	4.954E-05	2.125E-05	1.893E-06	3.989E-10	1.915E-18	0.000E+00
Cs-137	Cs-137	1.000E+00	1.230E-06	1.205E-06	1.157E-06	1.004E-06	6.702E-07	1.626E-07	1.352E-05	4.180E-15
H-3	H-3	1.000E+00	0.000E+00	3.928E-04	1.306E-03	1.386E-03	4.622E-04	1.169E-17	0.000E+00	0.000E+00
Pu-238	Pu-238	1.000E+00	4.588E-18	4.688E-18	4.894E-18	5.688E-18	8.742E-18	3.934E-17	3.873E-02	7.009E-04
Pu-238	U-234	1.000E+00	0.000E+00	1.167E-22	3.680E-22	1.462E-21	7.253E-21	1.427E-19	2.928E-05	1.382E-04
Pu-238	Th-230	1.000E+00	0.000E+00	5.393E-27	5.106E-26	6.776E-25	1.014E-23	6.739E-22	4.158E-08	8.610E-07
Pu-238	Ra-226	1.000E+00	0.000E+00	4.543E-20	1.252E-18	4.976E-17	1.646E-15	1.248E-13	1.925E-07	1.403E-05
Pu-238	Pb-210	1.000E+00	0.000E+00	1.598E-31	1.342E-29	1.881E-27	2.206E-25	1.058E-22	1.970E-07	1.471E-05
Pu-238	ΣDSR(j)		4.588E-18	4.733E-18	6.145E-18	5.544E-17	1.654E-15	1.248E-13	3.876E-02	8.686E-04
U-234	U-234	1.000E+00	4.014E-17	4.131E-17	4.377E-17	5.359E-17	9.552E-17	7.223E-16	8.840E-02	3.761E-01
U-234	Th-230	1.000E+00	0.000E+00	3.815E-21	1.210E-20	4.906E-20	2.574E-19	6.067E-18	1.865E-04	2.720E-03
U-234	Ra-226	1.000E+00	0.000E+00	4.816E-14	4.439E-13	5.363E-12	6.131E-11	1.574E-09	1.093E-03	4.819E-02
U-234	Pb-210	1.000E+00	0.000E+00	2.254E-25	6.309E-24	2.654E-22	1.041E-20	1.555E-18	1.182E-03	5.096E-02
U-234	ΣDSR(j)		4.014E-17	4.820E-14	4.440E-13	5.363E-12	6.131E-11	1.574E-09	9.086E-02	4.780E-01
U-235	U-235	1.000E+00	4.319E-10	4.408E-10	4.593E-10	5.302E-10	7.990E-10	3.356E-09	8.347E-02	7.106E-01
U-235	Pa-231	1.000E+00	0.000E+00	6.363E-14	1.974E-13	7.396E-13	3.099E-12	3.328E-11	7.609E-02	7.701E-01
U-235	Ac-227	1.000E+00	0.000E+00	9.004E-15	8.196E-14	9.492E-13	9.773E-12	1.752E-05	2.302E-02	2.636E-01
U-235	ΣDSR(j)		4.319E-10	4.409E-10	4.596E-10	5.319E-10	8.118E-10	1.752E-05	1.826E-01	1.744E+00
U-238	U-238	1.000E+00	7.280E-08	7.379E-08	7.583E-08	8.339E-08	1.094E-07	2.833E-07	8.410E-02	4.218E-01
U-238	U-234	1.000E+00	0.000E+00	1.171E-22	3.723E-22	1.519E-21	8.124E-21	2.048E-19	7.522E-05	1.068E-03
U-238	Th-230	1.000E+00	0.000E+00	5.407E-27	5.146E-26	6.951E-25	1.093E-23	8.574E-22	7.858E-08	3.739E-06
U-238	Ra-226	1.000E+00	0.000E+00	4.553E-20	1.259E-18	5.072E-17	1.742E-15	1.498E-13	3.163E-07	4.840E-05
U-238	Pb-210	1.000E+00	0.000E+00	1.706E-31	1.350E-29	1.911E-27	2.312E-25	1.240E-22	3.130E-07	4.956E-05
U-238	ΣDSR(j)		7.280E-08	7.379E-08	7.583E-08	8.339E-08	1.094E-07	2.833E-07	8.418E-02	4.230E-01

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ≤ 0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 25 mrem/yr

Nuclide (i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Am-241	*3.430E+12	*3.430E+12	*3.430E+12	*3.430E+12	*3.430E+12	2.394E+02	5.399E+01	1.054E+02
Co-60	3.511E+05	3.962E+05	5.046E+05	1.176E+06	1.321E+07	6.268E+10	*1.131E+15	*1.131E+15
Cs-137	2.033E+07	2.075E+07	2.160E+07	2.489E+07	3.731E+07	1.537E+08	1.849E+06	*8.701E+13
H-3	*9.594E+15	6.365E+04	1.914E+04	1.804E+04	5.409E+04	*9.594E+15	*9.594E+15	*9.594E+15
Pu-238	*1.711E+13	*1.711E+13	*1.711E+13	*1.711E+13	*1.711E+13	*1.711E+13	6.450E+02	2.878E+04
U-234	*6.245E+09	*6.245E+09	*6.245E+09	*6.245E+09	*6.245E+09	*6.245E+09	2.751E+02	5.230E+01
U-235	*2.160E+06	*2.160E+06	*2.160E+06	*2.160E+06	*2.160E+06	1.427E+06	1.369E+02	1.433E+01
U-238	*3.360E+05	*3.360E+05	*3.360E+05	*3.360E+05	*3.360E+05	*3.360E+05	2.970E+02	5.911E+01

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 1.000E+03 years

Nuclide (i)	Initial pCi/g	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Am-241	4.000E-03	381.7 ± 0.8	4.818E-01	5.189E+01	2.371E-01	1.054E+02
Co-60	2.000E-03	0.000E+00	7.121E-05	3.511E+05	0.000E+00	*1.131E+15
Cs-137	4.000E-01	129.1 ± 0.3	7.112E-04	3.515E+04	4.180E-15	*8.701E+13
H-3	8.000E-01	5.82 ± 0.01	1.571E-03	1.591E+04	0.000E+00	*9.594E+15
Pu-238	4.000E-04	226.5 ± 0.5	4.383E-02	5.704E+02	8.686E-04	2.878E+04
U-234	4.000E-03	1.000E+03	4.780E-01	5.230E+01	4.780E-01	5.230E+01
U-235	4.000E-03	1.000E+03	1.744E+00	1.433E+01	1.744E+00	1.433E+01
U-238	4.000E-03	1.000E+03	4.230E-01	5.911E+01	4.230E-01	5.911E+01

*At specific activity limit

Individual Nuclide Dose Summed Over All Pathways
 Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	BRF(i)	DOSE(j,t), mrem/yr								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Am-241	Am-241	1.000E+00		3.571E-25	3.726E-25	4.056E-25	5.459E-25	1.276E-24	4.176E-04	1.850E-03	9.358E-04
Np-237	Am-241	1.000E+00		0.000E+00	7.814E-18	2.421E-17	9.032E-17	3.740E-16	2.980E-10	2.392E-06	1.273E-05
U-233	Am-241	1.000E+00		0.000E+00	1.899E-27	1.775E-26	2.251E-25	2.956E-24	1.018E-14	1.558E-11	3.027E-10
Th-229	Am-241	1.000E+00		0.000E+00	3.455E-27	9.620E-26	3.970E-24	1.460E-22	1.599E-20	8.260E-13	8.657E-11
Co-60	Co-60	1.000E+00		1.424E-07	1.262E-07	9.909E-08	4.250E-08	3.785E-09	7.978E-13	3.830E-21	0.000E+00
Cs-137	Cs-137	1.000E+00		4.918E-07	4.820E-07	4.629E-07	4.017E-07	2.681E-07	6.504E-08	5.409E-06	1.672E-15
H-3	H-3	1.000E+00		0.000E+00	3.142E-04	1.045E-03	1.109E-03	3.698E-04	9.354E-18	0.000E+00	0.000E+00
Pu-238	Pu-238	1.000E+00		1.835E-21	1.875E-21	1.957E-21	2.275E-21	3.497E-21	1.574E-20	1.549E-05	2.803E-07
U-234	Pu-238	1.000E+00		0.000E+00	4.667E-26	1.472E-25	5.848E-25	2.901E-24	5.709E-23	1.171E-08	5.526E-08
U-234	U-234	1.000E+00		1.605E-19	1.653E-19	1.751E-19	2.144E-19	3.821E-19	2.889E-18	3.536E-04	1.504E-03
U-234	U-238	1.000E+00		0.000E+00	4.685E-25	1.489E-24	6.077E-24	3.250E-23	8.192E-22	3.009E-07	4.271E-06
U-234	ΣDOSE(j):			1.605E-19	1.653E-19	1.751E-19	2.144E-19	3.821E-19	2.890E-18	3.539E-04	1.509E-03
Th-230	Pu-238	1.000E+00		0.000E+00	2.157E-30	2.043E-29	2.710E-28	4.055E-27	2.696E-25	1.663E-11	3.444E-10
Th-230	U-234	1.000E+00		0.000E+00	1.526E-23	4.841E-23	1.962E-22	1.029E-21	2.427E-20	7.458E-07	1.088E-05
Th-230	U-238	1.000E+00		0.000E+00	2.163E-29	2.058E-28	2.781E-27	4.374E-26	3.430E-24	3.143E-10	1.495E-08
Th-230	ΣDOSE(j):			0.000E+00	1.526E-23	4.841E-23	1.962E-22	1.030E-21	2.427E-20	7.461E-07	1.090E-05
Ra-226	Pu-238	1.000E+00		0.000E+00	1.817E-23	5.006E-22	1.990E-20	6.582E-19	4.991E-17	7.699E-11	5.611E-09
Ra-226	U-234	1.000E+00		0.000E+00	1.926E-16	1.776E-15	2.145E-14	2.452E-13	6.296E-12	4.371E-06	1.928E-04
Ra-226	U-238	1.000E+00		0.000E+00	1.821E-22	5.035E-21	2.029E-19	6.968E-18	5.993E-16	1.265E-09	1.936E-07
Ra-226	ΣDOSE(j):			0.000E+00	1.926E-16	1.776E-15	2.145E-14	2.453E-13	6.296E-12	4.372E-06	1.930E-04
Pb-210	Pu-238	1.000E+00		0.000E+00	0.000E+00	5.367E-33	7.526E-31	8.826E-29	4.233E-26	7.881E-11	5.885E-09
Pb-210	U-234	1.000E+00		0.000E+00	9.016E-28	2.524E-26	1.062E-24	4.163E-23	6.219E-21	4.730E-06	2.038E-04
Pb-210	U-238	1.000E+00		0.000E+00	0.000E+00	5.401E-32	7.643E-30	9.250E-28	4.962E-25	1.252E-09	1.982E-07
Pb-210	ΣDOSE(j):			0.000E+00	9.016E-28	2.524E-26	1.062E-24	4.163E-23	6.219E-21	4.731E-06	2.040E-04
U-235	U-235	1.000E+00		1.728E-12	1.763E-12	1.837E-12	2.121E-12	3.196E-12	1.343E-11	3.339E-04	2.842E-03
Pa-231	U-235	1.000E+00		0.000E+00	2.545E-16	7.895E-16	2.958E-15	1.240E-14	1.331E-13	3.044E-04	3.080E-03
Ac-227	U-235	1.000E+00		0.000E+00	3.602E-17	3.278E-16	3.797E-15	3.909E-14	7.008E-08	9.207E-05	1.054E-03
U-238	U-238	1.000E+00		2.912E-10	2.952E-10	3.033E-10	3.336E-10	4.378E-10	1.133E-09	3.364E-04	1.687E-03

BRF(i) is the branch fraction of the parent nuclide.

Individual Nuclide Soil Concentration
 Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	BRF(i)	S(j,t), pCi/g								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Am-241	Am-241	1.000E+00		4.000E-03	3.982E-03	3.946E-03	3.824E-03	3.494E-03	2.548E-03	1.034E-03	4.396E-05
Np-237	Am-241	1.000E+00		0.000E+00	1.293E-09	3.859E-09	1.265E-08	3.623E-08	1.030E-07	2.044E-07	2.376E-07
U-233	Am-241	1.000E+00		0.000E+00	2.827E-15	2.535E-14	2.778E-13	2.404E-12	2.336E-11	1.464E-10	5.632E-10
Th-229	Am-241	1.000E+00		0.000E+00	8.904E-20	2.397E-18	8.785E-17	2.302E-15	7.698E-14	1.577E-12	2.578E-11
Co-60	Co-60	1.000E+00		2.000E-03	1.752E-03	1.343E-03	5.307E-04	3.737E-05	3.461E-09	1.037E-20	0.000E+00
Cs-137	Cs-137	1.000E+00		4.000E-01	3.864E-01	3.607E-01	2.833E-01	1.422E-01	1.272E-02	1.287E-05	4.238E-16
H-3	H-3	1.000E+00		8.000E-01	5.102E-01	2.075E-01	8.903E-03	1.103E-06	2.331E-20	0.000E+00	0.000E+00
Pu-238	Pu-238	1.000E+00		4.000E-04	3.968E-04	3.906E-04	3.696E-04	3.155E-04	1.813E-04	3.726E-05	1.466E-07
U-234	Pu-238	1.000E+00		0.000E+00	1.129E-09	3.361E-09	1.089E-08	3.019E-08	7.749E-08	1.248E-07	1.205E-07
U-234	U-234	1.000E+00		4.000E-03	3.999E-03	3.998E-03	3.992E-03	3.976E-03	3.922E-03	3.769E-03	3.282E-03
U-234	U-238	1.000E+00		0.000E+00	1.134E-08	3.400E-08	1.132E-07	3.382E-07	1.112E-06	3.207E-06	9.316E-06
U-234	ΣS(j):			4.000E-03	3.999E-03	3.998E-03	3.992E-03	3.977E-03	3.923E-03	3.773E-03	3.291E-03
Th-230	Pu-238	1.000E+00		0.000E+00	5.090E-15	4.557E-14	4.969E-13	4.242E-12	3.958E-11	2.335E-10	1.029E-09
Th-230	U-234	1.000E+00		0.000E+00	3.600E-08	1.080E-07	3.597E-07	1.077E-06	3.564E-06	1.047E-05	3.250E-05
Th-230	U-238	1.000E+00		0.000E+00	5.103E-14	4.592E-13	5.097E-12	4.575E-11	5.036E-10	4.413E-09	4.467E-08
Th-230	ΣS(j):			0.000E+00	3.600E-08	1.080E-07	3.597E-07	1.077E-06	3.564E-06	1.048E-05	3.255E-05
Ra-226	Pu-238	1.000E+00		0.000E+00	7.353E-19	1.976E-17	7.200E-16	1.856E-14	5.888E-13	1.071E-11	1.440E-10
Ra-226	U-234	1.000E+00		0.000E+00	7.796E-12	7.009E-11	7.761E-10	6.917E-09	7.428E-08	6.077E-07	4.945E-06
Ra-226	U-238	1.000E+00		0.000E+00	7.370E-18	1.988E-16	7.340E-15	1.965E-13	7.071E-12	1.759E-10	4.967E-09
Ra-226	ΣS(j):			0.000E+00	7.796E-12	7.009E-11	7.761E-10	6.917E-09	7.429E-08	6.079E-07	4.950E-06
Pb-210	Pu-238	1.000E+00		0.000E+00	5.681E-21	4.527E-19	5.282E-17	3.664E-15	2.798E-13	8.162E-12	1.333E-10
Pb-210	U-234	1.000E+00		0.000E+00	8.015E-14	2.129E-12	7.452E-11	1.728E-09	4.111E-08	4.899E-07	4.615E-06
Pb-210	U-238	1.000E+00		0.000E+00	6.068E-20	4.555E-18	5.365E-16	3.841E-14	3.280E-12	1.296E-10	4.490E-09
Pb-210	ΣS(j):			0.000E+00	8.015E-14	2.129E-12	7.452E-11	1.728E-09	4.111E-08	4.901E-07	4.620E-06
U-235	U-235	1.000E+00		4.000E-03	3.999E-03	3.998E-03	3.992E-03	3.977E-03	3.923E-03	3.773E-03	3.291E-03
Pa-231	U-235	1.000E+00		0.000E+00	8.457E-08	2.534E-07	8.405E-07	2.487E-06	7.901E-06	2.071E-05	4.412E-05
Ac-227	U-235	1.000E+00		0.000E+00	1.331E-09	1.170E-08	1.198E-07	8.685E-07	5.289E-06	1.745E-05	3.995E-05
U-238	U-238	1.000E+00		4.000E-03	3.999E-03	3.998E-03	3.992E-03	3.977E-03	3.923E-03	3.773E-03	3.291E-03

BRF(i) is the branch fraction of the parent nuclide.

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	5
Summary of Pathway Selections	11
Contaminated Zone and Total Dose Summary	12
Total Dose Components	
Time = 0.000E+00	13
Time = 1.000E+00	14
Time = 3.000E+00	15
Time = 1.000E+01	16
Time = 3.000E+01	17
Time = 1.000E+02	18
Time = 3.000E+02	19
Time = 1.000E+03	20
Dose/Source Ratios Summed Over All Pathways	21
Single Radionuclide Soil Guidelines	22
Dose Per Nuclide Summed Over All Pathways	23
Soil Concentration Per Nuclide	24

Dose Conversion Factor (and Related) Parameter Summary
File: DOSFAC.BIN

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Ac-227+D	6.720E+00	6.720E+00	DCF2(1)
B-1	Am-241	4.440E-01	4.440E-01	DCF2(2)
B-1	Co-60	2.190E-04	2.190E-04	DCF2(3)
B-1	Cs-137+D	3.190E-05	3.190E-05	DCF2(4)
B-1	H-3	6.400E-08	6.400E-08	DCF2(5)
B-1	Np-237+D	5.400E-01	5.400E-01	DCF2(6)
B-1	Pa-231	1.280E+00	1.280E+00	DCF2(7)
B-1	Pb-210+D	2.320E-02	2.320E-02	DCF2(8)
B-1	Pu-238	3.920E-01	3.920E-01	DCF2(9)
B-1	Ra-226+D	8.600E-03	8.600E-03	DCF2(10)
B-1	Th-229+D	2.160E+00	2.160E+00	DCF2(11)
B-1	Th-230	3.260E-01	3.260E-01	DCF2(12)
B-1	U-233	1.350E-01	1.350E-01	DCF2(13)
B-1	U-234	1.320E-01	1.320E-01	DCF2(14)
B-1	U-235+D	1.230E-01	1.230E-01	DCF2(15)
B-1	U-238+D	1.180E-01	1.180E-01	DCF2(16)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Ac-227+D	1.480E-02	1.480E-02	DCF3(1)
D-1	Am-241	3.640E-03	3.640E-03	DCF3(2)
D-1	Co-60	2.690E-05	2.690E-05	DCF3(3)
D-1	Cs-137+D	5.000E-05	5.000E-05	DCF3(4)
D-1	H-3	6.400E-08	6.400E-08	DCF3(5)
D-1	Np-237+D	4.440E-03	4.440E-03	DCF3(6)
D-1	Pa-231	1.060E-02	1.060E-02	DCF3(7)
D-1	Pb-210+D	7.270E-03	7.270E-03	DCF3(8)
D-1	Pu-238	3.200E-03	3.200E-03	DCF3(9)
D-1	Ra-226+D	1.330E-03	1.330E-03	DCF3(10)
D-1	Th-229+D	4.030E-03	4.030E-03	DCF3(11)
D-1	Th-230	5.480E-04	5.480E-04	DCF3(12)
D-1	U-233	2.890E-04	2.890E-04	DCF3(13)
D-1	U-234	2.830E-04	2.830E-04	DCF3(14)
D-1	U-235+D	2.670E-04	2.670E-04	DCF3(15)
D-1	U-238+D	2.690E-04	2.690E-04	DCF3(16)
D-34	Food transfer factors:			
D-34	Ac-227+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(1,1)
D-34	Ac-227+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,2)
D-34	Ac-227+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,3)
D-34	Am-241 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(2,1)
D-34	Am-241 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-05	5.000E-05	RTF(2,2)
D-34	Am-241 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-06	2.000E-06	RTF(2,3)
D-34	Co-60 , plant/soil concentration ratio, dimensionless	8.000E-02	8.000E-02	RTF(3,1)
D-34	Co-60 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-02	2.000E-02	RTF(3,2)
D-34	Co-60 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-03	2.000E-03	RTF(3,3)
D-34				

Dose Conversion Factor (and Related) Parameter Summary (continued)
File: DOSFAC.BIN

Menu	Parameter	Current Value	Default	Parameter Name
D-34	Cs-137+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(4,1)
D-34	Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.000E-02	3.000E-02	RTF(4,2)
D-34	Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	8.000E-03	8.000E-03	RTF(4,3)
D-34	H-3 , plant/soil concentration ratio, dimensionless	4.800E+00	4.800E+00	RTF(5,1)
D-34	H-3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.200E-02	1.200E-02	RTF(5,2)
D-34	H-3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-02	1.000E-02	RTF(5,3)
D-34	Np-237+D , plant/soil concentration ratio, dimensionless	2.000E-02	2.000E-02	RTF(6,1)
D-34	Np-237+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(6,2)
D-34	Np-237+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(6,3)
D-34	Pa-231 , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(7,1)
D-34	Pa-231 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF(7,2)
D-34	Pa-231 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(7,3)
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(8,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF(8,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF(8,3)
D-34	Pu-238 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(9,1)
D-34	Pu-238 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(9,2)
D-34	Pu-238 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-06	1.000E-06	RTF(9,3)
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(10,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(10,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(10,3)
D-34	Th-229+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(11,1)
D-34	Th-229+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(11,2)
D-34	Th-229+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(11,3)
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(12,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(12,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(12,3)
D-34	U-233 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(13,1)
D-34	U-233 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(13,2)
D-34	U-233 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(13,3)
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(14,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(14,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(14,3)
D-34	U-235+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(15,1)
D-34	U-235+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(15,2)
D-34	U-235+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(15,3)
D-34	U-238+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(16,1)
D-34	U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(16,2)
D-34	U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(16,3)

Dose Conversion Factor (and Related) Parameter Summary (continued)
File: DOSFAC.BIN

Menu	Parameter	Current Value	Default	Parameter Name
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Ac-227+D , fish	1.500E+01	1.500E+01	BIOFAC(1,1)
D-5	Ac-227+D , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(1,2)
D-5				
D-5	Am-241 , fish	3.000E+01	3.000E+01	BIOFAC(2,1)
D-5	Am-241 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(2,2)
D-5				
D-5	Co-60 , fish	3.000E+02	3.000E+02	BIOFAC(3,1)
D-5	Co-60 , crustacea and mollusks	2.000E+02	2.000E+02	BIOFAC(3,2)
D-5				
D-5	Cs-137+D , fish	2.000E+03	2.000E+03	BIOFAC(4,1)
D-5	Cs-137+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(4,2)
D-5				
D-5	H-3 , fish	1.000E+00	1.000E+00	BIOFAC(5,1)
D-5	H-3 , crustacea and mollusks	1.000E+00	1.000E+00	BIOFAC(5,2)
D-5				
D-5	Np-237+D , fish	3.000E+01	3.000E+01	BIOFAC(6,1)
D-5	Np-237+D , crustacea and mollusks	4.000E+02	4.000E+02	BIOFAC(6,2)
D-5				
D-5	Pa-231 , fish	1.000E+01	1.000E+01	BIOFAC(7,1)
D-5	Pa-231 , crustacea and mollusks	1.100E+02	1.100E+02	BIOFAC(7,2)
D-5				
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC(8,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(8,2)
D-5				
D-5	Pu-238 , fish	3.000E+01	3.000E+01	BIOFAC(9,1)
D-5	Pu-238 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(9,2)
D-5				
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC(10,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(10,2)
D-5				
D-5	Th-229+D , fish	1.000E+02	1.000E+02	BIOFAC(11,1)
D-5	Th-229+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(11,2)
D-5				
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC(12,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(12,2)
D-5				
D-5	U-233 , fish	1.000E+01	1.000E+01	BIOFAC(13,1)
D-5	U-233 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(13,2)
D-5				
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC(14,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(14,2)
D-5				
D-5	U-235+D , fish	1.000E+01	1.000E+01	BIOFAC(15,1)
D-5	U-235+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(15,2)
D-5				
D-5	U-238+D , fish	1.000E+01	1.000E+01	BIOFAC(16,1)
D-5	U-238+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(16,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	7.200E+01	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	5.800E+00	2.000E+00	---	THICKO
R011	Length parallel to aquifer flow (m)	1.200E+01	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Am-241	4.000E-03	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Co-60	2.000E-03	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Cs-137	4.000E-01	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): H-3	8.000E-01	0.000E+00	---	S1(5)
R012	Initial principal radionuclide (pCi/g): Pu-238	4.000E-03	0.000E+00	---	S1(9)
R012	Initial principal radionuclide (pCi/g): U-234	4.000E-03	0.000E+00	---	S1(14)
R012	Initial principal radionuclide (pCi/g): U-235	4.000E-03	0.000E+00	---	S1(15)
R012	Initial principal radionuclide (pCi/g): U-238	4.000E-03	0.000E+00	---	S1(16)
R012	Concentration in groundwater (pCi/L): Am-241	not used	0.000E+00	---	W1(2)
R012	Concentration in groundwater (pCi/L): Co-60	not used	0.000E+00	---	W1(3)
R012	Concentration in groundwater (pCi/L): Cs-137	not used	0.000E+00	---	W1(4)
R012	Concentration in groundwater (pCi/L): H-3	not used	0.000E+00	---	W1(5)
R012	Concentration in groundwater (pCi/L): Pu-238	not used	0.000E+00	---	W1(9)
R012	Concentration in groundwater (pCi/L): U-234	not used	0.000E+00	---	W1(14)
R012	Concentration in groundwater (pCi/L): U-235	not used	0.000E+00	---	W1(15)
R012	Concentration in groundwater (pCi/L): U-238	not used	0.000E+00	---	W1(16)
R013	Cover depth (m)	1.000E+00	0.000E+00	---	COVERO
R013	Density of cover material (g/cm**3)	1.500E+00	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	2.000E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	3.450E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone effective porosity	3.500E-01	2.000E-01	---	EPCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.730E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	1.050E+01	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	3.867E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	8.000E+00	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.940E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.024E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	2.000E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	3.500E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	5.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	Romberg failures occurred	EPS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Density of saturated zone (g/cm**3)	1.480E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.500E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	3.500E-01	2.000E-01	---	EPSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.730E+01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	3.000E-03	2.000E-02	---	HGWT
R014	Saturated zone b parameter	1.050E+01	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	5.000E-04	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	3.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.860E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	6.100E-01	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.600E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	3.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	1.050E+01	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.730E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Am-241				
R016	Contaminated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCC(2)
R016	Unsat. zone 1 (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCU(2,1)
R016	Saturated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCS(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.504E-03	ALEACH(2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(2)
R016	Distribution coefficients for Co-60				
R016	Contaminated zone (cm**3/g)	5.000E+01	1.000E+03	---	DCNUCC(3)
R016	Unsat. zone 1 (cm**3/g)	5.000E+03	1.000E+03	---	DCNUCU(3,1)
R016	Saturated zone (cm**3/g)	5.000E+03	1.000E+03	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	6.041E-04	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(3)
R016	Distribution coefficients for Cs-137				
R016	Contaminated zone (cm**3/g)	5.000E+00	1.000E+03	---	DCNUCC(4)
R016	Unsat. zone 1 (cm**3/g)	1.000E+03	1.000E+03	---	DCNUCU(4,1)
R016	Saturated zone (cm**3/g)	1.000E+03	1.000E+03	---	DCNUCS(4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.884E-03	ALEACH(4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(4)
R016	Distribution coefficients for H-3				
R016	Contaminated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCC(5)
R016	Unsat. zone 1 (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCU(5,1)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCS(5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.036E-01	ALEACH(5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(5)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for Pu-238				
R016	Contaminated zone (cm**3/g)	5.000E+03	2.000E+03	---	DCNUCC(9)
R016	Unsaturated zone 1 (cm**3/g)	1.000E+04	2.000E+03	---	DCNUCU(9,1)
R016	Saturated zone (cm**3/g)	1.000E+04	2.000E+03	---	DCNUCS(9)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	6.059E-06	ALEACH(9)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(9)
R016	Distribution coefficients for U-234				
R016	Contaminated zone (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCC(14)
R016	Unsaturated zone 1 (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCU(14,1)
R016	Saturated zone (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCS(14)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.009E-04	ALEACH(14)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(14)
R016	Distribution coefficients for U-235				
R016	Contaminated zone (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCC(15)
R016	Unsaturated zone 1 (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCU(15,1)
R016	Saturated zone (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCS(15)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.009E-04	ALEACH(15)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(15)
R016	Distribution coefficients for U-238				
R016	Contaminated zone (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCC(16)
R016	Unsaturated zone 1 (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCU(16,1)
R016	Saturated zone (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCS(16)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.009E-04	ALEACH(16)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(16)
R016	Distribution coefficients for daughter Ac-227				
R016	Contaminated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.504E-03	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R016	Distribution coefficients for daughter Np-237				
R016	Contaminated zone (cm**3/g)	-1.000E+00	-1.000E+00	2.574E+02	DCNUCC(6)
R016	Unsaturated zone 1 (cm**3/g)	-1.000E+00	-1.000E+00	2.574E+02	DCNUCU(6,1)
R016	Saturated zone (cm**3/g)	-1.000E+00	-1.000E+00	2.574E+02	DCNUCS(6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.176E-04	ALEACH(6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(6)
R016	Distribution coefficients for daughter Pa-231				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC(7)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU(7,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS(7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	6.041E-04	ALEACH(7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(7)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for daughter Pb-210				
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC (8)
R016	Unsaturated zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU (8,1)
R016	Saturated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS (8)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.025E-04	ALEACH (8)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK (8)
R016	Distribution coefficients for daughter Ra-226				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC(10)
R016	Unsaturated zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU(10,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS(10)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.319E-04	ALEACH(10)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(10)
R016	Distribution coefficients for daughter Th-229				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC(11)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU(11,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS(11)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.049E-07	ALEACH(11)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(11)
R016	Distribution coefficients for daughter Th-230				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC(12)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU(12,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS(12)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.049E-07	ALEACH(12)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(12)
R016	Distribution coefficients for daughter U-233				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC(13)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU(13,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS(13)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	6.041E-04	ALEACH(13)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(13)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	1.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	7.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	5.000E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.500E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	-1.000E+00	1.000E+00	-1 shows non-circular AREA.	FS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	5.000E+01	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	7.071E+01	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	0.000E+00	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	0.000E+00	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	0.000E+00	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	0.000E+00	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	0.000E+00	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	0.000E+00	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	0.000E+00	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	0.000E+00	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	0.000E+00	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	0.000E+00	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	1.000E+00	1.000E+00	---	FRACA(1)
R017	Ring 2	2.732E-01	2.732E-01	---	FRACA(2)
R017	Ring 3	0.000E+00	0.000E+00	---	FRACA(3)
R017	Ring 4	0.000E+00	0.000E+00	---	FRACA(4)
R017	Ring 5	0.000E+00	0.000E+00	---	FRACA(5)
R017	Ring 6	0.000E+00	0.000E+00	---	FRACA(6)
R017	Ring 7	0.000E+00	0.000E+00	---	FRACA(7)
R017	Ring 8	0.000E+00	0.000E+00	---	FRACA(8)
R017	Ring 9	0.000E+00	0.000E+00	---	FRACA(9)
R017	Ring 10	0.000E+00	0.000E+00	---	FRACA(10)
R017	Ring 11	0.000E+00	0.000E+00	---	FRACA(11)
R017	Ring 12	0.000E+00	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	5.200E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	6.400E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	3.100E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	1.100E+02	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	2.100E+01	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	5.000E+00	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	3.650E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	7.300E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	6.800E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	5.500E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.000E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	1.600E+02	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	1.000E+00	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.100E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.000E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12CZ
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (l/sec)	not used	7.000E-07	---	EVSN
C14	C-12 evasion flux rate from soil (l/sec)	not used	1.000E-10	---	REVSN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	suppressed

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	72.00 square meters	Am-241	4.000E-03
Thickness:	5.80 meters	Co-60	2.000E-03
Cover Depth:	1.00 meters	Cs-137	4.000E-01
		H-3	8.000E-01
		Pu-238	4.000E-03
		U-234	4.000E-03
		U-235	4.000E-03
		U-238	4.000E-03

Total Dose TDOSE(t), mrem/yr								
Basic Radiation Dose Limit = 25 mrem/yr								
Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)								
t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	6.345E-07	2.382E-04	9.298E-04	1.359E-03	5.167E-04	3.089E-04	3.566E-03	1.397E-02
M(t):	2.538E-08	9.527E-06	3.719E-05	5.437E-05	2.067E-05	1.235E-05	1.426E-04	5.590E-04

Maximum TDOSE(t): 1.397E-02 mrem/yr at t = 1.000E+03 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	3.571E-25	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	1.424E-07	0.2244	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	4.918E-07	0.7751	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	1.835E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.605E-19	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	1.728E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	2.912E-10	0.0005	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	6.345E-07	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.571E-25	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.424E-07	0.2244
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.918E-07	0.7751
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.835E-20	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.605E-19	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.728E-12	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.912E-10	0.0005
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.345E-07	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	7.820E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	1.263E-07	0.0005	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	4.846E-07	0.0020	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	1.893E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.928E-16	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	1.764E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	2.952E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	6.112E-07	0.0026	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.820E-18	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.263E-07	0.0005
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.846E-07	0.0020
H-3	1.188E-04	0.4989	1.805E-09	0.0000	0.000E+00	0.0000	7.444E-05	0.3125	6.279E-06	0.0264	3.801E-05	0.1596	2.376E-04	0.9974
Pu-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.893E-20	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.928E-16	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.764E-12	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.952E-10	0.0000
Total	1.188E-04	0.4989	1.805E-09	0.0000	0.000E+00	0.0000	7.444E-05	0.3125	6.279E-06	0.0264	3.801E-05	0.1596	2.382E-04	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	2.426E-17	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	9.926E-08	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	4.706E-07	0.0005	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	2.458E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.777E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	1.839E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	3.034E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	5.701E-07	0.0006	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.426E-17	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.926E-08	0.0001
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.706E-07	0.0005
H-3	4.519E-04	0.4860	7.058E-09	0.0000	0.000E+00	0.0000	2.998E-04	0.3224	2.873E-05	0.0309	1.488E-04	0.1601	9.292E-04	0.9994
Pu-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.458E-20	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.777E-15	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.839E-12	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.034E-10	0.0000
Total	4.519E-04	0.4860	7.058E-09	0.0000	0.000E+00	0.0000	2.998E-04	0.3224	2.873E-05	0.0309	1.488E-04	0.1601	9.298E-04	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	9.100E-17	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	4.274E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	4.244E-07	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	2.220E-19	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	2.149E-14	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	2.129E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	3.339E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	4.675E-07	0.0003	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.100E-17	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.274E-08	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.244E-07	0.0003
H-3	6.578E-04	0.4839	1.032E-08	0.0000	0.000E+00	0.0000	4.404E-04	0.3240	4.298E-05	0.0316	2.177E-04	0.1601	1.359E-03	0.9997
Pu-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.220E-19	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.149E-14	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.129E-12	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.339E-10	0.0000
Total	6.578E-04	0.4839	1.032E-08	0.0000	0.000E+00	0.0000	4.404E-04	0.3240	4.298E-05	0.0316	2.177E-04	0.1601	1.359E-03	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	3.824E-16	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	3.850E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	3.161E-07	0.0006	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	6.642E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	2.465E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	3.257E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	4.390E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	3.204E-07	0.0006	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.824E-16	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.850E-09	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.161E-07	0.0006
H-3	2.498E-04	0.4835	3.922E-09	0.0000	0.000E+00	0.0000	1.675E-04	0.3241	1.638E-05	0.0317	8.272E-05	0.1601	5.164E-04	0.9994
Pu-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.642E-18	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.465E-13	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.257E-12	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.390E-10	0.0000
Total	2.498E-04	0.4835	3.922E-09	0.0000	0.000E+00	0.0000	1.675E-04	0.3241	1.638E-05	0.0317	8.272E-05	0.1601	5.167E-04	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	4.157E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	8.440E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	1.126E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	5.057E-16	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	6.400E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	1.455E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	1.144E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	1.138E-07	0.0004	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	2.212E-04	0.7160	7.516E-07	0.0024	0.000E+00	0.0000	8.645E-05	0.2799	2.878E-07	0.0009	4.873E-08	0.0002	3.087E-04	0.9995
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.440E-13	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.126E-07	0.0004
H-3	3.464E-12	0.0000	5.458E-17	0.0000	0.000E+00	0.0000	2.338E-12	0.0000	2.317E-13	0.0000	1.151E-12	0.0000	7.185E-12	0.0000
Pu-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.057E-16	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.400E-12	0.0000
U-235	3.651E-08	0.0001	1.170E-10	0.0000	0.000E+00	0.0000	1.425E-08	0.0000	1.880E-11	0.0000	8.014E-11	0.0000	5.099E-08	0.0002
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.144E-09	0.0000
Total	2.212E-04	0.7162	7.517E-07	0.0024	0.000E+00	0.0000	8.646E-05	0.2799	2.879E-07	0.0009	4.881E-08	0.0002	3.089E-04	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	3.726E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.467E-04	0.2094	5.126E-07	0.0001	4.383E-08	0.0000	0.000E+00	0.0000
Co-60	2.964E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.429E-21	0.0000	8.777E-22	0.0000	2.001E-22	0.0000	0.000E+00	0.0000
Cs-137	5.909E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.735E-05	0.0049	6.669E-06	0.0019	4.053E-06	0.0011	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	1.139E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.551E-04	0.0435	1.989E-07	0.0001	6.599E-09	0.0000	0.000E+00	0.0000
U-234	6.518E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.660E-04	0.1026	1.657E-06	0.0005	6.404E-06	0.0018	0.000E+00	0.0000
U-235	9.483E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.449E-04	0.2089	2.159E-05	0.0061	5.987E-06	0.0017	0.000E+00	0.0000
U-238	1.766E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.389E-04	0.0950	1.475E-06	0.0004	5.935E-06	0.0017	0.000E+00	0.0000
Total	2.517E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.369E-03	0.6643	3.210E-05	0.0090	2.243E-05	0.0063	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	8.135E-04	0.2281	2.766E-06	0.0008	0.000E+00	0.0000	3.181E-04	0.0892	1.062E-06	0.0003	1.794E-07	0.0001	1.883E-03	0.5280
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.536E-21	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.808E-05	0.0079
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	4.924E-15	0.0000	1.653E-17	0.0000	0.000E+00	0.0000	1.932E-15	0.0000	1.094E-16	0.0000	2.667E-16	0.0000	1.553E-04	0.0436
U-234	1.313E-10	0.0000	4.453E-13	0.0000	0.000E+00	0.0000	5.152E-11	0.0000	2.912E-12	0.0000	6.985E-12	0.0000	3.741E-04	0.1049
U-235	4.829E-06	0.0014	1.370E-08	0.0000	0.000E+00	0.0000	1.889E-06	0.0005	8.710E-08	0.0000	9.562E-09	0.0000	7.793E-04	0.2185
U-238	3.269E-15	0.0000	1.095E-17	0.0000	0.000E+00	0.0000	1.282E-15	0.0000	7.246E-17	0.0000	1.775E-16	0.0000	3.464E-04	0.0971
Total	8.183E-04	0.2295	2.779E-06	0.0008	0.000E+00	0.0000	3.200E-04	0.0897	1.149E-06	0.0003	1.890E-07	0.0001	3.566E-03	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	4.764E-06	0.0003	1.749E-06	0.0001	0.000E+00	0.0000	3.994E-04	0.0286	2.366E-06	0.0002	2.281E-07	0.0000	1.287E-06	0.0001
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	1.964E-13	0.0000	7.208E-20	0.0000	0.000E+00	0.0000	1.202E-13	0.0000	5.470E-14	0.0000	3.446E-14	0.0000	1.014E-17	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	1.084E-08	0.0000	1.657E-08	0.0000	0.000E+00	0.0000	3.417E-06	0.0002	4.073E-08	0.0000	4.770E-08	0.0000	1.007E-08	0.0000
U-234	3.704E-05	0.0027	1.070E-05	0.0008	0.000E+00	0.0000	1.908E-03	0.1365	3.248E-05	0.0023	1.312E-04	0.0094	2.140E-06	0.0002
U-235	1.630E-03	0.1166	1.967E-05	0.0014	0.000E+00	0.0000	6.304E-03	0.4511	4.359E-04	0.0312	1.188E-04	0.0085	4.772E-06	0.0003
U-238	2.796E-04	0.0200	9.403E-06	0.0007	0.000E+00	0.0000	1.425E-03	0.1020	2.445E-05	0.0017	1.157E-04	0.0083	1.923E-06	0.0001
Total	1.951E-03	0.1396	4.154E-05	0.0030	0.000E+00	0.0000	1.004E-02	0.7184	4.952E-04	0.0354	3.660E-04	0.0262	1.013E-05	0.0007

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	6.691E-04	0.0479	2.275E-06	0.0002	0.000E+00	0.0000	2.617E-04	0.0187	8.744E-07	0.0001	1.476E-07	0.0000	1.344E-03	0.0962
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.057E-13	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	3.611E-11	0.0000	1.272E-13	0.0000	0.000E+00	0.0000	1.418E-11	0.0000	7.963E-13	0.0000	1.794E-12	0.0000	3.543E-06	0.0003
U-234	1.648E-07	0.0000	5.809E-10	0.0000	0.000E+00	0.0000	6.470E-08	0.0000	3.633E-09	0.0000	8.170E-09	0.0000	2.122E-03	0.1518
U-235	9.575E-05	0.0069	2.533E-07	0.0000	0.000E+00	0.0000	3.746E-05	0.0027	2.602E-06	0.0002	1.787E-07	0.0000	8.649E-03	0.6189
U-238	7.728E-11	0.0000	2.719E-13	0.0000	0.000E+00	0.0000	3.035E-11	0.0000	1.705E-12	0.0000	3.849E-12	0.0000	1.856E-03	0.1328
Total	7.650E-04	0.0547	2.529E-06	0.0002	0.000E+00	0.0000	2.992E-04	0.0214	3.480E-06	0.0002	3.345E-07	0.0000	1.397E-02	1.0000

*Sum of all water independent and dependent pathways.

Dose/Source Ratios Summed Over All Pathways
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Am-241	Am-241	1.000E+00		8.927E-23	9.327E-23	1.018E-22	1.384E-22	3.326E-22	7.717E-02	4.700E-01	3.311E-01
Am-241	Np-237	1.000E+00		0.000E+00	1.955E-15	6.066E-15	2.275E-14	9.560E-14	5.460E-08	7.241E-04	4.894E-03
Am-241	U-233	1.000E+00		0.000E+00	4.751E-25	4.447E-24	5.667E-23	7.545E-22	1.857E-12	4.543E-09	1.202E-07
Am-241	Th-229	1.000E+00		0.000E+00	8.641E-25	2.409E-23	9.977E-22	3.708E-20	4.205E-18	2.380E-10	3.190E-08
Am-241	ΣDSR(j)			8.927E-23	1.955E-15	6.066E-15	2.275E-14	9.560E-14	7.717E-02	4.707E-01	3.360E-01
Co-60	Co-60	1.000E+00		7.121E-05	6.314E-05	4.963E-05	2.137E-05	1.925E-06	4.220E-10	2.268E-18	0.000E+00
Cs-137	Cs-137	1.000E+00		1.230E-06	1.212E-06	1.176E-06	1.061E-06	7.902E-07	2.816E-07	7.020E-05	1.014E-12
H-3	H-3	1.000E+00		0.000E+00	2.969E-04	1.162E-03	1.699E-03	6.455E-04	8.982E-12	2.579E-34	0.000E+00
Pu-238	Pu-238	1.000E+00		4.588E-18	4.688E-18	4.894E-18	5.688E-18	8.743E-18	3.936E-17	3.879E-02	7.020E-04
Pu-238	U-234	1.000E+00		0.000E+00	1.167E-22	3.681E-22	1.463E-21	7.264E-21	1.435E-19	2.986E-05	1.498E-04
Pu-238	Th-230	1.000E+00		0.000E+00	5.393E-27	5.107E-26	6.778E-25	1.015E-23	6.762E-22	4.205E-08	8.931E-07
Pu-238	Ra-226	1.000E+00		0.000E+00	4.543E-20	1.252E-18	4.982E-17	1.652E-15	1.264E-13	2.003E-07	1.605E-05
Pu-238	Pb-210	1.000E+00		0.000E+00	1.598E-31	1.342E-29	1.884E-27	2.217E-25	1.074E-22	2.057E-07	1.690E-05
Pu-238	ΣDSR(j)			4.588E-18	4.733E-18	6.146E-18	5.551E-17	1.661E-15	1.264E-13	3.883E-02	8.857E-04
U-234	U-234	1.000E+00		4.014E-17	4.132E-17	4.378E-17	5.364E-17	9.579E-17	7.292E-16	9.093E-02	4.125E-01
U-234	Th-230	1.000E+00		0.000E+00	3.815E-21	1.210E-20	4.908E-20	2.577E-19	6.096E-18	1.891E-04	2.834E-03
U-234	Ra-226	1.000E+00		0.000E+00	4.817E-14	4.442E-13	5.372E-12	6.162E-11	1.600E-09	1.146E-03	5.582E-02
U-234	Pb-210	1.000E+00		0.000E+00	2.254E-25	6.313E-24	2.659E-22	1.047E-20	1.583E-18	1.245E-03	5.926E-02
U-234	ΣDSR(j)			4.014E-17	4.821E-14	4.442E-13	5.372E-12	6.162E-11	1.600E-09	9.351E-02	5.304E-01
U-235	U-235	1.000E+00		4.319E-10	4.409E-10	4.594E-10	5.307E-10	8.012E-10	3.388E-09	8.587E-02	7.800E-01
U-235	Pa-231	1.000E+00		0.000E+00	6.365E-14	1.976E-13	7.420E-13	3.130E-12	3.439E-11	8.364E-02	1.034E+00
U-235	Ac-227	1.000E+00		0.000E+00	9.010E-15	8.212E-14	9.555E-13	9.960E-12	1.274E-05	2.532E-02	3.483E-01
U-235	ΣDSR(j)			4.319E-10	4.409E-10	4.597E-10	5.324E-10	8.143E-10	1.275E-05	1.948E-01	2.162E+00
U-238	U-238	1.000E+00		7.280E-08	7.380E-08	7.585E-08	8.347E-08	1.097E-07	2.860E-07	8.651E-02	4.627E-01
U-238	U-234	1.000E+00		0.000E+00	1.171E-22	3.724E-22	1.521E-21	8.147E-21	2.067E-19	7.737E-05	1.171E-03
U-238	Th-230	1.000E+00		0.000E+00	5.407E-27	5.147E-26	6.956E-25	1.095E-23	8.628E-22	8.007E-08	3.958E-06
U-238	Ra-226	1.000E+00		0.000E+00	4.545E-20	1.259E-18	5.079E-17	1.750E-15	1.520E-13	3.303E-07	5.545E-05
U-238	Pb-210	1.000E+00		0.000E+00	1.562E-31	1.349E-29	1.914E-27	2.324E-25	1.261E-22	3.279E-07	5.701E-05
U-238	ΣDSR(j)			7.280E-08	7.380E-08	7.585E-08	8.347E-08	1.097E-07	2.860E-07	8.659E-02	4.640E-01

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ≤ 0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 Basic Radiation Dose Limit = 25 mrem/yr

Nuclide (i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Am-241	*3.430E+12	*3.430E+12	*3.430E+12	*3.430E+12	*3.430E+12	3.239E+02	5.311E+01	7.441E+01
Co-60	3.511E+05	3.960E+05	5.037E+05	1.170E+06	1.299E+07	5.924E+10	*1.131E+15	*1.131E+15
Cs-137	2.033E+07	2.063E+07	2.125E+07	2.356E+07	3.164E+07	8.877E+07	3.561E+05	2.465E+13
H-3	*9.594E+15	8.419E+04	2.152E+04	1.472E+04	3.873E+04	2.783E+12	*9.594E+15	*9.594E+15
Pu-238	*1.711E+13	*1.711E+13	*1.711E+13	*1.711E+13	*1.711E+13	*1.711E+13	6.439E+02	2.823E+04
U-234	*6.245E+09	*6.245E+09	*6.245E+09	*6.245E+09	*6.245E+09	*6.245E+09	2.673E+02	4.713E+01
U-235	*2.160E+06	*2.160E+06	*2.160E+06	*2.160E+06	*2.160E+06	1.961E+06	1.283E+02	1.156E+01
U-238	*3.360E+05	*3.360E+05	*3.360E+05	*3.360E+05	*3.360E+05	*3.360E+05	2.887E+02	5.388E+01

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
 and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
 at tmin = time of minimum single radionuclide soil guideline
 and at tmax = time of maximum total dose = 1.000E+03 years

Nuclide (i)	Initial pCi/g	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Am-241	4.000E-03	464.6 ± 0.9	5.338E-01	4.684E+01	3.360E-01	7.441E+01
Co-60	2.000E-03	0.000E+00	7.121E-05	3.511E+05	0.000E+00	*1.131E+15
Cs-137	4.000E-01	134.6 ± 0.3	1.465E-03	1.706E+04	1.014E-12	2.465E+13
H-3	8.000E-01	8.06 ± 0.02	1.738E-03	1.439E+04	0.000E+00	*9.594E+15
Pu-238	4.000E-03	226.5 ± 0.5	4.389E-02	5.696E+02	8.857E-04	2.823E+04
U-234	4.000E-03	1.000E+03	5.304E-01	4.713E+01	5.304E-01	4.713E+01
U-235	4.000E-03	1.000E+03	2.162E+00	1.156E+01	2.162E+00	1.156E+01
U-238	4.000E-03	1.000E+03	4.640E-01	5.388E+01	4.640E-01	5.388E+01

*At specific activity limit

Individual Nuclide Dose Summed Over All Pathways
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	BRF(i)	DOSE(j,t), mrem/yr							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Am-241	Am-241	1.000E+00	3.571E-25	3.731E-25	4.073E-25	5.536E-25	1.330E-24	3.087E-04	1.880E-03	1.324E-03
Np-237	Am-241	1.000E+00	0.000E+00	7.820E-18	2.426E-17	9.100E-17	3.824E-16	2.184E-10	2.896E-06	1.958E-05
U-233	Am-241	1.000E+00	0.000E+00	1.901E-27	1.779E-26	2.267E-25	3.018E-24	7.430E-15	1.817E-11	4.808E-10
Th-229	Am-241	1.000E+00	0.000E+00	3.456E-27	9.635E-26	3.991E-24	1.483E-22	1.682E-20	9.521E-13	1.276E-10
Co-60	Co-60	1.000E+00	1.424E-07	1.263E-07	9.926E-08	4.274E-08	3.850E-09	8.440E-13	4.536E-21	0.000E+00
Cs-137	Cs-137	1.000E+00	4.918E-07	4.846E-07	4.706E-07	4.244E-07	3.161E-07	1.126E-07	2.808E-05	4.057E-13
H-3	H-3	1.000E+00	0.000E+00	2.376E-04	9.292E-04	1.359E-03	5.164E-04	7.185E-12	0.000E+00	0.000E+00
Pu-238	Pu-238	1.000E+00	1.835E-20	1.875E-20	1.957E-20	2.275E-20	3.497E-20	1.575E-19	1.552E-04	2.808E-06
U-234	Pu-238	1.000E+00	0.000E+00	4.667E-25	1.472E-24	5.851E-24	2.906E-23	5.741E-22	1.194E-07	5.992E-07
U-234	U-234	1.000E+00	1.605E-19	1.653E-19	1.751E-19	2.146E-19	3.832E-19	2.917E-18	3.637E-04	1.650E-03
U-234	U-238	1.000E+00	0.000E+00	4.685E-25	1.490E-24	6.083E-24	3.259E-23	8.270E-22	3.095E-07	4.684E-06
U-234	ΣDOSE(j):		1.605E-19	1.653E-19	1.751E-19	2.146E-19	3.832E-19	2.918E-18	3.642E-04	1.655E-03
Th-230	Pu-238	1.000E+00	0.000E+00	2.157E-29	2.043E-28	2.711E-27	4.059E-26	2.705E-24	1.682E-10	3.572E-09
Th-230	U-234	1.000E+00	0.000E+00	1.526E-23	4.841E-23	1.963E-22	1.031E-21	2.438E-20	7.564E-07	1.133E-05
Th-230	U-238	1.000E+00	0.000E+00	2.163E-29	2.059E-28	2.782E-27	4.382E-26	3.451E-24	3.203E-10	1.583E-08
Th-230	ΣDOSE(j):		0.000E+00	1.526E-23	4.841E-23	1.963E-22	1.031E-21	2.439E-20	7.569E-07	1.135E-05
Ra-226	Pu-238	1.000E+00	0.000E+00	1.817E-22	5.008E-21	1.993E-19	6.607E-18	5.055E-16	8.012E-10	6.418E-08
Ra-226	U-234	1.000E+00	0.000E+00	1.927E-16	1.777E-15	2.149E-14	2.465E-13	6.400E-12	4.585E-06	2.233E-04
Ra-226	U-238	1.000E+00	0.000E+00	1.818E-22	5.038E-21	2.032E-19	6.999E-18	6.081E-16	1.321E-09	2.218E-07
Ra-226	ΣDOSE(j):		0.000E+00	1.927E-16	1.777E-15	2.149E-14	2.465E-13	6.401E-12	4.588E-06	2.236E-04
Pb-210	Pu-238	1.000E+00	0.000E+00	0.000E+00	5.369E-32	7.538E-30	8.867E-28	4.297E-25	8.230E-10	6.759E-08
Pb-210	U-234	1.000E+00	0.000E+00	9.018E-28	2.525E-26	1.064E-24	4.187E-23	6.334E-21	4.978E-06	2.370E-04
Pb-210	U-238	1.000E+00	0.000E+00	0.000E+00	5.397E-32	7.657E-30	9.298E-28	5.045E-25	1.312E-09	2.281E-07
Pb-210	ΣDOSE(j):		0.000E+00	9.018E-28	2.525E-26	1.064E-24	4.187E-23	6.334E-21	4.980E-06	2.373E-04
U-235	U-235	1.000E+00	1.728E-12	1.763E-12	1.838E-12	2.123E-12	3.205E-12	1.355E-11	3.435E-04	3.120E-03
Pa-231	U-235	1.000E+00	0.000E+00	2.546E-16	7.903E-16	2.968E-15	1.252E-14	1.375E-13	3.346E-04	4.135E-03
Ac-227	U-235	1.000E+00	0.000E+00	3.604E-17	3.285E-16	3.822E-15	3.984E-14	5.098E-08	1.013E-04	1.393E-03
U-238	U-238	1.000E+00	2.912E-10	2.952E-10	3.034E-10	3.339E-10	4.390E-10	1.144E-09	3.461E-04	1.851E-03

BRF(i) is the branch fraction of the parent nuclide.

Individual Nuclide Soil Concentration
Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	BRF(i)	S(j,t), pCi/g							
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Am-241	Am-241	1.000E+00	4.000E-03	3.988E-03	3.963E-03	3.878E-03	3.644E-03	2.932E-03	1.575E-03	1.789E-04
Np-237	Am-241	1.000E+00	0.000E+00	1.294E-09	3.868E-09	1.275E-08	3.704E-08	1.107E-07	2.477E-07	3.658E-07
U-233	Am-241	1.000E+00	0.000E+00	2.829E-15	2.540E-14	2.797E-13	2.454E-12	2.498E-11	1.770E-10	9.525E-10
Th-229	Am-241	1.000E+00	0.000E+00	8.909E-20	2.401E-18	8.831E-17	2.338E-15	8.096E-14	1.817E-12	3.814E-11
Co-60	Co-60	1.000E+00	2.000E-03	1.752E-03	1.346E-03	5.337E-04	3.801E-05	3.662E-09	1.228E-20	0.000E+00
Cs-137	Cs-137	1.000E+00	4.000E-01	3.886E-01	3.667E-01	2.993E-01	1.676E-01	2.203E-02	6.685E-05	1.029E-13
H-3	H-3	1.000E+00	8.000E-01	6.170E-01	3.670E-01	5.956E-02	3.301E-04	4.186E-12	1.146E-34	0.000E+00
Pu-238	Pu-238	1.000E+00	4.000E-03	3.969E-03	3.906E-03	3.696E-03	3.155E-03	1.814E-03	3.732E-04	1.474E-06
U-234	Pu-238	1.000E+00	0.000E+00	1.129E-08	3.361E-08	1.090E-07	3.024E-07	7.792E-07	1.273E-06	1.310E-06
U-234	U-234	1.000E+00	4.000E-03	4.000E-03	3.999E-03	3.996E-03	3.988E-03	3.959E-03	3.877E-03	3.606E-03
U-234	U-238	1.000E+00	0.000E+00	1.134E-08	3.401E-08	1.133E-07	3.392E-07	1.122E-06	3.299E-06	1.024E-05
U-234	ΣS(j):		4.000E-03	4.000E-03	3.999E-03	3.996E-03	3.988E-03	3.961E-03	3.882E-03	3.617E-03
Th-230	Pu-238	1.000E+00	0.000E+00	5.090E-14	4.557E-13	4.970E-12	4.246E-11	3.972E-10	2.361E-09	1.073E-08
Th-230	U-234	1.000E+00	0.000E+00	3.601E-08	1.080E-07	3.599E-07	1.078E-06	3.580E-06	1.062E-05	3.404E-05
Th-230	U-238	1.000E+00	0.000E+00	5.104E-14	4.593E-13	5.100E-12	4.584E-11	5.068E-10	4.496E-09	4.753E-08
Th-230	ΣS(j):		0.000E+00	3.601E-08	1.080E-07	3.599E-07	1.078E-06	3.581E-06	1.063E-05	3.410E-05
Ra-226	Pu-238	1.000E+00	0.000E+00	7.354E-18	1.977E-16	7.209E-15	1.864E-13	5.964E-12	1.114E-10	1.647E-09
Ra-226	U-234	1.000E+00	0.000E+00	7.797E-12	7.013E-11	7.774E-10	6.951E-09	7.551E-08	6.376E-07	5.729E-06
Ra-226	U-238	1.000E+00	0.000E+00	7.357E-18	1.988E-16	7.351E-15	1.974E-13	7.175E-12	1.837E-10	5.692E-09
Ra-226	ΣS(j):		0.000E+00	7.797E-12	7.013E-11	7.774E-10	6.952E-09	7.552E-08	6.379E-07	5.737E-06
Pb-210	Pu-238	1.000E+00	0.000E+00	5.683E-20	4.529E-18	5.290E-16	3.681E-14	2.841E-12	8.523E-11	1.532E-09
Pb-210	U-234	1.000E+00	0.000E+00	8.016E-14	2.130E-12	7.466E-11	1.738E-09	4.187E-08	5.157E-07	5.371E-06
Pb-210	U-238	1.000E+00	0.000E+00	5.554E-20	4.552E-18	5.374E-16	3.860E-14	3.335E-12	1.358E-10	5.169E-09
Pb-210	ΣS(j):		0.000E+00	8.016E-14	2.130E-12	7.466E-11	1.738E-09	4.187E-08	5.159E-07	5.378E-06
U-235	U-235	1.000E+00	4.000E-03	4.000E-03	3.999E-03	3.996E-03	3.988E-03	3.960E-03	3.881E-03	3.616E-03
Pa-231	U-235	1.000E+00	0.000E+00	8.460E-08	2.536E-07	8.433E-07	2.512E-06	8.162E-06	2.279E-05	5.954E-05
Ac-227	U-235	1.000E+00	0.000E+00	1.332E-09	1.172E-08	1.206E-07	8.851E-07	5.579E-06	1.978E-05	5.570E-05
U-238	U-238	1.000E+00	4.000E-03	4.000E-03	3.999E-03	3.996E-03	3.988E-03	3.960E-03	3.881E-03	3.616E-03

BRF(i) is the branch fraction of the parent nuclide.

Table of Contents

Part I: Mixture Sums and Single Radionuclide Guidelines

Dose Conversion Factor (and Related) Parameter Summary ...	2
Site-Specific Parameter Summary	5
Summary of Pathway Selections	11
Contaminated Zone and Total Dose Summary	12
Total Dose Components	
Time = 0.000E+00	13
Time = 1.000E+00	14
Time = 3.000E+00	15
Time = 1.000E+01	16
Time = 3.000E+01	17
Time = 1.000E+02	18
Time = 3.000E+02	19
Time = 1.000E+03	20
Dose/Source Ratios Summed Over All Pathways	21
Single Radionuclide Soil Guidelines	22
Dose Per Nuclide Summed Over All Pathways	23
Soil Concentration Per Nuclide	24

Dose Conversion Factor (and Related) Parameter Summary
File: DOSFAC.BIN

Menu	Parameter	Current Value	Default	Parameter Name
B-1	Dose conversion factors for inhalation, mrem/pCi:			
B-1	Ac-227+D	6.720E+00	6.720E+00	DCF2(1)
B-1	Am-241	4.440E-01	4.440E-01	DCF2(2)
B-1	Co-60	2.190E-04	2.190E-04	DCF2(3)
B-1	Cs-137+D	3.190E-05	3.190E-05	DCF2(4)
B-1	H-3	6.400E-08	6.400E-08	DCF2(5)
B-1	Np-237+D	5.400E-01	5.400E-01	DCF2(6)
B-1	Pa-231	1.280E+00	1.280E+00	DCF2(7)
B-1	Pb-210+D	2.320E-02	2.320E-02	DCF2(8)
B-1	Pu-238	3.920E-01	3.920E-01	DCF2(9)
B-1	Ra-226+D	8.600E-03	8.600E-03	DCF2(10)
B-1	Th-229+D	2.160E+00	2.160E+00	DCF2(11)
B-1	Th-230	3.260E-01	3.260E-01	DCF2(12)
B-1	U-233	1.350E-01	1.350E-01	DCF2(13)
B-1	U-234	1.320E-01	1.320E-01	DCF2(14)
B-1	U-235+D	1.230E-01	1.230E-01	DCF2(15)
B-1	U-238+D	1.180E-01	1.180E-01	DCF2(16)
D-1	Dose conversion factors for ingestion, mrem/pCi:			
D-1	Ac-227+D	1.480E-02	1.480E-02	DCF3(1)
D-1	Am-241	3.640E-03	3.640E-03	DCF3(2)
D-1	Co-60	2.690E-05	2.690E-05	DCF3(3)
D-1	Cs-137+D	5.000E-05	5.000E-05	DCF3(4)
D-1	H-3	6.400E-08	6.400E-08	DCF3(5)
D-1	Np-237+D	4.440E-03	4.440E-03	DCF3(6)
D-1	Pa-231	1.060E-02	1.060E-02	DCF3(7)
D-1	Pb-210+D	7.270E-03	7.270E-03	DCF3(8)
D-1	Pu-238	3.200E-03	3.200E-03	DCF3(9)
D-1	Ra-226+D	1.330E-03	1.330E-03	DCF3(10)
D-1	Th-229+D	4.030E-03	4.030E-03	DCF3(11)
D-1	Th-230	5.480E-04	5.480E-04	DCF3(12)
D-1	U-233	2.890E-04	2.890E-04	DCF3(13)
D-1	U-234	2.830E-04	2.830E-04	DCF3(14)
D-1	U-235+D	2.670E-04	2.670E-04	DCF3(15)
D-1	U-238+D	2.690E-04	2.690E-04	DCF3(16)
D-34	Food transfer factors:			
D-34	Ac-227+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(1,1)
D-34	Ac-227+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,2)
D-34	Ac-227+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-05	2.000E-05	RTF(1,3)
D-34	Am-241 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(2,1)
D-34	Am-241 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-05	5.000E-05	RTF(2,2)
D-34	Am-241 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-06	2.000E-06	RTF(2,3)
D-34	Co-60 , plant/soil concentration ratio, dimensionless	8.000E-02	8.000E-02	RTF(3,1)
D-34	Co-60 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	2.000E-02	2.000E-02	RTF(3,2)
D-34	Co-60 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	2.000E-03	2.000E-03	RTF(3,3)

Dose Conversion Factor (and Related) Parameter Summary (continued)
File: DOSFAC.BIN

Menu	Parameter	Current Value	Default	Parameter Name
D-34	Cs-137+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(4,1)
D-34	Cs-137+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.000E-02	3.000E-02	RTF(4,2)
D-34	Cs-137+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	8.000E-03	8.000E-03	RTF(4,3)
D-34				
D-34	H-3 , plant/soil concentration ratio, dimensionless	4.800E+00	4.800E+00	RTF(5,1)
D-34	H-3 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.200E-02	1.200E-02	RTF(5,2)
D-34	H-3 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-02	1.000E-02	RTF(5,3)
D-34				
D-34	Np-237+D , plant/soil concentration ratio, dimensionless	2.000E-02	2.000E-02	RTF(6,1)
D-34	Np-237+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(6,2)
D-34	Np-237+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(6,3)
D-34				
D-34	Pa-231 , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(7,1)
D-34	Pa-231 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	5.000E-03	5.000E-03	RTF(7,2)
D-34	Pa-231 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(7,3)
D-34				
D-34	Pb-210+D , plant/soil concentration ratio, dimensionless	1.000E-02	1.000E-02	RTF(8,1)
D-34	Pb-210+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	8.000E-04	8.000E-04	RTF(8,2)
D-34	Pb-210+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	3.000E-04	3.000E-04	RTF(8,3)
D-34				
D-34	Pu-238 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(9,1)
D-34	Pu-238 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(9,2)
D-34	Pu-238 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-06	1.000E-06	RTF(9,3)
D-34				
D-34	Ra-226+D , plant/soil concentration ratio, dimensionless	4.000E-02	4.000E-02	RTF(10,1)
D-34	Ra-226+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-03	1.000E-03	RTF(10,2)
D-34	Ra-226+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	1.000E-03	1.000E-03	RTF(10,3)
D-34				
D-34	Th-229+D , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(11,1)
D-34	Th-229+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(11,2)
D-34	Th-229+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(11,3)
D-34				
D-34	Th-230 , plant/soil concentration ratio, dimensionless	1.000E-03	1.000E-03	RTF(12,1)
D-34	Th-230 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	1.000E-04	1.000E-04	RTF(12,2)
D-34	Th-230 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	5.000E-06	5.000E-06	RTF(12,3)
D-34				
D-34	U-233 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(13,1)
D-34	U-233 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(13,2)
D-34	U-233 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(13,3)
D-34				
D-34	U-234 , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(14,1)
D-34	U-234 , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(14,2)
D-34	U-234 , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(14,3)
D-34				
D-34	U-235+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(15,1)
D-34	U-235+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(15,2)
D-34	U-235+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(15,3)
D-34				
D-34	U-238+D , plant/soil concentration ratio, dimensionless	2.500E-03	2.500E-03	RTF(16,1)
D-34	U-238+D , beef/livestock-intake ratio, (pCi/kg)/(pCi/d)	3.400E-04	3.400E-04	RTF(16,2)
D-34	U-238+D , milk/livestock-intake ratio, (pCi/L)/(pCi/d)	6.000E-04	6.000E-04	RTF(16,3)

Dose Conversion Factor (and Related) Parameter Summary (continued)
File: DOSFAC.BIN

Menu	Parameter	Current Value	Default	Parameter Name
D-5	Bioaccumulation factors, fresh water, L/kg:			
D-5	Ac-227+D , fish	1.500E+01	1.500E+01	BIOFAC(1,1)
D-5	Ac-227+D , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(1,2)
D-5	Am-241 , fish	3.000E+01	3.000E+01	BIOFAC(2,1)
D-5	Am-241 , crustacea and mollusks	1.000E+03	1.000E+03	BIOFAC(2,2)
D-5	Co-60 , fish	3.000E+02	3.000E+02	BIOFAC(3,1)
D-5	Co-60 , crustacea and mollusks	2.000E+02	2.000E+02	BIOFAC(3,2)
D-5	Cs-137+D , fish	2.000E+03	2.000E+03	BIOFAC(4,1)
D-5	Cs-137+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(4,2)
D-5	H-3 , fish	1.000E+00	1.000E+00	BIOFAC(5,1)
D-5	H-3 , crustacea and mollusks	1.000E+00	1.000E+00	BIOFAC(5,2)
D-5	Np-237+D , fish	3.000E+01	3.000E+01	BIOFAC(6,1)
D-5	Np-237+D , crustacea and mollusks	4.000E+02	4.000E+02	BIOFAC(6,2)
D-5	Pa-231 , fish	1.000E+01	1.000E+01	BIOFAC(7,1)
D-5	Pa-231 , crustacea and mollusks	1.100E+02	1.100E+02	BIOFAC(7,2)
D-5	Pb-210+D , fish	3.000E+02	3.000E+02	BIOFAC(8,1)
D-5	Pb-210+D , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(8,2)
D-5	Pu-238 , fish	3.000E+01	3.000E+01	BIOFAC(9,1)
D-5	Pu-238 , crustacea and mollusks	1.000E+02	1.000E+02	BIOFAC(9,2)
D-5	Ra-226+D , fish	5.000E+01	5.000E+01	BIOFAC(10,1)
D-5	Ra-226+D , crustacea and mollusks	2.500E+02	2.500E+02	BIOFAC(10,2)
D-5	Th-229+D , fish	1.000E+02	1.000E+02	BIOFAC(11,1)
D-5	Th-229+D , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(11,2)
D-5	Th-230 , fish	1.000E+02	1.000E+02	BIOFAC(12,1)
D-5	Th-230 , crustacea and mollusks	5.000E+02	5.000E+02	BIOFAC(12,2)
D-5	U-233 , fish	1.000E+01	1.000E+01	BIOFAC(13,1)
D-5	U-233 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(13,2)
D-5	U-234 , fish	1.000E+01	1.000E+01	BIOFAC(14,1)
D-5	U-234 , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(14,2)
D-5	U-235+D , fish	1.000E+01	1.000E+01	BIOFAC(15,1)
D-5	U-235+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(15,2)
D-5	U-238+D , fish	1.000E+01	1.000E+01	BIOFAC(16,1)
D-5	U-238+D , crustacea and mollusks	6.000E+01	6.000E+01	BIOFAC(16,2)

Site-Specific Parameter Summary

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R011	Area of contaminated zone (m**2)	2.500E+02	1.000E+04	---	AREA
R011	Thickness of contaminated zone (m)	2.000E+00	2.000E+00	---	THICKO
R011	Length parallel to aquifer flow (m)	4.200E+01	1.000E+02	---	LCZPAQ
R011	Basic radiation dose limit (mrem/yr)	2.500E+01	3.000E+01	---	BRDL
R011	Time since placement of material (yr)	0.000E+00	0.000E+00	---	TI
R011	Times for calculations (yr)	1.000E+00	1.000E+00	---	T(2)
R011	Times for calculations (yr)	3.000E+00	3.000E+00	---	T(3)
R011	Times for calculations (yr)	1.000E+01	1.000E+01	---	T(4)
R011	Times for calculations (yr)	3.000E+01	3.000E+01	---	T(5)
R011	Times for calculations (yr)	1.000E+02	1.000E+02	---	T(6)
R011	Times for calculations (yr)	3.000E+02	3.000E+02	---	T(7)
R011	Times for calculations (yr)	1.000E+03	1.000E+03	---	T(8)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(9)
R011	Times for calculations (yr)	not used	0.000E+00	---	T(10)
R012	Initial principal radionuclide (pCi/g): Am-241	4.000E-03	0.000E+00	---	S1(2)
R012	Initial principal radionuclide (pCi/g): Co-60	2.000E-03	0.000E+00	---	S1(3)
R012	Initial principal radionuclide (pCi/g): Cs-137	4.000E-01	0.000E+00	---	S1(4)
R012	Initial principal radionuclide (pCi/g): H-3	8.000E-01	0.000E+00	---	S1(5)
R012	Initial principal radionuclide (pCi/g): Pu-238	4.000E-03	0.000E+00	---	S1(9)
R012	Initial principal radionuclide (pCi/g): U-234	4.000E-03	0.000E+00	---	S1(14)
R012	Initial principal radionuclide (pCi/g): U-235	4.000E-03	0.000E+00	---	S1(15)
R012	Initial principal radionuclide (pCi/g): U-238	4.000E-03	0.000E+00	---	S1(16)
R012	Concentration in groundwater (pCi/L): Am-241	not used	0.000E+00	---	W1(2)
R012	Concentration in groundwater (pCi/L): Co-60	not used	0.000E+00	---	W1(3)
R012	Concentration in groundwater (pCi/L): Cs-137	not used	0.000E+00	---	W1(4)
R012	Concentration in groundwater (pCi/L): H-3	not used	0.000E+00	---	W1(5)
R012	Concentration in groundwater (pCi/L): Pu-238	not used	0.000E+00	---	W1(9)
R012	Concentration in groundwater (pCi/L): U-234	not used	0.000E+00	---	W1(14)
R012	Concentration in groundwater (pCi/L): U-235	not used	0.000E+00	---	W1(15)
R012	Concentration in groundwater (pCi/L): U-238	not used	0.000E+00	---	W1(16)
R013	Cover depth (m)	1.000E+00	0.000E+00	---	COVERO
R013	Density of cover material (g/cm**3)	1.500E+00	1.500E+00	---	DENSCV
R013	Cover depth erosion rate (m/yr)	1.000E-03	1.000E-03	---	VCV
R013	Density of contaminated zone (g/cm**3)	2.000E+00	1.500E+00	---	DENSCZ
R013	Contaminated zone erosion rate (m/yr)	3.450E-04	1.000E-03	---	VCZ
R013	Contaminated zone total porosity	3.500E-01	4.000E-01	---	TPCZ
R013	Contaminated zone effective porosity	3.500E-01	2.000E-01	---	EPCZ
R013	Contaminated zone hydraulic conductivity (m/yr)	1.730E+01	1.000E+01	---	HCCZ
R013	Contaminated zone b parameter	1.050E+01	5.300E+00	---	BCZ
R013	Average annual wind speed (m/sec)	3.867E+00	2.000E+00	---	WIND
R013	Humidity in air (g/m**3)	8.000E+00	8.000E+00	---	HUMID
R013	Evapotranspiration coefficient	5.940E-01	5.000E-01	---	EVAPTR
R013	Precipitation (m/yr)	1.024E+00	1.000E+00	---	PRECIP
R013	Irrigation (m/yr)	2.000E-01	2.000E-01	---	RI
R013	Irrigation mode	overhead	overhead	---	IDITCH
R013	Runoff coefficient	3.500E-01	2.000E-01	---	RUNOFF
R013	Watershed area for nearby stream or pond (m**2)	5.000E+06	1.000E+06	---	WAREA
R013	Accuracy for water/soil computations	1.000E-03	1.000E-03	Romberg failures occurred	EPS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R014	Density of saturated zone (g/cm**3)	1.480E+00	1.500E+00	---	DENSAQ
R014	Saturated zone total porosity	3.500E-01	4.000E-01	---	TPSZ
R014	Saturated zone effective porosity	3.500E-01	2.000E-01	---	EPSZ
R014	Saturated zone hydraulic conductivity (m/yr)	1.730E+01	1.000E+02	---	HCSZ
R014	Saturated zone hydraulic gradient	3.000E-03	2.000E-02	---	HGWT
R014	Saturated zone b parameter	1.050E+01	5.300E+00	---	BSZ
R014	Water table drop rate (m/yr)	5.000E-04	1.000E-03	---	VWT
R014	Well pump intake depth (m below water table)	3.000E+01	1.000E+01	---	DWIBWT
R014	Model: Nondispersion (ND) or Mass-Balance (MB)	ND	ND	---	MODEL
R014	Well pumping rate (m**3/yr)	2.860E+02	2.500E+02	---	UW
R015	Number of unsaturated zone strata	1	1	---	NS
R015	Unsat. zone 1, thickness (m)	6.100E-01	4.000E+00	---	H(1)
R015	Unsat. zone 1, soil density (g/cm**3)	1.600E+00	1.500E+00	---	DENSUZ(1)
R015	Unsat. zone 1, total porosity	3.500E-01	4.000E-01	---	TPUZ(1)
R015	Unsat. zone 1, effective porosity	3.500E-01	2.000E-01	---	EPUZ(1)
R015	Unsat. zone 1, soil-specific b parameter	1.050E+01	5.300E+00	---	BUZ(1)
R015	Unsat. zone 1, hydraulic conductivity (m/yr)	1.730E+01	1.000E+01	---	HCUZ(1)
R016	Distribution coefficients for Am-241				
R016	Contaminated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCC(2)
R016	Unsaturated zone 1 (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCU(2,1)
R016	Saturated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCS(2)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.360E-03	ALEACH(2)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(2)
R016	Distribution coefficients for Co-60				
R016	Contaminated zone (cm**3/g)	5.000E+01	1.000E+03	---	DCNUCC(3)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+03	1.000E+03	---	DCNUCU(3,1)
R016	Saturated zone (cm**3/g)	5.000E+03	1.000E+03	---	DCNUCS(3)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.752E-03	ALEACH(3)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(3)
R016	Distribution coefficients for Cs-137				
R016	Contaminated zone (cm**3/g)	5.000E+00	1.000E+03	---	DCNUCC(4)
R016	Unsaturated zone 1 (cm**3/g)	1.000E+03	1.000E+03	---	DCNUCU(4,1)
R016	Saturated zone (cm**3/g)	1.000E+03	1.000E+03	---	DCNUCS(4)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.706E-02	ALEACH(4)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(4)
R016	Distribution coefficients for H-3				
R016	Contaminated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCC(5)
R016	Unsaturated zone 1 (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCU(5,1)
R016	Saturated zone (cm**3/g)	0.000E+00	0.000E+00	---	DCNUCS(5)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	5.905E-01	ALEACH(5)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(5)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for Pu-238				
R016	Contaminated zone (cm**3/g)	5.000E+03	2.000E+03	---	DCNUCC(9)
R016	Unsaturated zone 1 (cm**3/g)	1.000E+04	2.000E+03	---	DCNUCU(9,1)
R016	Saturated zone (cm**3/g)	1.000E+04	2.000E+03	---	DCNUCS(9)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.757E-05	ALEACH(9)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(9)
R016	Distribution coefficients for U-234				
R016	Contaminated zone (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCC(14)
R016	Unsaturated zone 1 (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCU(14,1)
R016	Saturated zone (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCS(14)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.927E-04	ALEACH(14)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(14)
R016	Distribution coefficients for U-235				
R016	Contaminated zone (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCC(15)
R016	Unsaturated zone 1 (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCU(15,1)
R016	Saturated zone (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCS(15)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.927E-04	ALEACH(15)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(15)
R016	Distribution coefficients for U-238				
R016	Contaminated zone (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCC(16)
R016	Unsaturated zone 1 (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCU(16,1)
R016	Saturated zone (cm**3/g)	3.000E+02	5.000E+01	---	DCNUCS(16)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	2.927E-04	ALEACH(16)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(16)
R016	Distribution coefficients for daughter Ac-227				
R016	Contaminated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCC(1)
R016	Unsaturated zone 1 (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCU(1,1)
R016	Saturated zone (cm**3/g)	2.000E+01	2.000E+01	---	DCNUCS(1)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	4.360E-03	ALEACH(1)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(1)
R016	Distribution coefficients for daughter Np-237				
R016	Contaminated zone (cm**3/g)	-1.000E+00	-1.000E+00	2.574E+02	DCNUCC(6)
R016	Unsaturated zone 1 (cm**3/g)	-1.000E+00	-1.000E+00	2.574E+02	DCNUCU(6,1)
R016	Saturated zone (cm**3/g)	-1.000E+00	-1.000E+00	2.574E+02	DCNUCS(6)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	3.411E-04	ALEACH(6)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(6)
R016	Distribution coefficients for daughter Pa-231				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC(7)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU(7,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS(7)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.752E-03	ALEACH(7)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(7)

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R016	Distribution coefficients for daughter Pb-210				
R016	Contaminated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCC(8)
R016	Unsaturated zone 1 (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCU(8,1)
R016	Saturated zone (cm**3/g)	1.000E+02	1.000E+02	---	DCNUCS(8)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	8.773E-04	ALEACH(8)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(8)
R016	Distribution coefficients for daughter Ra-226				
R016	Contaminated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCC(10)
R016	Unsaturated zone 1 (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCU(10,1)
R016	Saturated zone (cm**3/g)	7.000E+01	7.000E+01	---	DCNUCS(10)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.252E-03	ALEACH(10)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(10)
R016	Distribution coefficients for daughter Th-229				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC(11)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU(11,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS(11)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.464E-06	ALEACH(11)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(11)
R016	Distribution coefficients for daughter Th-230				
R016	Contaminated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCC(12)
R016	Unsaturated zone 1 (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCU(12,1)
R016	Saturated zone (cm**3/g)	6.000E+04	6.000E+04	---	DCNUCS(12)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.464E-06	ALEACH(12)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(12)
R016	Distribution coefficients for daughter U-233				
R016	Contaminated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCC(13)
R016	Unsaturated zone 1 (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCU(13,1)
R016	Saturated zone (cm**3/g)	5.000E+01	5.000E+01	---	DCNUCS(13)
R016	Leach rate (/yr)	0.000E+00	0.000E+00	1.752E-03	ALEACH(13)
R016	Solubility constant	0.000E+00	0.000E+00	not used	SOLUBK(13)
R017	Inhalation rate (m**3/yr)	8.400E+03	8.400E+03	---	INHALR
R017	Mass loading for inhalation (g/m**3)	1.000E-04	1.000E-04	---	MLINH
R017	Exposure duration	3.000E+01	3.000E+01	---	ED
R017	Shielding factor, inhalation	4.000E-01	4.000E-01	---	SHF3
R017	Shielding factor, external gamma	7.000E-01	7.000E-01	---	SHF1
R017	Fraction of time spent indoors	5.000E-01	5.000E-01	---	FIND
R017	Fraction of time spent outdoors (on site)	2.500E-01	2.500E-01	---	FOTD
R017	Shape factor flag, external gamma	-1.000E+00	1.000E+00	-1 shows non-circular AREA.	FS

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R017	Radii of shape factor array (used if FS = -1):				
R017	Outer annular radius (m), ring 1:	5.000E+01	5.000E+01	---	RAD_SHAPE(1)
R017	Outer annular radius (m), ring 2:	7.071E+01	7.071E+01	---	RAD_SHAPE(2)
R017	Outer annular radius (m), ring 3:	0.000E+00	0.000E+00	---	RAD_SHAPE(3)
R017	Outer annular radius (m), ring 4:	0.000E+00	0.000E+00	---	RAD_SHAPE(4)
R017	Outer annular radius (m), ring 5:	0.000E+00	0.000E+00	---	RAD_SHAPE(5)
R017	Outer annular radius (m), ring 6:	0.000E+00	0.000E+00	---	RAD_SHAPE(6)
R017	Outer annular radius (m), ring 7:	0.000E+00	0.000E+00	---	RAD_SHAPE(7)
R017	Outer annular radius (m), ring 8:	0.000E+00	0.000E+00	---	RAD_SHAPE(8)
R017	Outer annular radius (m), ring 9:	0.000E+00	0.000E+00	---	RAD_SHAPE(9)
R017	Outer annular radius (m), ring 10:	0.000E+00	0.000E+00	---	RAD_SHAPE(10)
R017	Outer annular radius (m), ring 11:	0.000E+00	0.000E+00	---	RAD_SHAPE(11)
R017	Outer annular radius (m), ring 12:	0.000E+00	0.000E+00	---	RAD_SHAPE(12)
R017	Fractions of annular areas within AREA:				
R017	Ring 1	1.000E+00	1.000E+00	---	FRACA(1)
R017	Ring 2	2.732E-01	2.732E-01	---	FRACA(2)
R017	Ring 3	0.000E+00	0.000E+00	---	FRACA(3)
R017	Ring 4	0.000E+00	0.000E+00	---	FRACA(4)
R017	Ring 5	0.000E+00	0.000E+00	---	FRACA(5)
R017	Ring 6	0.000E+00	0.000E+00	---	FRACA(6)
R017	Ring 7	0.000E+00	0.000E+00	---	FRACA(7)
R017	Ring 8	0.000E+00	0.000E+00	---	FRACA(8)
R017	Ring 9	0.000E+00	0.000E+00	---	FRACA(9)
R017	Ring 10	0.000E+00	0.000E+00	---	FRACA(10)
R017	Ring 11	0.000E+00	0.000E+00	---	FRACA(11)
R017	Ring 12	0.000E+00	0.000E+00	---	FRACA(12)
R018	Fruits, vegetables and grain consumption (kg/yr)	5.200E+02	1.600E+02	---	DIET(1)
R018	Leafy vegetable consumption (kg/yr)	6.400E+01	1.400E+01	---	DIET(2)
R018	Milk consumption (L/yr)	3.100E+02	9.200E+01	---	DIET(3)
R018	Meat and poultry consumption (kg/yr)	1.100E+02	6.300E+01	---	DIET(4)
R018	Fish consumption (kg/yr)	2.100E+01	5.400E+00	---	DIET(5)
R018	Other seafood consumption (kg/yr)	5.000E+00	9.000E-01	---	DIET(6)
R018	Soil ingestion rate (g/yr)	3.650E+01	3.650E+01	---	SOIL
R018	Drinking water intake (L/yr)	7.300E+02	5.100E+02	---	DWI
R018	Contamination fraction of drinking water	1.000E+00	1.000E+00	---	FDW
R018	Contamination fraction of household water	not used	1.000E+00	---	FHHW
R018	Contamination fraction of livestock water	1.000E+00	1.000E+00	---	FLW
R018	Contamination fraction of irrigation water	1.000E+00	1.000E+00	---	FIRW
R018	Contamination fraction of aquatic food	1.000E+00	5.000E-01	---	FR9
R018	Contamination fraction of plant food	1.000E+00	-1	---	FPLANT
R018	Contamination fraction of meat	1.000E+00	-1	---	FMEAT
R018	Contamination fraction of milk	1.000E+00	-1	---	FMILK
R019	Livestock fodder intake for meat (kg/day)	6.800E+01	6.800E+01	---	LFI5
R019	Livestock fodder intake for milk (kg/day)	5.500E+01	5.500E+01	---	LFI6
R019	Livestock water intake for meat (L/day)	5.000E+01	5.000E+01	---	LWI5
R019	Livestock water intake for milk (L/day)	1.600E+02	1.600E+02	---	LWI6
R019	Livestock soil intake (kg/day)	5.000E-01	5.000E-01	---	LSI
R019	Mass loading for foliar deposition (g/m**3)	1.000E-04	1.000E-04	---	MLFD

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R019	Depth of soil mixing layer (m)	1.500E-01	1.500E-01	---	DM
R019	Depth of roots (m)	9.000E-01	9.000E-01	---	DROOT
R019	Drinking water fraction from ground water	1.000E+00	1.000E+00	---	FGWDW
R019	Household water fraction from ground water	1.000E+00	1.000E+00	---	FGWHH
R019	Livestock water fraction from ground water	not used	1.000E+00	---	FGWLW
R019	Irrigation fraction from ground water	1.000E+00	1.000E+00	---	FGWIR
R19B	Wet weight crop yield for Non-Leafy (kg/m**2)	7.000E-01	7.000E-01	---	YV(1)
R19B	Wet weight crop yield for Leafy (kg/m**2)	1.500E+00	1.500E+00	---	YV(2)
R19B	Wet weight crop yield for Fodder (kg/m**2)	1.100E+00	1.100E+00	---	YV(3)
R19B	Growing Season for Non-Leafy (years)	1.700E-01	1.700E-01	---	TE(1)
R19B	Growing Season for Leafy (years)	2.500E-01	2.500E-01	---	TE(2)
R19B	Growing Season for Fodder (years)	8.000E-02	8.000E-02	---	TE(3)
R19B	Translocation Factor for Non-Leafy	1.000E-01	1.000E-01	---	TIV(1)
R19B	Translocation Factor for Leafy	1.000E+00	1.000E+00	---	TIV(2)
R19B	Translocation Factor for Fodder	1.000E+00	1.000E+00	---	TIV(3)
R19B	Dry Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RDRY(1)
R19B	Dry Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RDRY(2)
R19B	Dry Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RDRY(3)
R19B	Wet Foliar Interception Fraction for Non-Leafy	2.500E-01	2.500E-01	---	RWET(1)
R19B	Wet Foliar Interception Fraction for Leafy	2.500E-01	2.500E-01	---	RWET(2)
R19B	Wet Foliar Interception Fraction for Fodder	2.500E-01	2.500E-01	---	RWET(3)
R19B	Weathering Removal Constant for Vegetation	2.000E+01	2.000E+01	---	WLAM
C14	C-12 concentration in water (g/cm**3)	not used	2.000E-05	---	C12WTR
C14	C-12 concentration in contaminated soil (g/g)	not used	3.000E-02	---	C12C2
C14	Fraction of vegetation carbon from soil	not used	2.000E-02	---	CSOIL
C14	Fraction of vegetation carbon from air	not used	9.800E-01	---	CAIR
C14	C-14 evasion layer thickness in soil (m)	not used	3.000E-01	---	DMC
C14	C-14 evasion flux rate from soil (1/sec)	not used	7.000E-07	---	EVSIN
C14	C-12 evasion flux rate from soil (1/sec)	not used	1.000E-10	---	REVSIN
C14	Fraction of grain in beef cattle feed	not used	8.000E-01	---	AVFG4
C14	Fraction of grain in milk cow feed	not used	2.000E-01	---	AVFG5
STOR	Storage times of contaminated foodstuffs (days):				
STOR	Fruits, non-leafy vegetables, and grain	1.400E+01	1.400E+01	---	STOR_T(1)
STOR	Leafy vegetables	1.000E+00	1.000E+00	---	STOR_T(2)
STOR	Milk	1.000E+00	1.000E+00	---	STOR_T(3)
STOR	Meat and poultry	2.000E+01	2.000E+01	---	STOR_T(4)
STOR	Fish	7.000E+00	7.000E+00	---	STOR_T(5)
STOR	Crustacea and mollusks	7.000E+00	7.000E+00	---	STOR_T(6)
STOR	Well water	1.000E+00	1.000E+00	---	STOR_T(7)
STOR	Surface water	1.000E+00	1.000E+00	---	STOR_T(8)
STOR	Livestock fodder	4.500E+01	4.500E+01	---	STOR_T(9)
R021	Thickness of building foundation (m)	not used	1.500E-01	---	FLOOR
R021	Bulk density of building foundation (g/cm**3)	not used	2.400E+00	---	DENSFL
R021	Total porosity of the cover material	not used	4.000E-01	---	TPCV
R021	Total porosity of the building foundation	not used	1.000E-01	---	TPFL
R021	Volumetric water content of the cover material	not used	5.000E-02	---	PH2OCV
R021	Volumetric water content of the foundation	not used	3.000E-02	---	PH2OFL

Site-Specific Parameter Summary (continued)

Menu	Parameter	User Input	Default	Used by RESRAD (If different from user input)	Parameter Name
R021	Diffusion coefficient for radon gas (m/sec):				
R021	in cover material	not used	2.000E-06	---	DIFCV
R021	in foundation material	not used	3.000E-07	---	DIFFL
R021	in contaminated zone soil	not used	2.000E-06	---	DIFCZ
R021	Radon vertical dimension of mixing (m)	not used	2.000E+00	---	HMIX
R021	Average building air exchange rate (1/hr)	not used	5.000E-01	---	REXG
R021	Height of the building (room) (m)	not used	2.500E+00	---	HRM
R021	Building interior area factor	not used	0.000E+00	---	FAI
R021	Building depth below ground surface (m)	not used	-1.000E+00	---	DMFL
R021	Emanating power of Rn-222 gas	not used	2.500E-01	---	EMANA(1)
R021	Emanating power of Rn-220 gas	not used	1.500E-01	---	EMANA(2)

Summary of Pathway Selections

Pathway	User Selection
1 -- external gamma	active
2 -- inhalation (w/o radon)	active
3 -- plant ingestion	active
4 -- meat ingestion	active
5 -- milk ingestion	active
6 -- aquatic foods	active
7 -- drinking water	active
8 -- soil ingestion	active
9 -- radon	suppressed
Find peak pathway doses	suppressed

Contaminated Zone Dimensions		Initial Soil Concentrations, pCi/g	
Area:	250.00 square meters	Am-241	4.000E-03
Thickness:	2.00 meters	Co-60	2.000E-03
Cover Depth:	1.00 meters	Cs-137	4.000E-01
		H-3	8.000E-01
		Pu-238	4.000E-03
		U-234	4.000E-03
		U-235	4.000E-03
		U-238	4.000E-03

Total Dose TDOSE(t), mrem/yr								
Basic Radiation Dose Limit = 25 mrem/yr								
Total Mixture Sum M(t) = Fraction of Basic Dose Limit Received at Time (t)								
t (years):	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
TDOSE(t):	6.345E-07	2.142E-04	6.112E-04	5.363E-04	1.755E-04	2.915E-04	2.678E-03	9.346E-03
M(t):	2.538E-08	8.567E-06	2.445E-05	2.145E-05	7.019E-06	1.166E-05	1.071E-04	3.738E-04

Maximum TDOSE(t): 9.346E-03 mrem/yr at t = 1.000E+03 years

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	3.571E-25	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	1.424E-07	0.2244	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	4.918E-07	0.7751	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	1.835E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.605E-19	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	1.728E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	2.912E-10	0.0005	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	6.345E-07	1.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 0.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.571E-25	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.424E-07	0.2244
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.918E-07	0.7751
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.835E-20	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.605E-19	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.728E-12	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.912E-10	0.0005
Total	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.345E-07	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	7.808E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	1.261E-07	0.0006	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	4.792E-07	0.0022	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	1.893E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.928E-16	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	1.763E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	2.951E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	6.057E-07	0.0028	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.808E-18	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.261E-07	0.0006
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.792E-07	0.0022
H-3	1.077E-04	0.5030	5.744E-09	0.0000	0.000E+00	0.0000	6.556E-05	0.3061	5.761E-06	0.0269	3.450E-05	0.1611	2.136E-04	0.9972
Pu-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.893E-20	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.928E-16	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.763E-12	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.951E-10	0.0000
Total	1.077E-04	0.5030	5.744E-09	0.0000	0.000E+00	0.0000	6.556E-05	0.3061	5.761E-06	0.0269	3.450E-05	0.1611	2.142E-04	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	2.415E-17	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	9.892E-08	0.0002	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	4.550E-07	0.0007	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	2.458E-20	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	1.775E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	1.838E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	3.032E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	5.543E-07	0.0009	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+00 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.415E-17	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.892E-08	0.0002
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.550E-07	0.0007
H-3	2.997E-04	0.4904	1.642E-08	0.0000	0.000E+00	0.0000	1.929E-04	0.3156	1.920E-05	0.0314	9.878E-05	0.1616	6.106E-04	0.9991
Pu-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.458E-20	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.775E-15	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.838E-12	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.032E-10	0.0000
Total	2.997E-04	0.4904	1.642E-08	0.0000	0.000E+00	0.0000	1.929E-04	0.3156	1.920E-05	0.0314	9.878E-05	0.1616	6.112E-04	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	8.962E-17	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	4.225E-08	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	3.795E-07	0.0007	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	2.215E-19	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	2.142E-14	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	2.125E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	3.333E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	4.221E-07	0.0008	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 1.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	8.962E-17	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.225E-08	0.0001
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.795E-07	0.0007
H-3	2.622E-04	0.4890	1.441E-08	0.0000	0.000E+00	0.0000	1.698E-04	0.3166	1.710E-05	0.0319	8.669E-05	0.1617	5.358E-04	0.9992
Pu-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.215E-19	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.142E-14	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.125E-12	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.333E-10	0.0000
Total	2.622E-04	0.4890	1.441E-08	0.0000	0.000E+00	0.0000	1.698E-04	0.3166	1.710E-05	0.0319	8.669E-05	0.1617	5.363E-04	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	3.655E-16	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	3.719E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	2.260E-07	0.0013	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	6.591E-18	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	2.440E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	3.237E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	4.365E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	2.302E-07	0.0013	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+01 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.655E-16	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.719E-09	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.260E-07	0.0013
H-3	8.577E-05	0.4888	4.714E-09	0.0000	0.000E+00	0.0000	5.553E-05	0.3164	5.594E-06	0.0319	2.835E-05	0.1616	1.753E-04	0.9987
Pu-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.591E-18	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.440E-13	0.0000
U-235	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.237E-12	0.0000
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.365E-10	0.0000
Total	8.577E-05	0.4888	4.714E-09	0.0000	0.000E+00	0.0000	5.553E-05	0.3164	5.594E-06	0.0319	2.835E-05	0.1616	1.755E-04	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	3.597E-15	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Co-60	7.525E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	3.683E-08	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	4.926E-16	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-234	6.190E-12	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-235	1.419E-11	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
U-238	1.122E-09	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Total	3.797E-08	0.0001	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	2.075E-04	0.7119	2.469E-06	0.0085	0.000E+00	0.0000	8.113E-05	0.2783	2.702E-07	0.0009	4.573E-08	0.0002	2.915E-04	0.9997
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	7.525E-13	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.683E-08	0.0001
H-3	2.437E-24	0.0000	1.352E-28	0.0000	0.000E+00	0.0000	1.609E-24	0.0000	1.683E-25	0.0000	8.138E-25	0.0000	5.028E-24	0.0000
Pu-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	4.926E-16	0.0000
U-234	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.190E-12	0.0000
U-235	3.539E-08	0.0001	3.970E-10	0.0000	0.000E+00	0.0000	1.381E-08	0.0000	1.823E-11	0.0000	7.770E-11	0.0000	4.972E-08	0.0002
U-238	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.122E-09	0.0000
Total	2.076E-04	0.7120	2.469E-06	0.0085	0.000E+00	0.0000	8.114E-05	0.2783	2.702E-07	0.0009	4.581E-08	0.0002	2.915E-04	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	2.549E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.177E-04	0.1186	2.272E-07	0.0001	1.872E-08	0.0000	0.000E+00	0.0000
Co-60	2.101E-23	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	2.430E-21	0.0000	6.222E-22	0.0000	1.418E-22	0.0000	0.000E+00	0.0000
Cs-137	2.065E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.066E-07	0.0002	2.335E-07	0.0001	1.418E-07	0.0001	0.000E+00	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	1.051E-13	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.546E-04	0.0577	1.982E-07	0.0001	6.500E-09	0.0000	0.000E+00	0.0000
U-234	5.915E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.452E-04	0.1289	1.560E-06	0.0006	6.040E-06	0.0023	0.000E+00	0.0000
U-235	8.768E-10	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	6.497E-04	0.2426	1.796E-05	0.0067	5.638E-06	0.0021	0.000E+00	0.0000
U-238	1.668E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.200E-04	0.1195	1.393E-06	0.0005	5.603E-06	0.0021	0.000E+00	0.0000
Total	1.835E-08	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	1.788E-03	0.6674	2.158E-05	0.0081	1.745E-05	0.0065	0.000E+00	0.0000

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
As mrem/yr and Fraction of Total Dose At t = 3.000E+02 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	6.019E-04	0.2247	7.162E-06	0.0027	0.000E+00	0.0000	2.354E-04	0.0879	7.859E-07	0.0003	1.328E-07	0.0000	1.163E-03	0.4343
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	3.215E-21	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	9.822E-07	0.0004
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	4.842E-15	0.0000	5.690E-17	0.0000	0.000E+00	0.0000	1.900E-15	0.0000	1.075E-16	0.0000	2.621E-16	0.0000	1.548E-04	0.0578
U-234	1.288E-10	0.0000	1.530E-12	0.0000	0.000E+00	0.0000	5.056E-11	0.0000	2.858E-12	0.0000	6.851E-12	0.0000	3.528E-04	0.1317
U-235	4.464E-06	0.0017	4.420E-08	0.0000	0.000E+00	0.0000	1.746E-06	0.0007	8.230E-08	0.0000	8.816E-09	0.0000	6.796E-04	0.2537
U-238	5.633E-15	0.0000	6.619E-17	0.0000	0.000E+00	0.0000	2.210E-15	0.0000	1.251E-16	0.0000	3.050E-16	0.0000	3.270E-04	0.1221
Total	6.064E-04	0.2264	7.206E-06	0.0027	0.000E+00	0.0000	2.372E-04	0.0885	8.682E-07	0.0003	1.416E-07	0.0001	2.678E-03	1.0000

*Sum of all water independent and dependent pathways.

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Independent Pathways (Inhalation excludes radon)

Radio- Nuclide	Ground		Inhalation		Radon		Plant		Meat		Milk		Soil	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	3.624E-07	0.0000	1.170E-07	0.0000	0.000E+00	0.0000	3.032E-05	0.0032	2.651E-07	0.0000	1.468E-08	0.0000	2.609E-07	0.0000
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	2.740E-18	0.0000	1.152E-24	0.0000	0.000E+00	0.0000	1.677E-18	0.0000	7.645E-19	0.0000	4.814E-19	0.0000	4.911E-22	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	8.348E-09	0.0000	1.812E-08	0.0000	0.000E+00	0.0000	3.273E-06	0.0004	3.849E-08	0.0000	4.017E-08	0.0000	3.416E-08	0.0000
U-234	2.771E-05	0.0030	1.014E-05	0.0011	0.000E+00	0.0000	1.542E-03	0.1650	2.625E-05	0.0028	1.075E-04	0.0115	6.117E-06	0.0007
U-235	1.324E-03	0.1417	1.517E-05	0.0016	0.000E+00	0.0000	3.830E-03	0.4098	2.478E-04	0.0265	9.678E-05	0.0104	1.077E-05	0.0012
U-238	2.308E-04	0.0247	8.887E-06	0.0010	0.000E+00	0.0000	1.176E-03	0.1259	2.018E-05	0.0022	9.551E-05	0.0102	5.512E-06	0.0006
Total	1.583E-03	0.1694	3.433E-05	0.0037	0.000E+00	0.0000	6.582E-03	0.7042	2.946E-04	0.0315	2.998E-04	0.0321	2.269E-05	0.0024

Total Dose Contributions TDOSE(i,p,t) for Individual Radionuclides (i) and Pathways (p)
 As mrem/yr and Fraction of Total Dose At t = 1.000E+03 years

Water Dependent Pathways

Radio- Nuclide	Water		Fish		Radon		Plant		Meat		Milk		All Pathways*	
	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.	mrem/yr	fract.
Am-241	3.024E-04	0.0324	3.598E-06	0.0004	0.000E+00	0.0000	1.183E-04	0.0127	3.953E-07	0.0000	6.672E-08	0.0000	4.560E-04	0.0488
Co-60	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Cs-137	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	5.664E-18	0.0000
H-3	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000	0.000E+00	0.0000
Pu-238	3.221E-11	0.0000	3.973E-13	0.0000	0.000E+00	0.0000	1.265E-11	0.0000	7.103E-13	0.0000	1.599E-12	0.0000	3.413E-06	0.0004
U-234	1.453E-07	0.0000	1.794E-09	0.0000	0.000E+00	0.0000	5.706E-08	0.0000	3.204E-09	0.0000	7.200E-09	0.0000	1.720E-03	0.1840
U-235	7.316E-05	0.0078	6.757E-07	0.0001	0.000E+00	0.0000	2.862E-05	0.0031	2.013E-06	0.0002	1.362E-07	0.0000	5.629E-03	0.6023
U-238	6.824E-11	0.0000	8.407E-13	0.0000	0.000E+00	0.0000	2.680E-11	0.0000	1.505E-12	0.0000	3.395E-12	0.0000	1.537E-03	0.1645
Total	3.757E-04	0.0402	4.276E-06	0.0005	0.000E+00	0.0000	1.470E-04	0.0157	2.412E-06	0.0003	2.101E-07	0.0000	9.346E-03	1.0000

*Sum of all water independent and dependent pathways.

Dose/Source Ratios Summed Over All Pathways
 Parent and Progeny Principal Radionuclide Contributions Indicated

Parent (i)	Product (j)	Branch Fraction*	DSR(j,t)	(mrem/yr)/(pCi/g)								
			t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03		
Am-241	Am-241	1.000E+00	8.927E-23	9.301E-23	1.010E-22	1.345E-22	3.053E-22	7.286E-02	2.903E-01	1.118E-01		
Am-241	Np-237	1.000E+00	0.000E+00	1.952E-15	6.038E-15	2.240E-14	9.136E-14	5.235E-08	4.957E-04	2.186E-03		
Am-241	U-233	1.000E+00	0.000E+00	4.745E-25	4.428E-24	5.588E-23	7.236E-22	1.794E-12	3.156E-09	4.583E-08		
Am-241	Th-229	1.000E+00	0.000E+00	8.632E-25	2.401E-23	9.872E-22	3.593E-20	3.798E-18	1.791E-10	1.504E-08		
Am-241	ΣDSR(j)		8.927E-23	1.952E-15	6.038E-15	2.240E-14	9.136E-14	7.286E-02	2.908E-01	1.140E-01		
Co-60	Co-60	1.000E+00	7.121E-05	6.306E-05	4.946E-05	2.113E-05	1.860E-06	3.763E-10	1.607E-18	0.000E+00		
Cs-137	Cs-137	1.000E+00	1.230E-06	1.198E-06	1.138E-06	9.488E-07	5.650E-07	9.207E-08	2.456E-06	1.416E-17		
H-3	H-3	1.000E+00	0.000E+00	2.670E-04	7.633E-04	6.698E-04	2.191E-04	6.285E-24	0.000E+00	0.000E+00		
Pu-238	Pu-238	1.000E+00	4.588E-18	4.688E-18	4.893E-18	5.688E-18	8.740E-18	3.932E-17	3.866E-02	7.002E-04		
Pu-238	U-234	1.000E+00	0.000E+00	1.167E-22	3.679E-22	1.461E-21	7.241E-21	1.419E-19	2.869E-05	1.271E-04		
Pu-238	Th-230	1.000E+00	0.000E+00	5.393E-27	5.106E-26	6.774E-25	1.013E-23	6.714E-22	4.109E-08	8.297E-07		
Pu-238	Ra-226	1.000E+00	0.000E+00	4.542E-20	1.251E-18	4.969E-17	1.639E-15	1.231E-13	1.848E-07	1.227E-05		
Pu-238	Pb-210	1.000E+00	0.000E+00	1.597E-31	1.341E-29	1.878E-27	2.196E-25	1.042E-22	1.885E-07	1.281E-05		
Pu-238	ΣDSR(j)		4.588E-18	4.733E-18	6.145E-18	5.538E-17	1.648E-15	1.232E-13	3.869E-02	8.532E-04		
U-234	U-234	1.000E+00	4.014E-17	4.131E-17	4.376E-17	5.354E-17	9.524E-17	7.153E-16	8.585E-02	3.418E-01		
U-234	Th-230	1.000E+00	0.000E+00	3.814E-21	1.210E-20	4.903E-20	2.570E-19	6.038E-18	1.838E-04	2.610E-03		
U-234	Ra-226	1.000E+00	0.000E+00	4.815E-14	4.437E-13	5.354E-12	6.100E-11	1.548E-09	1.040E-03	4.166E-02		
U-234	Pb-210	1.000E+00	0.000E+00	2.254E-25	6.306E-24	2.649E-22	1.035E-20	1.526E-18	1.122E-03	4.384E-02		
U-234	ΣDSR(j)		4.014E-17	4.819E-14	4.437E-13	5.354E-12	6.100E-11	1.548E-09	8.820E-02	4.299E-01		
U-235	U-235	1.000E+00	4.319E-10	4.408E-10	4.592E-10	5.297E-10	7.966E-10	3.324E-09	8.107E-02	6.452E-01		
U-235	Pa-231	1.000E+00	0.000E+00	6.361E-14	1.972E-13	7.371E-13	3.068E-12	3.218E-11	6.894E-02	5.744E-01		
U-235	Ac-227	1.000E+00	0.000E+00	8.998E-15	8.178E-14	9.426E-13	9.584E-12	1.243E-05	1.990E-02	1.877E-01		
U-235	ΣDSR(j)		4.319E-10	4.409E-10	4.594E-10	5.313E-10	8.093E-10	1.243E-05	1.699E-01	1.407E+00		
U-238	U-238	1.000E+00	7.280E-08	7.379E-08	7.580E-08	8.331E-08	1.091E-07	2.806E-07	8.168E-02	3.833E-01		
U-238	U-234	1.000E+00	0.000E+00	1.171E-22	3.722E-22	1.518E-21	8.101E-21	2.028E-19	7.305E-05	9.705E-04		
U-238	Th-230	1.000E+00	0.000E+00	5.407E-27	5.145E-26	6.947E-25	1.091E-23	8.519E-22	7.706E-08	3.528E-06		
U-238	Ra-226	1.000E+00	0.000E+00	4.548E-20	1.258E-18	5.064E-17	1.734E-15	1.476E-13	3.026E-07	4.221E-05		
U-238	Pb-210	1.000E+00	0.000E+00	1.741E-31	1.348E-29	1.907E-27	2.300E-25	1.219E-22	2.984E-07	4.302E-05		
U-238	ΣDSR(j)		7.280E-08	7.379E-08	7.580E-08	8.331E-08	1.091E-07	2.806E-07	8.175E-02	3.843E-01		

*Branch Fraction is the cumulative factor for the j't principal radionuclide daughter: CUMBRF(j) = BRF(1)*BRF(2)* ... BRF(j).
 The DSR includes contributions from associated (half-life ≤ 0.5 yr) daughters.

Single Radionuclide Soil Guidelines G(i,t) in pCi/g
Basic Radiation Dose Limit = 25 mrem/yr

Nuclide (i)	t= 0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Am-241	*3.430E+12	*3.430E+12	*3.430E+12	*3.430E+12	*3.430E+12	3.431E+02	8.596E+01	2.193E+02
Co-60	3.511E+05	3.964E+05	5.055E+05	1.183E+06	1.344E+07	6.644E+10	*1.131E+15	*1.131E+15
Cs-137	2.033E+07	2.087E+07	2.198E+07	2.635E+07	4.425E+07	2.715E+08	1.018E+07	*8.701E+13
H-3	*9.594E+15	9.365E+04	3.275E+04	3.733E+04	1.141E+05	*9.594E+15	*9.594E+15	*9.594E+15
Pu-238	*1.711E+13	*1.711E+13	*1.711E+13	*1.711E+13	*1.711E+13	*1.711E+13	6.462E+02	2.930E+04
U-234	*6.245E+09	*6.245E+09	*6.245E+09	*6.245E+09	*6.245E+09	*6.245E+09	2.835E+02	5.815E+01
U-235	*2.160E+06	*2.160E+06	*2.160E+06	*2.160E+06	*2.160E+06	2.011E+06	1.471E+02	1.776E+01
U-238	*3.360E+05	*3.360E+05	*3.360E+05	*3.360E+05	*3.360E+05	*3.360E+05	3.058E+02	6.505E+01

*At specific activity limit

Summed Dose/Source Ratios DSR(i,t) in (mrem/yr)/(pCi/g)
and Single Radionuclide Soil Guidelines G(i,t) in pCi/g
at tmin = time of minimum single radionuclide soil guideline
and at tmax = time of maximum total dose = 1.000E+03 years

Nuclide (i)	Initial pCi/g	tmin (years)	DSR(i,tmin)	G(i,tmin) (pCi/g)	DSR(i,tmax)	G(i,tmax) (pCi/g)
Am-241	4.000E-03	320.6 ± 0.6	2.918E-01	8.569E+01	1.140E-01	2.193E+02
Co-60	2.000E-03	0.000E+00	7.121E-05	3.511E+05	0.000E+00	*1.131E+15
Cs-137	4.000E-01	125.0 ± 0.3	3.457E-04	7.232E+04	1.416E-17	*8.701E+13
H-3	8.000E-01	4.677 ± 0.009	8.278E-04	3.020E+04	0.000E+00	*9.594E+15
Pu-238	4.000E-03	226.4 ± 0.5	4.377E-02	5.711E+02	8.532E-04	2.930E+04
U-234	4.000E-03	1.000E+03	4.299E-01	5.815E+01	4.299E-01	5.815E+01
U-235	4.000E-03	1.000E+03	1.407E+00	1.776E+01	1.407E+00	1.776E+01
U-238	4.000E-03	1.000E+03	3.843E-01	6.505E+01	3.843E-01	6.505E+01

*At specific activity limit

Individual Nuclide Dose Summed Over All Pathways
 Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	BRF(i)	DOSE(j,t), mrem/yr								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Am-241	Am-241	1.000E+00		3.571E-25	3.720E-25	4.038E-25	5.380E-25	1.221E-24	2.915E-04	1.161E-03	4.473E-04
Np-237	Am-241	1.000E+00		0.000E+00	7.808E-18	2.415E-17	8.962E-17	3.655E-16	2.094E-10	1.983E-06	8.742E-06
U-233	Am-241	1.000E+00		0.000E+00	1.898E-27	1.771E-26	2.235E-25	2.894E-24	7.174E-15	1.262E-11	1.833E-10
Th-229	Am-241	1.000E+00		0.000E+00	3.453E-27	9.605E-26	3.949E-24	1.437E-22	1.519E-20	7.165E-13	6.016E-11
Co-60	Co-60	1.000E+00		1.424E-07	1.261E-07	9.892E-08	4.225E-08	3.719E-09	7.525E-13	3.215E-21	0.000E+00
Cs-137	Cs-137	1.000E+00		4.918E-07	4.792E-07	4.550E-07	3.795E-07	2.260E-07	3.683E-08	9.822E-07	5.664E-18
H-3	H-3	1.000E+00		0.000E+00	2.136E-04	6.106E-04	5.358E-04	1.753E-04	5.028E-24	0.000E+00	0.000E+00
Pu-238	Pu-238	1.000E+00		1.835E-20	1.875E-20	1.957E-20	2.275E-20	3.496E-20	1.573E-19	1.546E-04	2.801E-06
U-234	Pu-238	1.000E+00		0.000E+00	4.667E-25	1.472E-24	5.845E-24	2.896E-23	5.676E-22	1.147E-07	5.083E-07
U-234	U-234	1.000E+00		1.605E-19	1.652E-19	1.750E-19	2.141E-19	3.810E-19	2.861E-18	3.434E-04	1.367E-03
U-234	U-238	1.000E+00		0.000E+00	4.684E-25	1.489E-24	6.071E-24	3.240E-23	8.113E-22	2.922E-07	3.882E-06
U-234	ΣDOSE(j):			1.605E-19	1.652E-19	1.750E-19	2.142E-19	3.810E-19	2.863E-18	3.438E-04	1.372E-03
Th-230	Pu-238	1.000E+00		0.000E+00	2.157E-29	2.042E-28	2.709E-27	4.051E-26	2.686E-24	1.644E-10	3.319E-09
Th-230	U-234	1.000E+00		0.000E+00	1.526E-23	4.840E-23	1.961E-22	1.028E-21	2.415E-20	7.350E-07	1.044E-05
Th-230	U-238	1.000E+00		0.000E+00	2.163E-29	2.058E-28	2.779E-27	4.365E-26	3.408E-24	3.083E-10	1.411E-08
Th-230	ΣDOSE(j):			0.000E+00	1.526E-23	4.840E-23	1.961E-22	1.028E-21	2.416E-20	7.355E-07	1.046E-05
Ra-226	Pu-238	1.000E+00		0.000E+00	1.817E-22	5.004E-21	1.988E-19	6.556E-18	4.925E-16	7.392E-10	4.909E-08
Ra-226	U-234	1.000E+00		0.000E+00	1.926E-16	1.775E-15	2.142E-14	2.440E-13	6.190E-12	4.161E-06	1.666E-04
Ra-226	U-238	1.000E+00		0.000E+00	1.819E-22	5.033E-21	2.026E-19	6.936E-18	5.903E-16	1.210E-09	1.688E-07
Ra-226	ΣDOSE(j):			0.000E+00	1.926E-16	1.775E-15	2.142E-14	2.440E-13	6.191E-12	4.163E-06	1.668E-04
Pb-210	Pu-238	1.000E+00		0.000E+00	0.000E+00	5.364E-32	7.514E-30	8.783E-28	4.168E-25	7.539E-10	5.125E-08
Pb-210	U-234	1.000E+00		0.000E+00	9.014E-28	2.522E-26	1.060E-24	4.138E-23	6.102E-21	4.488E-06	1.753E-04
Pb-210	U-238	1.000E+00		0.000E+00	0.000E+00	5.391E-32	7.630E-30	9.201E-28	4.878E-25	1.193E-09	1.721E-07
Pb-210	ΣDOSE(j):			0.000E+00	9.014E-28	2.522E-26	1.060E-24	4.138E-23	6.103E-21	4.490E-06	1.756E-04
U-235	U-235	1.000E+00		1.728E-12	1.763E-12	1.837E-12	2.119E-12	3.186E-12	1.330E-11	3.243E-04	2.581E-03
Pa-231	U-235	1.000E+00		0.000E+00	2.544E-16	7.887E-16	2.948E-15	1.227E-14	1.287E-13	2.758E-04	2.297E-03
Ac-227	U-235	1.000E+00		0.000E+00	3.599E-17	3.271E-16	3.771E-15	3.834E-14	4.970E-08	7.961E-05	7.510E-04
U-238	U-238	1.000E+00		2.912E-10	2.951E-10	3.032E-10	3.333E-10	4.365E-10	1.122E-09	3.267E-04	1.533E-03

BRF(i) is the branch fraction of the parent nuclide.

Individual Nuclide Soil Concentration
 Parent Nuclide and Branch Fraction Indicated

Nuclide (j)	Parent (i)	BRF(i)	S(j,t), pCi/g								
			t=	0.000E+00	1.000E+00	3.000E+00	1.000E+01	3.000E+01	1.000E+02	3.000E+02	1.000E+03
Am-241	Am-241	1.000E+00		4.000E-03	3.976E-03	3.929E-03	3.768E-03	3.345E-03	2.203E-03	6.683E-04	1.028E-05
Np-237	Am-241	1.000E+00		0.000E+00	1.292E-09	3.850E-09	1.256E-08	3.540E-08	9.577E-08	1.695E-07	1.632E-07
U-233	Am-241	1.000E+00		0.000E+00	2.825E-15	2.529E-14	2.758E-13	2.354E-12	2.181E-11	1.210E-10	3.425E-10
Th-229	Am-241	1.000E+00		0.000E+00	8.899E-20	2.393E-18	8.738E-17	2.266E-15	7.312E-14	1.368E-12	1.784E-11
Co-60	Co-60	1.000E+00		2.000E-03	1.750E-03	1.341E-03	5.276E-04	3.672E-05	3.265E-09	8.701E-21	0.000E+00
Cs-137	Cs-137	1.000E+00		4.000E-01	3.843E-01	3.546E-01	2.677E-01	1.199E-01	7.204E-03	2.336E-06	1.435E-18
H-3	H-3	1.000E+00		8.000E-01	4.190E-01	1.150E-01	1.243E-03	3.004E-09	6.584E-29	0.000E+00	0.000E+00
Pu-238	Pu-238	1.000E+00		4.000E-03	3.968E-03	3.906E-03	3.696E-03	3.154E-03	1.812E-03	3.720E-04	1.457E-06
U-234	Pu-238	1.000E+00		0.000E+00	1.129E-08	3.360E-08	1.089E-07	3.014E-07	7.704E-07	1.223E-06	1.107E-06
U-234	U-234	1.000E+00		4.000E-03	3.999E-03	3.996E-03	3.988E-03	3.965E-03	3.884E-03	3.661E-03	2.976E-03
U-234	U-238	1.000E+00		0.000E+00	1.134E-08	3.399E-08	1.131E-07	3.372E-07	1.101E-06	3.115E-06	8.450E-06
U-234	ΣS(j):			4.000E-03	3.999E-03	3.997E-03	3.988E-03	3.965E-03	3.885E-03	3.665E-03	2.986E-03
Th-230	Pu-238	1.000E+00		0.000E+00	5.090E-14	4.556E-13	4.967E-12	4.237E-11	3.944E-10	2.308E-09	9.856E-09
Th-230	U-234	1.000E+00		0.000E+00	3.600E-08	1.080E-07	3.595E-07	1.075E-06	3.546E-06	1.032E-05	3.100E-05
Th-230	U-238	1.000E+00		0.000E+00	5.103E-14	4.591E-13	5.094E-12	4.566E-11	5.003E-10	4.328E-09	4.190E-08
Th-230	ΣS(j):			0.000E+00	3.600E-08	1.080E-07	3.595E-07	1.075E-06	3.547E-06	1.033E-05	3.106E-05
Ra-226	Pu-238	1.000E+00		0.000E+00	7.352E-18	1.975E-16	7.191E-15	1.849E-13	5.810E-12	1.028E-10	1.259E-09
Ra-226	U-234	1.000E+00		0.000E+00	7.794E-12	7.006E-11	7.748E-10	6.882E-09	7.303E-08	5.786E-07	4.275E-06
Ra-226	U-238	1.000E+00		0.000E+00	7.362E-18	1.987E-16	7.329E-15	1.956E-13	6.964E-12	1.683E-10	4.332E-09
Ra-226	ΣS(j):			0.000E+00	7.794E-12	7.006E-11	7.748E-10	6.882E-09	7.305E-08	5.789E-07	4.280E-06
Pb-210	Pu-238	1.000E+00		0.000E+00	5.680E-20	4.525E-18	5.274E-16	3.647E-14	2.755E-12	7.807E-11	1.160E-09
Pb-210	U-234	1.000E+00		0.000E+00	8.013E-14	2.127E-12	7.437E-11	1.718E-09	4.034E-08	4.649E-07	3.969E-06
Pb-210	U-238	1.000E+00		0.000E+00	6.190E-20	4.547E-18	5.355E-16	3.820E-14	3.225E-12	1.236E-10	3.896E-09
Pb-210	ΣS(j):			0.000E+00	8.013E-14	2.127E-12	7.437E-11	1.718E-09	4.034E-08	4.651E-07	3.974E-06
U-235	U-235	1.000E+00		4.000E-03	3.999E-03	3.996E-03	3.988E-03	3.965E-03	3.885E-03	3.664E-03	2.985E-03
Pa-231	U-235	1.000E+00		0.000E+00	8.455E-08	2.531E-07	8.376E-07	2.462E-06	7.640E-06	1.878E-05	3.295E-05
Ac-227	U-235	1.000E+00		0.000E+00	1.330E-09	1.167E-08	1.190E-07	8.517E-07	5.007E-06	1.537E-05	2.885E-05
U-238	U-238	1.000E+00		4.000E-03	3.999E-03	3.996E-03	3.988E-03	3.965E-03	3.885E-03	3.664E-03	2.985E-03

BRF(i) is the branch fraction of the parent nuclide.