

James A. FitzPatrick
Nuclear Power Plant
268 Lake Road
P.O. Box 41
Lycoming, New York 13093
315-342-3840



Michael J. Colomb
Site Executive Officer

November 3, 2000
JAFP-00-0260

United States Nuclear Regulatory Commission
Attn: Document Control Desk
Mail Station P1-137
Washington, D.C. 20555

James A. FitzPatrick Nuclear Power Plant
Docket No. 50-333

Subject: Additional Information Regarding Proposed Technical Specification Change (JPTS-95-004) Regarding Leak and Hydrostatic Testing Operation

- References:**
1. JPN-00-0257, Proposed Technical Specification Change (JPTS-95-004) Regarding Leak and Hydrostatic Testing Operation
 2. JPN-00-0259, Additional Information Regarding Proposed Technical Specification Change (JPTS-95-004) Regarding Leak and Hydrostatic Testing Operation

Dear Sir:

In Reference 1 the Authority proposed an amendment to the Technical Specifications Regarding Leak and Hydrostatic Testing Operation. The purpose of this letter is to provide additional information regarding the time of discovery of the emergency condition identified in the subject proposed amendment.

The Authority began repair of 10MOV-25B on October 25, 2000. The initial phase of the repair period involves disassembly, inspection and planning the repair. The details of this repair are discussed in Reference 2. The repair activity has proceeded uninterrupted since that time. On November 2, 2000, at approximately 0630, a review of the projected repair duration for 10MOV-25B identified that the repair activity would prevent plant restart on an hour-for-hour basis for a period of time equivalent to that required to complete the repair of 10MOV-25B.

Very truly yours,

A handwritten signature in black ink, appearing to read 'M. Colomb'.

Michael J. Colomb
Site Executive Officer

MJC:MA:las

STATE OF NEW YORK
COUNTY OF OSWEGO

Subscribed and sworn to before me
this 3rd day of November 2000.

A handwritten signature in black ink, appearing to read 'Mary Lu Moriarty'.

MARY LU MORIARTY #4965820
Notary Public, State of New York
Qualified in Oswego County
Commission Expires April 30, 2002

ADD1

**cc: Regional Administrator
U. S. Nuclear Regulatory Commission
475 Allendale Road
King of Prussia, PA 19406**

**Office of the Resident Inspector
U. S. Nuclear Regulatory Commission
P.O. Box 136
Lycoming, NY 13093**

**Guy Vissing, Project Manager
Project Directorate I
Division of Licensing Project Management
U.S. Nuclear Regulatory Commission
Mail Stop 8C2
Washington, DC 20555**