

November 3, 2000

Mr. D. E. Young, Vice President
Carolina Power & Light Company
H. B. Robinson Steam Electric Plant
Unit No. 2
3581 West Entrance Road
Hartsville, South Carolina 29550

SUBJECT: REQUEST FOR EXTENSION OF TIME TO RESPOND TO A REQUEST FOR
ADDITIONAL INFORMATION (RAI) - REQUEST FOR RELIEF FROM AMERICAN
SOCIETY OF MECHANICAL ENGINEERS (ASME) BOILER AND PRESSURE
VESSEL CODE, SECTION XI, REGARDING AUSTENITIC WELD EXAMINATION
REQUIREMENTS - REQUEST NO. 29, H. B. ROBINSON STEAM ELECTRIC
PLANT, UNIT 2 (TAC NO. MA9733)

Dear Mr. Young:

By letter dated August 10, 2000, you submitted Relief Request No. 29, seeking relief from the requirements of the ASME Code, Section XI, regarding austenitic weld examination requirements for the H. B. Robinson Steam Electric Plant, Unit No. 2. The staff reviewed the information you provided in the subject request for relief, and issued an RAI dated September 5, 2000, on the request. By your letter dated November 1, 2000, you requested additional time until November 30, 2000, to respond to the RAI, which is hereby authorized.

If you should have any questions regarding this RAI, please contact me at (301) 415-1478.

Sincerely,

/RA/

Ram Subbaratnam, Project Manager, Section 2
Project Directorate II
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket No. 50-261

cc: See next page

Mr. D. E. Young, Vice President
Carolina Power & Light Company
H. B. Robinson Steam Electric Plant
Unit No. 2
3581 West Entrance Road
Hartsville, South Carolina 29550

SUBJECT: REQUEST FOR EXTENSION OF TIME TO RESPOND TO A REQUEST FOR ADDITIONAL INFORMATION (RAI) - REQUEST FOR RELIEF FROM AMERICAN SOCIETY OF MECHANICAL ENGINEERS (ASME) BOILER AND PRESSURE VESSEL CODE, SECTION XI, REGARDING AUSTENITIC WELD EXAMINATION REQUIREMENTS - REQUEST NO. 29, H. B. ROBINSON STEAM ELECTRIC PLANT, UNIT 2 (TAC NO. MA9733)

Dear Mr. Young:

By letter dated August 10, 2000, you submitted Relief Request No. 29, seeking relief from the requirements of the ASME Code, Section XI, regarding austenitic weld examination requirements for the H. B. Robinson Steam Electric Plant, Unit No. 2. The staff reviewed the information you provided in the subject request for relief, and issued an RAI dated September 5, 2000, on the request. By your letter dated November 1, 2000, you requested additional time until November 30, 2000, to respond to the RAI, which is hereby authorized.

If you should have any questions regarding this RAI, please contact me at (301) 415-1478.

Sincerely,

/RAI/

Ram Subbaratnam, Project Manager, Section 2
Project Directorate II
Division of Licensing Project Management
Office of Nuclear Reactor Regulation

Docket No. 50-261

cc: See next page

DISTRIBUTION:

File Center	RCorreia	RSubbaratnam
PUBLIC	EDunnington	DNaujock, EMCB,NRR
PDII-2/S2	ESullivan	OGC

Accession Number ML003766469

PM:PDII-S2	LA:PDII-S2	SC:PD II-S2
RSubbaratnam	EDunnington	RCorreia
11/2/00	11/2/00	11/3/00
Yes/No	Yes/No	Yes/No

OFFICIAL RECORD COPY

Mr. D. E. Young
Carolina Power & Light Company

H. B. Robinson Steam Electric
Plant, Unit No. 2

cc:

Mr. William D. Johnson
Vice President and Corporate Secretary
Carolina Power & Light Company
Post Office Box 1551
Raleigh, North Carolina 27602

Mr. Mel Fry, Director
N.C. Department of Environment
and Natural Resources
Division of Radiation Protection
3825 Barrett Dr.
Raleigh, North Carolina 27609-7721

Ms. Karen E. Long
Assistant Attorney General
State of North Carolina
Post Office Box 629
Raleigh, North Carolina 27602

Mr. Robert P. Gruber
Executive Director
Public Staff - NCUC
Post Office Box 29520
Raleigh, North Carolina 27626-0520

U.S. Nuclear Regulatory Commission
Resident Inspector's Office
H. B. Robinson Steam Electric Plant
2112 Old Camden Road
Hartsville, South Carolina 29550
Management

Mr. Virgil R. Autry, Director
South Carolina Department of Health
Bureau of Land & Waste Management
Division of Radioactive Waste

2600 Bull Street
Columbia, South Carolina 29201

Mr. T. D. Walt
Plant General Manager
Carolina Power & Light Company
H. B. Robinson Steam Electric Plant, Unit No. 2
3581 West Entrance Road
Hartsville, SC 29550

Mr. Terry C. Morton
Manager
Performance Evaluation and
Regulatory Affairs CPB 7
Carolina Power & Light Company
Post Office Box 1551
Raleigh, North Carolina 27602-1551

Mr. J. W. Moyer
Director of Site Operations
Carolina Power & Light Company
H. B. Robinson Steam Electric Plant, Unit No. 2
3581 West Entrance Road
Hartsville, South Carolina 29550

Mr. John H. O'Neill, Jr.
Shaw, Pittman, Potts & Trowbridge
2300 N Street, NW.
Washington, DC 20037-1128

Public Service Commission
State of South Carolina
Post Office Drawer 11649
Columbia, South Carolina 29211

Mr. R. L. Warden
Manager - Regulatory Affairs
Carolina Power & Light Company
H. B. Robinson Steam Electric Plant,
Unit No. 2
3581 West Entrance Road
Hartsville, South Carolina 29550-0790

Mr. H. K. Chernoff
Supervisor, Licensing/Regulatory Programs
Carolina Power & Light Company
H. B. Robinson Steam Electric Plant,
Unit No. 2
3581 West Entrance Road
Hartsville, South Carolina 29550

