

Physician (Authorized USER)	31.11	35.100	35.200	35.300	35.400	Ir-192	I-125	Y-90(35.1000)				
						(remote-bracy)	(gliasite)	(SIR-spheres) therapy delivery system				
Robert Liebross				X	X	X	X					
Peter D. Arfken		X	X	X								
John A. Morton	X	X	X	X								
Margaret Brengle		X	X									
Preetham Jetty			X									
Charles M. Orr			X									
Michael L. Smith			X									
Frank W. Peyton, Jr.				X (see below)	X	X	X					
Martin Richard See		X	X									
Michael W. Ball			X									
Edward R. Bartley		X	X									
Jeffrey I Reider		X	X									
Homer F. Beltz		X	X									
Michael S. Skulski		X	X									
Eric E. Beltz		X	X	X (see below)								
Steven A. Fritsch		X	X									
Charles P. Taliercio			X									
Frank J. Pistoia		X	X									
Thomas C. Dugan				X	X	X		X -permitted by 10 CFR 35.1000				
Stanley S. Givens				X	X	X see below	x					
Christopher A. Leagre				X	X	X see below	X					
Janalyn P. Ferguson		X	X									
Jane S. Mitchell		X	X									
Jack J. Moss		X	X									
Lori J. Wells		X	X									
Eric D. Elliott		X	X									
Joseph E. Steinmetz			X									
David R. Schmidt			X									
Mary M. Walsh			X									
Morton Tavel			X									
Daniel M. Gelfman			X									
Gregory B. Elsner			X									
Ann D. Logan				X	X	X see below						
Charles A. Lerner		X	X									
Thomas Hagman		X	X	X								
Brian J. Weigel		X	X	X								
Jack M. Drew		X	X	X								
David R. Gulliver		X	X	X								
Theodore P. Labus		x	x	X								
Sam Hansen		X	X									
Marla Sue Coutz		X	X									
Kamthorn Lee			X									
Vedala Ranganath	X	X	X									
Srinivasarao Malyala	X	X	X									
Jayaprakasarao Konijeti	X	X	X									
J. Michael Phelps, Jr.		X	X	X (see below)								
Timothy L. Davis		X	X	X (see below)								
Vincent P. Mathews		X	X									
Sara Shull		X	X	X (see below)								
Charles C. Mulry		X	X	X (see below)								
Physician (Authorized USER)	31.11	35.100	35.200	35.300	35.400	Ir-192	I-125	Y-90				

						(remote-bracy)	(gliasite)	(SIR-spheres) therapy delivery system				
R. Kurt Retrum		X	X									
Patricia Ellen Ladd		X	X	X (see below)								
Peter Nechay		X	X									
William E. McGraw		X	X									
Robert Curtis Oehler		X	X									
James M. Scheffler			X									
Thomas P. Schleeter		X	X									
Darrel L. Ross				X	X	X	X					
John Mark Michael		X	X	X								
Laura Dugan		X	X	X (see below)*LIMITED								
John Marvel				X	X							
James Currier				X	X							
Jianan Graybill				X	X							
David Gudkese		X	X									
Christina Shinaver		X	X	X								
Anthony J. Cossell			X									
Michael S. Conley		X	X									
Kari W. Helms		X	X									
Chandrika Y. Patel				X	X	X	X					
Richard Hallett		X	X	X								
Caryn Cockerill Anderson		X	X									
Warren Kent Hansen		X	X	X(see below)								
Carlo Roberto Lazzaro		X	X	X(see below)								
James P. Mackrell			X									
Christopher J. Hollon		X	X									
Michael Elliott			X									
Johnathan Kahn		X	X	X								
George K. Brodell		X	X									
Gurbachan Sohi		X	X									
Douglas D. Geiger		X	X									
Phillip R. Doering		X	X	X								
Bruce N. Monson		X	X	X								
George K. Wolfer, Jr.		X	X	X								
Mark A. Bisesi		X	X	X								
Neal David Abdullah		X	X									
Sean M. Flynn		X	X	X								
Todd A. Winkler		X	X									
Chris W. McGary		X	X	X								
John Alexander		X	X									
Jonathan A. Straser		X	X									
William R. Fortner		X	X	X								
Kelly J. Colomb		X	X	X								
Craig S. Kamen		X	X	X								
Brian Worm		X	X	X								
Christopher J. Day		X	X	X see below								
Jerome Schrodt		X	X	X see below								
Naveen Devabhaktuni			X									
Mlo Michael Silkovac			X									
Andrea Walker, D.O.		X	X	X see below								
Brandon K. Martinez				X				X-permitted by 10 CFR 35.1000				
Frank W. Peyton, Jr. 35.300--limited to colloidal phosphorous-32, strontium-89, samarium-153 and yttrium-90												

Vedala Ranganath--35.200 all 200 materials excluding xenon-133									
Srinivasarao Malyala--35.200 all 200 materials excluding xenon-133									
Jayaprakasarao Konijeti--35.200 all 200 materials excluding xenon-133									
J. Michael Phelps, Jr.--35.300 for iodine-131, oral administration of sodium iodide-131 in quantites less than or equal to 33 millicuries.									
Timothy L. Davis--35.300(for iodine-131, oral administration of sodium iodide-131 in quantites less than or equal to 33 millicuries.)									
Sara Shull--35.300 (for iodine-131, oral administration of sodium iodide-131 in quantites less than or equal to 33 millicuries.)									
Charles C. Mulry--35.300 (for iodine-131, oral administration of sodium iodide-131 in quantites less than or equal to 33 millicuries.)									
Patricia Ellen Ladd--35.300(for iodine-131, oral administration of sodium iodide-131 in quantites less than or equal to 33 millicuries.)									
Laura Dugan--35.200 and iodine-131 permitted by 35.300, limited to DIAGNOSTIC studies only.									
Stanely Givens--Iridium-192 in HDR remote afterloading brachytherapy unit									
Christopher Leagre----Iridium-192 in HDR remote afterloading brachytherapy unit									
Ann Logan-- Iridium-192 in HDR remote afterloading brachytherapy unit									
Warren Hansen--35.300--for Iodine 131, oral administration of sodium iodide-131 in quantites less than or equal to 33 millicuries									
Carlo Lazzaro--35.300--for Iodine 131, oral administration of sodium iodide-131 in quantites less than or equal to 33 millicuries									
Eric Beltz--35.300(for iodine-131, oral administration of sodium iodide-131 in quantites less than or equal to 33 millicuries.)									
Christopher J. Day--35.300(for iodine-131, oral administration of sodium iodide-131 in quantites less than or equal to 33									
Jerome Schrodt--35.300(for iodine-131, oral administration of sodium iodide-131 in quantites less than or equal to 33									
Andrea Walker--35.300(for iodine-131, oral administration of sodium iodide-131 in quantites less than or equal to 33									
10 CFR 35.300 Materials are: Sm-153, I-131, P-32, Sr-90 (Tx. Radiopharmaceuticals-SEE RSO)									
Authorized user for non-medical uses:									
Edward Wroblewski	subitem Nos. 6.G., 6.H.								
William Breeden, III	subitem Nos. 6.G., 6.H.								
Authorized Medical Physicists:									
Benwen Ni, Ph.D	strontium-90 ophthalmic sources permitted by 10CRF 35.400;iridium-192 in High Dose Rate Remote,for calibration, spot checks and training.								
William Howard, M.S.	Iridium-192 in High Dose Rate Remote Afterloading Brachytherapy device for calibration, spot checks and training.								
Robert C. Gregory, M.S.	Iridium-192 in High Dose Rate Remote Afterloading Brachytherapy device for calibration, spot checks and training.								
Authorized Medical Physicists (Cont):									
Earl Dietrich, M.S.	Iridium-192 in High Dose Rate Remote Afterloading Brachytherapy device for calibration, spot checks and training.								
James Longacre, M.S.	Iridium-192 in High Dose Rate Remote Afterloading Brachytherapy device for calibration, spot checks and training.								
Xiaitabg Wang, M.S.	Iridium-192 in High Dose Rate Remote Afterloading Brachytherapy device for calibration, spot checks and training.								
2/1/2012									
per amendment 131									