



UNITED STATES
NUCLEAR REGULATORY COMMISSION
REGION III
2443 WARRENVILLE ROAD, SUITE 210
LISLE, ILLINOIS 60532-4352

FEB 08 2012

John J. Chorzel, M.S.
Radiation Safety Officer
Barnes-Jewish West County Hospital
12634 Olive Blvd
St. Louis, MO 63141

Dear Mr. Chorzel:

Enclosed is Amendment No. 12 to your NRC Material License No. 24-26243-01 in accordance with your request. Please note that the changes made to your license are printed in **bold font**.


During our review, it was noted that there was an omission in Amendment No. 11 of your license in that the renewal application dated May 20, 2011, was not listed in Condition No. 15 (i.e., the "tie-down" condition). This amendment corrects that omission and lists the application document.

Please review the enclosed document carefully and be sure that you understand all conditions. If there are any errors or questions, please notify the U.S. Nuclear Regulatory Commission, Region III office at (630) 829-9887 so that we can provide appropriate corrections and answers.

You will be periodically inspected by NRC. Failure to conduct your program in accordance with NRC regulations, license conditions, and representations made in your license application and supplemental correspondence with NRC will result in enforcement action against you. This could include issuance of a notice of violation, or imposition of a civil penalty, or an order suspending, modifying or revoking your license as specified in the General Statement of Policy and Procedure for NRC Enforcement Actions. Since serious consequences to employees and the public can result from failure to comply with NRC requirements, prompt and vigorous enforcement action will be taken when dealing with licensees who do not achieve the necessary meticulous attention to detail and the high standard of compliance which NRC expects of its licensees.

In accordance with 10 Code of Federal Regulations 2.390 of the NRC's "Rules of Practice," a copy of this letter and its enclosure will be available electronically for public inspection in the NRC Public Document Room or from the NRC's Agencywide Documents Access and Management System (ADAMS), accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html>.

Sincerely,

A handwritten signature in black ink, appearing to read "Dennis P. O'Dowd". The signature is fluid and cursive, with the first name "Dennis" and last name "O'Dowd" clearly distinguishable.

Dennis P. O'Dowd
Health Physicist
Materials Licensing Branch

License No. 24-26243-01
Docket No. 030-31901

Enclosures: Amendment No. 12