





Home > Nuclear Reactors > Operating Reactors > Reactor Oversight Process > Plant Summaries > Indian Point 2 – Quarterly Performance Summary

Indian Point 2 – Quarterly Performance Summary

2Q/2017 Performance Summary






Performance Indicators

| | | | | | | |
|---|---------------------------------------|-------------------------------------|-----------------------------------|---|-------------------------------------|------------------------------|
| Unplanned Scrams (G) | Safety System Functional Failures (G) | Reactor Coolant System Activity (G) | Drill/Exercise Performance (G) | Occupational Exposure Control Effectiveness (G) | RETS/DDCM Radiological Effluent (G) | Protected Area Equipment (G) |
| Unplanned Power Changes (G) | Emergency AC Power System (G) | Reactor Coolant System Leakage (G) | ERO Drill Participation (G) | | | |
| Unplanned Scrams with Complications (G) | High Pressure Injection System (G) | | Alert and Notification System (G) | | | |
| | Heat Removal System (G) | | | | | |
| | Residual Heat Removal System (G) | | | | | |
| | Cooling Water Systems (G) | | | | | |

Current data as of: May 25, 2017



Most Significant Inspection Findings

| | | | | | | | |
|---------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 2Q/2017 | No findings this quarter | No findings this quarter | No findings this quarter | No findings this quarter | No findings this quarter | No findings this quarter | No findings this quarter |
| 1Q/2017 | No findings this quarter | No findings this quarter | No findings this quarter | No findings this quarter | No findings this quarter | No findings this quarter | G |
| 4Q/2016 | G | No findings this quarter | No findings this quarter | No findings this quarter | No findings this quarter | No findings this quarter | G |
| 3Q/2016 | No findings this quarter | G | No findings this quarter | No findings this quarter | G | G | No findings this quarter |

Miscellaneous findings

Additional Inspection & Assessment Information

◆ **Assessment Letters:**

- 2Q/2017
- 1Q/2017
- 4Q/2016
- 3Q/2016

◆ **Inspection Reports**

- ◆ Security Cover Letters
- ◆ List of Assessment Letters

Current data as of: June 6, 2017

Legend: R=Red W=White GTG=Greater Than Green I=Insufficient Data to Calculate PI U=Unique Design
 Y=Yellow G=Green T=Thresholds under development N=Not Applicable D=Discrepant

Page Last Reviewed/Updated Wednesday, June 15, 2016