



UNITED STATES  
NUCLEAR REGULATORY COMMISSION

REGION II  
SAM NUNN ATLANTA FEDERAL CENTER  
61 FORSYTH STREET, SW, SUITE 23T85  
ATLANTA, GEORGIA 30303-8931

December 9, 2005

Mr. Dale E. Young, Vice President  
Crystal River Nuclear Plant (NA1B)  
ATTN: Supervisor, Licensing &  
Regulatory Programs  
15760 West Power Line Street  
Crystal River, FL 34428-6708

SUBJECT: ASSESSMENT FOLLOWUP LETTER - CRYSTAL RIVER UNIT 3

Dear Mr. Young:

In a letter dated September 21, 2005, the NRC informed you of the final significance determination for a White inspection finding in the mitigating systems cornerstone for Crystal River Unit 3. This finding, which was identified during a fire protection inspection, involved unprotected post-fire safe shutdown cables and related non-feasible local operator actions. Pursuant to Manual Chapter 2515, Appendix B, "Supplemental Inspection Program," one White NRC identified finding dictates that the NRC perform the Supplemental Inspection described in Inspection Procedure 95001, "Inspection for One or Two White Inputs in a Strategic Performance Area." The NRC plans to conduct the 95001 Supplemental Inspection during the week of January 23 - 27, 2006. This schedule was discussed by Mr. D. Herrin, Lead Engineer in your Licensing and Regulatory Programs group and Mr. P. Fillion of our office on December 8, 2005. The onsite inspection will be performed by Mr. N. Merriweather, a Senior Reactor Inspector based at the Region II office. He may be accompanied by an inspector in our training program or a recently qualified inspector.

The inspection will consist of a review of your root cause determination and extent of condition evaluations, plus a review of proposed corrective actions. During the in-office preparation phase of the inspection, you will probably be requested to send documents directly related to the finding and your evaluations. As discussed with Mr. Herrin, it is possible, though not anticipated, that the inspection will require more than one week. In that event, Mr. Merriweather will coordinate the additional inspection time with your staff.

In accordance with 10 CFR 2.390 of the NRC's "Rules of Practice," a copy of this letter will be available electronically for public inspection in the NRC Public Document Room or from the Publicly Available Records (PARS) component of NRC's document system (ADAMS).

FPC

ADAMS is accessible from the NRC Web site at <http://www.nrc.gov/reading-rm/adams.html> (the Public Electronic Reading Room).

Should you have any questions concerning this letter, please contact Mr. Fillion at (404) 562-4623 or Mr. Merriweather at (404) 562-4627.

Sincerely,

**/RA/**

D. Charles Payne, Chief  
Engineering Branch 2  
Division of Reactor Safety

Docket No. 50-302  
License No. DPR-72

cc: See page 3

FPC

cc

Daniel L. Roderick  
Director Site Operations  
Crystal River Nuclear Plant (NA2C)  
Electronic Mail Distribution

Jon A. Franke  
Plant General Manager  
Crystal River Nuclear Plant (NA2C)  
Electronic Mail Distribution

Terry D. Hobbs  
Manager Nuclear Assessment  
Crystal River Nuclear Plant (NA2C)  
Electronic Mail Distribution

Michael J. Annacone  
Engineering Manager  
Crystal River Nuclear Plant (NA2C)  
Electronic Mail Distribution

R. Alexander Glenn  
Associate General Counsel (MAC - BT15A)  
Florida Power Corporation  
Electronic Mail Distribution

Steven R. Carr  
Associate General Counsel - Legal Dept.  
Progress Energy Service Company, LLC  
Electronic Mail Distribution

Attorney General  
Department of Legal Affairs  
The Capitol  
Tallahassee, FL 32304

William A. Passetti  
Bureau of Radiation Control  
Department of Health  
Electronic Mail Distribution

Craig Fugate, Director  
Division of Emergency Preparedness  
Department of Community Affairs  
Electronic Mail Distribution

Chairman  
Board of County Commissioners  
Citrus County  
110 N. Apopka Avenue  
Inverness, FL 36250

Jim Mallay  
Framatome Technologies  
Electronic Mail Distribution