ACRS Meeting of the US-APWR Subcommittee Chapters 5 of the US-APWR Design Certification and the Comanche Peak Combined License Application Rockville, MD Friday, May 27, 2011

Cognizant Staff Engineer: Ilka T Berrios (301)-415-3179, ilka.berrios@nrc.gov

Item	Topic	Presenter(s)	Time
1	Opening Remarks and Objectives	John Stetkar, ACRS	8:30 – 8:35 a.m.
2	Staff introduction	Jeff Ciocco, NRO	8:35 – 8:40 a.m.
3	Discussion of US-APWR DCD Chapter 5, "Reactor Coolant and Connecting Systems"	МНІ	8:40 – 10:15 a.m.
	Break		10:15 – 10:30 a.m.
4	Continuation of the discussion of US-APWR DCD Chapter 5	МНІ	10:30 – 11:15 a.m.
5	Discussion of Comanche Peak FSAR Chapter 5, "Reactor Coolant and Connecting Systems"	Luminant	11:15 – 12:15 p.m.
	Lunch		12:15 – 1:15 p.m.
6	Discussion of the SER related to US-APWR DCD Chapter 5, "Reactor Coolant and Connecting Systems"	NRC Staff	1:15 – 3:00 p.m.
	Break		3:00 – 3:15 p.m.
7	Continuation of the discussion of the SER related to US-APWR DCD Chapter 5	NRC Staff	3:15 – 3:45 p.m.
8	Staff introduction	Stephen Monarque, NRO	3:45 – 3:55 p.m.
9	Discussion of the SER related to Comanche Peak FSAR Chapter 5, "Reactor Coolant and Connecting Systems"	NRC Staff	3:55 – 4:45 p.m.
10	Subcommittee Discussion	John Stetkar, ACRS	4:45 – 5:00 p.m.

ACRS Notes:

- During the meeting, 301-415-7360 should be used to contact anyone in the ACRS Office.
- Presentation time should not exceed 50 percent of the total time allocated for a given item. The remaining 50 percent of the time is reserved for discussion.
- Thirty five (35) hard copies (2 B&W slides per page) of each presentation or handout should be provided to the Designated Federal Official 30 minutes before the meeting.
- 15 full page colored copies for the ACRS members and the court reporter.

One (1) electronic copy of each presentation should be emailed to the Designated Federal Official 1 day before the meeting. If an electronic copy cannot be provided within this timeframe, presenters should provide the Designated Federal Official with a CD containing each presentation at least 30 minutes before the meeting.