

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 14

National Average: 43

2x National Average: 86

National Median: 21

Average for Selected Dockets: 14

Facility Name: Browns Ferry 3 Docket (050- 00296)

Details	Department	Work Type	Docket/Report
Communications / IR			
53 - Communication LTA	H - Health Physics	H - Health Physics	050-00296/2004-002
53 - Communication LTA	Z - Other	H - Health Physics	050-00296/2004-002
Number of Items for this Docket: 2			
Percent of Total for this Docket: 14			
Human-System Interface and Environm / IR			
66 - HSI does not exist / not available	M - Mechanical	M - Maint / Repair	050-00296/2004-004
Number of Items for this Docket: 1			
Percent of Total for this Docket: 7			
Management and Supervision / IR			
44 - Corrective Action program LTA	H - Health Physics	H - Health Physics	050-00296/2004-002
47 - Root Cause LTA	B - Plant Management	M - Maint / Repair	050-00296/2003-005
48 - Audits or problem identification LTA	H - Health Physics	H - Health Physics	050-00296/2004-002
48 - Audits or problem identification LTA	O - Operations	V - Troubleshooting	050-00296/2004-004
Number of Items for this Docket: 4			
Percent of Total for this Docket: 29			
Procedures and Reference Document / IR			
11 - No procedure / reference documents	O - Operations	B - Bal of Plant Ops	050-00296/2004-004
12 - Procedure technical content LTA	M - Mechanical	M - Maint / Repair	050-00296/2004-004
12 - Procedure technical content LTA	O - Operations	Q - Fire Protection	050-00296/2003-005
12 - Procedure technical content LTA	P - Procedure Writers	P - Procedure Dev	050-00296/2003-005
Number of Items for this Docket: 4			
Percent of Total for this Docket: 29			
Training / IR			
05 - Individual knowledge LTA	O - Operations	O - Control Room Ops	050-00296/2004-004
Number of Items for this Docket: 1			
Percent of Total for this Docket: 7			
Work Factors / IR			
87 - Non-conservative action	Z - Other	T - Testing	050-00296/2004-004

**U.S. Nuclear Regulatory Commission
Human Factors Information System (HFIS)
IR/LER Category Analysis by Docket Report**

Total Number of Hits: 14
National Average: 43
2x National Average: 86
National Median: 21
Average for Selected Dockets: 14

Facility Name: Browns Ferry 3 Docket (050- 00296)

Details	Department	Work Type	Docket/Report
Work Factors / IR			
94 - Log-keeping or review LTA	M - Mechanical	M - Maint / Repair	050-00296/2003-005
Number of Items for this Docket: 2			
Percent of Total for this Docket: 14			

Total Items for this Docket: 14
