

NRC INSPECTION MANUAL

DRO

Change Notice 21-039

DELETED:

	<u>Number</u>	<u>Date</u>
1.	IMC 0308 Att 3 App L	03/28/17
2.	IMC 0609 App L	12/24/09
3.	IMC 2550	05/01/18

TRANSMITTED:

	<u>Number</u>	<u>Date</u>
	IMC 0308 Att 3 App L	12/07/21
	IMC 0609 App L	12/07/21
	IMC 2550	12/07/21

TRAINING: No special training is required for the document issued with this Change Notice.

REMARKS: IMC 0308 Att 3 App L, "Technical Basis for Extensive Damage Mitigation Guidelines Significance Determination Process." "Documented the shift in the current requirements for the mitigating strategies to § 50.155(b)(2) and incorporated terminology changes resulting from the Mitigation of Beyond-Design-Basis Events Rulemaking. Procedure was re-named from B.5.b to Extensive Damage Mitigation Guidelines (EDMG) to coincide with the renaming that occurred during the MDBE rulemaking."

IMC 0609 App L, "Extensive Damage Mitigation Guidelines Significance Determination Process." Documented the shift in the current requirements for the mitigating strategies to § 50.155(b)(2) and incorporated terminology changes resulting from the Mitigation of Beyond-Design-Basis Events Rulemaking. This occurred on September 9, 2019. Re-named from B.5.b to Extensive Damage Mitigation Guidelines (EDMG) to coincide with the renaming that occurred during the MDBE rulemaking. Definition for EDMG was provided. Edited the link for the B.5.b Community of Practice site to its new SharePoint location. This addressed open ROP Feedback Form 0609L-2444. Added a new reference section including the Power Reactor Security Requirements Rulemaking, (74 FR 13925; March 27, 2009), and the Mitigation of Beyond-Design-Basis Events Rulemaking, (84 FR 39684; August 9, 2019). These document the shift in requirements from EA-02-026 to § 50.54(hh)(2) to § 50.155(b)(2).

IMC 2550, "Non-Power Production and Utilization Facilities (NPUFs) Licensed Under 10 CFR Part 50: Construction Inspection Program (CIP)." Routine update including organizational changes, changes to inspection report documentation guidance, and changes to IMC wording for applying the IMC to construction of non-radioisotope NPUFs.

Additionally, titles of certain Table of Contents (TOC) entries were corrected after an audit comparing the most recent document to the TOC. Changes are indicated in red font on the most recent TOC.

EDITORIAL REVISIONS FROM PREVIOUS CHANGE NOTICES (As Required):

DISTRIBUTION:

- ☒ Standard
☐ Official Use Only (OUO)-Security Related Information.

Please contact: _____ Phone: _____

END