

Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
		5332	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT				
		5571	Std. Design	N/A	Resolved - Closed	None		Technical Specifications	CTSB				
1.05-1	77	6446	Application Specific	N/A	Confirmatory Action	None		Other Regulatory Considerations	NGE1	5/10/12	ML12137A770	1/25/13	ML13032A37
1.05-1	77	6446	Application Specific	N/A	Confirmatory Action	None		Other Regulatory Considerations	NGE1	5/10/12	ML12137A770	3/15/13	ML13079053
1.05-1	77	6446	Application Specific	N/A	Confirmatory Action	None		Other Regulatory Considerations	NGE1	5/10/12	ML12137A770	2/22/13	ML13070A33
1.05-1	77	6446	Application Specific	N/A	Confirmatory Action	None		Other Regulatory Considerations	NGE1	5/10/12	ML12137A770	8/24/12	ML12243A45
1.05-2	77	6446	Application Specific	N/A	Resolved - Closed	None		Other Regulatory Considerations	NGE1	5/10/12	ML12137A770	7/18/12	ML12199A15
1.05-2	77	6446	Application Specific	N/A	Resolved - Closed	None		Other Regulatory Considerations	NGE1	5/10/12	ML12137A770	4/18/13	ML13109A42
1.05-3	78	6574	Application Specific	N/A	Confirmatory Action	None		Other Regulatory Considerations	NGE1	7/3/12	ML121850099	8/24/12	ML12240A18
1.05-3	78	6574	Application Specific	N/A	Confirmatory Action	None		Other Regulatory Considerations	NGE1	7/3/12	ML121850099	2/19/13	ML13051A65
1.05-3	78	6574	Application Specific	N/A	Confirmatory Action	None		Other Regulatory Considerations	NGE1	7/3/12	ML121850099	1/25/13	ML13028A40
1.05-4	78	6574	Application Specific	N/A	In Evaluation	None		Other Regulatory Considerations	NGE1	7/3/12	ML121850099	1/25/13	ML13028A40
1.05-4	78	6574	Application Specific	N/A	In Evaluation	None		Other Regulatory Considerations	NGE1	7/3/12	ML121850099	2/19/13	ML13051A65
1.05-4	78	6574	Application Specific	N/A	In Evaluation	None		Other Regulatory Considerations	NGE1	7/3/12	ML121850099	8/24/12	ML12240A18
1.05-5	84	7046	Application Specific	N/A	Resolved - Closed	None		Other Regulatory Considerations	BPFP	3/18/13	ML13078A436	7/9/13	ML13192A30
1.05-5	84	7046	Application Specific	N/A	Resolved - Closed	None		Other Regulatory Considerations	BPFP	3/18/13	ML13078A436	4/18/13	ML13109A42

12/4/2014

 $\ensuremath{^{**}\text{--}}\text{Status}$ is not a final determination by NRC.

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
01.05-6	84	7051	Application Specific	N/A	Confirmatory Action	SER Open Item		Other Regulatory Considerations	BPFP	3/18/13	ML13078A436	7/9/13	ML13192A301
01.05-6	84	7051	Application Specific	N/A	Confirmatory Action	SER Open Item		Other Regulatory Considerations	BPFP	3/18/13	ML13078A436	4/18/13	ML13109A426
01.05-7	86	7160	Std. Design	N/A	Resolved - Closed	None		Other Regulatory Considerations	LB3	7/3/13	ML13184A238	7/24/13	ML13210A079
01.05-8	88	7180	Std. Design	N/A	In Evaluation	None		Other Regulatory Considerations	LB3	7/17/13	ML13198A563	8/14/13	ML13231A068
01.05-9	88	7180	Std. Design	N/A	In Evaluation	None		Other Regulatory Considerations	LB3	7/17/13	ML13198A563	8/14/13	ML13231A068
01-1	9	3312	Application Specific	N/A	Resolved - Closed	None		Introduction and Interfaces	NGE1	7/28/09	ML092100072	9/24/09	ML100600627
01-10	81	6983	Std. Design	N/A	Resolved - Closed	None		Introduction and Interfaces	LB3	1/10/13	ML13011A014	2/22/13	ML13057A016
01-10	81	6983	Std. Design	N/A	Resolved - Closed	None		Introduction and Interfaces	LB3	1/10/13	ML13011A014	2/8/13	ML13043A011
01-11	81	6984	Std. Design	N/A	Resolved - Closed	None		Introduction and Interfaces	LB3	1/10/13	ML13011A014	2/8/13	ML13043A011
01-11	81	6984	Std. Design	N/A	Resolved - Closed	None		Introduction and Interfaces	LB3	1/10/13	ML13011A014	2/22/13	ML13057A016
01-2	9	3312	Application Specific	N/A	Resolved - Closed	None		Introduction and Interfaces	NGE1	7/28/09	ML092100072	9/24/09	ML092720656
01-4	61	5833	Application Specific	N/A	Resolved - Closed	None		Introduction and Interfaces	NGE1	6/21/11	ML111720620	7/15/11	ML11200A042
01-5	62	5867	Std. Design	N/A	Resolved - Closed	None		Introduction and Interfaces	NGE1	7/7/11	ML111880181	7/13/11	ML11195A330
01-6	65	5932	Application Specific	N/A	Resolved - Closed	None		Introduction and Interfaces	NGE1	8/2/11	ML112140062	8/15/11	ML11229A165
01-8	81	6978	Application Specific	N/A	Resolved - Closed	None		Introduction and Interfaces	LB3	1/10/13	ML13011A014	2/8/13	ML13043A011
01-9	81	6978	Application Specific	N/A	Resolved - Closed	None		Introduction and Interfaces	LB3	1/10/13	ML13011A014	2/8/13	ML13043A011

12/4/2014

 $\ensuremath{^{**}\text{--}}\text{Status}$ is not a final determination by NRC.

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
01-9	81	6978	Application Specific	N/A	Resolved - Closed	None		Introduction and Interfaces	LB3	1/10/13	ML13011A014	2/22/13	ML13057A016
02.01.02-1	5	2128	Application Specific	N/A	Confirmatory Action	None		Exclusion Area Authority and Control	RSAC	3/25/09	ML090840227	4/23/09	ML091250352
02.01.02-2	5	2128	Application Specific	N/A	Resolved - Closed	None		Exclusion Area Authority and Control	RSAC	3/25/09	ML090840227	4/23/09	ML091250352
02.02.03-1	11	3404	Application Specific	N/A	Resolved - Closed	None		Evaluation of Potential Accidents	NGE1	8/18/09	ML092300575	9/30/09	ML092750405
02.02.03-2	11	3404	Application Specific	N/A	Resolved - Closed	None		Evaluation of Potential Accidents	NGE1	8/18/09	ML092300575	9/30/09	ML092750405
02.02.03-3	11	3404	Application Specific	N/A	Resolved - Closed	None		Evaluation of Potential Accidents	NGE1	8/18/09	ML092300575	9/30/09	ML092750405
02.02.03-4	11	3404	Application Specific	N/A	Resolved - Closed	None		Evaluation of Potential Accidents	NGE1	8/18/09	ML092300575	9/30/09	ML092750405
02.02.03-5	11	3404	Application Specific	N/A	Resolved - Closed	None		Evaluation of Potential Accidents	NGE1	8/18/09	ML092300575	9/30/09	ML092750405
02.02.03-6	11	3407	Application Specific	N/A	Resolved - Closed	None		Evaluation of Potential Accidents	NGE1	8/18/09	ML092300575	9/30/09	ML092750405
02.03.01-1	21	4120	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.01-10	21	4120	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.01-11	21	4120	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.01-12	21	4120	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.01-13	21	4120	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.01-14	21	4120	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.01-15	39	4878	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RSAC	7/20/10	ML102010032	9/2/10	ML102570700

12/4/2014

**--Status is not a final determination by NRC.

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
02.03.01-16	39	4878	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RSAC	7/20/10	ML102010032	9/2/10	ML102570700
02.03.01-17	39	4878	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RSAC	7/20/10	ML102010032	9/2/10	ML102570700
02.03.01-18	49	5268	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RSAC	12/9/10	ML103430028	1/10/11	ML110110550
02.03.01-19	49	5268	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RSAC	12/9/10	ML103430028	1/10/11	ML110110550
02.03.01-2	21	4120	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.01-20	73	6345	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RHMB	3/8/12	ML120680283	4/3/12	ML12095A283
02.03.01-3	21	4120	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.01-4	21	4120	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.01-5	21	4120	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.01-6	21	4120	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.01-7	21	4120	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.01-8	21	4120	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.01-9	21	4120	Application Specific	N/A	Resolved - Closed	None		Regional Climatology	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.02-1	21	4122	Application Specific	N/A	Resolved - Closed	None		Local Meteorology	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.02-2	21	4122	Application Specific	N/A	Resolved - Closed	None		Local Meteorology	RSAC	12/23/09	ML093570220	2/8/11	ML100500930
02.03.02-3	21	4122	Application Specific	N/A	Resolved - Closed	None		Local Meteorology	RSAC	12/23/09	ML093570220	2/8/10	ML100500930

12/4/2014 **--Status is not a final determination by NRC.

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
02.03.02-4	21	4122	Application Specific	N/A	Resolved - Closed	None		Local Meteorology	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.02-5	21	4122	Application Specific	N/A	Resolved - Closed	None		Local Meteorology	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.02-6	21	4122	Application Specific	N/A	Resolved - Closed	None		Local Meteorology	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.02-7	39	4879	Application Specific	N/A	Resolved - Closed	None		Local Meteorology	RSAC	7/20/10	ML102010032	9/2/10	ML102570700
02.03.02-8	39	4879	Application Specific	N/A	Resolved - Closed	None		Local Meteorology	RSAC	7/20/10	ML102010032	9/2/10	ML102570700
02.03.02-9	39	4879	Application Specific	N/A	Resolved - Closed	None		Local Meteorology	RSAC	7/20/10	ML102010032	9/2/10	ML102570700
02.03.03-1	21	4123	Application Specific	N/A	Resolved - Closed	None		Onsite Meteorological Measurements Programs	RSAC	12/23/09	ML093570220	3/30/10	ML100960472
02.03.03-2	21	4123	Application Specific	N/A	Resolved - Closed	None		Onsite Meteorological Measurements Programs	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.03-3	21	4123	Application Specific	N/A	Resolved - Closed	None		Onsite Meteorological Measurements Programs	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.03-4	21	4123	Application Specific	N/A	Resolved - Closed	None		Onsite Meteorological Measurements Programs	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.03-5	21	4123	Application Specific	N/A	Resolved - Closed	None		Onsite Meteorological Measurements Programs	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.03-6	21	4123	Application Specific	N/A	Resolved - Closed	None		Onsite Meteorological Measurements Programs	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.03-7	21	4123	Application Specific	N/A	Resolved - Closed	None		Onsite Meteorological Measurements Programs	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.03-8	39	4880	Application Specific	N/A	Resolved - Closed	None		Onsite Meteorological Measurements Programs	RSAC	7/20/10	ML102010032	9/2/10	ML102570700
02.03.03-9	49	5269	Application Specific	N/A	Resolved - Closed	None		Onsite Meteorological Measurements Programs	RSAC	12/9/10	ML103430028	1/10/11	ML110110550
02.03.04-1	13	3693	Application Specific	N/A	Resolved - Closed	None		Short Term Atmospheric Dispersion Estimates for Accident Releases	RSAC	9/22/09	ML092650395	11/4/09	ML093130117

**--Status is not a final determination by NRC. 12/4/2014

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question In Evaluation - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
02.03.04-2	21	4125	Application Specific	N/A	Resolved - Closed	None		Short Term Atmospheric Dispersion Estimates for Accident Releases	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.04-3	21	4125	Application Specific	N/A	Resolved - Closed	None		Short Term Atmospheric Dispersion Estimates for Accident Releases	RSAC	12/23/09	ML093570220	3/30/10	ML100960472
02.03.04-4	21	4125	Application Specific	N/A	Resolved - Closed	None		Short Term Atmospheric Dispersion Estimates for Accident Releases	RSAC	12/23/09	ML093570220	3/30/10	ML100960472
02.03.04-5	39	4881	Application Specific	N/A	Resolved - Closed	None		Short Term Atmospheric Dispersion Estimates for Accident Releases	RSAC	7/20/10	ML102010032	9/2/10	ML102570700
02.03.04-6	39	4881	Application Specific	N/A	Resolved - Closed	None		Short Term Atmospheric Dispersion Estimates for Accident Releases	RSAC	7/20/10	ML102010032	9/2/10	ML102570700
02.03.05-1	13	3694	Application Specific	N/A	Resolved - Closed	None		Term Atmospheric Dispersion Estimates for Routine Releases	RSAC	9/22/09	ML092650395	11/4/09	ML093130117
02.03.05-2	21	4126	Application Specific	N/A	Resolved - Closed	None		Term Atmospheric Dispersion Estimates for Routine Releases	RSAC	12/23/09	ML093570220	2/8/10	ML100500930
02.03.05-3	35	4740	Application Specific	N/A	Resolved - Closed	None		Term Atmospheric Dispersion Estimates for Routine Releases	RSAC	6/9/10	ML101600271	7/26/10	ML102180224
02.03.05-4	35	4740	Application Specific	N/A	Resolved - Closed	None		Term Atmospheric Dispersion Estimates for Routine Releases	RSAC	6/9/10	ML101600271	7/26/10	ML102180224
02.03.05-5	49	5272	Application Specific	N/A	Resolved - Closed	None		Term Atmospheric Dispersion Estimates for Routine Releases	RSAC	12/9/10	ML103430028	1/10/11	ML110110550
02.04.01-1	24	4149	Application Specific	N/A	Resolved - Closed	None		Hydrologic Description	RHEB	2/3/10	ML100350066	3/19/10	ML100830380
02.04.01-2	24	4149	Application Specific	N/A	Resolved - Closed	None		Hydrologic Description	RHEB	2/3/10	ML100350066	3/19/10	ML100830380

12/4/2014

**--Status is not a final determination by NRC.

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question

In Evaluation - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Number Letter R	stem Question	Sensitivity	Question Status								
	No		Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
02.04.01-3 24 41	4149 Application Specific	N/A	Resolved - Closed	None		Hydrologic Description	RHEB	2/3/10	ML100350066	3/19/10	ML100830380
02.04.01-4 24 41	4149 Application Specific	N/A	Resolved - Closed	None		Hydrologic Description	RHEB	2/3/10	ML100350066	3/19/10	ML100830380
02.04.02-1 10 33	Application Specific	N/A	Resolved - Closed	None		Floods	RHEB	8/12/09	ML092240285	9/30/09	ML092790561
02.04.02-2 11 35	3570 Application Specific	N/A	Resolved - Closed	None		Floods	RHEB	8/18/09	ML092300575	9/30/09	ML092750405
02.04.02-3 15 37	Application Specific	N/A	Resolved - Closed	None		Floods	RHEB	10/7/09	ML092800281	11/20/09	ML093280179
02.04.02-4 19 40	4068 Application Specific	N/A	Resolved - Closed	None		Floods	RHEB	12/8/09	ML093421151	1/29/10	ML100330612
02.04.02-5 28 45	4501 Application Specific	N/A	Resolved - Closed	None		Floods	RHEB	3/25/10	ML100840346	5/7/10	ML101320136
02.04.03-1 10 33	Application Specific	N/A	Resolved - Closed	None		Probable Maximum Flood (PMF) on Streams and Rivers	RHEB	8/12/09	ML092240285	9/30/09	ML092790561
02.04.03-2 19 40	Application Specific	N/A	Resolved - Closed	None		Probable Maximum Flood (PMF) on Streams and Rivers	RHEB	12/8/09	ML093421151	1/29/10	ML092870355
02.04.03-3 19 40	4069 Application Specific	N/A	Resolved - Closed	None		Probable Maximum Flood (PMF) on Streams and Rivers	RHEB	12/8/09	ML093421151	1/29/10	ML092870355
02.04.04-1 10 33	Application Specific	N/A	Resolved - Closed	None		Potential Dam Failures	RHEB	8/12/09	ML092240285	9/30/09	ML092790561
02.04.05-1 10 33	3361 Application Specific	N/A	Resolved - Closed	None		Probable Maximum Surge and Seiche Flooding	RHEB	8/12/09	ML092240285	9/30/09	ML092790561
02.04.05-10 28 45	4503 Application Specific	N/A	Resolved - Closed	None		Probable Maximum Surge and Seiche Flooding	RHEB	3/25/10	ML100840346	5/7/10	ML101320136
02.04.05-2 15 37	3779 Application Specific	N/A	Resolved - Closed	None		Probable Maximum Surge and Seiche Flooding	RHEB	10/7/09	ML092800281	1/29/10	ML100350093
02.04.05-3 15 37	3779 Application Specific	N/A	Resolved - Closed	None		Probable Maximum Surge and Seiche Flooding	RHEB	10/7/09	ML092800281	11/20/09	ML093280179

12/4/2014

**--Status is not a final determination by NRC.

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
02.04.05-4	15	3779	Application Specific	N/A	Resolved - Closed	None		Probable Maximum Surge and Seiche Flooding	RHEB	10/7/09	ML092800281	11/20/09	ML093280179
02.04.05-5	19	4073	Application Specific	N/A	Resolved - Closed	None		Probable Maximum Surge and Seiche Flooding	RHEB	12/8/09	ML093421151	1/29/10	ML092870355
02.04.05-6	19	4073	Application Specific	N/A	Resolved - Closed	None		Probable Maximum Surge and Seiche Flooding	RHEB	12/8/09	ML093421151	1/29/10	ML092870355
02.04.05-7	19	4073	Application Specific	N/A	Resolved - Closed	None		Probable Maximum Surge and Seiche Flooding	RHEB	12/8/09	ML093421151	1/29/10	ML092870355
02.04.05-8	19	4073	Application Specific	N/A	Resolved - Closed	None		Probable Maximum Surge and Seiche Flooding	RHEB	12/8/09	ML093421151	10/29/10	ML092870355
02.04.05-9	28	4502	Application Specific	N/A	Resolved - Closed	None		Probable Maximum Surge and Seiche Flooding	RHEB	3/25/10	ML100840346	5/7/10	ML101320136
02.04.06-1	19	4074	Application Specific	N/A	Resolved - Closed	None		Probable Maximum Tsunami Flooding	RHEB	12/8/09	ML093421151	1/29/10	ML100330612
02.04.09-1	10	3357	Application Specific	N/A	Resolved - Closed	None		Channel Diversions	RHEB	8/12/09	ML092240285	9/30/09	ML092790561
02.04.12-1	10	3421	Application Specific	N/A	Resolved - Closed	None		Groundwater	RHEB	8/12/09	ML092240285	9/30/09	ML092790561
02.04.13-1	2	1944	Application Specific	N/A	Resolved - Closed	None		Accidental Releases of Radioactive Liquid Effluents in Ground and Surface Waters	RHEB	1/13/09	ML090140366	9/1/09	ML092470230
02.04.13-10	28	4504	Application Specific	N/A	Resolved - Closed	None		Accidental Releases of Radioactive Liquid Effluents in Ground and Surface Waters	RHEB	3/25/10	ML100840346	5/7/10	ML101320136
02.04.13-11	40	4936	Application Specific	N/A	Resolved - Closed	None		Accidental Releases of Radioactive Liquid Effluents in Ground and Surface Waters	RHEB	8/10/10	ML102220142	10/19/10	ML102940218
02.04.13-12	42	5073	Application Specific	N/A	Resolved - Closed	None		Accidental Releases of Radioactive Liquid Effluents in Ground and Surface Waters	RHEB	9/16/10	ML102590195	10/19/10	ML102940218

12/4/2014

 $\ensuremath{^{**}\text{--}}\text{Status}$ is not a final determination by NRC.

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
02.04.13-2	2	1944	Application Specific	N/A	Resolved - Closed	None		Accidental Releases of Radioactive Liquid Effluents in Ground and Surface Waters	RHEB	1/13/09	ML090140366	2/16/09	ML090610219
02.04.13-3	2	1944	Application Specific	N/A	Resolved - Closed	None		Accidental Releases of Radioactive Liquid Effluents in Ground and Surface Waters	RHEB	1/13/09	ML090140366	2/16/09	ML090610219
02.04.13-4	2	1944	Application Specific	N/A	Resolved - Closed	None		Accidental Releases of Radioactive Liquid Effluents in Ground and Surface Waters	RHEB	1/13/09	ML090140366	9/1/09	ML092870355
02.04.13-5	2	1944	Application Specific	N/A	Resolved - Closed	None		Accidental Releases of Radioactive Liquid Effluents in Ground and Surface Waters	RHEB	1/13/09	ML090140366	2/16/09	ML090610219
02.04.13-6	2	1944	Application Specific	N/A	Resolved - Closed	None		Accidental Releases of Radioactive Liquid Effluents in Ground and Surface Waters	RHEB	1/13/09	ML090140366	9/1/09	ML092470230
02.04.13-7	11	3422	Application Specific	N/A	Resolved - Closed	None		Accidental Releases of Radioactive Liquid Effluents in Ground and Surface Waters	RHEB	8/18/09	ML092300575	9/30/09	ML092750405
02.04.13-8	15	3778	Application Specific	N/A	Resolved - Closed	None		Accidental Releases of Radioactive Liquid Effluents in Ground and Surface Waters	RHEB	10/7/09	ML092800281	11/20/09	ML093280179
02.04.13-9	19	4075	Application Specific	N/A	Resolved - Closed	None		Accidental Releases of Radioactive Liquid Effluents in Ground and Surface Waters	RHEB	12/8/09	ML093421151	1/29/10	ML100330612
02.04-1	8	3203	Application Specific	N/A	Resolved - Closed	None		Hydrology	RHEB	6/25/09	ML091800511	7/29/09	ML092230556
02.05.01-1	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	12/23/09	ML100040548

12/4/2014 **--Status is not a final determination by NRC.

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
02.05.01-10	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.01-11	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.01-12	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.01-13	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.01-14	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.01-15	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	1/11/10	ML100130382
02.05.01-16	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.01-17	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.01-18	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.01-19	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	12/23/09	ML100040548
02.05.01-2	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	1/11/10	ML100130382
02.05.01-20	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	1/11/10	ML100130382
02.05.01-21	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.01-22	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	1/11/10	ML100130382
02.05.01-23	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	1/11/10	ML100130382
02.05.01-24	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	2/11/10	ML100570304

12/4/2014

**--Status is not a final determination by NRC.

10

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
02.05.01-25	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	12/23/09	ML100040548
02.05.01-26	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	1/11/10	ML100130382
02.05.01-27	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	12/23/09	ML100040548
02.05.01-28	16	3935	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.01-29	17	4007	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/23/09	ML093280014	2/11/10	ML100570304
02.05.01-3	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.01-30	17	4007	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/23/09	ML093280014	2/11/10	ML100570304
02.05.01-31	37	4822	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS1	6/30/10	ML101810096	8/13/10	ML102290043
02.05.01-32	37	4822	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS1	6/30/10	ML101810096	8/13/10	ML102290043
02.05.01-4	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	2/15/10	ML100540502
02.05.01-5	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	12/23/09	ML100040548
02.05.01-6	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.01-7	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.01-8	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	2/15/10	ML092870355
02.05.01-9	16	3913	Application Specific	N/A	Resolved - Closed	None		Basic Geologic and Seismic Information	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.02-1	16	3918	Application Specific	N/A	Resolved - Closed	None		Vibratory Ground Motion	RGS2	11/12/09	ML093170259	2/15/10	ML100540502

12/4/2014

**--Status is not a final determination by NRC.

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application 7	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
02.05.02-10	22	3937	Application Specific	N/A	Resolved - Closed	None		Vibratory Ground Motion	NGE1	1/11/10	ML100110149	3/19/10	ML100830380
02.05.02-11	36	4766	Application Specific	N/A	Resolved - Closed	None		Vibratory Ground Motion	RGS2	6/22/10	ML101730021	8/6/10	ML102210351
02.05.02-12	36	4766	Application Specific	N/A	Resolved - Closed	None		Vibratory Ground Motion	RGS2	6/22/10	ML101730021	8/6/10	ML102210351
02.05.02-13	36	4766	Application Specific	N/A	Resolved - Closed	None		Vibratory Ground Motion	RGS2	6/22/10	ML101730021	8/6/10	ML102210351
02.05.02-14	36	4766	Application Specific	N/A	Resolved - Closed	None		Vibratory Ground Motion	RGS2	6/22/10	ML101730021	8/6/10	ML102210351
02.05.02-15	36	4766	Application Specific	N/A	Resolved - Closed	None		Vibratory Ground Motion	RGS2	6/22/10	ML101730021	8/13/10	ML102290042
02.05.02-16	66	5992	Application Specific	N/A	Resolved - Closed	None		Vibratory Ground Motion	RGS1	8/30/11	ML112420136	9/23/11	ML11269A095
02.05.02-17	70	6217	Application Specific	N/A	Resolved - Closed	SER Open Item		Vibratory Ground Motion	RGS1	1/18/12	ML120180182	2/16/12	ML120730531
02.05.02-18	70	6217	Application Specific	N/A	Resolved - Closed	SER Open Item		Vibratory Ground Motion	RGS1	1/18/12	ML120180182	2/16/12	ML120520154
02.05.02-19	72	6305	Application Specific	N/A	Resolved - Closed	SER Open Item		Vibratory Ground Motion	RGS2	2/29/12	ML120600057	3/29/12	ML12093A004
02.05.02-2	16	3918	Application Specific	N/A	Resolved - Closed	None		Vibratory Ground Motion	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.02-20	82	6976	Application Specific	N/A	Resolved - Closed	SER Open Item		Vibratory Ground Motion	RGS1	1/11/13	ML13011A152	2/8/13	ML13043A012
02.05.02-21	87	7170	Application Specific	N/A	In Evaluation	None		Vibratory Ground Motion	RGS2	7/9/13	ML13191A094	8/9/13	ML13226A030
02.05.02-21	87	7170	Application Specific	N/A	In Evaluation	None		Vibratory Ground Motion	RGS2	7/9/13	ML13191A094	8/9/13	ML13232A266
02.05.02-21	87	7170	Application Specific	N/A	In Evaluation	None		Vibratory Ground Motion	RGS2	7/9/13	ML13191A094	8/30/13	ML13260A113

12/4/2014

**--Status is not a final determination by NRC.

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
02.05.02-3	16	3918	Application Specific	N/A	Resolved - Closed	None		Vibratory Ground Motion	RGS2	11/12/09	ML093170259	2/15/10	ML100540502
02.05.02-4	16	3918	Application Specific	N/A	Resolved - Closed	None		Vibratory Ground Motion	RGS2	11/12/09	ML093170259	2/15/10	ML100540502
02.05.02-5	16	3918	Application Specific	N/A	Resolved - Closed	None		Vibratory Ground Motion	RGS2	11/12/09	ML093170259	1/11/10	ML100130382
02.05.02-6	16	3918	Application Specific	N/A	Resolved - Closed	None		Vibratory Ground Motion	RGS2	11/12/09	ML093170259	1/11/10	ML100130382
02.05.02-7	16	3918	Application Specific	N/A	Resolved - Closed	None		Vibratory Ground Motion	RGS2	11/12/09	ML093170259	12/23/09	ML100040548
02.05.02-8	16	3938	Application Specific	N/A	Resolved - Closed	None		Vibratory Ground Motion	RGS2	11/12/09	ML093170259	2/15/10	Non-public
02.05.02-9	17	4006	Application Specific	N/A	Resolved - Closed	None		Vibratory Ground Motion	RGS2	11/23/09	ML093280014	2/11/10	ML100570304
02.05.03-1	16	3917	Application Specific	N/A	Resolved - Closed	None		Surface Faulting	RGS2	11/12/09	ML093170259	12/23/09	ML100040548
02.05.03-2	16	3917	Application Specific	N/A	Resolved - Closed	None		Surface Faulting	RGS2	11/12/09	ML093170259	1/11/10	ML100130382
02.05.03-3	16	3917	Application Specific	N/A	Resolved - Closed	None		Surface Faulting	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.03-4	16	3917	Application Specific	N/A	Resolved - Closed	None		Surface Faulting	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.03-5	16	3917	Application Specific	N/A	Resolved - Closed	None		Surface Faulting	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.03-6	16	3917	Application Specific	N/A	Resolved - Closed	None		Surface Faulting	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.03-7	16	3917	Application Specific	N/A	Resolved - Closed	None		Surface Faulting	RGS2	11/12/09	ML093170259	2/11/10	ML100570304
02.05.03-8	16	3917	Application Specific	N/A	Resolved - Closed	None		Surface Faulting	RGS2	11/12/09	ML093170259	12/23/09	ML100040548
02.05.04-1	16	3936	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	11/12/09	ML093170259	1/11/10	ML100130382

12/4/2014

**--Status is not a final determination by NRC.

13

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



rability of Subsurface aterials and Foundations rability of Subsurface	RGS1 RGS1	11/12/09	RAI Accession Number ML093170259 ML093170259 ML093170259	Response Date 12/23/09 12/23/09	Response Accession Number ML100040548
aterials and Foundations cability of Subsurface	RGS1	11/12/09	ML093170259	12/23/09	
aterials and Foundations cability of Subsurface aterials and Foundations cability of Subsurface aterials and Foundations cability of Subsurface	RGS1				ML100040548
aterials and Foundations cability of Subsurface aterials and Foundations cability of Subsurface		11/12/09	ML093170259		
aterials and Foundations ability of Subsurface	RGS1			12/23/09	ML100040548
		11/12/09	ML093170259	2/11/10	ML100570304
aterials and Foundations	RGS1	11/12/09	ML093170259	1/11/10	ML100130382
ability of Subsurface aterials and Foundations	RGS1	11/12/09	ML093170259	1/11/10	ML100130382
ability of Subsurface aterials and Foundations	RGS1	11/12/09	ML093170259	1/11/10	ML100130382
ability of Subsurface aterials and Foundations	RGS1	11/12/09	ML093170259	1/11/10	ML100130382
ability of Subsurface aterials and Foundations	RGS1	11/12/09	ML093170259	1/11/10	ML100130382
ability of Subsurface aterials and Foundations	RGS1	11/12/09	ML093170259	2/11/10	ML100570304
ability of Subsurface aterials and Foundations	RGS1	11/12/09	ML093170259	12/23/09	ML100040548
ability of Subsurface aterials and Foundations	RGS1	11/12/09	ML093170259	2/11/10	ML100570304
ability of Subsurface aterials and Foundations	RGS1	11/12/09	ML093170259	1/11/10	ML100130382
ability of Subsurface aterials and Foundations	RGS1	11/12/09	ML093170259	1/11/10	ML100130382
ability of Subsurface aterials and Foundations	RGS1	11/12/09	ML093170259	12/23/09	ML100040548
rability of Subsurface aterials and Foundations	RGS1	11/12/09	ML093170259	1/11/10	ML100130382
abate	erials and Foundations collity of Subsurface crials and Foundations collity of Subsurface	erials and Foundations crials	erials and Foundations collity of Subsurface control of Subsurface	erials and Foundations polity of Subsurface prials and Foundations	raials and Foundations raials

12/4/2014

**--Status is not a final determination by NRC.

14

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application 7	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
02.05.04-25	16	3936	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	11/12/09	ML093170259	1/11/10	ML100130382
02.05.04-26	16	3936	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	11/12/09	ML093170259	1/11/10	ML100130382
02.05.04-27	16	3936	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	11/12/09	ML093170259	2/15/10	ML100540502
02.05.04-28	17	4005	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	11/23/09	ML093280014	2/15/10	ML100540502
02.05.04-29	36	4764	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	6/22/10	ML101730021	8/6/10	ML102210351
02.05.04-3	16	3936	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	11/12/09	ML093170259	12/23/09	ML100040548
02.05.04-30	36	4764	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	6/22/10	ML101730021	8/6/10	ML102210351
02.05.04-31	36	4764	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	6/22/10	ML101730021	8/6/10	ML102210351
02.05.04-32	36	4764	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	6/22/10	ML101730021	8/6/10	ML102210351
02.05.04-33	36	4764	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	6/22/10	ML101730021	8/6/10	ML102210351
02.05.04-34	36	4764	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	6/22/10	ML101730021	8/6/10	ML102210351
02.05.04-35	40	4905	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	8/10/10	ML102220142	9/21/10	ML102660141
02.05.04-36	52	5537	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	2/28/11	ML110590635	3/29/11	ML110900094
02.05.04-37	55	5687	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	NGE1	4/28/11	ML111180121	6/17/11	ML111711175
02.05.04-38	55	5701	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	4/28/11	ML111180121	6/17/11	ML111711175
02.05.04-39	70	6247	Application Specific	N/A	Resolved - Closed	SER Open Item		Stability of Subsurface Materials and Foundations	RGS1	1/18/12	ML120180182	2/16/12	ML120520154

12/4/2014

**--Status is not a final determination by NRC.

15

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
02.05.04-4	16	3936	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	11/12/09	ML093170259	1/11/10	ML100130382
02.05.04-40	71	6292	Application Specific	N/A	Resolved - Closed	SER Open Item		Stability of Subsurface Materials and Foundations	RGS2	1/26/12	ML120260354	2/16/12	ML12052A031
02.05.04-41	72	6314	Application Specific	N/A	Resolved - Closed	SER Open Item		Stability of Subsurface Materials and Foundations	RGS1	2/29/12	ML120600057	3/29/12	ML12093A004
02.05.04-5	16	3936	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	11/12/09	ML093170259	12/23/09	ML100040548
02.05.04-6	16	3936	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	11/12/09	ML093170259	12/23/09	ML100040548
02.05.04-7	16	3936	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	11/12/09	ML093170259	1/11/10	ML100130382
02.05.04-8	16	3936	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	11/12/09	ML093170259	12/23/09	ML100040548
02.05.04-9	16	3936	Application Specific	N/A	Resolved - Closed	None		Stability of Subsurface Materials and Foundations	RGS1	11/12/09	ML093170259	1/11/10	ML100130382
02.05.05-1	16	3940	Application Specific	N/A	Resolved - Closed	None		Stability of Slopes	RGS1	11/12/09	ML093170259	2/11/10	ML100570304
02-1	39	4885	Application Specific	N/A	Resolved - Closed	None		Site Characteristics and Site Parameters	NGE1	7/20/10	ML102010032	9/2/10	ML102570700
03.02.01-1	40	4927	Application Specific	N/A	Resolved - Closed	None		Seismic Classification	EMB2	8/10/10	ML102220142	9/21/10	ML102660141
03.02.01-2	40	4927	Application Specific	N/A	Resolved - Closed	None		Seismic Classification	EMB2	8/10/10	ML102220142	9/21/10	ML102660141
03.02.02-1	40	4929	Application Specific	N/A	Resolved - Closed	None		System Quality Group Classification	EMB2	8/10/10	ML102220142	9/21/10	ML102660141
03.02.02-2	40	4929	Application Specific	N/A	Resolved - Closed	None		System Quality Group Classification	EMB2	8/10/10	ML102220142	9/21/10	ML102660141
03.02.02-3	40	4929	Application Specific	N/A	Resolved - Closed	None		System Quality Group Classification	EMB2	8/10/10	ML102220142	9/21/10	ML102660141
03.05.01.05-	20	4096	Application Specific	N/A	Resolved - Closed	None		Site Proximity Missiles (Except Aircraft)	NGE1	12/14/09	ML093480298	10/27/10	ML100290010

12/4/2014

**--Status is not a final determination by NRC.

16

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application 7	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
03.05.01.06- 1	20	4097	Application Specific	N/A	Resolved - Closed	None		Aircraft Hazards	NGE1	12/14/09	ML093480298	10/27/10	ML100290010
03.07.01-1	7	2651	Application Specific	N/A	Resolved - Closed	None		Seismic Design Parameters	SEB2	6/22/09	ML091730464	11/9/09	ML093200021
03.07.01-2	7	2783	Application Specific	N/A	Resolved - Closed	None		Seismic Design Parameters	SEB2	6/22/09	ML091730464	8/25/09	ML092580311
03.07.01-3	70	6244	Application Specific	N/A	Resolved - Closed	None		Seismic Design Parameters	SEB2	1/18/12	ML120180182	2/16/12	ML120730531
03.07.01-4	70	6244	Application Specific	N/A	Resolved - Closed	None		Seismic Design Parameters	SEB2	1/18/12	ML120180182	2/16/12	ML120730531
03.07.01-5	70	6244	Application Specific	N/A	Resolved - Closed	None		Seismic Design Parameters	SEB2	1/18/12	ML120180182	2/16/12	ML120730531
03.07.01-6	70	6244	Application Specific	N/A	Resolved - Closed	None		Seismic Design Parameters	SEB2	1/18/12	ML120180182	2/16/12	ML120520154
03.07.01-7	70	6244	Application Specific	N/A	Resolved - Closed	None		Seismic Design Parameters	SEB2	1/18/12	ML120180182	2/16/12	ML120520154
03.07.01-8	70	6244	Application Specific	N/A	Resolved - Closed	None		Seismic Design Parameters	SEB2	1/18/12	ML120180182	2/16/12	ML120520154
03.07.02-1	7	2785	Application Specific	N/A	Resolved - Closed	None		Seismic System Analysis	SEB2	6/22/09	ML091730464	11/9/09	ML093200021
03.07.02-10	82	6975	Application Specific	N/A	Resolved - Closed	SER Open Item		Seismic System Analysis	SEB2	1/11/13	ML13011A152	2/8/13	ML13043A012
03.07.02-11	85	7077	Application Specific	N/A	Resolved - Closed	None		Seismic System Analysis	SEB2	4/15/13	ML13105A133	5/15/13	ML13137A549
03.07.02-11	85	7077	Application Specific	N/A	Resolved - Closed	None		Seismic System Analysis	SEB2	4/15/13	ML13105A133	7/9/13	ML13192A302
03.07.02-2	28	4496	Application Specific	N/A	Resolved - Closed	None		Seismic System Analysis	SEB2	3/25/10	ML100840346	5/7/10	ML101320136
03.07.02-3	28	4496	Application Specific	N/A	Resolved - Closed	None		Seismic System Analysis	SEB2	3/25/10	ML100840346	5/7/10	ML101320136
03.07.02-4	28	4496	Application Specific	N/A	Resolved - Closed	None		Seismic System Analysis	SEB2	3/25/10	ML100840346	5/7/10	ML101320136

12/4/2014

 $\ensuremath{^{**}\text{--}}\text{Status}$ is not a final determination by NRC.

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
03.07.02-5	70	6243	Application Specific	N/A	Resolved - Closed	None		Seismic System Analysis	SEB2	1/18/12	ML120180182	2/16/12	ML120520154
03.07.02-6	70	6243	Application Specific	N/A	Resolved - Closed	None		Seismic System Analysis	SEB2	1/18/12	ML120180182	2/16/12	ML120520154
03.07.02-6	70	6243	Application Specific	N/A	Resolved - Closed	None		Seismic System Analysis	SEB2	1/18/12	ML120180182	9/12/13	ML13259A242
03.07.02-7	70	6243	Application Specific	N/A	Resolved - Closed	None		Seismic System Analysis	SEB2	1/18/12	ML120180182	9/12/13	ML13259A242
03.07.02-7	70	6243	Application Specific	N/A	Resolved - Closed	None		Seismic System Analysis	SEB2	1/18/12	ML120180182	2/16/12	ML120730531
03.07.02-8	70	6243	Application Specific	N/A	Resolved - Closed	None		Seismic System Analysis	SEB2	1/18/12	ML120180182	2/16/12	ML120520154
03.07.02-8	70	6243	Application Specific	N/A	Resolved - Closed	None		Seismic System Analysis	SEB2	1/18/12	ML120180182	9/12/13	ML13259A242
03.07.02-9	79	6605	Application Specific	N/A	Resolved - Closed	SER Open Item		Seismic System Analysis	SEB2	8/3/12	ML12216A305	10/12/12	ML12290A005
03.07.02-9	79	6605	Application Specific	N/A	Resolved - Closed	SER Open Item		Seismic System Analysis	SEB2	8/3/12	ML12216A305	9/12/13	ML13259A242
03.07.02-9	79	6605	Application Specific	N/A	Resolved - Closed	SER Open Item		Seismic System Analysis	SEB2	8/3/12	ML12216A305	12/13/13	ML13354B508
03.08.05-1	70	6245	Application Specific	N/A	Resolved - Closed	None		Foundations	SEB2	1/18/12	ML120180182	2/16/12	ML120520154
03.08.05-1	70	6245	Application Specific	N/A	Resolved - Closed	None		Foundations	SEB2	1/18/12	ML120180182	9/12/13	ML13259A242
03.08.05-2	70	6245	Application Specific	N/A	Resolved - Closed	None		Foundations	SEB2	1/18/12	ML120180182	2/16/12	ML120730531
03.08.05-3	70	6245	Application Specific	N/A	Resolved - Closed	None		Foundations	SEB2	1/18/12	ML120180182	2/16/12	ML120730531
03.08.05-3	70	6245	Application Specific	N/A	Resolved - Closed	None		Foundations	SEB2	1/18/12	ML120180182	12/13/13	ML13354B508

12/4/2014

**--Status is not a final determination by NRC.

18

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
03.08.05-4	70	6245	Application Specific	N/A	Resolved - Closed	None		Foundations	SEB2	1/18/12	ML120180182	2/16/12	ML120730531
03.08.05-5	70	6245	Application Specific	N/A	Resolved - Closed	None		Foundations	SEB2	1/18/12	ML120180182	2/16/12	ML120520154
03.09.06-1	45	5125	Application Specific	N/A	Resolved - Closed	None		Functional Design Qualification and Inservice Testing Programs for Pumps, Valves, and Dynamic Restraints	CIB2	10/27/10	ML103000107	11/9/10	ML103140611
05.03.01-1	7	2698	Application Specific	N/A	Resolved - Closed	None		Reactor Vessel Materials	CIB2	6/22/09	ML091730464	8/25/09	ML092580311
05.03.02-1	9	3286	Application Specific	N/A	Resolved - Closed	None		Shelf Energy, and Pressurized Thermal Shock	CIB2	7/28/09	ML092100072	9/24/09	ML092720656
08.02-1	6	2168	Application Specific	N/A	Resolved - Closed	None		Offsite Power System	EEB	6/5/09	ML091890740	8/26/09	ML092450483
08.02-10	6	2168	Application Specific	N/A	Resolved - Closed	None		Offsite Power System	EEB	6/5/09	ML091890740	8/26/09	ML092450483
08.02-11	6	2168	Application Specific	N/A	Resolved - Closed	None		Offsite Power System	EEB	6/5/09	ML091890740	8/26/09	ML092450483
08.02-12	6	2168	Application Specific	N/A	Resolved - Closed	None		Offsite Power System	EEB	6/5/09	ML091890740	8/26/09	ML092450483
08.02-13	6	2168	Application Specific	N/A	Resolved - Closed	None		Offsite Power System	EEB	6/5/09	ML091890740	8/26/09	ML092450483
08.02-14	18	3868	Application Specific	N/A	Resolved - Closed	None		Offsite Power System	EEB	12/1/09	ML093350182	1/29/10	ML100331450
08.02-15	18	3868	Application Specific	N/A	Resolved - Closed	None		Offsite Power System	EEB	12/1/09	ML093350182	1/29/10	ML100331450
08.02-16	18	3868	Application Specific	N/A	Resolved - Closed	None		Offsite Power System	EEB	12/1/09	ML093350182	1/29/10	ML100331450
08.02-17	18	3868	Application Specific	N/A	Resolved - Closed	None		Offsite Power System	EEB	12/1/09	ML093350182	1/29/10	ML092240506
08.02-18	80	6886	Std. Design	N/A	Resolved - Closed	None		Offsite Power System	EEB	10/30/12	ML12300A404	12/10/12	ML12346A449

12/4/2014

**--Status is not a final determination by NRC.

19

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application 7	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
08.02-18	80	6886	Std. Design	N/A	Resolved - Closed	None		Offsite Power System	EEB	10/30/12	ML12300A404	12/13/13	ML13351A049
08.02-2	6	2168	Application Specific	N/A	Resolved - Closed	None		Offsite Power System	EEB	6/5/09	ML091890740	8/26/09	ML092450483
08.02-3	6	2168	Application Specific	N/A	Resolved - Closed	None		Offsite Power System	EEB	6/5/09	ML091890740	8/26/09	ML092450483
08.02-4	6	2168	Application Specific	N/A	Resolved - Closed	None		Offsite Power System	EEB	6/5/09	ML091890740	8/26/09	ML092450483
08.02-5	6	2168	Application Specific	N/A	Resolved - Closed	None		Offsite Power System	EEB	6/5/09	ML091890740	8/26/09	ML092450483
08.02-6	6	2168	Application Specific	N/A	Resolved - Closed	None		Offsite Power System	EEB	6/5/09	ML091890740	8/26/09	ML092450483
08.02-7	6	2168	Application Specific	N/A	Resolved - Closed	None		Offsite Power System	EEB	6/5/09	ML091890740	8/26/09	ML092450483
08.02-8	6	2168	Application Specific	N/A	Resolved - Closed	None		Offsite Power System	EEB	6/5/09	ML091890740	8/26/09	ML092450483
08.02-9	6	2168	Application Specific	N/A	Resolved - Closed	None		Offsite Power System	EEB	6/5/09	ML091890740	8/26/09	ML092450483
08.03.02-1	3	2169	Application Specific	N/A	Resolved - Closed	None		DC Power Systems (Onsite)	EEB	2/23/09	ML090540582	3/25/09	ML101960515
09.01.05-1	32	4667	Std. Design	N/A	Resolved - Closed	None		Overhead Heavy Load Handling Systems	SBPB	5/11/10	ML101310257	6/25/10	ML101870007
09.02.01-1	18	3900	Application Specific	N/A	Resolved - Closed	None		Station Service Water System	SBPB	12/1/09	ML093350182	1/29/10	ML101960507
09.02.01-2	18	3900	Application Specific	N/A	Resolved - Closed	None		Station Service Water System	SBPB	12/1/09	ML093350182	1/29/10	ML100331450
09.02.01-3	18	3900	Application Specific	N/A	Resolved - Closed	None		Station Service Water System	SBPB	12/1/09	ML093350182	2/4/10	ML101960507
09.02.01-4	18	3900	Application Specific	N/A	Resolved - Closed	None		Station Service Water System	SBPB	12/1/09	ML093350182	1/29/10	ML101960507
09.02.01-5	18	3900	Application Specific	N/A	Resolved - Closed	None		Station Service Water System	SBPB	12/1/09	ML093350182	1/29/10	ML100331450

12/4/2014

**--Status is not a final determination by NRC.

20

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	Number 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
09.02.01-6	18	3900	Application Specific	N/A	Resolved - Closed	None		Station Service Water System	SBPB	12/1/09	ML093350182	1/29/10	ML100331450
09.02.01-7	18	3900	Std. Design	N/A	Resolved - Closed	None		Station Service Water System	SBPB	12/1/09	ML093350182	1/29/10	ML100331450
09.02.01-8	18	3900	Application Specific	N/A	Resolved - Closed	None		Station Service Water System	SBPB	12/1/09	ML093350182	1/29/10	ML100331450
09.02.01-9	18	3900	Application Specific	N/A	Resolved - Closed	None		Station Service Water System	SBPB	12/1/09	ML093350182	1/29/10	ML100331450
09.02.04-1	64	5905	Application Specific	N/A	Resolved - Closed	None		Potable and Sanitary Water Systems	SBPB	7/26/11	ML112081355	8/12/11	ML112490148
09.02.05-1	23	3929	Application Specific	N/A	Resolved - Closed	None		Ultimate Heat Sink	SBPB	1/25/10	ML100250228	2/11/10	ML100470591
09.05.01-1	5	1989	Application Specific	N/A	Resolved - Closed	None		Fire Protection Program	NGE1	3/25/09	ML090840227	4/23/09	ML091250352
09.05.01-2	13	3364	Application Specific	N/A	Resolved - Closed	None		Fire Protection Program	SFPT	9/22/09	ML092650395	11/4/09	ML093130117
09.05.02-1	9	3215	Application Specific	N/A	Resolved - Closed	None		Communications Systems	ICE2	7/28/09	ML092100072	9/24/09	ML092720656
09.05.04-1	12	3523	Application Specific	N/A	Resolved - Closed	None		Emergency Diesel Engine Fuel Oil Storage and Transfer System	SBPA	9/2/09	ML092450246	11/9/09	ML093200022
10.02.03-1	31	4641	Std. Design	N/A	Resolved - Closed	None		Turbine Rotor Integrity	CIB2	4/28/10	ML101180206	10/5/10	ML102800185
10.02.03-10	31	4641	Std. Design	N/A	Resolved - Closed	None		Turbine Rotor Integrity	CIB2	4/28/10	ML101180206	10/5/10	ML102800185
10.02.03-11	31	4641	Std. Design	N/A	Resolved - Closed	None		Turbine Rotor Integrity	CIB2	4/28/10	ML101180206	10/5/10	ML102800185
10.02.03-12	53	5608	Application Specific	N/A	Resolved - Closed	None		Turbine Rotor Integrity	CIB2	4/28/11	ML110871499	7/29/11	ML112200022
10.02.03-13	53	5608	Application Specific	N/A	Resolved - Closed	None		Turbine Rotor Integrity	CIB2	4/28/11	ML110871499	7/29/11	ML112200022
10.02.03-14	53	5608	Application Specific	N/A	Resolved - Closed	None		Turbine Rotor Integrity	CIB2	4/28/11	ML110871499	7/29/11	ML112200022

12/4/2014

**--Status is not a final determination by NRC.

21

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question In Evaluation - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application T	Γitle:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
10.02.03-15	53	5608	Application Specific	N/A	Resolved - Closed	None		Turbine Rotor Integrity	CIB2	4/28/11	ML110871499	7/29/11	ML112200022
10.02.03-16	53	5608	Application Specific	N/A	Resolved - Closed	None		Turbine Rotor Integrity	CIB2	4/28/11	ML110871499	7/29/11	ML112200022
10.02.03-17	67	6015	Std. Design	N/A	Resolved - Closed	None		Turbine Rotor Integrity	CIB1	9/1/11	ML112450101	10/28/11	ML113050573
10.02.03-18	67	6015	Std. Design	N/A	Resolved - Closed	None		Turbine Rotor Integrity	CIB1	9/1/11	ML112450101	10/28/11	ML113050573
10.02.03-19	67	6015	Application Specific	N/A	Resolved - Closed	None		Turbine Rotor Integrity	CIB1	9/1/11	ML112450101	10/28/11	ML113050573
10.02.03-2	31	4641	Std. Design	N/A	Resolved - Closed	None		Turbine Rotor Integrity	CIB2	4/28/10	ML101180206	10/5/10	ML102800185
10.02.03-3	31	4641	Std. Design	N/A	Resolved - Closed	None		Turbine Rotor Integrity	CIB2	4/28/10	ML101180206	10/5/10	ML102800185
10.02.03-4	31	4641	Std. Design	N/A	Resolved - Closed	None		Turbine Rotor Integrity	CIB2	4/28/10	ML101180206	10/5/10	ML102800185
10.02.03-5	31	4641	Std. Design	N/A	Resolved - Closed	None		Turbine Rotor Integrity	CIB2	4/28/10	ML101180206	10/5/10	ML102800185
10.02.03-6	31	4641	Std. Design	N/A	Resolved - Closed	None		Turbine Rotor Integrity	CIB2	4/28/10	ML101180206	10/5/10	ML102800185
10.02.03-7	31	4641	Std. Design	N/A	Resolved - Closed	None		Turbine Rotor Integrity	CIB2	4/28/10	ML101180206	10/5/10	ML102800185
10.02.03-8	31	4641	Std. Design	N/A	Resolved - Closed	None		Turbine Rotor Integrity	CIB2	4/28/10	ML101180206	10/5/10	ML102800185
10.02.03-9	31	4641	Std. Design	N/A	Resolved - Closed	None		Turbine Rotor Integrity	CIB2	4/28/10	ML101180206	10/5/10	ML102800185
10.04.05-1	18	3823	Application Specific	N/A	Resolved - Closed	None		Circulating Water System	SBPB	12/1/09	ML093350182	1/29/10	ML100331450
10.04.07-1	68	6071	Application Specific	N/A	Resolved - Closed	None		Condensate and Feedwater System	SBPA	10/31/11	ML113050347	12/14/11	ML11350A200
11.02-1	4	2182	Application Specific	N/A	Resolved - Closed	None		Liquid Waste Management System	СНРВ	3/9/09	ML090680443	4/8/09	ML09106496

12/4/2014

 $\ensuremath{^{**}\text{--}}\text{Status}$ is not a final determination by NRC.

22

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
11.03-1	5	2240	Application Specific	N/A	Resolved - Closed	None		Gaseous Waste Management System	СНРВ	3/25/09	ML090840227	4/23/09	ML091250352
11.04-1	4	2184	Application Specific	N/A	Resolved - Closed	None		Solid Waste Management System	СНРВ	3/9/09	ML090680443	4/8/09	ML091060496
11.04-2	4	2185	Application Specific	N/A	Resolved - Closed	None		Solid Waste Management System	СНРВ	3/9/09	ML090680443	1/29/10	ML100350101
11.04-3	18	4053	Application Specific	N/A	Resolved - Closed	None		Solid Waste Management System	СНРВ	12/1/09	ML093350182	1/29/10	ML100331450
11.04-4	57	5633	Application Specific	N/A	Resolved - Closed	None		Solid Waste Management System	СНРВ	5/26/11	ML111470214	6/17/11	ML112160466
11-05 Branch Technical Position-1	4	2186	Application Specific	N/A	Resolved - Closed	None		Postulated Radioactive Releases Due to a Waste Gas System Leak or Failure	СНРВ	3/9/09	ML090680443	4/8/09	ML091060496
12.02-1	4	2222	Application Specific	N/A	Resolved - Closed	None		Radiation Sources	СНРВ	3/9/09	ML090680443	4/8/09	ML091060496
12.02-2	4	2223	Application Specific	N/A	Resolved - Closed	None		Radiation Sources	СНРВ	3/9/09	ML090680443	4/8/09	ML091060496
12.02-3	7	2884	Application Specific	N/A	Resolved - Closed	None		Radiation Sources	СНРВ	6/22/09	ML091730464	8/25/09	ML092580311
12.02-4	7	2885	Application Specific	N/A	Resolved - Closed	None		Radiation Sources	СНРВ	6/22/09	ML091730464	8/25/09	ML092580311
12.02-5	18	4037	Application Specific	N/A	Resolved - Closed	None		Radiation Sources	СНРВ	12/1/09	ML093350182	8/1/11	ML101960507
12.02-6	26	4493	Application Specific	N/A	Resolved - Closed	None		Radiation Sources	СНРВ	3/18/10	ML100770169	5/3/10	ML101250501
12.02-7	58	5634	Application Specific	N/A	Resolved - Closed	None		Radiation Sources	СНРВ	5/26/11	ML111470225	6/17/11	ML112211272
12.03-12.04- 1	5	2378	Application Specific	N/A	Unresolved - Closed	None		Radiation Protection Design Features	СНРВ	3/25/09	ML090840227	4/23/09	ML091250352
12.03-12.04- 2	5	2377	Application Specific	N/A	Resolved - Closed	None		Radiation Protection Design Features	СНРВ	3/25/09	ML090840227	4/23/09	ML091250352
12.03-12.04- 3	7	2658	Application Specific	N/A	Unresolved - Closed	None		Radiation Protection Design Features	СНРВ	6/22/09	ML091730464	8/25/09	ML092580311

12/4/2014

**--Status is not a final determination by NRC.

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application Tit	tie:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Number L	NRC _etter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
12.03-12.04- 4	18	4038	Application Specific	N/A	Resolved - Closed	None		Radiation Protection Design Features	СНРВ	12/1/09	ML093350182	1/29/10	ML100331450
12.03-12.04- 5	30	4553	Std. Design	N/A	Resolved - Closed	None		Radiation Protection Design Features	СНРВ	4/12/10	ML101020190	5/21/10	ML101450195
12.03-12.04- 6	42	4882	Application Specific	N/A	Confirmatory Action	None		Radiation Protection Design Features	СНРВ	9/16/10	ML102590195	10/19/10	ML112160450
12.03-12.04- 7	42	4882	Application Specific	N/A	Resolved - Closed	None		Radiation Protection Design Features	СНРВ	9/16/10	ML102590195	10/19/10	ML102940218
12.03-12.04- 8	42	4882	N/A	N/A	Resolved - Closed	None		Radiation Protection Design Features	СНРВ	9/16/10	ML102590195	10/19/10	ML102940218
12.03-12.04- 9	52	5432	Application Specific	N/A	Confirmatory Action	None		Radiation Protection Design Features	СНРВ	2/28/11	ML110590635	3/29/11	ML110900094
13.01.01-1	9	3160	Application Specific	N/A	Resolved - Closed	None		Management and Technical Support Organization	СНРВ	7/28/09	ML092100072	9/24/09	ML092720656
13.01.01-2	9	3161	Application Specific	N/A	Resolved - Closed	None		Management and Technical Support Organization	СНРВ	7/28/09	ML092100072	9/24/09	ML092720656
13.01.01-3	13	3612	Application Specific	N/A	Resolved - Closed	None		Management and Technical Support Organization	NGE1	9/22/09	ML092650395	11/4/09	ML093130117
13.01.01-4	13	3612	Application Specific	N/A	Resolved - Closed	None		Management and Technical Support Organization	NGE1	9/22/09	ML092650395	11/4/09	ML093130117
13.01.01-5	13	3612	Application Specific	N/A	Resolved - Closed	None		Management and Technical Support Organization	NGE1	9/22/09	ML092650395	11/4/09	ML093130117
13.01.01-6	13	3612	Application Specific	N/A	Resolved - Closed	None		Management and Technical Support Organization	NGE1	9/22/09	ML092650395	11/4/09	ML093130117
13.01.01-7	13	3612	Application Specific	N/A	Resolved - Closed	None		Management and Technical Support Organization	NGE1	9/22/09	ML092650395	11/4/09	ML093130117
13.01.02- 13.01.03-1	13	3615	Application Specific	N/A	Resolved - Closed	None		Operating Organization	COLP	9/22/09	ML092650395	11/4/09	ML093130117
13.01.02- 13.01.03-2	13	3615	Application Specific	N/A	Resolved - Closed	None		Operating Organization	COLP	9/22/09	ML092650395	11/4/09	ML093130117
13.01.02- 13.01.03-3	13	3452	Application Specific	N/A	Resolved - Closed	None		Operating Organization	SFPT	9/22/09	ML092650395	11/4/09	ML093130117

12/4/2014

**--Status is not a final determination by NRC.

24

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
13.01.02- 13.01.03-4	13	3452	Application Specific	N/A	Resolved - Closed	None		Operating Organization	SFPT	9/22/09	ML092650395	11/4/09	ML093130117
13.02.01-1	13	3613	Application Specific	N/A	Resolved - Closed	None		Reactor Operator Requalification Program; Reactor Operator Training	COLP	9/22/09	ML092650395	11/4/09	ML093130117
13.03-1	9	3265	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	7/28/09	ML092100072	10/14/09	ML092931488
13.03-10	9	3272	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	7/28/09	ML092100072	6/25/10	ML101870007
13.03-100	83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	4/12/13	ML13116A429
13.03-100	83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	12/6/13	ML13344B028
13.03-101	83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	12/6/13	ML13344B028
13.03-101	83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	4/12/13	ML13116A429
13.03-102	83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	4/12/13	ML13116A429

12/4/2014

**--Status is not a final determination by NRC.

25

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	t 3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
13.03-102	83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	12/6/13	ML13344B028
13.03-103	83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	12/6/13	ML13344B028
13.03-103	83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	4/12/13	ML13116A429
13.03-104	83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Confirmatory Action	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	4/12/13	ML13116A429
13.03-104	83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Confirmatory Action	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	12/6/13	ML13344B028
13.03-11	9	3272	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	7/28/09	ML092100072	6/25/10	ML101870007
13.03-12	9	3272	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	7/28/09	ML092100072	6/25/10	ML101870007
13.03-13	9	3272	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	7/28/09	ML092100072	6/25/10	ML101870007
13.03-14	9	3272	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	7/28/09	ML092100072	6/25/10	ML101870007
13.03-15	9	3272	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	7/28/09	ML092100072	6/25/10	ML101870007

12/4/2014

**--Status is not a final determination by NRC.

26

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
13.03-16	9	3272	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	7/28/09	ML092100072	6/25/10	ML101870007
13.03-17	9	3298	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	7/28/09	ML092100072	9/24/09	ML092720656
13.03-18	11	3410	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	8/18/09	ML092300575	9/30/09	ML092750405
13.03-19	14	3582	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	10/7/09	ML092800240	12/7/09	ML093440828
13.03-2	9	3272	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	7/28/09	ML092100072	10/14/09	ML092931488
13.03-20	14	3582	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	10/7/09	ML092800240	12/7/09	ML093440828
13.03-21	14	3582	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	10/7/09	ML092800240	12/7/09	ML093440828
13.03-22	14	3582	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	10/7/09	ML092800240	12/7/09	ML093440828
13.03-23	14	3582	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	10/7/09	ML092800240	12/7/09	ML093440828
13.03-24	14	3582	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	10/7/09	ML092800240	12/7/09	ML093440828
13.03-25	14	3582	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	10/7/09	ML092800240	12/7/09	ML093440828
13.03-26	14	3582	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	10/7/09	ML092800240	12/7/09	ML093440828
13.03-27	14	3582	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	10/7/09	ML092800240	12/7/09	ML093440828
13.03-28	14	3582	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	10/7/09	ML092800240	12/7/09	ML093440828
13.03-29	14	3582	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	10/7/09	ML092800240	12/7/09	ML093440828
13.03-3	9	3272	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	7/28/09	ML092100072	10/14/09	ML092931488

12/4/2014

**--Status is not a final determination by NRC.

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
13.03-30	14	3582	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	10/7/09	ML092800240	12/7/09	ML093440828
13.03-31	14	3582	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	10/7/09	ML092800240	12/7/09	ML093440828
13.03-32	14	3582	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	10/7/09	ML092800240	12/7/09	ML093440828
13.03-33	14	3582	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	10/7/09	ML092800240	12/7/09	ML093440828
13.03-34	14	3582	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	10/7/09	ML092800240	12/7/09	ML093440828
13.03-35	14	3582	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	10/7/09	ML092800240	12/7/09	ML093440828
13.03-36	25	4339	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	3/2/10	ML100610181	4/16/10	ML101190369
13.03-37	25	4339	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	3/2/10	ML100610181	4/16/10	ML101190369
13.03-38	25	4339	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	3/2/10	ML100610181	4/16/10	ML101190369
13.03-39	25	4339	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	3/2/10	ML100610181	4/16/10	ML101190369
13.03-4	9	3272	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	7/28/09	ML092100072	10/14/09	ML092931488
13.03-40	25	4339	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	3/2/10	ML100610181	4/16/10	ML101190369
13.03-41	25	4339	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	3/2/10	ML100610181	4/16/10	ML101190369
13.03-42	32	4648	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	5/11/10	ML101310257	6/25/10	ML101790463
13.03-43	32	4648	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	5/11/10	ML101310257	6/25/10	ML101790463
13.03-44	32	4648	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	5/11/10	ML101310257	6/25/10	ML101790463

12/4/2014

**--Status is not a final determination by NRC.

28

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
13.03-45	32	4648	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	5/11/10	ML101310257	6/25/10	ML101790463
13.03-46	32	4648	N/A	N/A	Resolved - Closed	None		Emergency Planning	EP	5/11/10	ML101310257	6/25/10	ML101790463
13.03-47	32	4648	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	5/11/10	ML101310257	6/25/10	ML101790463
13.03-48	32	4648	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	5/11/10	ML101310257	6/25/10	ML101790463
13.03-49	32	4648	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	5/11/10	ML101310257	6/25/10	ML101790463
13.03-5	9	3272	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	7/28/09	ML092100072	10/14/09	ML092931488
13.03-50	32	4648	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	5/11/10	ML101310257	6/25/10	ML101790463
13.03-51	32	4648	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	5/11/10	ML101310257	6/25/10	ML101790463
13.03-52	37	4786	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	6/30/10	ML101810096	8/13/10	ML102290043
13.03-53	37	4786	N/A	N/A	Resolved - Closed	None		Emergency Planning	EP	6/30/10	ML101810096	8/13/10	ML102290043
13.03-54	39	4868	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	7/20/10	ML102010032	9/2/10	ML102570700
13.03-55	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-56	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-57	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-58	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-59	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-6	9	3272	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	7/28/09	ML092100072	10/14/09	ML092931488

12/4/2014

 $\ensuremath{^{**}\text{--}}\text{Status}$ is not a final determination by NRC.

29

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								_
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
13.03-60	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-61	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-62	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-63	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-64	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-65	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-66	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-67	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-68	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-69	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-7	9	3272	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	7/28/09	ML092100072	6/25/10	ML101870007
13.03-70	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-71	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-72	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-73	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-74	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222

12/4/2014

 $\ensuremath{^{**}\text{--}}\text{Status}$ is not a final determination by NRC.

30

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
13.03-75	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-76	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-77	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-78	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-79	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-8	9	3272	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	7/28/09	ML092100072	6/25/10	ML101870007
13.03-80	41	4342	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP		ML102360272	10/6/10	ML102810222
13.03-81	47	5086	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	11/1/10	ML103050203	11/19/10	ML103260480
13.03-81	47	5086	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	11/1/10	ML103050203	12/6/13	ML13344B028
13.03-82	48	5247	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	11/23/10	ML103270142	12/16/10	ML103540126
13.03-82	48	5247	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	11/23/10	ML103270142	12/6/13	ML13344B028
13.03-83	52	5383	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	2/28/11	ML110590635	3/29/11	ML110900094
13.03-83	52	5383	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	2/28/11	ML110590635	12/6/13	ML13344B028
13.03-84	52	5383	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	2/28/11	ML110590635	12/6/13	ML13344B028
13.03-84	52	5383	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	2/28/11	ML110590635	3/29/11	ML110900094
13.03-85	52	5383	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	2/28/11	ML110590635	3/29/11	ML110900094

12/4/2014

**--Status is not a final determination by NRC.

31

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
13.03-85	52	5383	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	2/28/11	ML110590635	12/6/13	ML13344B028
13.03-86	52	5383	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	2/28/11	ML110590635	3/29/11	ML110900094
13.03-86	52	5383	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	2/28/11	ML110590635	12/6/13	ML13344B028
13.03-87	52	5384	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	2/28/11	ML110590635	12/6/13	ML13344B028
13.03-87	52	5384	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	2/28/11	ML110590635	3/29/11	ML110900094
13.03-88	52	5499	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	2/28/11	ML110590635	3/29/11	ML110900094
13.03-88	52	5499	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	2/28/11	ML110590635	12/6/13	ML13344B028
13.03-89	52	5499	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	2/28/11	ML110590635	12/6/13	ML13344B028
13.03-89	52	5499	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	2/28/11	ML110590635	12/6/13	ML13344B028
13.03-89	52	5499	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	2/28/11	ML110590635	3/29/11	ML110900094
13.03-9	9	3272	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	7/28/09	ML092100072	6/25/10	ML101870007
13.03-90	52	5499	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	2/28/11	ML110590635	3/29/11	ML110900094
13.03-90	52	5499	Application Specific	N/A	Resolved - Closed	None		Emergency Planning	EP	2/28/11	ML110590635	12/6/13	ML13344B028
13.03-91	79	6627	Application Specific	N/A	Resolved - Closed	SER Open Item		Emergency Planning	EP	8/3/12	ML12216A305 ML12237A348	4/30/13	ML13123A076
13.03-91	79	6627	Application Specific	N/A	Resolved - Closed	SER Open Item		Emergency Planning	EP	8/3/12	ML12216A305 ML12237A348	9/7/12	ML12254B017

12/4/2014

 $\ensuremath{^{**}\text{--}}\text{Status}$ is not a final determination by NRC.

32

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
79	6627	Application Specific	N/A	Resolved - Closed	SER Open Item		Emergency Planning	EP	8/3/12	ML12216A305 ML12237A348	12/6/13	ML13344B028
83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Confirmatory Action	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	4/12/13	ML13116A429
83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Confirmatory Action	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	12/6/13	ML13344B028
83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	12/6/13	ML13344B028
83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	4/12/13	ML13116A429
83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	4/12/13	ML13116A429
83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	12/6/13	ML13344B028
	NRC Letter No	NRC Letter No System RAI No 79 6627 83 7030 83 7030 83 7030 83 7030 83 7030	NRC Letter No System RAI No Type 79 6627 Application Specific 83 7030 Application Specific	NRC Letter NoSystem RAI NoQuestion TypeSensitivity796627Application SpecificN/A837030Application SpecificSUNSI - Plant Specific (for tracking only)837030Application SpecificSUNSI - Plant Specific (for tracking only)	NRC Letter NoSystem RAI NoQuestion TypeSensitivityQuestion Status796627Application SpecificN/AResolved - Closed837030Application SpecificSUNSI - Plant Specific (for tracking only)Confirmatory Action837030Application SpecificSUNSI - Plant Specific (for tracking only)Confirmatory Action837030Application SpecificPlant Specific (for tracking only)Resolved - Closed tracking only)837030Application SpecificSUNSI - Plant Specific (for tracking only)Resolved - Closed tracking only)837030Application SpecificSUNSI - Plant Specific (for tracking only)Resolved - Closed tracking only)837030Application SpecificSUNSI - Plant Specific (for tracking only)Resolved - Closed tracking only)837030Application Specific (for tracking only)Resolved - Closed tracking only)	NRC Letter No System RAI No Question Type Sensitivity Question Status Issue Type 79 6627 Application Specific N/A Resolved - Closed SER Open Item 83 7030 Application Specific SUNSI - Plant Specific (for tracking only) Confirmatory Action SER Open Item 83 7030 Application Specific SUNSI - Plant Specific (for tracking only) Confirmatory Action Open Item SER Open Open Item 83 7030 Application Specific SUNSI - Plant Specific (for tracking only) Resolved - Closed Open Item SER Open Open Item 83 7030 Application Specific SUNSI - Plant Specific (for tracking only) Resolved - Closed Open Item SER Open Open Item 83 7030 Application Specific SUNSI - Plant Specific (for tracking only) Resolved - Closed Open Item SER Open Open Item 83 7030 Application Specific (for tracking only) Resolved - Closed Open Item Open Item	NRC Letter No System RAI No Question Type Lesue Number Type 79 6627 Application Specific Specific N/A Resolved - Closed Open Item SER Open Item 83 7030 Application Specific (for tracking only) SUNSI - Plant Specific (for tracking only) Confirmatory Action Item SER Open Item 83 7030 Application Specific (for tracking only) SUNSI - Plant Specific (for tracking only) Resolved - Closed Open Item SER Open Item 83 7030 Application Specific (for tracking only) SUNSI - Plant Specific (for tracking only) Resolved - Closed Open Item SER Open Item 83 7030 Application Specific (for tracking only) SUNSI - Plant Specific (for tracking only) Resolved - Closed Open Item SER Open Item 83 7030 Application Specific (for tracking only) Resolved - Closed Open Item SER Open Item 83 7030 Application Specific (for tracking only) Resolved - Closed Open Item Open Item	NRC Letter No System RAI No Question Type Sensitivity Question Status Issue Number Type Issue Number Issue Number SRP Section 79 6627 Application Specific N/A Resolved - Closed Open Item SER Open Item Emergency Planning 83 7030 Application Specific (for tracking only) SUNSI - Plant Specific (for tracking only) SER Open Item Emergency Planning 83 7030 Application Specific (for tracking only) Resolved - Closed Open Item SER Open Item Emergency Planning 83 7030 Application Specific (for tracking only) Resolved - Closed Open Item SER Open Item Emergency Planning 83 7030 Application Specific (for tracking only) Resolved - Closed Open Item SER Open Item Emergency Planning 83 7030 Application Specific (for tracking only) Resolved - Closed Open Item SER Open Item Emergency Planning 83 7030 Application Specific (for tracking only) Resolved - Closed Open Item SER Open Item Emergency Planning	NRC Letter No	NRC Letter No System RAI No Question Type Question Status Issue Type Issue Number SRP Section Tech Issue Date Raisue Date 79 6627 Application Specific N/A Resolved - Closed Open Item Emergency Planning EP 8/3/12 83 7030 Application Specific (for tracking only) Confirmatory Action Specific (for tracking only) SER Open Item Emergency Planning EP 3/11/13 83 7030 Application Specific (for tracking only) SUNS1-Plant Specific (for tracking only) SER Open Item Emergency Planning EP 3/11/13 83 7030 Application Specific (for tracking only) Resolved - Closed Open Item Emergency Planning EP 3/11/13 84 7030 Application Specific (for tracking only) Resolved - Closed Open Item Emergency Planning EP 3/11/13 85 7030 Application Specific (for tracking only) Resolved - Closed Open Item Emergency Planning EP 3/11/13 85 7030 Application Specific (for tracking only) Resolved - Closed Open Item Emergency Planning	Near Near	No

12/4/2014 **--Status is not a final determination by NRC.

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
13.03-95	83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	12/6/13	ML13344B028
13.03-95	83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	4/12/13	ML13116A429
13.03-96	83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	4/12/13	ML13116A429
13.03-96	83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	12/6/13	ML13344B028
13.03-97	83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	12/6/13	ML13344B028
13.03-97	83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	4/12/13	ML13116A429
13.03-98	83	7030	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	4/13/13	ML13116A429

12/4/2014

 $\ensuremath{^{**}\text{--}}\text{Status}$ is not a final determination by NRC.

34

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



			umber 52-033	•								
r Ŕ	RAI	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
70		Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	12/6/13	ML13344B028
70		Application Specific		Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	12/6/13	ML13344B028
70		Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	12/6/13	ML13344B028
70		Application Specific		Resolved - Closed	SER Open Item		Emergency Planning	EP	3/11/13	ML13071A243	4/12/13	ML13116A429
44			N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	3/18/10	ML100770169	5/3/10	ML101250501
4	516	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
4	516	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
4	516	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
4			N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
4			N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
45			N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
	7 7 7 4 4 4 4 4 4 4	7030 7030 7030 7030 7030 4487 4516 4516 4516 4516 4516	7030 Application Specific 7030 Application Specific 7030 Application Specific 7030 Application Specific 4487 Application Specific 4516 Application Specific	7030 Application Specific (for tracking only) 7030 Application Specific (for tracking only) 7030 Application Specific (for tracking only) 7030 Application Specific SUNSI - Plant Specific (for tracking only) 7030 Application Specific SUNSI - Plant Specific (for tracking only) 7030 Application Specific SUNSI - Plant Specific (for tracking only) 4487 Application Specific N/A 4516 Application N/A Application N/A	Type RAI No RAI No Application Specific To30 Application Specific Application Specific To30 Application N/A Resolved - Closed To30 Application Specific To30 Application Specific To30 Application Specific To30 Application N/A Resolved - Closed To30 Application Specific To30 Application N/A Resolved - Closed To30 Application Specific To30 Application N/A Resolved - Closed To30 Application N/A Resolved - Closed	Type Type	Type RAI No Type ROINSI - Plant Specific (for tracking only) Application Specific 7030 Application Specific 8000 Application Specific (for tracking only) 8000 SunSI - Plant Specific (for tracking only) 800	Type Type	Type Type	Type Type Branch Issue Date Type SER Open Emergency Planning EP 3/11/13 Application Specific (for Resolved - Closed Open Item Specific (for Resolved - Closed Open Item Specific (for Resolved - Closed Open Item Item Specific (for Resolved - Closed Open Item Item Item Specific (for Resolved - Closed Open Item Item Item Item Item Item Item Item	Type	Type Branch Issue Date Number Date No Specific for Resolved - Closed Open Item No Specific Specific (or Item) No Specific Resolved - Closed SER Specific (or Item) No Specific Specific (or Item) No Specific Specific (or Item) No Resolved - Closed None Combined License Specific (or Item) No Specific Specific (or Item) No Resolved - Closed None Combined License Specific (or Item) No Specific Specific (or Item) No Specific Specific (or Item) No Resolved - Closed None Combined License Specific (or Item) No Specific Specific Specific Specific Specific (or Item) No Specific Specific Specific Specific Specific Specific Specific

12/4/2014

**--Status is not a final determination by NRC.

35

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
13.06.01-16	29	4517	N/A	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-17	29	4523	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-18	29	4523	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-19	29	4523	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-2	26	4489	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	3/18/10	ML100770169	5/3/10	ML101250501
13.06.01-20	29	4540	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-21	29	4540	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-22	29	4540	N/A	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-23	29	4540	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-24	29	4540	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-25	29	4540	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-26	29	4540	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-27	29	4540	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-28	29	4540	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-29	29	4540	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-3	27	4470	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	3/24/10	ML100830324	5/10/10	ML101320353

12/4/2014

 $\ensuremath{^{**}\text{--}}\text{Status}$ is not a final determination by NRC.

36

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
13.06.01-30	29	4540	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-31	29	4540	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-32	29	4540	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-33	29	4540	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-34	29	4540	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-35	29	4540	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-36	29	4540	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-37	29	4550	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-38	29	4550	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-39	29	4550	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-4	27	4470	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	3/24/10	ML100830324	5/10/10	ML101320353
13.06.01-40	29	4550	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-41	29	4550	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-42	29	4550	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-43	29	4550	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-44	29	4550	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public

12/4/2014

**--Status is not a final determination by NRC.

37

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								_
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
13.06.01-45	29	4550	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-46	29	4550	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-47	29	4574	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	non-public
13.06.01-48	39	4884	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	7/20/10	ML102010032	9/2/10	ML102570700
13.06.01-49	39	4884	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	7/20/10	ML102010032	9/2/10	ML102570700
13.06.01-5	27	4471	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	3/24/10	ML100830324	5/10/10	ML101320353
13.06.01-50	39	4884	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	7/20/10	ML102010032	9/2/10	ML102570700
13.06.01-51	39	4884	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	7/20/10	ML102010032	9/2/10	ML102570700
13.06.01-52	46	5142	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	10/27/10	ML103000172	11/19/10	ML103260483
13.06.01-53	51	5338	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	1/31/11	ML110310347	5/24/11	Non-public
13.06.01-54	54	5630	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/11	RAI Not Issued, Closed in Supp RAI response to 13.06.01-53 ML11153A026		
13.06.01-55	66	5978	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	8/30/11	ML112420136	9/23/11	Non-public
13.06.01-56	89	7360	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	1/15/14	ML14016A059	2/12/14	ML14051A707
13.06.01-56	89	7360	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	1/15/14	ML14016A059	4/24/14	ML14097A323
13.06.01-57	90	7548	Application Specific	N/A	Resolved - Closed	Confirma tory Item		Combined License	NSIR/DS P/RSRLB	6/10/14	ML14162A061	7/2/14	ML14184B292

12/4/2014 **--Status is not a final determination by NRC.

38

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	Number 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
13.06.01-6	29	4505	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-7	29	4505	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-8	29	4505	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.01-9	29	4505	Application Specific	N/A	Resolved - Closed	None		Combined License	NSIR/DS P/RSRLB	4/1/10	ML100910010	5/17/10	Non-public
13.06.06-1	40	4920	N/A	N/A	Resolved - Closed	None		Cyber Security (Future SRP Section)	NSIR/DS P/ISCPB	8/10/10	ML102220142	9/21/10	ML102660141
13.06.06-1	40	4920	N/A	N/A	Resolved - Closed	None		Cyber Security (Future SRP Section)	NSIR/DS P/ISCPB	8/10/10	ML102220142	9/21/10	ML102660141
13.06.06-2	40	4920	N/A	N/A	Resolved - Closed	None		Cyber Security (Future SRP Section)	NSIR/DS P/ISCPB	8/10/10	ML102220142	9/21/10	ML102660141
13.06.06-2	40	4920	N/A	N/A	Resolved - Closed	None		Cyber Security (Future SRP Section)	NSIR/DS P/ISCPB	8/10/10	ML102220142	9/21/10	ML102660141
13.06.06-3	49	5275	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	None		Cyber Security (Future SRP Section)	NSIR/DS P/ISCPB	12/9/10	ML103430028	1/10/11	ML110110550
13.07-1	48	5244	Application Specific	N/A	Resolved - Closed	None		Fitness for Duty (Future SRP Section)	NSIR/DS P/ISCPB	11/23/10	ML103270142	12/16/10	ML103540126
13.07-2	48	5244	Application Specific	N/A	Resolved - Closed	None		Fitness for Duty (Future SRP Section)	NSIR/DS P/ISCPB	11/23/10	ML103270142	12/16/10	ML103540126
13.07-3	48	5244	Application Specific	N/A	Resolved - Closed	None		Fitness for Duty (Future SRP Section)	NSIR/DS P/ISCPB	11/23/10	ML103270142	12/16/10	ML103540126
13.07-4	48	5244	Application Specific	N/A	Resolved - Closed	None		Fitness for Duty (Future SRP Section)	NSIR/DS P/ISCPB	11/23/10	ML103270142	12/16/10	ML103540126
14.02-1	5	2307	Application Specific	N/A	Resolved - Closed	None		Design Certification and New License Applicants	EEB	3/25/09	ML090840227	4/23/09	ML091250352
14.02-2	18	3960	Application Specific	N/A	Resolved - Closed	None		Design Certification and New License Applicants	ICE2	12/1/09	ML093350182	1/29/10	ML100331450

12/4/2014

**--Status is not a final determination by NRC.

39

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
14.02-3	18	3962	Application Specific	N/A	Resolved - Closed	None		Design Certification and New License Applicants	ICE2	12/1/09	ML093350182	1/29/10	ML100331450
14.02-4	33	4733	Application Specific	N/A	Resolved - Closed	None		Design Certification and New License Applicants	CQVB	5/27/10	ML101470123	7/9/10	ML101960646
14.03.02-1	14	3575	Application Specific	N/A	Resolved - Closed	None		Inspections, Tests, Analyses, and Acceptance Criteria	SEB2	10/7/09	ML092800240	11/20/09	ML093280179
14.03.02-2	26	4338	Application Specific	N/A	Resolved - Closed	None		Inspections, Tests, Analyses, and Acceptance Criteria	SEB2	3/18/10	ML100770169	5/3/10	ML101250501
14.03.03-1	42	5016	Application Specific	N/A	Resolved - Closed	None		Inspections, Tests, Analyses, and Acceptance Criteria	EMB1	9/16/10	ML102590195	10/19/10	ML102940218
14.03.06-1	3	2170	Application Specific	N/A	Resolved - Closed	None		Inspections, Tests, Analyses, and Acceptance Criteria	EEB	2/23/09	ML090540582	3/25/09	ML091060495
14.03.07-1	9	3163	Application Specific	N/A	Resolved - Closed	None		Inspections, Tests, Analyses, and Acceptance Criteria	СНРВ	7/28/09	ML092100072	9/24/09	ML092720656
14.03.07-2	9	3164	Application Specific	N/A	Resolved - Closed	None		Inspections, Tests, Analyses, and Acceptance Criteria	СНРВ	7/28/09	ML092100072	9/24/09	ML092720656
14.03.12-1	26	4486	N/A	N/A	Resolved - Closed	None		Inspections, Tests, Analyses, and Acceptance Criteria	NSIR/DS P/RSRLB	3/18/10	ML100770169	5/3/10	ML101250501
14.03.12-2	26	4486	N/A	N/A	Resolved - Closed	None		Inspections, Tests, Analyses, and Acceptance Criteria	NSIR/DS P/RSRLB	3/18/10	ML100770169	5/3/10	ML101250501
14.03.12-3	26	4486	Application Specific	N/A	Resolved - Closed	None		Inspections, Tests, Analyses, and Acceptance Criteria	NSIR/DS P/RSRLB	3/18/10	ML100770169	5/3/10	ML101250501
14.03-1	12	3390	Application Specific	N/A	Resolved - Closed	None		Inspections, Tests, Analyses, and Acceptance Criteria	ICE2	9/2/09	ML092450246	9/29/09	ML092750407

12/4/2014

**--Status is not a final determination by NRC.

40

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
16-1	34	4763	Application Specific	N/A	Resolved - Closed	None		Technical Specifications	ICE2	6/2/10	ML101530096	7/9/10	ML101930518
16-2	38	4851	Application Specific	N/A	Resolved - Closed	None		Technical Specifications	EEB	7/13/10	ML101940250	10/19/10	ML102940119
16-3	56	5656	Std. Design	N/A	Resolved - Closed	None		Technical Specifications	CTSB	4/28/11	ML111180223	5/25/11	ML11151A065
16-4	56	5657	Application Specific	N/A	Resolved - Closed	None		Technical Specifications	CTSB	4/28/11	ML111180223	5/25/11	ML11151A065
17.04-1	5	2313	Application Specific	N/A	Resolved - Closed	None		Reliability Assurance Program (RAP)	SPLB	3/25/09	ML090840227	4/27/09	ML091250352
17.04-2	56	5348	Application Specific	N/A	Unresolved - Closed	None		Reliability Assurance Program (RAP)	SPRA	4/28/11	ML111180223	5/25/11	ML11151A065
17.5-1	10	3301	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	8/12/09	ML092240285	9/30/09	ML092790561
17.5-10	25	4374	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	3/2/10	ML100610181	4/16/10	ML101190368
17.5-11	25	4378	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	3/2/10	ML100610181	4/16/10	ML101190368
17.5-12	25	4379	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	3/2/10	ML100610181	4/16/10	ML101190368
17.5-13	25	4380	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	3/2/10	ML100610181	4/16/10	ML101190368
17.5-14	25	4381	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	3/2/10	ML100610181	4/16/10	ML101190368
17.5-15	25	4382	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	3/2/10	ML100610181	4/16/10	ML101190368

12/4/2014

**--Status is not a final determination by NRC.

J11

41

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
17.5-16	26	4408	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	3/18/10	ML100770169	5/10/10	ML101320254
17.5-17	26	4410	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	3/18/10	ML100770169	5/10/10	ML101320254
17.5-18	26	4411	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	3/18/10	ML100770169	5/10/10	ML101320254
17.5-19	26	4412	N/A	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	3/18/10	ML100770169	5/10/10	ML112490154
17.5-2	10	3302	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	8/12/09	ML092240285	9/30/09	ML092790561
17.5-20	37	4810	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	6/30/10	ML101810096	8/13/10	ML102290043
17.5-21	37	4812	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	6/30/10	ML101810096	8/13/10	ML102290043
17.5-22	37	4813	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	6/30/10	ML101810096	8/13/10	ML102290043
17.5-23	39	4891	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	7/20/10	ML102010032	9/2/10	ML102570700
17.5-24	44	5176	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	10/25/10	ML102980127	11/19/10	ML103260455
17.5-25	44	5177	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	10/25/10	ML102980127	11/19/10	ML103260455

12/4/2014

 $\ensuremath{^{**}\text{--}}\text{Status}$ is not a final determination by NRC.

42

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	Number 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
17.5-26	44	5178	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	10/25/10	ML102980127	11/19/10	ML103260455
17.5-27	50	5319	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	12/16/10	ML103500155	1/10/11	ML110110551
17.5-3	10	3341	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	8/12/09	ML092240285	9/30/09	ML092790561
17.5-4	10	3343	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	8/12/09	ML092240285	9/30/09	ML092790561
17.5-5	10	3346	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	8/12/09	ML092240285	9/30/09	ML092790561
17.5-6	10	3344	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	8/12/09	ML092240285	9/30/09	ML092790561
17.5-7	10	3347	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	8/12/09	ML092240285	9/30/09	ML092790561
17.5-8	10	3349	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	8/12/09	ML092240285	9/30/09	ML092790561
17.5-9	25	4371	Application Specific	N/A	Resolved - Closed	None		Design Certification, Early Site Permit and New License Applicants	CQVB	3/2/10	ML100610181	4/16/10	ML101190368
19.03-1	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-10	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-11	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-12	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public

12/4/2014

**--Status is not a final determination by NRC.

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
19.03-13	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-14	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-15	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-16	43	5122	Specific	IN/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-17	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-18	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-19	43	5122	Application Specific		Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-2	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-20	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-21	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-22	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-23	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-24	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-25	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-26	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-27	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public

12/4/2014

**--Status is not a final determination by NRC.

44

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	Number 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
19.03-28	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-29	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-3	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-30	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-31	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-32	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-33	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-34	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-35	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-36	59	5801	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	6/2/11	Non-public	6/29/11	ML11182A647
19.03-37	60	5838	Application Specific	SUNSI - Plant Specific (for tracking only)	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	6/20/11	Non-public	7/12/11	ML11196A011
19.03-38	63	5858	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	7/25/11	ML112070166	8/16/11	ML11229A767
19.03-4	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-5	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public

12/4/2014 **--Status is not a final determination by NRC.

45

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.



Application	Title:	Fermi Unit	3 - Docket N	lumber 52-03	3								
Question Number	NRC Letter No	System RAI No	Question Type	Sensitivity	Question Status	Issue Type	Issue Number	SRP Section	Tech Branch	RAI Issue Date	RAI Accession Number	Response Date	Response Accession Number
19.03-6	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-7	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-8	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19.03-9	43	5122	Application Specific	N/A	Resolved - Closed	None		Large Area Fires (Future SRP Section)	SFPT	10/7/10	ML102800104	11/8/10	Non-public
19-1	1	1747	Application Specific	N/A	Resolved - Closed	None		Probabilistic Risk Assessment and Severe Accident Evaluation	SPLB	1/13/09	ML090140336	2/16/09	ML100040464

12/4/2014

**--Status is not a final determination by NRC.

46

Issued/Waiting for Response - The question has been issued to the applicant and the NRC is waiting for a response from the applicant. This can be for a new RAI question or for a follow-up question **In Evaluation** - The applicant has provided a response to the question and it is in evaluation by the NRC.

Confirmatory Action - The applicant has responded to the question. The NRC has reviewed and agrees with the response and the proposed markups, but some action is needed as part of the response is not complete (e.g., FSAR change has not been formally submitted).

Resolved - Closed - The NRC has accepted the response and no additional issues or concerns are remaining for that question.