#### UNITED STATES OF AMERICA NUCLEAR REGULATORY COMMISSION

#### BEFORE ATOMIC SAFETY AND LICENSING BOARD

)

)

)

)

)

)

In the Matter of Duke Energy Carolinas Combined License Application For William States Lee III Units 1 and 2 Dockets No. 52-018, 52-019 ASLBP No. 08-865-03-COL-BD01 March 9, 2009

#### **NEW CONTENTION ELEVEN**

In accordance with 10 CFR § 2.309(f)(2), the Blue Ridge Environmental Defense League hereby submits new Contention Eleven challenging the adequacy of the application by Duke Energy Carolinas to build and operate a new nuclear power plant on the William States Lee III site. This contention is based on comments that Blue Ridge Environmental Defense League submitted on February 6, 2009, regarding the U.S. Nuclear Regulatory Commission's ("NRC's" or "Commission's") proposed Waste Confidence Decision Update, 73 Fed. Reg. 59,551 (October 9, 2008) ("Proposed Waste Confidence Decision"); and its proposed rule entitled: Consideration of Environmental Impacts of Temporary Storage of Spent Fuel After Cessation of Reactor Operation, 73 Fed. Reg. 59,547 (October 9, 2008) ("Proposed Temporary Storage Rule"). *See* Comments by Texans for a Sound Energy Policy *et al.* Regarding NRC's Proposed Waste Environmental Impacts Of Temporary Storage Of Spent Fuel After Cessation Of Reactor Operations (February 6, 2009) ("Comments").

Our contention seeks to enforce, in this specific proceeding, the NRC's commitment that "it would not continue to license reactors if it did not have reasonable confidence that the wastes can and will in due course be disposed of safely." Proposed Waste Confidence Decision, 73 Fed. Reg. at 59,552 (citing 42 Fed. Reg. 34,391, 34,393 (July 5, 1977); *Natural Resources Defense Council v. NRC*, 582 F.2d 166 (2d Cir. 1978)). The contention also seeks to enforce the requirement of the National Environmental Policy Act ("NEPA") that generic determinations under NEPA must be applied to individual licensing decisions and must be adequate to justify those individual decisions. As the Supreme Court held in *Baltimore Gas and Electric Co. v. Natural Resources Defense Council*, 462 U.S. 87 (1983):

The key requirement of NEPA . . . is that the agency consider and disclose the actual environmental effects in a manner that will ensure that the overall process, including both the generic rulemaking *and the individual proceedings*, brings those effects to bear on the decisions to take *particular actions that significantly affect the environment*.

462 U.S. at 96 (emphasis added). *See also State of Minnesota v. U.S. Nuclear Regulatory Commission*, 602 F.2d 412, 416 (D.C. Cir. 1979) (agreeing with the Commission that "it could properly consider the complex issue of nuclear waste disposal in a "generic" proceeding such as rulemaking, *and then apply its determinations in subsequent adjudicatory proceedings*") (emphasis added). Indeed, the Commission itself has stated that it intends to use the Proposed Waste Confidence Decision to "enhance the efficiency of combined license proceedings for applications for nuclear power plants anticipated in the near future" and "assure that [the NRC's] Waste Confidence findings are up to date." 73 Fed. Reg. at 59,551. *See also* Proposed Temporary Storage Rule, 73 Fed. Reg. at 59,547 ("The proposed revision reflects findings that the Commission has reached in the 'Waste Confidence' decision update . . .") By placing the exact same concerns raised in our Comments before the ASLB in this contention, we therefore seek to ensure, as required by NEPA and *Baltimore Gas and Electric Co.*, that whatever decisions the NRC reaches in response to our Comments on the Proposed Waste Confidence Decision and Proposed Temporary Storage Rule will be applied in a timely way to the licensing decision for the proposed North Anna Unit 3 nuclear power plant, *i.e.*, before that plant is licensed. *Robertson v. Methow Valley Citizens Council*, 490 U.S. 332, 349 (1989) (holding that environmental concerns must be considered *before* an action is taken).

Blue Ridge Environmental Defense League recognizes that the issues raised by our Comments—and therefore by this contention—are generic in nature. Therefore we do not seek to litigate them in this individual proceeding. Instead, the contention should be admitted and held in abeyance in order to avoid the necessity of a premature judicial appeal if this case should conclude before the NRC has completed the rulemaking proceeding.<sup>1</sup> If the ASLB does not determine that it has the authority to admit the contention because it presents a challenge to a generic rule, we request the ASLB to refer the contention to the Commission.

<sup>&</sup>lt;sup>1</sup> Under the Hobbs Act, 28 U.S.C. § 2344, we may take a judicial appeal as of right only if we do so within 60 days of a decision ending our participation in this case. If we should be dismissed from this proceeding before the NRC has completed the Waste Confidence Decision and Temporary Spent Fuel Storage rulemaking proceedings, we will be required to appeal the substantive issues raised by our contention before the issues are ripe.

#### I. CONTENTION ELEVEN

#### A. Statement of the Issue

Neither the Proposed Waste Confidence Decision nor the Proposed Spent Fuel Storage Rule satisfies the requirements of NEPA or the Atomic Energy Act. Therefore they fail to provide adequate support for the Applicant's Environmental Report or for an Environmental Impact Statement in this particular licensing case. The deficiencies in the Waste Confidence Rule also fatally undermine the adequacy of the NRC's findings in Table S-3 of 10 C.F.R. § 51.51 to satisfy NEPA. Unless and until the NRC remedies the deficiencies in the Waste Confidence Rule, Table S-3, and the Proposed Spent Fuel Storage Rule, the NRC has no lawful basis to issue a license for the proposed William States Lee III nuclear power plant.

#### B. Statement of Issues of Law and Fact to Be Raised

This contention is based on the Comments that Blue Ridge Environmental Defense League and other groups filed with the NRC on February 6, 2009. The legal and factual issues raised by the contention can be summarized as follows:

The NRC has no technical basis for a finding of reasonable confidence that spent fuel can and will be safely disposed of at some time in the future. Therefore, under the Commission's own standard that "it would not continue to license reactors if it did not have reasonable confidence that the wastes can and will in due course be disposed of safely," the Commission must refuse to issue new licenses or renew existing licenses for nuclear power plants. 73 Fed. Reg. at 59,552 (citing 42 Fed. Reg. 34,391, 34,393 (July 5, 1977); *Natural Resources Defense Council v. NRC*, 582 F.2d 166 (2d Cir. 1978)).

The NRC's lack of a basis for any finding of confidence in the technical feasibility of a repository also fatally undermines Table S-3 of the NRC's Uranium Fuel Cycle Rule, which depends on the assumption that radioactive releases from a repository will be zero. Final Rule, Licensing and Regulatory Policy and Procedures for Environmental Protection; Uranium Fuel Cycle Impacts From Spent Fuel Reprocessing and Radioactive Waste Management, 44 Fed. Reg. 45,362 (August 12, 1979). Based on its own statement in the 1990 Waste Confidence rulemaking proceeding, the NRC, having arrived at a stage where any basis that it may have had for confidence in the safe disposal of spent fuel has clearly evaporated, must revisit the basis for Table S-3. See Review and Final Revision of Waste Confidence Decision, 55 Fed. Reg. 38,474, 38,491 (September 18, 1990) ("Unless the Commission, in a future review of the Waste Confidence decision, finds that it no longer has confidence in the technical feasibility of disposal in a mined geologic repository, the Commission will not consider it necessary to review the S-3 rule when it reexamines its Waste Confidence findings in the future.") Certainly, the Commission no longer has any basis whatsoever for the principal assumption underlying Table S-3, which is that spent fuel can be safely disposed of in a repository, having repudiated that assumption in the proposed Waste Confidence Decision. 73 Fed. Reg. at 59,555. See also IEER Comments.

In both the proposed Waste Confidence Decision and the Proposed Temporary Storage Rule, the NRC continues to deny that temporary spent fuel storage poses significant environmental risks, ignoring a wealth of government reports showing that high-density fuel storage pools are vulnerable to catastrophic fires that may be caused by

5

accidents or intentional attacks. Instead of confronting this information in a detailed EIS, the NRC calls it a security matter and shrouds it in an unjustifiably broad mantle of security-related secrecy. But the NRC is not entitled to use security concerns as an excuse for failing to comply with NEPA. *San Luis Obispo Mothers for Peace v. NRC*, 449 F.3d 1016, 1034-35 (9th Cir. 2006).

In making a finding of no significant impact ("FONSI") with respect to spent fuel storage, the NRC has not even attempted to comply with the NRC's procedural requirements for a FONSI, such as preparing an environmental assessment ("EA") that addresses the purpose of and need for the proposed action and evaluates alternatives to the proposed action. The NRC also violates NEPA by failing to identify the documents on which it relies for its decision, and by failing to disclose all portions of its decision-making documents that are non-exempt under the Freedom of Information Act ("FOIA"). *San Luis Obispo Mothers for Peace* (Diablo Canyon Independent Spent Fuel Storage Installation), CLI-08-01, 67 NRC 1, 15-17 (2008) (citing Weinberger v. Catholic Action of Hawaii, 454 U.S. 139, 143 (1981)).

Perhaps most importantly, the NRC fails to explain why it is justified in continuing to allow licensees to use dangerous high-density fuel storage pools to store spent fuel under protective measures whose adequacy is suspect but cannot be publicly verified, when it would be possible to virtually eliminate the danger by using low-density pool storage and hardened dry storage of spent fuel. The NRC's secrecy is unnecessary, corrosive to the NRC's system of accountability through open decision-making, and potentially dangerous because the decision-making process was not only secret but was

6

restricted to the NRC and a limited group of individuals with a vested interest in minimizing the cost of mitigative measures, *i.e.*, reactor licensees.

The Proposed Waste Confidence Rule and the Proposed Temporary Storage Rule are utterly inadequate to satisfy the requirements of the AEA and NEPA for a generic licensing decision for new nuclear power plants. Any generic decision to allow the creation of additional spent reactor fuel and other radioactive waste associated with the uranium fuel cycle must be accompanied by thorough, supported, and well-documented safety findings; and it must also be accompanied by an environmental impact statement ("EIS") that fully assesses the environmental impacts of the uranium cycle, including health and environmental impacts and costs, and that examines a reasonable array of alternatives, including the alternative of not producing any additional radioactive waste.

#### C. Brief Explanation of the Basis for the Contention

This contention is based on the legal and technical criticisms of the Proposed Waste Confidence Decision and the Proposed Temporary Storage Rule that are contained in the following documents which are attached to the contention:

- the Comments submitted by Blue Ridge Environmental Defense League and other organizations on February 6, 2009 (Exhibit A);
- attached to the Comments, the expert declaration of Dr. Arjun Makhijani,
  President of the Institute for Energy and Environmental Research ("IEER"), to
  which in turn is attached his curriculum vitae and expert report entitled
  "Comments of the Institute for Energy and Environmental Research on the U.S.
  Nuclear Regulatory Commission's Proposed Waste Confidence Rule Update and

Proposed Rule Regarding Environmental Impacts of Temporary Spent Fuel Storage" (February 6, 2009) ("IEER Comments");

 also attached to the Comments, the expert declaration of Dr. Gordon R. Thompson, Executive Director of the Institute for Resource and Security Studies ("IRSS"), to which in turn is attached his curriculum vitae and expert report entitled "Environmental Impacts of Storing Spent Fuel and High-Level Waste from Commercial Nuclear Reactors: A Critique of NRC's Waste Confidence Decision and Environmental Impact Determination" (February 6, 2009) ("Thompson Report").

#### D. Demonstration That the Issue Raised by the Contention is Within the Scope of the Proceeding and Material to the Findings the NRC Must Make to Support its Licensing Decision.

Before licensing the proposed W. S. Lee III nuclear power plant, the NRC must make a determination under the Atomic Energy Act that it has a reasonable assurance that spent fuel can be safely stored and disposed of. *See* Comments at pages 7-8. Under NEPA, the NRC must also evaluate the environmental impacts of spent fuel storage and disposal. *Id.* While the NRC has chosen to make these determinations generically, in the Proposed Waste Confidence Decision and the Proposed Temporary Storage Rule, those generic determinations must be adequate to support any individual licensing decision. *Id.* Therefore the contention is within the scope of this proceeding and material to the findings the NRC must make to support the requested issuance of a license.

#### E. Concise Statement of Facts or Expert Opinion Relied on to Show the Existence of a Genuine Dispute with the Applicant and the NRC Regarding the Adequacy of the License Application

In support of this contention, Blue Ridge Environmental Defense League relies on the facts, expert opinion, and documentary resources set forth in the attached IEER Comments and Thompson Report. The IEER Comments and Thompson Report contain sufficient information to show that Blue Ridge Environmental Defense League has a genuine dispute with the Applicant and with the NRC regarding the safety and environmental impacts of spent fuel storage and disposal, and whether the NRC has complied with the requirements of the Atomic Energy Act and NEPA in the Proposed Waste Confidence Decision and the Proposed Spent Fuel Storage Rule.

In addition, Blue Ridge Environmental Defense League notes that President Obama, on February 26, 2009, announced his determination to cease development of Yucca Mountain spent fuel storage project. See Exhibit B, a portion of the President's proposed budget for FY 2010 (page 65). This determination brings the United States back to "square one" in its search for a solution to the spent fuel storage challenge, and eliminates any claim by the NRC that its has "confidence" that the environmental impacts of storing spent fuel from commercial reactors will be negligible.

#### II. SATISFACTION OF 10 C.F.R. § 2.309(f)(2).

This contention satisfies the requirements of 10 C.F.R. 2.309(f)(2) in the following respects:

First, the information on which the contention is based, *i.e.*, the legal and technical analyses of the Proposed Confidence Decision and the Proposed Temporary Storage Rule, were not available to the Blue Ridge Environmental Defense League until February 6, 2009, when the Comments were finalized, presented to Blue Ridge Environmental Defense League for concurrence, and submitted to the NRC.

Second, the information upon which the new contention is based is materially different than information that was previously available. None of the information presented in this contention has previously been integrated into a single document that presented a comprehensive and integrated analysis of the Waste Confidence Rule and the related Table S-3 and Proposed Temporary Storage Rule. The reason for this is that the NRC has not offered an opportunity to comment on the Waste Confidence rule or its Finding of No Significant Impact regarding temporary spent fuel storage in approximately ten years.

Third, this contention has been submitted based on the availability of the information contained in the Comments and supporting IEER Comments and Thompson Report. As discussed above, those documents were not available to Blue Ridge Environmental Defense League in final form until the day they were submitted to the NRC, February 6, 2009.

10

#### **III. CONCLUSION**

For the foregoing reasons, Blue Ridge Environmental Defense League's Contention Eleven should be admitted.

Respectfully submitted,

Louis A.E

Louis A. Zeller Blue Ridge Environmental Defense League PO Box 88 Glendale Springs, NC 28629 (336) 982-2691 (336) 977-0852 BREDL@skybest.com

March 9, 2009

#### UNITED STATES OF AMERICA NUCLEAR REGULATORY COMMISSION

#### BEFORE ATOMIC SAFETY AND LICENSING BOARD

)

)

)

)

)

In the Matter of Duke Energy Carolinas Combined License Application For William States Lee III Units 1 and 2 Dockets No. 52-018, 52-019

ASLBP No. 08-865-03-COL-BD01

March 10, 2009

#### **CERTIFICATE OF SERVICE**

#### I hereby certify that copies of THE BLUE RIDGE ENVIRONMENTAL DEFENSE LEAGUE'S NEW CONTENTION ELEVEN

were served on the following persons via Electronic Information Exchange this 10<sup>th</sup> day of March, 2009.

Administrative Judge Paul S. Ryerson, Chair Atomic Safety and Licensing Board Panel Mail Stop T-3 F23 US Nuclear Regulatory Commission Washington, DC 20555-0001 E-mail: Paul.Ryerson@nrc.gov

Administrative Judge Nicholas G. Trikouros Atomic Safety and Licensing Board Panel Mail Stop T-3 F23 US Nuclear Regulatory Commission Washington, DC 20555-0001 E-mail: Nicholas Trikouros@nrc.gov

Administrative Judge Dr. William H. Murphy Atomic Safety and Licensing Board Panel Mail Stop T-3 F23 US Nuclear Regulatory Commission Washington, DC 20555-0001 E-mail: William.Murphy@nrc.gov Office of the Secretary ATTN: Docketing and Service Mail Stop 0-16C1 US Nuclear Regulatory Commission Washington, DC 20555-0001 E-mail: hearingdocket@nrc.gov

Office of Commission Appellate Adjudication US Nuclear Regulatory Commission Washington, DC 20555-0001 E-mail: ocaamail@nrc.gov

Sara E. Brock, Esq. Michael A. Spenser, Esq US Nuclear Regulatory Commission Mail Stop O-15 D21 Washington, DC 20555-0001 E-mail: Sara.Brock@nrc.gov E-mail: Michael.Spencer@nrc.gov Donald Silverman, Esq. Kathryn M. Sutton, Esq. Paul M. Bessette, Esq. Jonathan M. Rund, Esq. Morgan, Lewis & Bockius, LLP 1111 Pennsylvania Ave., NW Washington, DC 20004 E-mail: dsilverman@morganlewis.com E-mail: pbessette@morganlewis.com E-mail: jrund@morganlewis.com

Kate Barber Nolan, Esq. Duke Energy Corporation 526 South Church Street—EC07H Charlotte, NC 28202 E-mail: kbnolan@duke-energy.com

Florence P. Belser, Esq. South Carolina Office of Regulatory Staff 1441 Main Street, Suite 300 Columbia, SC 29201 E-mail: fbelser@regstaff.sc.gov

Signed in Glendale Springs, March 10, 2009

Louis A.Z

Louis A. Zeller Blue Ridge Environmental Defense League PO Box 88 Glendale Springs, NC 28629 (336) 982-2691 BREDL@skybest.com

February 6, 2009

#### UNITED STATES OF AMERICA NUCLEAR REGULATORY COMMISSION BEFORE THE SECRETARY

Waste Confidence Decision Update 10 C.F.R. Part 51 73 Fed. Reg. 59,551 (Oct. 9, 2008)	) ) ) _)	Docket ID – 2008-0482
Proposed Rule: Consideration of	)	RIN: 3150-A147
Environmental Impacts of Temporary	ý	Docket ID – 2008-0404
Storage of Spent Fuel After Cessation	)	
Of Reactor Operation	)	
10 C.F.R. Part 51	)	
73 Fed. Reg. 59,547 (Oct. 9, 2008)	)	
	)	

COMMENTS BY TEXANS FOR A SOUND ENERGY POLICY, ALLIANCE FOR NUCLEAR RESPONSIBILITY, BEYOND NUCLEAR, BLUE **RIDGE ENVIRONMENTAL DEFENSE LEAGUE, C-10 RESEARCH AND** EDUCATION FOUNDATION, DON'T WASTE MICHIGAN, ENVIRONMENTAL COALITION ON NUCLEAR POWER, FRIENDS OF THE EARTH, FRIENDS OF THE COAST OPPOSING NUCLEAR POLLUTION, **GRANDMOTHERS, MOTHERS AND MORE FOR ENERGY SAFETY, NEW** ENGLAND COALITION, NUCLEAR INFORMATION AND RESOURCE SERVICE, NUCLEAR FREE VERMONT BY 2012, NUCLEAR WATCH SOUTH, PILGRIM WATCH, PUBLIC CITIZEN, SAN LUIS OBISPO MOTHERS FOR PEACE, THE SNAKE RIVER ALLIANCE, SOUTHERN ALLIANCE FOR CLEAN ENERGY, AND THE SUSTAINABLE ENERGY AND ECNOMIC **DEVELOPMENT COALITION REGARDING NRC'S PROPOSED WASTE CONFIDENCE DECISION UPDATE** AND PROPOSED RULE REGARDING CONSIDERATION FOF ENVIRONMENTAL IMPACTS OF TEMPORARY STORAGE OF SPENT FUEL AFTER CESSATION OF REACTOR OPERATIONS

Diane Curran Harmon, Curran, Spielberg, & Eisenberg, L.L.P. 1726 M Street N.W., Suite 600 Washington, D.C. 20036 202/328-3500 FAX 202/328-6918 dcurran@harmoncurran.com James Blackburn, Jr. Blackburn Carter, P.C. 4709 Austin St. Houston, Texas 77004 713/524-1012 713/524-5165 (*fax*) jbb@blackburncarter.com

Table	of Cont	ents		i
Table	of Auth	orities		iii
I.	INTRO	ODUC	ΓΙΟΝ	<u>1</u>
II.	SUMN	<b>MARY</b>	OF COMMENTS	2
III.	DESC	RIPTIO	ON OF COMMENTERS	4
IV.	LEGA	L ANE	FACTUAL BACKGROUND	<u>7</u>
	A.	Requi Enviro Regar	rements of the Atomic Energy Act and the National onmental Policy Act With Respect to the NRC Decisions ding Spent Fuel Storage and Disposal	7
		1.	Safety determination under the AEA	<u>7</u>
		2.	Environmental analysis under NEPA	8
		3.	Procedural requirements for compliance with AEA and NEPA	8
	B.	Histor	ry of Waste Confidence Rulemaking	8
	C.	Relati Table	onship Between Waste Confidence Rule and S-3 (Uranium Fuel Cycle Rule)	9
	D.	Relati FONS Spent	onship Between Waste Confidence Rule and I With Respect to Environmental Impacts of Fuel Storage	10
	E.	NRC S-3 to	Reliance on Waste Confidence Rule and Table License And Re-License Nuclear Power Plants	11
V.	THE N DISPO WITH DOES THE A	NRC'S DSAL ( OUT S NOT ( APA	GENERIC LICENSING DECISION THAT STORAGE A DF SPENT FUEL CAN BE ACCOMPLISHED SAFELY A IGNIFICANT ADVERSE ENVIRONMENTAL IMPACT COMPLY WITH THE REQUIREMENTS OF AEA, NEPA	.ND AND ΓS A, OR 12

	Can AEA	Be Safely Disposed of Does Not Comply with the or NEPA.	12
	1	NRC's safe disposal decision fails to comply with	
	1.	the AEA because its safety finding is unsupported.	12
	2.	NRC's safe disposal decision fails to comply with	
		NEPA because it is not supported by an EIS that fully	
		and accurately evaluates the environmental impacts of	
		the uranium fuel cycle, including the impacts of spent fuel disposal.	13
	3.	No existing EIS is sufficient to support the Waste	
		Confidence Decision	13
B.	Beca	use the NRC Lacks a Basis for a Finding of Confidence	
	in the	e Safety of Spent Fuel Disposal, It Must Re-Assess the	
	Heal	th Impacts of the Uranium Fuel Cycle as Set Forth in	
	Tabl	e S-3 and the Uranium Fuel Cycle Rule.	
C.	The	NRC's Proposed Generic Finding that Spent Fuel can	
	be Sa	afely Stored Pending Ultimate Disposal Does Not	
	Com	ply with the AEA or NEPA.	
	1	NRC's safe storage finding does not qualify	
	1.	as a generic licensing determination under the	
		AEA or NEPA	1:
	2.	The NRC has failed to justify its refusal to	
		prepare an EIS for spent fuel storage.	1
<b>a a a</b>			
CON	ICLUSI	UN	19

VI.

## **TABLE OF AUTHORITIES**

## COURT CASES

Baltimore Gas and Electric Co. v. Natural Resources Defense Council, 462 U.S. 87 (1983)8
Blue Mountains Biodiversity Project v. Blackwood, 161 F.3d 1208 (9th Cir. 1998)7, 13
Calvert Cliffs Coordinating Comm. v. United States Atomic Energy Comm., 449 F.2d 1109 (D.C. Cir. 1971)13
Foundation on Economic Trends v. Heckler, 756 F.2d 143 (D.C. Cir. 1985)7
Morgan v. Walter, 728 F.Supp. 1483 (D. Id. 1989)7
Natural Resources Defense Council v. NRC, 582 F.2d 166 (2d Cir. 1978)2, 7
Vermont Yankee Nuclear Power Corp. v. Natural Resources Defense Council, 435 U.S. 519 (1978)16
San Luis Obispo Mothers for Peace v. NRC, 449 F.3d 1016 (9th Cir. 2006)3, 18
<i>State of Minnesota v. NRC,</i> 602 F.2d 412 (D.C. Cir. 1979)
Weinberger v. Catholic Action of Hawaii, 454 U.S. 139 (1981)3

## NRC CASES

Carolina Power & Light Co. and North Carolina Eastern Municipal Power Agency (Shearon Harris Nuclear Power Plant, Units 1 and 2), LBP-82-119A, 16 NRC 2069 (1982)
Dominion Nuclear North Anna, L.L.C. (Early Site Permit
for North Anna ESP Site), LBP-04-18, 60 NRC 253 (2004)11
Duke Energy Corp. (Oconee Nuclear Station, Units 1, 2, and 3), CLI-99-11, 49 NRC 328 (1999)11
Entergy Nuclear Vermont Yankee, L.L.C. and Entergy Nuclear Operations, Inc. (Vermont Yankee Nuclear Power Station), and Entergy Nuclear Generation Company and Entergy Nuclear Operations, Inc. (Pilgrim
Nuclear Power Station), CLI-07-03, 65 NRC 13 (2007)11, 16

<i>Entergy Nuclear Operations, Inc.</i> (Indian Point Nuclear Generating Station), LBP-08-13,NRC (July 31, 2008)11, 16	
Exelon Generating Company (Early Site Permit for Clinton ESP Site), LBP-04-17, 60 NRC 229 (2004)	1
<i>Florida Power &amp; Light Co.</i> (Turkey Point Nuclear Generating Plant, Units 3 and 4), CLI-01-17, 54 NRC 3 (2001)	1
Hydro Resources, Inc., CLI-01-4, 53 NRC 31 (2001)	8
Nuclear Management Company, L.L.C. (Palisades Nuclear Plant), CLI-06-17, 63 NRC 727 (2006)11, 1	6
Philadelphia Electric Co. (Limerick Generating Station, Units 1 and 2), LBP-83-6, 17 NRC 153 (1983)	2
Public Service Electric and Gas Co., et al. (Salem Nuclear Generating Station, Unit 1), ALAB-650, 14 NRC 43 (1981)1	1
San Luis Obispo Mothers for Peace (Diablo Canyon Independent Spent Fuel Storage Installation), CLI-08-01, 67 NRC 1 (2008)	8
System Energy Resources, Inc. (Early Site Permit for Grand Gulf ESP Site), LBP-04-19, 60 NRC 277 (2004)1	1
<i>Tennessee Valley Authority</i> (Bellefonte Nuclear Power Plant, Units 3 and 4), LBP-08-16, NRC (September 12, 2008)	2
Virginia Electric and Power Co. (North Anna Nuclear Power Station, Units 1 and 2), ALAB-584, 11 NRC 451 (1980)1	1

## STATUTES

Administrative Procedure Act	
Atomic Energy Act	passim
42 U.S.C. § 2133(d)	7
42 U.S.C. § 2239(a)	
Freedom of Information Act	
National Environmental Policy Act, 42 U.S.C. § 4332(C)	passim

## **REGULATIONS**

. § 51.2310, 15	10 C.F.R.
. § 51.32(a)(1)17	10 C.F.R.
. § 51.32(a)(4)17	10 C.F.R.
. § 51.31(a)17	10 C.F.R.
. § 51.30(a)(1)(iii)	10 C.F.R.
. § 51.51	10 C.F.R.
. § 51.71(d)	10 C.F.R.
. § 1502.22(b)	40 C.F.R.
. § 1508.27(b)(5)13	40 C.F.R.
. § 1508.7	40 C.F.R.

## FEDERAL REGISTER NOTICES

42 Fed. Reg. 34,391, 34,393 (July 5, 1977)2
49 Fed. Reg. 34,658 (August 31, 1984)8
54 Fed. Reg. 39,767 (September 28, 1989)8
Denial of Commonwealth of Massachusetts' Petition for Rulemaking, 73 Fed. Reg. 46,204 (August 8, 2008)15
Final Rule, Licensing and Regulatory Policy and Procedures for Environmental Protection; Uranium Fuel Cycle Impacts From Spent Fuel Reprocessing and Radioactive Waste Management, 44 Fed. Reg. 45,362 (August 12, 1979)passim
New England Coalition on Nuclear Pollution; Denial of Petition for Rulemaking, 73 Fed. Reg. 14,946, 14,947 (March 20, 2008)10
Notice of Proposed Rulemaking, Storage and Disposal of Nuclear Waste, 44 Fed. Reg. 61,372 (October 25, 1979)2, 8
Policy Statement, Licensing and Regulatory Policy and Procedures for Environmental Protection; Uranium Fuel Cycle Impacts, 47 Fed. Reg. 50,591 (Nov. 11, 1982)10

Review and Final Revision of Waste Confidence Decision,	
55 Fed. Reg. 38,474 (September 18, 1990)	9

## **MISCELLANEOUS**

NUREG-1437, License Renewal Generic EIS (1996)	.11
U.S. Department of Energy, Final Environmental Impact Statement,	
Management of Commercially Generated Radioactive Waste,	
DOE/EIS-0046 (1980)	.13

### I. INTRODUCTION

Texans for a Sound Energy Policy, Alliance for Nuclear Responsibility, Beyond Nuclear, Blue Ridge Environmental Defense League, C-10 Research and Education Foundation, Environmental Coalition on Nuclear Power, Friends of the Earth, Friends of the Coast Opposing Nuclear Pollution, New England Coalition, Grandmothers, Mothers and More for Safe Energy, Nuclear Information and Resource Service, Nuclear Free Vermont by 2012, Nuclear Watch South, Pilgrim Watch, Public Citizen, San Luis Obispo Mothers for Peace, Southern Alliance for Clean Energy, Snake River Alliance, and the Sustainable Energy and Economic Development Coalition (collectively "Commenters") hereby submit comments on the U.S. Nuclear Regulatory Commission's ("NRC's") proposed Waste Confidence Decision Update, 73 Fed. Reg. 59,551 (October 9, 2008) ("Proposed Waste Confidence Decision"); and its proposed rule entitled: Consideration of Environmental Impacts of Temporary Storage of Spent Fuel After Cessation of Reactor Operation, 73 Fed. Reg. 59,547 (October 9, 2008) ("Proposed Temporary Storage Rule").<sup>1</sup>

These comments are supported by two expert declarations and technical reports:

- the expert declaration of Dr. Arjun Makhijani, President of the Institute for Energy and Environmental Research ("IEER"), to which is attached his curriculum vitae and expert report entitled "Comments of the Institute for Energy and Environmental Research on the U.S. Nuclear Regulatory Commission's Proposed Waste Confidence Rule Update and Proposed Rule Regarding Environmental Impacts of Temporary Spent Fuel Storage" (February 6, 2009) ("IEER Comments"); and
- the expert declaration of Dr. Gordon R. Thompson, Executive Director of the Institute for Resource and Security Studies ("IRSS"), to which is attached his curriculum vitae and expert report entitled "Environmental Impacts of Storing Spent Fuel and High-Level Waste from Commercial Nuclear Reactors: A Critique of NRC's Waste Confidence Decision and Environmental Impact Determination" (February 6, 2009) ("Thompson Report").

As discussed below, Commenters believe that the Proposed Waste Confidence Decision and the Proposed Temporary Fuel Storage Rule fail to comply with the requirements of the Atomic Energy Act ("AEA") and the National Environmental Policy Act ("NEPA"), and therefore should be withdrawn. The Commission should cease to license the operation of any new nuclear power plants or re-license any existing nuclear power plants unless and until it is able to make a supportable determination that spent fuel can be safely stored and disposed of, and unless and until that determination is made in compliance with NEPA.

<sup>1</sup> Some of the organizations who are participating in these comments have also filed other comments, in addition to these comments.

#### II. SUMMARY OF COMMENTS

Almost thirty years ago, the NRC issued its first proposed Waste Confidence Decision, concluding that spent reactor fuel could be safely disposed of and that in the meantime it could be safely stored at nuclear reactor sites. Notice of Proposed Rulemaking, Storage and Disposal of Nuclear Waste, 44 Fed. Reg. 61,372 (October 25, 1979). In a companion rulemaking, based on a previous Waste Confidence policy decision that spent fuel could be safely contained in a bedded salt repository, the NRC made a finding that the health impacts of the entire uranium fuel cycle – from uranium mining to spent fuel disposal – would have no significant adverse impacts on the human environment. Final Rule, Licensing and Regulatory Policy and Procedures for Environmental Protection; Uranium Fuel Cycle Impacts From Spent Fuel Reprocessing and Radioactive Waste Management, 44 Fed. Reg. 45,362 (August 12, 1979).

The NRC relied on these interdependent generic rules to license a whole generation of nuclear power reactors, and has re-licensed many of those reactors for additional twenty-year terms. These nuclear power plants have generated a total of 56,000 metric tons of spent fuel as of April 2008, and fueling them was responsible for the creation of 300,000 metric tons or more of depleted uranium tails, for which neither the NRC nor the U.S. Department of Energy ("DOE") has yet found a safe means of disposal. The DOE expects that spent fuel from existing reactors will increase to 119,000 metric tons by 2035. Meanwhile, at the site of every operating reactor in the United States, spent fuel accumulates in high-density fuel storage pools, which the government has admitted are vulnerable to catastrophic fire caused by intentional attacks and accidents. In addition, thousands of cubic meters of greater than class C ("GTCC") waste will be generated when reactors now in operation are decommissioned. The amount of GTCC waste will be much greater if spent fuel is reprocessed.

For almost thirty years after the Waste Confidence Rule was first proposed in 1979, the NRC did not receive any new applications to build or operate new nuclear power plants. As of today, however, the NRC now has a significant number of new reactor applications before it. In total, the NRC is considering applications for more than thirty new reactors, which together would produce about 30,000 metric tons more spent fuel, assuming the plants operate for 40 years, and 45,000 metric tons if they operate for 60 years. These plans would also generate correspondingly large amounts of depleted uranium tails, GTCC waste (due to decommissioning and reprocessing), and other radioactive waste. Yet, the NRC is no closer to a disposal solution than it was thirty years ago.

As discussed at length in IEER's Comments, the NRC simply has no technical basis for a finding of reasonable confidence that spent fuel can and will be safely disposed of at some time in the future. Therefore, under the Commission's own standard that "it would not continue to license reactors if it did not have reasonable confidence that the wastes can and will in due course be disposed of safely," the Commission must refuse to issue new licenses or renew existing licenses for nuclear power plants. 73 Fed. Reg. at 59,552 (citing 42 Fed. Reg. 34,391, 34,393 (July 5, 1977); *Natural Resources Defense Council v. NRC*, 582 F.2d 166 (2d Cir. 1978)).

The NRC's lack of a basis for any finding of confidence in the technical feasibility of a repository also fatally undermines Table S-3 of the NRC's Uranium Fuel Cycle Rule, which depends on the assumption that radioactive releases from a repository will be zero. Final Rule, Licensing and Regulatory Policy and Procedures for Environmental Protection; Uranium Fuel Cycle Impacts From Spent Fuel Reprocessing and Radioactive Waste Management, 44 Fed. Reg. 45,362 (August 12, 1979). Based on its own statement in the 1990 Waste Confidence rulemaking proceeding, the NRC, having arrived at a stage where any basis that it may have had for confidence in the safe disposal of spent fuel has clearly evaporated, must revisit the basis for Table S-3. See Review and Final Revision of Waste Confidence Decision, 55 Fed. Reg. 38,474, 38,491 (September 18, 1990) ("Unless the Commission, in a future review of the Waste Confidence decision, finds that it no longer has confidence in the technical feasibility of disposal in a mined geologic repository, the Commission will not consider it necessary to review the S-3 rule when it reexamines its Waste Confidence findings in the future.") Certainly, the Commission no longer has any basis whatsoever for the principal assumption underlying Table S-3, which is that spent fuel can be safely disposed of in a repository, having repudiated that assumption in the proposed Waste Confidence Decision. 73 Fed. Reg. at 59.555. See also IEER Comments.

In both the proposed Waste Confidence Decision and the Proposed Temporary Fuel Storage Rule, the NRC continues to deny that temporary spent fuel storage poses significant environmental risks, ignoring a wealth of government reports showing that high-density fuel storage pools are vulnerable to catastrophic fires that may be caused by accidents or intentional attacks. Instead of confronting this information in a detailed EIS, the NRC calls it a security matter and shrouds it in an unjustifiably broad mantle of security-related secrecy. But the NRC is not entitled to use security concerns as an excuse for failing to comply with NEPA. *San Luis Obispo Mothers for Peace v. NRC*, 449 F.3d 1016, 1034-35 (9th Cir. 2006).

In making a finding of no significant impact ("FONSI") with respect to spent fuel storage, the NRC has not even attempted to comply with the NRC's procedural requirements for a FONSI, such as preparing an environmental assessment ("EA") that addresses the purpose of and need for the proposed action and evaluates alternatives to the proposed action. The NRC also violates NEPA by failing to identify the documents on which it relies for its decision, and by failing to disclose all portions of its decision-making documents that are non-exempt under the Freedom of Information Act ("FOIA"). *San Luis Obispo Mothers for Peace* (Diablo Canyon Independent Spent Fuel Storage Installation), CLI-08-01, 67 NRC 1, 15-17 (2008) (citing Weinberger v. Catholic Action of Hawaii, 454 U.S. 139, 143 (1981)).

Perhaps most importantly, the NRC fails to explain why it is justified in continuing to allow licensees to use dangerous high-density fuel storage pools to store spent fuel under protective measures whose adequacy is suspect but cannot be publicly verified, when it would be possible to virtually eliminate the danger by using low-density pool storage and hardened dry storage of spent fuel. The NRC's secrecy is unnecessary, corrosive to the NRC's system of accountability through open decision-making, and potentially dangerous because the decision-making process was not only secret but was restricted to the NRC and a limited group of individuals with a vested interest in minimizing the cost of mitigative measures, *i.e.*, reactor licensees.

The Proposed Waste Confidence Rule and the Proposed Temporary Fuel Storage Rule are utterly inadequate to satisfy the requirements of the AEA and NEPA for a generic licensing decision for new nuclear power plants. Any generic decision to allow the creation of additional spent reactor fuel and other radioactive waste associated with the uranium fuel cycle must be accompanied by thorough, supported, and well-documented safety findings; and it must also be accompanied by an environmental impact statement ("EIS") that fully assesses the environmental impacts of the uranium cycle, including health and environmental impacts and costs, and that examines a reasonable array of alternatives, including the alternative of not producing any additional radioactive waste.

## **III. DESCRIPTION OF COMMENTERS**

The following is a description of the Commenter organizations. All of the organizations are neighbors of existing or proposed nuclear power plants, and most have either intervened or plan to intervene in NRC proceedings for the licensing or re-licensing of nuclear power plants.

Texans for a Sound Energy Policy ("TSEP") is a non-profit educational organization based in Victoria, Texas whose purpose is to identify and evaluate energy alternatives and their environmental, social and economic impacts, including but not limited to nuclear power, coal-fired power plants and other energy production facilities. Because Victoria is the proposed site of a new nuclear power plant, TSEP has an interest in ensuring that the environmental impacts and safety risks of spent fuel storage and disposal, taken together with the other safety and environmental risks posed by a new nuclear plant, will be adequately considered by the NRC.

Beyond Nuclear is a national watchdog organization on the nuclear power and radioactive waste industries, as well as on the federal government agencies which are supposed to protect the public and the environment from the risks of radiation and radioactive waste to human health and ecosystems. Beyond Nuclear aims to educate and activate the public about the connections between nuclear power and nuclear weapons and the need to abandon both to safeguard our future, including on the risks associated with the inevitable generation of radioactive waste by the nuclear industry. Beyond Nuclear advocates for an energy future that is sustainable, benign and democratic. It is headquartered in Takoma Park, Maryland, a Nuclear-Free Zone.

The Blue Ridge Environmental Defense League ("BREDL") is a 25-year-old regional, community-based non-profit environmental organization in the southeastern United States, whose founding principles are earth stewardship, environmental democracy, social justice, and community empowerment. BREDL encourages government agencies and citizens to take responsibility for conserving and protecting our natural resources.

BREDL advocates grassroots involvement to empower whole communities in environmental issues. BREDL also functions as a "watchdog" of the environment, monitoring issues and holding government officials accountable for their actions.

Established in 1991, C-10 Research and Education Foundation's mission is to monitor radiological emissions from the Seabrook nuclear reactor for use in assessing the plant's impact on human health and the environment. C-10 participated in the licensing proceeding for the Seabrook nuclear power plant.

Don't Waste Michigan is a state-based organization formed to stop Michigan from becoming a nuclear waste dumpsite.

Located in western Pennsylvania, the Environmental Coalition on Nuclear Power represents individuals and groups concerned about nuclear power and energy policy. Through educational, legal and political activities, the Coalition promotes a safe, non-nuclear U.S. energy policy.

Friends of the Earth is a leader in climate and energy solutions and in protecting human communities from environmental harm. It is the U.S. voice of an influential international network that operates in 70 countries. In South Carolina, Friends of the Earth has intervened in the NRC's licensing proceeding and the state regulatory proceeding for the V.C. Summer nuclear power plant.

Friends of the Coast-Opposing Nuclear Pollution is a Maine-based organization advocating for nuclear safety, safe storage of nuclear waste, and protection of the human environment from nuclear pollution. Friends of the Coast was the only environmental advocacy organization actively engaged in the decommissioning of Maine Yankee Atomic Power Station (1997-2005) and the only non-governmental organization involved in oversight of the Maine Yankee Independent Spent Fuel Storage Installation.

Since 1971, the New England Coalition ("NEC") has advocated for safe energy in New England and has provided education and resources for alternatives to nuclear power. NEC has also intervened in numerous NRC licensing proceedings involving the safety and environmental impacts of spent fuel storage at New England nuclear power plants.

Based in Atlanta, Georgia, Nuclear Watch South (formerly Georgians Against Nuclear Energy) is a regional, volunteer-based non-profit environmental group dedicated to phasing out nuclear power plants; abolishing nuclear weapons, safeguarding nuclear materials; and establishing ethical social policies for nuclear waste management.

Located in southeastern Massachusetts, Pilgrim Watch is a grassroots organization that serves the public interest in issues regarding the Pilgrim Nuclear Power Station in Plymouth, Massachusetts.

Public Citizen is a national, nonprofit consumer advocacy organization with over 70,000 members nationwide. Public Citizen's mission is to protect openness and democratic

accountability in government and the health, safety, and financial interests of consumers. Public Citizen advocates for policies that will lead to safe, affordable and environmentally sustainable energy.

Grandmothers, Mothers and More for Energy Safety is an action-oriented networking organization working for a safe, responsible, renewable energy future and against the relicensing of Oyster Creek Nuclear Generating Station in Ocean County, New Jersey.

Nuclear Free Vermont by 2012 is a member organization of people living near the Entergy Nuclear Vermont Yankee reactor and waste dump in Vernon, Vermont, whose mission is to educate people about how nuclear power affects the health and safety of the public.

Nuclear Information and Resource Service ("NIRS") is a non-profit corporation with over 12,000 members across the United States. NIRS has a mission to promote a non-nuclear energy policy, and a concern for the health and safety of the people and ecosphere.

San Luis Obispo Mothers for Peace ("SLOMFP") is a non-profit organization concerned with the risks and hazards connected with the Diablo Canyon Nuclear Power Plant, and with the dangers of nuclear power, weapons and waste on national and global levels. An all-volunteer non-profit group, SLOMFP has challenged NRC licensing decisions within the NRC and in Federal Courts since 1973.

The Southern Alliance for Clean Energy ("SACE") is a coalition of environmental and citizen organizations promoting green energy in the southeastern United States. SACE has intervened in several NRC proceedings for the licensing of new nuclear power plants.

The Snake River Alliance is an Idaho-based grassroots group working through research, education, and community advocacy for peace and justice, the end to nuclear weapons, responsible solutions to nuclear waste and contamination, and sustainable alternatives to nuclear power.

The Sustainable Energy and Economic Development ("SEED") Coalition is a project of Texas Fund for Energy and Environmental Education, Inc., a statewide nonprofit organization with 5,000 members working for clean air and clean energy in Texas. The organization advocates for sustainable energy, including energy efficiency, renewable energy and conservation.

## IV. LEGAL AND FACTUAL BACKGROUND

### A. Requirements of the Atomic Energy Act and the National Environmental Policy Act With Respect to NRC Decisions Regarding Spent Fuel Storage and Disposal

### 1. Safety determination under the AEA

The AEA precludes the NRC from licensing any new nuclear power plant or re-licensing any existing nuclear power plant if it would be "inimical . . . to the health and safety of the public." 42 U.S.C. § 2133(d). In conformance with this requirement, the Commission has stated that it will only license a new nuclear power plant "so long as the Commission can be reasonably confident that permanent disposal (as distinguished from continued storage under surveillance) can be accomplished safely when it is likely to become necessary." *Natural Resources Defense Council v. NRC*, 582 F.2d 166 (2d Cir. 1978). In the Proposed Waste Confidence Decision, the Commission has repeated its commitment not to license new nuclear power plants unless it can make this finding ("[The Commission] would not continue to license reactors if it did not have reasonable confidence that the wastes can and will in due course be disposed of safely.") 73 Fed. Reg. at 59,552. Finding # 1 of the Proposed Waste Confidence Decision addresses this requirement and effectively constitutes a licensing determination that spent fuel disposal risks are not inimical to public health and safety.

In licensing nuclear power plants, the Commission must also make a predictive finding that spent fuel can be stored safely pending ultimate disposal. *State of Minnesota v. NRC*, 602 F.2d 412, 418-19 (D.C. Cir. 1979). Proposed Findings 3, 4 and 5 of the Proposed Waste Confidence Decision address this requirement and effectively constitute a licensing determination that spent fuel storage risks are not inimical to public health and safety.

#### 2. Environmental analysis under NEPA

Separate from the AEA, NEPA requires that before licensing or re-licensing nuclear power plants, the NRC must evaluate, in an EIS, the environmental impacts of licensing decisions that have a significant environmental impact. 42 U.S.C. § 4332(C). NRC regulations include the licensing of nuclear power plants among actions that require the preparation of an EIS. 10 C.F.R. § 51.20(b)(2).

Even where an agency believes the environmental impacts of a proposed action are insignificant, an EIS may be required, depending up "'[t]he degree to which the possible effects on the human environment are highly uncertain or involve unique or unknown risks." *Foundation on Economic Trends v. Heckler*, 756 F.2d 143, 155 (D.C. Cir. 1985) (quoting 40 C.F.R. § 1508.27(b)(5)). *See also Blue Mountains Biodiversity Project v. Blackwood*, 161 F.3d 1208, 1213 (9th Cir. 1998) (noting that a project may have significant environmental impacts where its effects are "highly uncertain or involve unique or unknown risks."); *Morgan v. Walter*, 728 F.Supp. 1483, 1489 (D. Id. 1989).

An EIS must address the environmental impacts of the proposed action and connected actions and weigh the costs and benefits of a reasonable array of alternatives for avoiding or mitigating the consequences of the proposed action. 10 C.F.R. § 51.71(d). It must also address the cumulative impacts of the proposed action, *i.e.*, "the incremental impact of the action when added to other past, present, and reasonably foreseeable future actions . . ." 40 C.F.R. § 1508.7. *See also Hydro Resources, Inc.*, CLI-01-4, 53 NRC 31, 60 (2001).

To the extent possible, environmental impacts must be quantified; and where they cannot be quantified, they must be discussed in qualitative terms. 10 C.F.R. § 51.71(d).

## 3. Procedural requirements for compliance with AEA and NEPA

While the NRC may make a licensing determination through a notice-and-comment rulemaking, it must provide adequate support for its determination to satisfy the requirements of the Administrative Procedures Act ("APA"). *State of Minnesota*, 602 F.2d at 419. And while the NRC may make environmental determinations generically, those determinations must be made in compliance with the procedural requirements of NEPA, including preparation of an EIS for actions having a significant adverse impact on the human environment. *Baltimore Gas and Electric Co. v. Natural Resources Defense Council*, 462 U.S. 87, 99 (1983). In conducting supporting environmental analyses under NEPA, the NRC must comply with NEPA's procedural requirements for providing adequate notice to the public regarding the bases for its evaluation and decision, including the identification and disclosure of all reference documents that are not exempt from disclosure under the FOIA. *San Luis Obispo Mothers for Peace*, CLI-08-01, 67 NRC at, 15-17.

#### B. History of Waste Confidence Rulemaking

As recounted in the Proposed Waste Confidence Decision, as a result of a rulemaking petition proceeding and in response to the U.S. Court of Appeals for the D.C. Circuit's opinion on appeal of that rulemaking decision in *State of Minnesota*, 602 F.2d 412, the NRC has committed to periodically reassess "its finding of reasonable assurance that methods of safe permanent disposal of high-level radioactive waste (HLW) would be available when they were needed." 73 Fed. Reg. at 59,552. The Commission also committed that it would not continue to license reactors "if it did not have reasonable confidence that the wastes can and will in due course be disposed of safely." *Id*.

The Proposed Waste Confidence Decision marks the third time since 1979 that the Commission has proposed to make positive findings regarding the prospects for safe disposal and storage of spent fuel. *See* proposed 1979 finding (44 Fed. Reg. 61,372 (October 25, 1979)); final 1984 finding (49 Fed. Reg. 34,658 (August 31, 1984)); proposed 1989 finding (54 Fed. Reg. 39,767 (September 28, 1989)); final 1990 finding

(55 Fed. Reg. 38,474 (September 18, 1990)). Each time, the NRC has re-iterated a finding that safe spent fuel disposal is technically feasible, and each time it has extended the period of time that it expects will be necessary to site a repository.

As discussed below in subsection IV.E, the NRC has relied on the Waste Confidence Decision to license and re-license many nuclear power plants, and therefore it constitutes a major federal action significantly affecting the environment. Yet, not one of the Waste Confidence Decision proposals was accompanied by an EIS that addressed the environmental impacts of spent fuel disposal.

## C. Relationship Between Waste Confidence Rule and Table S-3 (Uranium Fuel Cycle Rule)

In 1979, the NRC promulgated a regulation concluding that the environmental impacts of the uranium fuel cycle were negligible. Final Rule, Licensing and Regulatory Policy and Procedures for Environmental Protection; Uranium Fuel Cycle Impacts From Spent Fuel Reprocessing and Radioactive Waste Management, 44 Fed. Reg. 45,362 (August 12, 1979). Estimates of radioactive releases from various stages of the uranium fuel cycle were presented in a table called "Table S-3." All of the estimated radiological releases were small. In the case of spent fuel disposal, the NRC estimated that radiological release estimate was based on two assumptions: first, that the repository would be located in a bedded salt deposit; and second, that no radioactivity would escape from the repository. 44 Fed. Reg. at 45,368.

Table S-3 was incorporated into NRC regulations at 10 C.F.R. § 51.51(b). 10 C.F.R. § 51.51(a) instructs that:

Under § 51.50, every environmental report prepared for the construction permit stage or early site permit stage or combined license stage of a light-water-cooled nuclear power reactor, and submitted on or after September 4, 1979, shall take Table S-3, Table of Uranium Fuel Cycle Environmental Data, as the basis for evaluating the contribution of the environmental effects of uranium mining and milling, the production of uranium hexafluoride, isotopic enrichment, fuel fabrication, reprocessing of irradiated fuel, transportation of radioactive materials and high-level wastes related to uranium fuel cycle activities to the environmental costs of licensing the nuclear power reactor. Table S-3 shall be included in the environmental report and may be supplemented by a discussion of the environmental significance of the data set forth in this table as weighed in the analysis for the proposed facility.

The Uranium Fuel Cycle Rule's finding of no significant health impacts is related to the Waste Confidence Decision because its estimate of zero radioactive releases from a repository is based on the Commission's then-current Waste Confidence finding that "a suitable bedded-salt repository site or its equivalent will be found." 44 Fed. Reg. at

45,332. As the Commission explained in a subsequent policy statement, it based that finding on its "confidence" in the integrity of a repository:

As the Commission noted in promulgating the [final uranium cycle rule], events which might lead to major releases from the bedded-salt repository used as the model for the S-3 rule appear remote in probability while any releases which might reasonably be expected eventually to occur appear very small. Accordingly, the Commission found that the staff's assumption that the integrity of the repository would be maintained after sealing was a reasonable description of the performance of a properly sealed repository and, when taken together with the staff's highly conservative assumption that all volatile fission products in reactor spent fuel would be released to the atmosphere prior to repository sealing, left Table S-3 overall a conservative description of fuel cycle impacts. *See* 44 FR 45369, col. 2. Considering the rule's limited purpose and taking into account the Commission's "waste confidence" proceeding, the Commission continues to believe that the record of the final S-3 rulemaking contains adequate information on waste disposal uncertainties to support continued use of the fuel cycle rule.

Policy Statement, Licensing and Regulatory Policy and Procedures for Environmental Protection; Uranium Fuel Cycle Impacts, 47 Fed. Reg. 50,591, 50,593 (Nov. 11, 1982).

In the 1990 update to the Waste Confidence Rule, the Commission also acknowledged that if it were to change its waste confidence decision, it would have to revisit the adequacy of Table S-3. 55 Fed. Reg. at 38,490.

The NRC has not updated Table S-3 since the 1970s. As the Commission recently explained, a planned update:

was delayed because, by the mid-1980s, there were no new applications for construction of nuclear power plants, nor, at that time, were any future ones predicted. Consequently, there was no regulatory need to update Table S-3 and competing priorities for rulemaking resources eventually resulted in the cessation of activities on the table. Since the mid-1980s, the NRC has revisited the issue of revising the value for radon-222 in Table S-3 on more than one occasion, but in each case higher priority rulemakings led to a halt in these efforts.

New England Coalition on Nuclear Pollution; Denial of Petition for Rulemaking, 73 Fed. Reg. 14,946, 14,947 (March 20, 2008).

#### D. Relationship Between Waste Confidence Rule and FONSI With Respect to Environmental Impacts of Spent Fuel Storage

NRC regulation 10 C.F.R. § 51.23(a) reports that the Commission "has made a generic determination that, if necessary, spent fuel generated in any reactor can be stored safely and without significant environmental impacts for at least 30 years beyond the licensed life for operation (which may include the term of a revised or renewed license) of that

reactor at its spent fuel storage basin or at either onsite or offsite independent spent fuel storage installations." This finding, in turn, is based on the Waste Confidence Decision and the environmental studies reported on in the Waste Confidence Decision. *See* Proposed Rule Regarding Temporary Fuel Storage, 73 Fed. Reg. at 59,549, 59,550.

#### E. NRC Reliance on Waste Confidence Rule and Table S-3 to License And Re-License Nuclear Power Plants

Since 1979, the NRC has used the Waste Confidence Decision as a generic licensing determination with respect to the safety and environmental impacts of storing and disposing of spent fuel. Therefore, in individual licensing proceedings, the NRC has rejected any contentions that question the safety or environmental impacts of spent fuel storage or disposal. For instance, in the following initial nuclear power plant licensing cases, the pendency of the Waste Confidence rulemaking was found to preclude the admission of contentions challenging the safety of onsite spent fuel storage and/or the prospects for safely disposing of spent fuel: *Carolina Power & Light Co. and North Carolina Eastern Municipal Power Agency* (Shearon Harris Nuclear Power Plant, Units 1 and 2), LBP-82-119A, 16 NRC 2069, 2081, 2102 (1982); *Virginia Electric and Power Co.* (North Anna Nuclear Power Station, Units 1 and 2), ALAB-584, 11 NRC 451, 465 (1980); *Public Service Electric and Gas Co., et al.* (Salem Nuclear Generating Station, Unit 1), ALAB-650, 14 NRC 43, 69 (1981).

The NRC has also relied on the generic findings of the Waste Confidence Decision and the related License Renewal Generic EIS (NUREG-1437, 1996) to preclude challenges to individual license renewal decisions. *See, e.g., Duke Energy Corp.* (Oconee Nuclear Station, Units 1, 2, and 3), CLI-99-11, 49 NRC 328, 344-45 (1999); *Florida Power & Light Co.* (Turkey Point Nuclear Generating Plant, Units 3 and 4), CLI-01-17, 54 NRC 3, 21-23 (2001); *Nuclear Management Company, L.L.C.* (Palisades Nuclear Plant), CLI-06-17, 63 NRC 727, 734 n.29 (2006); *Entergy Nuclear Vermont Yankee, L.L.C. and Entergy Nuclear Operations, Inc.* (Vermont Yankee Nuclear Power Station), and *Entergy Nuclear Generation Company and Entergy Nuclear Operations, Inc.* (Pilgrim Nuclear Power Station), CLI-07-03, 65 NRC 13, 17-18 (2007); *Entergy Nuclear Operations, Inc.* (Indian Point Nuclear Generating Station), LBP-08-13, \_\_\_\_\_ NRC \_\_\_ (July 31, 2008).

And in recent early site permit cases for new nuclear power plants, the NRC reached the same conclusion. *See, e.g., Dominion Nuclear North Anna, L.L.C.* (Early Site Permit for North Anna ESP Site), LBP-04-18, 60 NRC 253, 268-69 (2004); *Exelon Generating Company* (Early Site Permit for Clinton ESP Site), LBP-04-17, 60 NRC 229, 246-47 (2004); *System Energy Resources, Inc.* (Early Site Permit for Grand Gulf ESP Site), LBP-04-19, 60 NRC 277, 296 (2004).

Thus, since the first Waste Confidence rulemaking began, the Waste Confidence Decision has served as a surrogate for individual licensing determinations that storage and disposal of spent fuel can be conducted safely and without significant adverse environmental impacts. The NRC also relies on Table S-3 and the Uranium Fuel Cycle Rule as a licensing determination that the environmental impacts of the uranium fuel cycle are benign and therefore do not warrant the denial or restriction of licenses. The NRC will deem a license application to be sufficient if it incorporates the very small (or in the case of spent fuel, zero) estimates of radiological releases from the uranium fuel cycle that are presented in the 30-year-old Table S-3, and then extrapolates them into correspondingly insignificant health and economic effects. The NRC has ruled that the quantitative figures in Table S-3 may not be challenged in individual licensing proceedings. *See, e.g., Tennessee Valley Authority* (Bellefonte Nuclear Power Plant, Units 3 and 4), LBP-08-16, \_\_\_\_\_\_ NRC \_\_\_, slip op. at 70-72 (September 12, 2008); *Philadelphia Electric Co.* (Limerick

Generating Station, Units 1 and 2), LBP-83-6, 17 NRC 153, 154-56 (1983).

#### V. THE NRC'S GENERIC LICENSING DECISION THAT STORAGE AND DISPOSAL OF SPENT FUEL CAN BE ACCOMPLISHED SAFELY AND WITHOUT SIGNIFICANT ADVERSE ENVIRONMENTAL IMPACTS DOES NOT COMPLY WITH THE REQUIREMENTS OF THE AEA, NEPA, OR THE APA.

As discussed above in Section IV.E, the Waste Confidence Decision effectively constitutes a generic licensing decision that it is safe to license and re-license nuclear power plants because disposal and storage of the radioactive waste that they generate will not be inimical to public health and safety. As a licensing decision, the Waste Confidence Decision is subject to the requirements of both the AEA and NEPA.

#### A. The NRC's Generic Licensing Decision That Spent Fuel Can Be Safely Disposed of Does Not Comply with the AEA or NEPA.

## 1. NRC's safe disposal decision fails to comply with the AEA because its safety finding is unsupported.

As discussed in detail in the attached IEER Comments, the NRC lacks a basis for a reasonable level of confidence that disposal of spent fuel in a repository is technically feasible. A geologic repository is a mined system that is highly perturbed thermally, chemically, and mechanically from its original geological setting. In this system, three elements must be shown to work together: the waste and the waste encapsulation system, the backfill and sealant system, and the near- and far-field perturbed geologic environment. The NRC has not made such a demonstration. The research done so far on potential repositories has been completely inadequate to show any reasonable prospect for containment of radioactivity by a repository, in other words that a sealed geological repository with a large amount of spent fuel can contain radioactivity sufficiently to comply with safety, health and environmental standards.

2. NRC's safe disposal decision fails to comply with NEPA because it is not supported by an EIS that fully and accurately evaluates the environmental impacts of the uranium fuel cycle, including the impacts of spent fuel disposal.

NEPA requires that NRC licensing decisions with significant adverse environmental impacts must be supported by an EIS. Clearly, the generation of large quantities of highly radioactive spent fuel poses extremely grave risks to public health and safety, and therefore demands preparation of an EIS. In addition, the significant uncertainties that attend predictions of whether the radioactive waste will remain isolated for thousands of years warrant the preparation of an EIS. *See* 40 C.F.R. § 1508.27(b)(5)), *Blue Mountains Biodiversity Project*, 161 F.3d at 1213.

If the NRC wishes to continue to rely on the Waste Confidence Decision to allow the licensing of new nuclear power plants and the re-licensing of existing nuclear power plants, it must comply with NEPA to the "fullest" extent allowed by the law. *Calvert Cliffs Coordinating Comm. v. United States Atomic Energy Comm.*, 449 F.2d 1109, 1115 (D.C. Cir. 1971). The NRC therefore must support its generic decisions to license the future production of spent fuel and other radioactive waste by preparing a generic EIS that evaluates the environmental impacts of that decision. In compliance with 40 C.F.R. § 1502.22(b), the generic EIS must address all reasonably foreseeable environmental impacts, including the impacts of the entire stream of radioactive waste that will be generated by those plants, from mining to ultimate disposal, and including all intermediate stages.

The generic EIS must examine the cumulative impacts and costs of the entire amount of waste that will be generated, including the environmental impacts and costs of siting, building, and operating each additional repository. 40 C.F.R. § 1508.7. The EIS must also weigh the relative costs and benefits of licensing individual nuclear power plants – including the costs and benefits of generating and disposing of a significant quantity of radioactive waste – against the costs and benefits of other alternatives that would not involve the creation of that waste. 10 C.F.R. § 51.71(d). And because the evaluation of the environmental impacts of radioactive waste disposal involves predictions far into the future, the generic EIS must address the uncertainty that attends those predictions. 40 C.F.R. § 1508.27(b)(5). *See also* IEER Comments.

# 3. No existing EIS is sufficient to support the Waste Confidence Decision

No pre-existing EIS, already prepared by the NRC or the U.S. Department of Energy ("DOE"), is sufficient to support the Waste Confidence Decision. For instance, as discussed in IEER's Comments, the EIS prepared by the DOE in 1980 is insufficient in scope and grossly out of date.

Similarly, the documentation for the Uranium Fuel Cycle Rule, developed in the mid-1970s, only estimates radiation releases and does not evaluate human health impacts of those releases. It is also addressed to the impacts of an individual nuclear power plant, and fails to address the cumulative impacts of significantly adding to the nation's inventory of radioactive waste. The Uranium Fuel Cycle Rule is also extremely outdated with respect to its assumptions about the radioactive emissions from various forms of radioactive waste, including spent fuel, depleted uranium tails, greater than class C (GTCC) waste, and uranium mining tails. Table S-3 also erroneously concludes that it is conservative to assume gaseous releases of certain radionuclides, notably I-129, from reprocessing prior to sealing of a repository rather than to assume their release into water after disposal of spent fuel. And the Uranium Fuel Cycle Rule also significantly underestimates human vulnerability to radiation. *See* IEER Comments.

Finally, there is no EIS or other environmental analysis document that addresses one of the key environmental questions raised by the proposed licensing and re-licensing of nuclear plants: what does it cost to manage and dispose of the radioactive waste generated in the process of operating nuclear plants, and is the cost justifiable in comparison to renewable energy alternatives such as wind and solar power? The lack of a credible cost analysis for waste means that alternatives to nuclear power cannot be fairly evaluated as required by NEPA. *See* IEER Comments.

Thus, no other EIS exists on which the NRC could rely to support the generic Waste Confidence licensing decision. Before licensing or re-licensing even one more nuclear power plant, the NRC must prepare an EIS that fully addresses the environmental impacts of the radioactive waste that will be generated as a result of that licensing decision, both with respect to the impacts of the individual plant and the cumulative impacts of that plant in combination with all other plants that are currently licensed or can reasonably be expected to be licensed.

### B. Because the NRC Lacks a Basis for a Finding of Confidence in The Safety of Spent Fuel Disposal, It Must Re-Assess the Health Impacts of the Uranium Fuel Cycle as Set Forth in Table S-3 and the Uranium Fuel Cycle Rule.

As discussed above in Section IV.D, in licensing or re-licensing any nuclear power plant, the NRC relies on a generic determination, codified in Table S-3, that the human health impacts of disposing of the radioactive waste generated by that plant are insignificant. Further, as discussed above in Section V.A.2, the findings of Table S-3 are severely outdated, and the table significantly underestimates the human health impacts of the uranium fuel cycle, including the impacts of disposing of spent fuel. In addition, the assumptions on which Table S-3 depends include the asumption that spent fuel will be disposed of in a bedded salt repository. But in its Proposed Waste Confidence Decision, the NRC itself states that salt repositories are now considered suitable only for reprocessed high-level waste and not for spent fuel disposal. 73 Fed. Reg. at 59,555. As discussed in IEER's Comments, all other repository types are now considered likely to have radioactive releases after the repository has been sealed. The hypothesis that releases from spent fuel disposal could be zero has therefore been discredited. Indeed, there are plausible circumstances in which releases could exceed the requirements of safe

disposal as defined by radiation protection standards. In order to ensure that its licensing decisions for nuclear power plants comply with NEPA by fully addressing the environmental impacts of the radioactive waste they will generate, the NRC must completely overhaul Table S-3 and integrate it with a more comprehensive analysis of all of the environmental impacts and costs of the licensing of nuclear power plants, including the impacts and costs of the plants themselves and the wastes they will generate. *See* IEER Comments.

#### C. The NRC's Proposed Generic Finding That Spent Fuel Can Be Safely Stored Pending Ultimate Disposal Does Not Comply With the AEA or NEPA.

In past Waste Confidence Decisions, the NRC refused to acknowledge one of the most significant risks posed by operating nuclear power plants: the risk of a catastrophic fire caused by an attack or accident that leads to partial or complete drainage of a high-density spent fuel storage pool. Thompson Report, Section 5.1. The NRC has finally admitted the existence of this risk in the Proposed Waste Confidence Decision and Proposed Temporary Fuel Storage Rule. 73 Fed. Reg. at 59,564-68; 59,548. It also admits that since 2002 it has treated the risk as a site-specific issue, imposing new safety, security and environmental protection measures on a case-by-case basis, under secret licensing orders. Proposed Waste Confidence Decision, 73 Fed. Reg. at 59,567. *See also* Denial of Commonwealth of Massachusetts' Petition for Rulemaking, 73 Fed. Reg. at 46,209. As discussed below, the NRC's actions fail to comply with either the AEA or NEPA.

The NRC's violations of the law are significant, both with respect to existing nuclear power plants and future nuclear power plants. Currently, all nuclear power plant licensees in the United States store spent fuel in high-density storage pools. As discussed in Section 2 of Dr. Thompson's Report, likely trends in the operation of existing reactors show a substantial part of the fleet operating into the 2040s, with the last reactor shutting down in 2055. If, as appears likely, licensees of new reactors continue to use high-density pool storage for spent fuel, nuclear power plant operation will continue to pose a substantial risk of radiological harm.

## 1. NRC's safe storage finding does not qualify as a generic licensing determination under the AEA or NEPA.

In the Proposed Decision, the Commission demonstrates that it considers the risk of a pool fire to be specific to each nuclear plant, and asserts that it has taken site-specific measures to reduce those risks to an acceptable level, separately for each nuclear power plant. The Commission also states that it began to take these site-specific actions as long ago as 2002. 73 Fed. Reg. at 59,567.

Yet in the years that have passed since 2002, the Commission has repeatedly relied on the generic determination of the Waste Confidence Decision and 10 C.F.R. § 51.23 to deny hearing requests regarding the safety and environmental impacts of spent fuel storage in

individual licensing cases. See, e.g., Entergy Nuclear Vermont Yankee, L.L.C. and Entergy Nuclear Operations, Inc. CLI-07-03, 65 NRC 13 (Pilgrim and Vermont Yankee, 2007); Entergy Nuclear Operations, Inc., LBP-08-13 (Indian Point, 2008); Nuclear Management Company, L.L.C., CLI-06-17 (Palisades, 2006).

Having acknowledged that its findings regarding safe spent fuel storage are site-specific and not generic in nature, the NRC should withdraw its proposed generic finding. The Commission must also re-open the individual licensing cases in which it relied on the Waste Confidence Rule and 10 C.F.R. § 51.23 in failing to address the environmental impacts of spent fuel storage in the EIS for that licensing decision. The EIS should identify all documents on which the NRC relied, and the NRC must offer the public an opportunity for a hearing on the adequacy of the EIS.

Any EIS that is prepared for a new nuclear power plant, for which the applicant proposes to rely on high-density pool storage of spent fuel, must also address the environmental impacts of spent fuel storage at that individual site.

# 2. The NRC has failed to justify its refusal to prepare an EIS for spent fuel storage.

After years of denying the credibility of catastrophic spent fuel pool fires, the NRC now concedes that, as a general matter, high-density fuel pools are vulnerable to fire caused by accidents and attacks. Proposed Waste Confidence Decision, 73 Fed. Reg. at 59,565. Having effectively conceded that pool storage of spent fuel poses significant environmental risks, the NRC should prepare an EIS to address those risks, as required by 42 U.S.C. § 4332(C).

The NRC apparently believes it can avoid the preparation of an EIS by taking credit for mitigation measures that allegedly reduce the level of risk posed by spent fuel pool accidents to an acceptable level. 73 Fed. Reg. at 59,565. But the NRC has not, in fact, made such a showing. Neither the Proposed Waste Confidence Decision nor the Proposed Temporary Fuel Storage Rule gives any indication of the standard by which the NRC decided that spent fuel pool storage risks were insignificant or acceptable and it gives no indication of what measures were taken, even to the extent of identifying the decision documents. The NRC has therefore completely failed to justify is refusal to prepare an EIS.

The NRC has also failed to provide the public with an adequate opportunity to be heard with respect to the adequacy of the NRC's basis for its proposed FONSI. Under Section 189a of the Atomic Energy Act, 42 U.S.C. § 2239(a), the NRC must provide the public with an opportunity for a hearing on the adequacy of its NEPA determination. While the NRC may offer this hearing in the form of a notice-and-comment rulemaking, the rulemaking must comply with the APA, NEPA, and the NRC's own regulations for the implementation of NEPA. *Vermont Yankee Nuclear Power Corp. v. Natural Resources Defense Council*, 435 U.S. 519, 543, 548 (1978). Here, the NRC has failed to provide the public with a fair opportunity to comment on its proposed FONSI, as required by the
APA, because it has not complied with its own minimal procedural requirements for disclosing the basis for the FONSI.

For instance, under 10 C.F.R. § 51.32(a)(1), a FONSI must "identify the proposed action." While the Proposed Temporary Fuel Storage Rule does state that the purpose of the proposal is to reach a conclusion that spent fuel can be safely stored at or away from nuclear power plant sites, that statement is only a conclusion about one of the impacts of the agency action. The agency action is the licensing of nuclear power plants, which will in turn lead to the production of spent fuel. The NRC violates NEPA by *assuming* that it will take the licensing action that permits the production of spent fuel and then defining the scope of the proposed action as what must be done to cope with the environmental impacts that flow from the licensing action.

The NRC also violates its own NEPA regulations by failing to support the FONSI with an EQ, as required by 10 C.F.R. § 51.32(a)(4). No document is identified as an EA, nor can the required contents of an EA be found in either the Proposed Waste Confidence Decision or the Proposed Temporary Fuel Storage Rule.

The required contents of an EA are set forth in 10 C.F.R. § 51.31(a):

- (1) A brief discussion of:
  - (i) The need for the proposed action;
  - (ii) Alternatives as required by section 102(2)(E) of NEPA;
  - (iii) The environmental impacts of the proposed action and alternatives as appropriate; and
- (2) A list of agencies and persons consulted, and identification of sources used.

With respect to the "need for the proposed action," the NRC discusses the need for longterm spent fuel storage, but this is more of the same circular reasoning the NRC engages in with respect to its characterization of the proposed action. The NRC completely fails to address the question of whether it is necessary to allow the generation of spent fuel for which it has no effective means of disposal, and which it must therefore store at nuclear power plant sites for a potentially indefinite period of time.

In addition, the NRC provides no discussion of why it believes it needs to continue to allow licensees and new applicants to use the most dangerous method of fuel storage that exists: high-density pool storage of spent fuel. And no discussion at all can be found of alternatives to the use of high-density pool storage of spent fuel. This is an egregious omission, since the severe environmental impacts of a pool fire could be almost completely avoided by the abandonment of high-density pool storage and substitution of low-density pool storage and hardened dry storage. Thompson Report, Section 8. The benefits of low-density pool storage and hardened dry storage, which must be addressed in an EA, would include not only the virtual elimination of the risk of a catastrophic fire, but the elimination of the need for secrecy about the measures that the NRC allegedly has taken to reduce the risk of a pool fire to an acceptable level. *Id.*, Section 9. While licensees are privy to the contents of these measures, the public has no means of holding

the NRC to account for their effectiveness in protecting public health and the environment. The adverse effect of this unnecessary secrecy on the integrity of the NRC's regulatory process is a significant concern that should be addressed in the EA.

Contrary to the requirement of 10 C.F.R. § 51.30(a)(1)(iii), the Proposed Decision also completely fails to address the reasonably foreseeable and potentially catastrophic environmental impacts of a pool fire. To illustrate those impacts, the offsite costs arising from a pool fire at the Indian Point site have been estimated at \$460 billion. That estimate was non-conservative, and consideration of additional factors could lead to a substantially higher estimate of costs. Thompson Report, Section 5.4.

In addition, neither the Proposed Decision nor the Proposed Temporary Fuel Storage Rule contains a list of the reference documents on which it relies for its finding of no significant impact. Thus, there is no means by which a member of the public could discern the technical basis for the NRC's decision or request the documents under the FOIA. While some documents are discussed in the text of the Proposed Waste Confidence Decision and the Proposed Temporary Spent Fuel Storage Rule, it is clear that the NRC relied on numerous other documents for its determination that spent fuel storage poses no significant environmental impacts, including technical studies and licensing actions taken by the NRC.

The Proposed Temporary Spent Fuel Storage Rule is also defective because it relies on the NRC's decision denying the Commonwealth of Massachusetts' rulemaking petition regarding spent fuel storage risks, 73 Fed. Reg. 46,204 (August 8, 2008), which also fails to identify the reference documents on which it relies. As the Commission has ruled, failure to identify or produce non-exempt portions of reference documents relied on for an EA constitutes a violation of NEPA. *San Luis Obispo Mothers for Peace*, CLI-08-01, 67 NRC at 15-17. The fact that some of the documents contain security-related information does not excuse the NRC from complying with NEPA. *San Luis Obispo Mothers for Peace v. NRC*, 449 F.2d at 1034-35. The NRC's proposed FONSI with respect to spent fuel storage therefore is fatally defective and should be withdrawn.

Having failed to address its own fundamental requirements for the justification of a decision not to prepare an EIS, the NRC cannot claim to have complied with NEPA or to have offered the public a meaningful opportunity to comment on its decision.

# VI. CONCLUSION

For thirty years, the NRC has relied on the Waste Confidence Decision to generically license activities resulting in the generation of significant quantities of high-level radioactive waste and other forms of radioactive waste that are difficult, expensive and dangerous to store or dispose of. After 30 years of studying the prospects for safe disposal of spent fuel, the NRC is still far from having any basis for a reasonable assurance the spent fuel can be disposed of safely. The NRC's Proposed Waste Confidence Decision therefore fails to meet the requirements for an adequately supported licensing decision under the AEA.

The NRC's Proposed Waste Confidence Decision also fails to comply with NEPA because it is not supported by a generic EIS that thoroughly evaluates the individual and cumulative environmental impacts of NRC licensing decisions with respect to the generation of spent fuel and other forms of radioactive waste. The limited environmental studies that were prepared in the 1970s are now grossly out of date and completely insufficient to support the licensing of an entire new generation of nuclear power plants.

Finally, the NRC's generic determination that it is safe to store spent fuel at reactor sites or away-from-reactor sites pending its disposal fails to comply with the AEA, the APA, or NEPA.

Therefore NRC should withdraw the Proposed Waste Confidence Decision and the Proposed Temporary Spent Fuel Storage Rule. It should also suspend all future action on applications for new nuclear power plant licenses or the renewal of existing licenses, unless and until it has complied with the AEA, the APA, and NEPA.

Respectfully submitted on behalf of the foregoing Commenters,

(electronically signed by) Diane Curran Harmon, Curran, Spielberg, & Eisenberg, L.L.P. 1726 M Street N.W., Suite 600 Washington, D.C. 20036 202/328-3500 FAX 202/328-6918 dcurran@harmoncurran.com

(*electronically signed by*) James Blackburn, Jr. Blackburn Carter, P.C. 4709 Austin St. Houston, Texas 77004 713/524-1012 713/524-5165 (*fax*) jbb@blackburncarter.com

February 6, 2009

### UNITED STATES OF AMERICA NUCLEAR REGULATORY COMMISSION BEFORE THE SECRETARY

Waste Confidence Decision Update 10 C.F.R. Part 51 73 Fed. Reg. 59,551 (Oct. 9, 2008)	) ) ) )	Docket ID – 2008-0482
Proposed Rule: Consideration of Environmental Impacts of Temporary Storage of Spent Fuel After Cessation	) ) ) )	RIN: 3150-A147 Docket ID – 2008-0404
Of Reactor Operation 10 C.F.R. Part 51 73 Fed. Reg. 59,547 (Oct. 9, 2008)	) ) )	

#### DECLARATION BY DR. ARJUN MAKHIJANI IN SUPPORT OF COMMENTS OF THE INSTITUTE FOR ENERGY AND ENVIRONMENTAL RESEARCH ON THE U.S. NUCLEAR REGULATORY COMMISSION'S PROPOSED WASTE CONFIDENCE DECISION UPDATE

Under penalty of perjury, I, Dr. Arjun Makhijani, declare as follows:

1. I am President of the Institute for Energy and Environmental Research. IEER has been doing nuclear-related studies for over twenty years and is an independent non-profit organization located in Takoma Park, Maryland. Under my direction, IEER produces technical studies on a wide range of energy and environmental issues to provide advocacy groups and policymakers with sound scientific information and analyses as applied to environmental and health protection and for the purpose of promoting the understanding and the democratization of science.

2. I have a Ph.D. (Engineering), granted by the Department of Electrical Engineering and Computer Sciences of the University of California, Berkeley, where I specialized in the application of plasma physics to controlled nuclear fusion. I also have a master's degree in electrical engineering from Washington State University, and a bachelor's degree in electrical engineering from the University of Bombay. I am qualified by training and experience as an expert in the fields of plasma physics, electrical engineering, nuclear engineering, and energy-related technology and policy issues. I have extensive

professional experience and am qualified as an expert in radioactive waste disposal, standards for protection of human health from radiation, and the relative costs and benefits of nuclear energy and other energy sources. I have served as an expert witness in numerous lawsuits and testified on a variety of issues including releases of radioactivity from nuclear facilities. A copy of my curriculum vita (CV) is attached.

3. Over more than 25 years, I have developed extensive experience with nuclear fuel cycle-related issues, including standards and strategies for radioactive waste storage and disposal, accountability with respect to measurement of radioactive effluents from nuclear facilities, health and environmental effects of nuclear testing and nuclear facility operation, strategies for disposition of fissile materials, energy efficiency, and other energy-related issues. As reflected in my curriculum vita (see Attachment) I have authored or co-authored many publications on these subjects. I have testified before Congress on several occasions regarding issues related to nuclear waste, reprocessing, environmental releases of radioactivity, and regulation of nuclear weapons plants.

4. An extensive part of my work has been to analyze various issues related to radioactive waste management, classification, and disposal. This includes studies on low-level waste, high-level waste, spent fuel disposal, geologic repositories, and research related to geologic repositories. I have studies radioactive waste in both the commercial and military sectors. I was the director of a team that analyzed ANDRA's research plans for a geological repository for high level radioactive waste in France on behalf of a French government-sponsored stakeholder committee (2004). I am the principal author of a book on nuclear waste, *High-Level Dollars Low-Level Sense: A Critique of Present Policy for the Management of Long-Lived Radioactive Waste and Discussion of An Alternative Approach*, Apex Press, 1992. This included an analysis of U.S. waste classification regulations. I am the principal author of an assessment of the radioactive waste management and disposal costs of depleted uranium from the National Enrichment Facility (2004 and 2005).

5. Between 1997 and 2002, I was on the expert team monitoring independent audits of the compliance of Los Alamos National Laboratory with the radiation release portion of the Clean Air Act (40 CFR 61 Subpart H), conducted under a Consent Decree, which was the result of a federal court finding that Los Alamos was out of compliance with Subpart H. In that capacity I have reviewed extensive records, models, facilities, procedures, measurements, and other aspects of the Los Alamos National Laboratory air emissions control and measurement program in order to determine whether the audits were being properly conducted and whether they were thoroughly done. I have also served as a member of the Radiation Advisory Committee of the U.S. Environmental Protection Agency's (EPA's) Science Advisory Board from 1992 to 1994 and on the EPA's Advisory Subcommittee on cleanup standards, which was part of the National Advisory Committee on Environmental Policy and Technology. In addition, I have served as a consultant to numerous organizations, as mentioned in my CV.

5. I have written a number of books and other publications analyzing the safety, economics, and efficiency of various energy sources, including nuclear power and sustainable energy sources such as wind and solar energy. I was the principal author of the first evaluation of energy end-uses and energy efficiency potential in the U.S. economy (published by the Electronics Research Laboratory, University of California at Berkeley in 1971). I was also the principal author of the first overview study on *Energy* and Agriculture in the Third World (Ballinger 1975). This study included consideration of both traditional and modern energy sources. I was one of the principal technical staff persons of the Ford Foundation Energy Policy Project, and a co-author of its final report, A Time to Choose, which helped shape U.S. energy policy during the mid-to-late 1970s. I am a co-author of Investment Planning in the Energy Sector, which is an economic model published by the Lawrence Berkeley Laboratory in 1975. I am also the author of Nuclear Power Deception (Apex Books 1999), an analysis of nuclear power policy, safety and the promises of energy "too cheap to meter" in the United States. On behalf of the SEED Coalition, I have assessed the capital costs of proposed nuclear power reactors in South Texas (2008). In addition, I am the author of Carbon-Free and Nuclear-Free (RDR Books and IEER Press 2007, reprinted in 2008), which is, to the best of my knowledge, the first detailed analysis of a transition to a U.S. economy based completely on renewable energy, without any use of fossil fuels or nuclear power. I have been a consultant on energy issues to several U.N. agencies, the Tennessee Valley Authority, the Lower Colorado River Authority, the Lawrence Berkeley Laboratory, Edison Electric Institute, and the Congressional Office of Technology Assessment. I was elected a Fellow of the American Physical Society in 2007, an honor granted to at most one-half of one percent of APS members.

6. I have also done extensive work with respect to the health and environmental effects of nuclear weapons production. I am the principal author of the first independent assessment of radioactivity emissions from a nuclear weapons plant (1989) and co-author of the first audit of the cost of the U.S. nuclear weapons program (*Atomic Audit*, 1998). I am also the principal editor and a co-author of the first global assessment of the health and environmental effects of nuclear weapons production (*Nuclear Wastelands*, 1995 and 2000), which was nominated for a Pulitzer Prize by MIT Press.

7. I have reviewed the NRC's Waste Confidence Decision Update (73 Fed. Reg. 59,551 (Oct. 9, 2009)). I am also familiar with the relevant underlying documents and with the general history of the development of the Waste Confidence Decision. In addition, I am familiar with the NRC's uranium fuel cycle rule and relevant associated reference documents. And I am familiar with relevant aspects of governing law and guidance, including the National Environmental Policy Act and relevant NRC implementing regulations.

8. I am responsible for the content of the Comments of the Institute for Energy and Environmental Research on the U.S. Nuclear Regulatory Commission's Proposed Waste Confidence Decision Update and Proposed Rule Regarding Environmental Impacts of Temporary Spent Fuel Storage, dated February 6, 2009. The facts presented in those comments are true and correct to the best of my knowledge, and the opinions expressed therein are based on my best professional judgment.

Dym Maklingin

Dr. Arjun Makhijani

February 6, 2009

Attachment

#### INSTITUTE FOR ENERGY AND ENVIRONMENTAL RESEARCH

6935 Laurel Avenue, Suite 201 Takoma Park, MD 20912

Phone: (301) 270-5500 FAX: (301) 270-3029 e-mail: ieer@ieer.org http://www.ieer.org

## Curriculum Vita of Arjun Makhijani

#### Address and Phone:

Institute for Energy and Environmental Research 6935 Laurel Ave., Suite 201 Takoma Park, MD 20912 Phone: 301-270-5500 e-mail: arjun@ieer.org Website: www.ieer.org

A recognized authority on energy issues, Dr. Makhijani is the author and co-author of numerous reports and books on energy and environment related issues. He was the principal author of the first study of the energy efficiency potential of the US economy published in 1971. He is the author of *Carbon-Free and Nuclear-Free: A Roadmap for U.S. Energy Policy* (2007).

In 1989 he received The John Bartlow Martin Award for Public Interest Magazine Journalism of the Medill School of Journalism, Northwestern University, with Robert Alvarez; was awarded the Josephine Butler Nuclear Free Future Award in 2001 and the Jane Bagley Lehman Award of the Tides Foundation in 2008; and was named a Ploughshares Hero, by the Ploughshares Fund (2006). In 2007, he was named a Fellow of the American Physical Society. He has many published articles in journals such as *The Bulletin of the Atomic Scientists* and *The Progressive*, as well as in newspapers, including the *Washington Post*.

Dr. Makhijani has testified before Congress, and has appeared on ABC World News Tonight, the CBS Evening News, CBS 60 Minutes, NPR, CNN, and BBC, among others. He has served as a consultant on energy issues to utilities, including the Tennessee Valley Authority, the Edison Electric Institute, the Lawrence Berkeley Laboratory, and several agencies of the United Nations.

#### Education:

- Ph.D. University of California, Berkeley, 1972, from the Department of Electrical Engineering. Area of specialization: plasma physics as applied to controlled nuclear fusion. Dissertation topic: multiple mirror confinement of plasmas. Minor fields of doctoral study: statistics and physics.
- M.S. (Electrical Engineering) Washington State University, Pullman, Washington, 1967. Thesis topic: electromagnetic wave propagation in the ionosphere.
- Bachelor of Engineering (Electrical), University of Bombay, Bombay, India, 1965.

## Current Employment:

- 1987-present: President and Senior Engineer, Institute for Energy and Environmental Research, Takoma Park, Maryland. (part-time in 1987).
- February 3, 2004-present, Associate, SC&A, Inc., one of the principal investigators in the audit of the reconstruction of worker radiation doses under the Energy Employees Occupational Illness Compensation Program Act under contract to the Centers for Disease Control and Prevention, U.S. Department of Health and Human Services.

## Other Long-term Employment

- 1984-88: Associate Professor, Capitol College, Laurel, Maryland (part-time in 1988).
- 1983-84: Assistant Professor, Capitol College, Laurel, Maryland.
- 1977-79: Visiting Professor, National Institute of Bank Management, Bombay, India. Principal responsibility: evaluation of the Institute's extensive pilot rural development program.
- 1975-87: Independent consultant (see page 2 for details)
- 1972-74: Project Specialist, Ford Foundation Energy Policy Project. Responsibilities included research and writing on the technical and economic aspects of energy conservation and supply in the U.S.; analysis of Third World rural energy problems; preparation of requests for proposals; evaluation of proposals; and the management of grants made by the Project to other institutions.
- 1969-70: Assistant Electrical Engineer, Kaiser Engineers, Oakland California. Responsibilities included the design and checking of the electrical aspects of mineral industries such as cement plants, and plants for processing mineral ores such as lead and uranium ores. Pioneered the use of the desk-top computer at Kaiser Engineers for performing electrical design calculations.

# **Professional Societies:**

- Institute of Electrical and Electronics Engineers and its Power Engineering Society
- American Physical Society (Fellow)
- Health Physics Society
- American Association for the Advancement of Science

### Awards and Honors:

- The John Bartlow Martin Award for Public Interest Magazine Journalism of the Medill School of Journalism, Northwestern University, 1989, with Robert Alvarez
- The Josephine Butler Nuclear Free Future Award, 2001
- Ploughshares Hero, Ploughshares Fund, 2006
- Elected a Fellow of the American Physical Society, 2007, "For his tireless efforts to provide the public with accurate and understandable information on energy and environmental issues"
- Jane Bagley Lehman Award of the Tides Foundation, 2007/2008

#### *Invited Faculty Member, Center for Health and the Global Environment, Harvard Medical School*: Annual Congressional Course, *Environmental Change: The Science and Human Health Impacts*, April 18-19, 2006, Lecture Topic: An Update on Nuclear Power - Is it Safe?

## Consulting Experience, 1975-1987

Consultant on a wide variety of issues relating to technical and economic analyses of alternative energy sources; electric utility rates and investment planning; energy conservation; analysis of energy use in agriculture; US energy policy; energy policy for the Third World; evaluations of portions of the nuclear fuel cycle.

Partial list of institutions to which I was a consultant in the 1975-87 period:

- Tennessee Valley Authority
- Lower Colorado River Authority
- Federation of Rocky Mountain States
- Environmental Policy Institute
- Lawrence Berkeley Laboratory
- Food and Agriculture Organization of the United Nations
- International Labour Office of the United Nations
- United Nations Environment Programme
- United Nations Center on Transnational Corporations
- The Ford Foundation
- Economic and Social Commission for Asia and the Pacific
- United Nations Development Programme

Languages: English, French, Hindi, Sindhi, and Marathi.

### Reports, Books, and Articles (Partial list)

(Newsletter, newspaper articles, excerpts from publications reprinted in books and magazines or adapted therein, and other similar publications are not listed below)

Hower, G.L., and A. Makhijani, "Further Comparison of Spread-F and Backscatter Sounder Measurements," *Journal of Geophysical Research*, 74, p. 3723, 1969.

Makhijani, A., and A.J. Lichtenberg, *An Assessment of Energy and Materials Utilization in the U.S.A.*, University of California Electronics Research Laboratory, Berkeley, 1971.

Logan, B. G., A.J. Lichtenberg, M. Lieberman, and A. Makhijani, "Multiple-Mirror Confinement of Plasmas," *Physical Review Letters*, 28, 144, 1972.

Makhijani, A., and A.J. Lichtenberg, "Energy and Well-Being," *Environment*, 14, 10, June 1972.

Makhijani, A., A.J. Lichtenberg, M. Lieberman, and B. Logan, "Plasma Confinement in Multiple Mirror Systems. I. Theory," *Physics of Fluids*, 17, 1291, 1974.

*A Time to Choose: America's Energy Future*, final report of the Ford Foundation Energy Policy Project, Ballinger, Cambridge, 1974. One of many co-authors.

Makhijani, A., and A. Poole, *Energy and Agriculture in the Third World*, Ballinger, Cambridge, 1975.

Makhijani, A., *Energy Policy for the Rural Third World*, International Institute for Environment and Development, London, 1976.

Kahn, E., M. Davidson, A. Makhijani, P. Caeser, and S. Berman, *Investment Planning in the Energy Sector*, Lawrence Berkeley Laboratory, Berkeley, 1976.

Makhijani, A., "Solar Energy for the Rural Third World," *Bulletin of the Atomic Scientists*, May 1977.

Makhijani, A., "Energy Policy for Rural India," *Economic and Political Weekly*, 12, Bombay, 1977.

Makhijani, A., *Some Questions of Method in the Tennessee Valley Authority Rate Study*, Report to the Tennessee Valley Authority, Chattanooga, 1978.

Makhijani, A., *The Economics and Sociology of Alternative Energy Sources*, Economic and Social Commission for Asia and the Pacific, 1979.

Makhijani, A., *Energy Use in the Post-Harvest Component of the Food Systems in Ivory Coast and Nicaragua*, Food and Agriculture Organization of the United Nations, Rome, 1982.

Makhijani, A., *Oil Prices and the Crises of Debt and Unemployment: Methodological and Structural Aspects*, International Labour Office of the United Nations, Final Draft Report, Geneva, April 1983.

Makhijani, A., and D. Albright, *The Irradiation of Personnel at Operation Crossroads*, International Radiation Research and Training Institute, Washington, D.C., 1983.

Makhijani, A., K.M. Tucker, with Appendix by D. White, *Heat, High Water, and Rock Instability at Hanford*, Health and Energy Institute, Washington, D.C., 1985.

Makhijani, A., and J. Kelly, *Target: Japan - The Decision to Bomb Hiroshima and Nagasaki*, July 1985, a report published as a book in Japanese under the title, Why Japan?, Kyoikusha, Tokyo, 1985.

Makhijani, A., *Experimental Irradiation of Air Force Personnel During Operation Redwing - 1956*, Environmental Policy Institute, Washington, D.C., 1985.

Makhijani, A., and R.S. Browne, "Restructuring the International Monetary System," *World Policy Journal*, New York, Winter, 1985-86.

Makhijani, A., R. Alvarez, and B. Blackwelder, *Deadly Crop in the Tank Farm: An Assessment of Management of High-Level Radioactive Wastes in the Savannah River Plant Tank Farm*, Environmental Policy Institute, Washington, D.C., 1986.

Makhijani, A., "Relative Wages and Productivity in International Competition," *College Industry Conference Proceedings*, American Society for Engineering Education, Washington, D.C., 1987.

Makhijani, A., An Assessment of the Energy Recovery Aspect of the Proposed Mass Burn Facility at Preston, Connecticut, Institute for Energy and Environmental Research, Takoma Park, 1987.

Makhijani, A., R. Alvarez, and B. Blackwelder, *Evading the Deadly Issues: Corporate Mismanagement of America's Nuclear Weapons Production*, Environmental Policy Institute, Washington, D.C., 1987.

Franke, B. and A. Makhijani, *Avoidable Death: A Review of the Selection and Characterization of a Radioactive Waste Repository in West Germany*, Health & Energy Institute, Washington, DC; Institute for Energy and Environmental Research, Takoma Park, November 1987.

Makhijani, A., *Release Estimates of Radioactive and Non-Radioactive Materials to the Environment by the Feed Materials Production Center, 1951-85*, Institute for Energy and Environmental Research, Takoma Park, 1988.

Alvarez, R., and A. Makhijani, "The Hidden Nuclear Legacy," Technology Review, 91, 42,1988.

Makhijani, A., Annie Makhijani, and A. Bickel, *Saving Our Skins: Technical Potential and Policies for the Elimination of Ozone-Depleting Chlorine Compounds*, Environmental Policy Institute and Institute for Energy and Environmental Research, Takoma Park, 1988.

Makhijani, A., Annie Makhijani, and A. Bickel, *Reducing Ozone-Depleting Chlorine and Bromine Accumulations in the Stratosphere: A Critique of the U.S. Environmental Protection Agency's Analysis and Recommendations*, Institute for Energy and Environmental Research and Environmental Policy Institute/Friends of the Earth, Takoma Park, 1989.

Makhijani, A., and B. Franke, *Addendum to Release Estimates of Radioactive and Non-Radioactive Materials to the Environment by the Feed Materials Production Center*, 1951-85, Institute for Energy and Environmental Research, Takoma Park, 1989.

Makhijani, A., *Global Warming and Ozone Depletion: An Action Program for States*, Institute for Energy and Environmental Research, Takoma Park, 1989.

Makhijani, A., *Managing Municipal Solid Wastes in Montgomery County*, Prepared for the Sugarloaf Citizens Association, Institute for Energy and Environmental Research, Takoma Park, 1990.

Saleska, S., and A. Makhijani, *To Reprocess or Not to Reprocess: The Purex Question - A Preliminary Assessment of Alternatives for the Management of N-Reactor Irradiated Fuel at the* 

U.S. Department of Energy's Hanford Nuclear Weapons Production Facility, Institute for Energy and Environmental Research, Takoma Park, 1990.

Makhijani, A., "Common Security is Far Off," Bulletin of the Atomic Scientists, May 1990.

Makhijani, A., *Draft Power in South Asian Agriculture: Analysis of the Problem and Suggestions for Policy*, prepared for the Office of Technology Assessment, Institute for Energy and Environmental Research, Takoma Park, 1990.

Mehta, P.S., S.J. Mehta, A.S. Mehta, and A. Makhijani, "Bhopal Tragedy's Health Effects: A Review of Methyl Isocyanate Toxicity," *JAMA* 264, 2781, December 1990.

Special Commission of International Physicians for the Prevention of Nuclear War and the Institute for Energy and Environmental Research, *Radioactive Heaven and Earth: The Health and Environmental Effects of Nuclear Weapons Testing In, On, and Above the Earth*, Apex Press, New York, 1991. One of many co-authors.

Makhijani, A., and S. Saleska, *High Level Dollars Low-Level Sense: A Critique of Present Policy for the Management of Long-Lived Radioactive Waste and Discussion of an Alternative Approach*, Apex Press, New York, 1992.

Makhijani, A., From Global Capitalism to Economic Justice: An Inquiry into the Elimination of Systemic Poverty, Violence and Environmental Destruction in the World Economy, Apex Press, New York, 1992.

Special Commission of International Physicians for the Prevention of Nuclear War and the Institute for Energy and Environmental Research, *Plutonium: Deadly Gold of the Nuclear Age*, International Physicians Press, Cambridge, MA, 1992. One of several co-authors.

Makhijani, A., "Energy Enters Guilty Plea," Bulletin of the Atomic Scientists, March/April 1994.

Makhijani, A., "Open the Files," Bulletin of the Atomic Scientists, Jan./Feb. 1995.

Makhijani, A., " 'Always' the Target?" Bulletin of the Atomic Scientists, May/June 1995.

Makhijani, A., and Annie Makhijani, *Fissile Materials in a Glass, Darkly: Technical and Policy Aspects of the Disposition of Plutonium and Highly Enriched Uranium*, IEER Press, Takoma Park, 1995.

Makhijani, A., and K. Gurney, *Mending the Ozone Hole: Science, Technology, and Policy*, MIT Press, Cambridge, MA, 1995.

Makhijani, A., H. Hu, K. Yih, eds., *Nuclear Wastelands: A Global Guide to Nuclear Weapons Production and the Health and Environmental Effects*, MIT Press, Cambridge, MA, 1995.

Zerriffi, H., and A. Makhijani, *The Nuclear Safety Smokescreen: Warhead Safety and Reliability and the Science Based Stockpile Stewardship Program*, Institute for Energy and Environmental Research, Takoma Park, May 1996.

Zerriffi, H., and A. Makhijani, "The Stewardship Smokescreen," *Bulletin of the Atomic Scientists*, September/October 1996.

Makhijani, A., *Energy Efficiency Investments as a Source of Foreign Exchange*, prepared for the International Energy Agency Conference in Chelyabinsk, Russia, 24-26 September 1996.

Makhijani, A., "India's Options," Bulletin of the Atomic Scientists, March/April 1997.

Ortmeyer, P. and A. Makhijani, "Worse than We Knew," *Bulletin of the Atomic Scientists*, November/December 1997.

Fioravanti, M., and A. Makhijani, *Containing the Cold War Mess: Restructuring the Environmental Management of the U.S. Nuclear Weapons Complex*, Institute for Energy and Environmental Research, Takoma Park, October 1997.

Principal author of three chapters in Schwartz, S., ed., *Atomic Audit: The Costs and Consequences of U.S. Nuclear Weapons Since 1940*, Brookings Institution, Washington, D.C., 1998.

Franke, B., and A. Makhijani, *Radiation Exposures in the Vicinity of the Uranium Facility in Apollo, Pennsylvania*, Institute for Energy and Environmental Research, Takoma Park, February 2, 1998.

Fioravanti, M., and A. Makhijani, *Supplement to Containing the Cold War Mess - IEER's Response to the Department of Energy's Review*, Institute for Energy and Environmental Research, Takoma Park, March 1998.

Makhijani, A., "A Legacy Lost," Bulletin of the Atomic Scientists, July/August 1998.

Makhijani, A., and Hisham Zerriffi, *Dangerous Thermonuclear Quest: The Potential of Explosive Fusion Research for the Development of Pure Fusion Weapons*, Institute for Energy and Environmental Research, Takoma Park, July 1998.

Makhijani, A., and Scott Saleska, *The Nuclear Power Deception - U.S. Nuclear Mythology from Electricity "Too Cheap to Meter" to "Inherently Safe" Reactors*, Apex Press, New York, 1999.

Makhijani, A., "Stepping Back from the Nuclear Cliff," *The Progressive*, vol. 63, no. 8, August 1999.

Makhijani, A., Bernd Franke, and Hisham Zerriffi, *Preliminary Partial Dose Estimates from the Processing of Nuclear Materials at Three Plants during the 1940s and 1950s*, Institute for Energy and Environmental Research, Takoma Park, September 2000. (Prepared under contract to the newspaper USA Today.) Makhijani, A., and Bernd Franke, *Final Report of the Institute for Energy and Environmental Research on the Second Clean Air Act Audit of Los Alamos National Laboratory by the Independent Technical Audit Team*, Institute for Energy and Environmental Research, Takoma Park, December 13, 2000.

Makhijani, A., *Plutonium End Game: Managing Global Stocks of Separated Weapons-Usable Commercial and Surplus Nuclear Weapons Plutonium*, Institute for Energy and Environmental Research, Takoma Park, January 2001.

Makhijani, A., Hisham Zerriffi, and Annie Makhijani, "Magical Thinking: Another Go at Transmutation," *Bulletin of the Atomic Scientists*, March/April 2001.

Makhijani, A., *Ecology and Genetics: An Essay on the Nature of Life and the Problem of Genetic Engineering*. New York: Apex Press, 2001.

Makhijani, A., "Burden of Proof," Bulletin of the Atomic Scientists, July/August 2001.

Makhijani, A., "Reflections on September 11, 2001," in Kamla Bhasin, Smitu Kothari, and Bindia Thapar, eds., *Voices of Sanity: Reaching Out for Peace*, Lokayan, New Delhi, 2001, pp. 59-64.

Makhijani, A., and Michele Boyd, *Poison in the Vadose Zone: An examination of the threats to the Snake River Plain aquifer from the Idaho National Engineering and Environmental Laboratory*, Institute for Energy and Environmental Research, Takoma Park, October 2001.

Makhijani, A., Securing the Energy Future of the United States: Securing the Energy Future of the United States: Oil, Nuclear, and Electricity Vulnerabilities and a post-September 11, 2001 Roadmap for Action, Institute for Energy and Environmental Research, Takoma Park, November 2001.

Makhijani, A., and Sriram Gopal, Setting Cleanup Standards to Protect Future Generations: The Scientific Basis of Subsistence Farmer Scenario and Its Application to the Estimation of Radionuclide Soil Action Levels (RSALs) for Rocky Flats, Institute for Energy and Environmental Research, Takoma Park, December 2001.

Makhijani, A., "Some Factors in Assessing the Response to September 11, 2001," *Medicine and Global Survival*, International Physicians for the Prevention of Nuclear War, Cambridge, Mass., February 2002.

Makhijani, Annie, Linda Gunter, and A. Makhijani, *Cogema: Above the Law?: Concerns about the French Parent Company of a U.S. Corporation Set to Process Plutonium in South Carolina.* A report prepared by Institute for Energy and Environmental Research and Safe Energy Communication Council. Takoma Park, MD, May 7, 2002.

Deller, N., A. Makhijani, and J. Burroughs, eds., *Rule of Power or Rule of Law? An Assessment of U.S. Policies and Actions Regarding Security-Related Treaties*, Apex Press, New York, 2003.

Makhijani, A., "Nuclear targeting: The first 60 years," *Bulletin of the Atomic Scientists*, May/June 2003.

Makhijani, A., "Strontium," Chemical & Engineering News, September 8, 2003.

Makhijani, A., and Nicole Deller, *NATO and Nuclear Disarmament: An Analysis of the Obligations of the NATO Allies of the United States under the Nuclear Non-Proliferation Treaty and the Comprehensive Test Ban Treaty*, Institute for Energy and Environmental Research, Takoma Park, Maryland, October 2003.

Makhijani, A., *Manifesto for Global Democracy: Two Essays on Imperialism and the Struggle for Freedom*, Apex Press, New York, 2004.

Makhijani, A., "Atomic Myths, Radioactive Realities: Why nuclear power is a poor way to meet energy needs," *Journal of Land, Resources, & Environmental Law*, v. 24, no. 1, 2004, pp. 61-72. Adapted from an oral presentation given on April 18, 2003, at the Eighth Annual Wallace Stegner Center Symposium titled "Nuclear West: Legacy and Future," held at the University of Utah S.J. Quinney College of Law."

Makhijani, A., and Michele Boyd, *Nuclear Dumps by the Riverside: Threats to the Savannah River from Radioactive Contamination at the Savannah River Site*, Institute for Energy and Environmental Research, Takoma Park, Maryland, March 2004.

Makhijani, A., and Brice Smith, *The Role of E.I. du Pont de Nemours and Company (Du Pont)* and the General Electric Company in Plutonium Production and the Associated I-131 Emissions from the Hanford Works, Institute for Energy and Environmental Research, Takoma Park. Maryland, March 30, 2004.

Makhijani, A., Peter Bickel, Aiyou Chen, and Brice Smith, *Cash Crop on the Wind Farm: A New Mexico Case Study of the Cost, Price, and Value of Wind-Generated Electricity*, Institute for Energy and Environmental Research, Takoma Park, Maryland, April 2004.

Makhijani, A., Lois Chalmers, and Brice Smith, *Uranium Enrichment: Just Plain Facts to Fuel an Informed Debate on Nuclear Proliferation and Nuclear Power*, Institute for Energy and Environmental Research, Takoma Park, Maryland, October 15, 2004.

Makhijani, A., and Brice Smith, *Costs and Risks of Management and Disposal of Depleted Uranium from the National Enrichment Facility Proposed to be Built in Lea County New Mexico by LES*, Institute for Energy and Environmental Research, Takoma Park, Maryland, November 24, 2004.

Makhijani, A., project director, *Examen critique du programme de recherche de l'ANDRA pour déterminer l'aptitude du site de Bure au confinement géologique des déchets à haute activité et à vie longue: Rapport final*, prepared for le Comité ocal d'Information et de Suivi; coordinator: Annie Makhijani; authors: Detlef Appel, Jaak Daemen, George Danko, Yuri Dublyansky, Rod Ewing, Gerhard Jentzsch, Horst Letz, Arjun Makhijani, Institute for Energy and Environmental Research, Takoma Park, Maryland, December 2004

Institute for Energy and Environmental Research, *Lower Bound for Cesium-137 Releases from the Sodium Burn Pit at the Santa Susana Field Laboratory*, IEER, Takoma Park, Maryland, January 13, 2005. (Authored by A. Makhijani and Brice Smith.)

Institute for Energy and Environmental Research, *Iodine-131 Releases from the July 1959* Accident at the Atomics International Sodium Reactor Experiment, IEER, Takoma Park, Maryland, January 13, 2005. (Authored by A. Makhijani and Brice Smith.)

Makhijani, A., and Brice Smith. Update to Costs and Risks of Management and Disposal of Depleted Uranium from the National Enrichment Facility Proposed to be Built in Lea County New Mexico by LES. Institute for Energy and Environmental Research, Takoma Park, Maryland, July 5, 2005.

Makhijani, A., "A Readiness to Harm: The Health Effects of Nuclear Weapons Complexes," *Arms Control Today*, **35**, July/August 2005.

Makhijani, A., *Bad to the Bone: Analysis of the Federal Maximum Contaminant Levels for Plutonium-239 and Other Alpha-Emitting Transuranic Radionuclides in Drinking Water*, Institute for Energy and Environmental Research, Takoma Park, Maryland, August 2005.

Makhijani, A., and Brice Smith, *Dangerous Discrepancies: Missing Weapons Plutonium in Los Alamos National Laboratory Waste Accounts*, Institute for Energy and Environmental Research, Takoma Park, Maryland, April 21, 2006.

Makhijani, Annie, and A. Makhijani, *Low-Carbon Diet without Nukes in France: An Energy Technology and Policy Case Study on Simultaneous Reduction of Climate Change and Proliferation Risks*, Institute for Energy and Environmental Research, Takoma Park, Maryland, May 4, 2006.

Makhijani, Annie, and A. Makhijani. *Shifting Radioactivity Risks: A Case Study of the K-65 Silos and Silo 3 Remediation and Waste Management at the Fernald Nuclear Weapons Site*, Institute for Energy and Environmental Research, Takoma Park, Maryland, August 2006.

Smith, Brice, and A. Makhijani, "Nuclear is Not the Way," *Wilson Quarterly*, v.30, p. 64, Autumn 2006.

Makhijani, A., Brice Smith, and Michael C. Thorne, *Science for the Vulnerable: Setting Radiation and Multiple Exposure Environmental Health Standards to Protect Those Most at Risk*, Institute for Energy and Environmental Research, Takoma Park, Maryland, October 19, 2006.

Makhijani, A., *Carbon-Free and Nuclear Free: A Roadmap for U.S. Energy Policy*, IEER Press, Takoma Park, Maryland; RDR Books, Muskegon, Michigan, 2007.

Makhijani, A., Assessing Nuclear Plant Capital Costs for the Two Proposed NRG Reactors at the South Texas Project Site, Institute for Energy and Environmental Research, Takoma Park, Maryland, March 24, 2008.

Makhijani, A., *Energy Efficiency Potential: San Antonio's Bright Energy Future*, Institute for Energy and Environmental Research, Takoma Park, Maryland, October 9, 2008.

Makhijani, A., *The Use of Reference Man in Radiation Protection Standards and Guidance with Recommendations for Change*, Institute for Energy and Environmental Research, Takoma Park, Maryland, December 2008.

CV updated February 6, 2009

# INSTITUTE FOR ENERGY AND ENVIRONMENTAL RESEARCH

6935 Laurel Avenue, Suite 201 Takoma Park, MD 20912

Phone: (301) 270-5500 FAX: (301) 270-3029 e-mail: ieer@ieer.org http://www.ieer.org

Comments of the Institute for Energy and Environmental Research on the U.S. Nuclear Regulatory Commission's Proposed Waste Confidence Rule Update and Proposed Rule Regarding Environmental Impacts of Temporary Spent Fuel Storage<sup>1</sup> Arjun Makhijani, Ph.D. President, Institute for Energy and Environmental Research 6 February 2009

The following are the comments of the Institute for Energy and Environmental Research (IEER) on the Nuclear Regulatory Commission's (NRC's) proposed Waste Confidence Decision Update<sup>2</sup> and the associated Consideration of Environmental Impacts of Temporary Storage of Spent Fuel after Cessation of Reactor Operation.<sup>3</sup>

The proposed Waste Confidence Decision warrants careful examination, because it serves as the underpinning to several key safety and environmental findings regarding the operation of nuclear power plants and the disposal of the wastes that they generate.

- First, the Waste Confidence Decision presents a safety finding, under the Atomic Energy Act, that the NRC has reasonable assurance that disposal of spent fuel will not pose an undue risk to public health and safety. It does so via the finding that disposal is technically feasible and can be done in conformity with the assumption of zero releases in Table S-3 at 10 CFR 51.51, which specifies the environmental impacts associated with nuclear reactor operation, including those associated with nuclear wastes and emissions.
- Second, the Waste Confidence Decision provides the basis for a key assumption in the uranium fuel cycle rule that spent fuel can be isolated in a repository, with no radioactive releases. That finding, in turn, is key to the NRC's conclusion that the environmental impacts of the entire uranium fuel cycle are insignificant.<sup>4</sup>

<sup>&</sup>lt;sup>1</sup> These comments were prepared at the request of Texans for a Sound Energy Policy.

<sup>&</sup>lt;sup>2</sup> NRC 2008

<sup>&</sup>lt;sup>3</sup> NRC 2008b

<sup>&</sup>lt;sup>4</sup> 10 CFR 51.51 2008 and its Table S-3 2008

• Finally, the Waste Confidence Decision provides the basis for the NRC's Finding of No Significant Impact (FONSI) regarding the environmental impacts of temporary spent fuel storage pending its disposal in a repository.

As discussed below, IEER believes that the NRC lacks adequate support for the Waste Confidence Decision's first and second proposed findings. The NRC has simply failed to address currently available information which shows that the NRC currently does not have an adequate technical basis for a reasonable level of confidence that spent fuel can and will be isolated in a geological repository.

The NRC's lack of support for Findings 1 and 2 of the Waste Confidence Decision also fatally undermines the viability of the uranium fuel cycle rule promulgated in 1979.<sup>5</sup> In that rule, the NRC declared that the environmental impacts of the entire uranium fuel cycle would be negligible. The finding was based in part on the assumption that spent fuel would have no radioactive releases after it was placed in a repository. That assumption was based in turn on two other assumptions: (i) that disposal of spent fuel or reprocessing high-level waste would be in a salt repository, and (ii) that releases of radioactivity from that repository would be zero. In its draft Waste Confidence Decision, the NRC has acknowledged that salt is not a suitable medium for spent fuel disposal. Investigations of Yucca Mountain and other non-salt repositories have concluded that there are likely to be some releases of radioactivity due to spent fuel disposal. This invalidates the basis of the uranium fuel cycle rule and the Waste Confidence Decision that is associated with it. Other assumptions and findings contained in the 30-year-old uranium fuel cycle rule are also demonstrably invalid today, such as the assumption that greater than class C (GTCC) waste and depleted uranium (DU) tails can be disposed of in a shallow land burial as low-level radioactive waste (LLRW) under present rules. On the contrary, special permitting processes, including environmental impact evaluations will be necessary to dispose of these wastes. The NRC must re-evaluate all of these assumptions and findings in light of new information which shows that they are incorrect. And the NRC must re-evaluate its overall conclusion that the health impacts of the uranium fuel cycle are negligible.

In addition, the NRC's lack of an adequate basis for Findings 1 and 2 undermines the NRC's basis for a finding that spent fuel can be safely stored on reactor sites pending the opening of a repository. The NRC must conduct a new environmental analysis that examines the impacts of onsite spent fuel storage for a much longer period than 50 to 60 years after the cessation of reactor operations. This must include considerations relating to the potential deterioration of onsite storage canisters and the potential for transfers to new onsite storage canisters.

Finally, taken together, the Waste Confidence Decision, the uranium fuel cycle rule, and the NRC's environmental analysis of the impacts of temporary fuel storage completely fail to address one of the key environmental questions raised by the proposed licensing and re-licensing of nuclear plants: what does it cost to manage and dispose of the radioactive waste generated in the process of operating nuclear plants, and is the cost

<sup>&</sup>lt;sup>5</sup> NRC 1979

justifiable in comparison to renewable energy alternatives such as wind and solar power? The lack of a credible cost analysis for waste means that alternatives to nuclear power cannot be fairly evaluated as required by NEPA.

## A. Comments on Finding 1

The NRC proposes to reaffirm Finding 1 unchanged from 1990. Finding 1 reads as follows:

Finding 1: The Commission Finds Reasonable Assurance That Safe Disposal of High-Level Radioactive Waste and Spent Fuel in a Mined Geologic Repository Is Technically Feasible.<sup>6</sup>

Three terms in Finding 1 are critical:

- "reasonable assurance"
- "safe disposal", and
- "technically feasible"

The term "safe disposal" involves (i) the safety of building the repository, putting the waste in it, and backfilling and sealing it, and (ii) the performance relative to health and environmental protection standards for a long period after the repository is sealed. It should be noted that the requirements of showing that there is "reasonable assurance" that "safe disposal" of "high-level waste and spent fuel" is "technically feasible" are much greater than would be the case if the problem were simply to show that it is possible to dig a deep mine, put spent fuel in it, and backfill it. That would be nothing more than dumping. In the case of a geologic repository system, it is essential to show a reasonable basis for confidence that the public and the environment far into the future will be adequately protected from the effects of disposal at a specific site and a specific engineered system built there.

A scientific explanation of the term "reasonable assurance" requires either physical proof that such a facility exists and has operated within expected performance rules or a statistically valid argument based on real-world data that would show (i) that all the elements for a repository system exist and (ii) that they would work together as designed, as estimated by validated models. The evidence must be sufficient to provide a reasonable basis to conclude that the durability of the isolation arrangements would be sufficient to meet health and environmental standards for long periods of time – hundreds of thousands of years with a high degree of assurance, or in other words, with a high probability. In statistical terms, this means that the upper bound estimate of health and environmental damage should be below the maximum allowable limit with a high level of confidence. At present these uncertainties are very large, which means that it is reasonable to conclude that under some circumstances the damage could be higher than the norms of radiation protection. See below for examples.

<sup>&</sup>lt;sup>6</sup> NRC 2008, p. 59553.

The task of determining whether there is an adequate basis for a reasonable assurance of technical feasibility is very difficult. A large part of the difficulty so far as assessing long-term integrity and performance arises from the fact that three elements of a mined system that is highly perturbed thermally, chemically, and mechanically from its original geologic state must be shown to work together to provide "safe disposal" – that is to provide disposal that will conform to an agreed and settled radiation protection standard for the public and that will also protect workers during the construction period of the repository according to prevailing norms for worker protection. The three elements are:

- The waste and the waste encapsulation system.
- The backfill and sealant system.
- The near- and far-field perturbed geologic environment.

We will show that it is a very difficult and complex task to assess the performance of each of these elements under the conditions of spent fuel disposal in a repository and that a wide range of radiation doses can be estimated from the same general repository type and location, including doses that are above regulatory limits.

# **1.** Lack of realistic demonstration of the technical feasibility of a thermally perturbed, sealed repository system

To date, no large-scale demonstration of a system that has been thermally perturbed by spent fuel and then back-filled and sealed has been carried out even for a limited period of time. Much less has there been a demonstration over a few decades that a highly thermally perturbed and sealed system with large amounts of spent fuel would function in the long-term as estimated on paper or via the results of limited experiments. Moreover, many of the experiments that have been proposed, even in highly regarded repository programs, are simply inadequate or inappropriate for estimating performance. For instance, an expert team of geologists put together by IEER<sup>7</sup> concluded that both the thermal and mechanical aspects of the research designed to study the suitability of the French repository location were deficient in essential respects, despite the fact that the program had many strong points:

A crucial problem for research is that the model must estimate performance not of the natural setting but of a geologic system that has been considerably disturbed by a large excavation, which may induce fractures not originally present, by the introduction of (thermally) hot wastes, and by the addition of various backfill materials and seals. *Hence, the system being modeled is no longer the original geologic system, but a profoundly perturbed system.* .... Estimation of performance of a system under these conditions with some confidence poses challenges that are, in many ways, unparalleled in scientific research.

In the specific case of the Bure site, the host rock is argillite, a hard rock consisting of clayey minerals, carbonates (mainly calcites), and quartz. The intact rock is not very porous, leading to expectation of diffusive flow in the

<sup>&</sup>lt;sup>7</sup> See Attachment B for the Curriculum Vitae of the team members.

absence of fractures and in the absence of disturbance by mining. Such flow would be very slow and the expected travel time of radionuclides released from waste packages could be very long.

However, the IEER team's evaluation of (i) the documents, (ii) argillite rock properties under conditions of heat and humidity, and (iii) the research done to model the site performance indicated that the actual conditions prevailing in an actual repository could be very different from diffusive flow. Failure of certain components, notably repository seals, could result in rapid (in geological terms) transport of radionuclides to the human environment.

ANDRA's own estimate of dose under conditions of seal failure was higher than the allowable limit of 0.25 millisieverts (25 millirem) per year. In this context, IEER concluded that ANDRA's scenario for human exposure was not necessarily conservative, in that doses to an autarchic farmer family (also called "subsistence farmer family") using groundwater in certain locations could be even higher than the dose at the surface water outcrop estimated by ANDRA.<sup>8</sup>

Note that as of the date of the IEER report on the Bure site in France, ANDRA's own estimate of dose exceeded its regulations in the event of seal failure. In this context, research on characterizing the long-term integrity of seals becomes critically important. And IEER found ANDRA's research program in this very area to be deficient. One of its principal conclusions about the research on seals was that it seemed to of "marginal value" and was far from adequate to enable a sound determination of repository performance:

One crucial problem is that the simulated slot sealing test in the underground laboratory may be of marginal value and utility. The test is planned to be done very early on after excavation and only over a very short period of time relative to the duration of performance requirements and even relative to the time lapse over which the actual EDZ [Excavated Damaged Zone] will develop, prior to seal installation. This is neither convincing nor satisfactory. It is difficult to see how and why increasing the stress component parallel to the gallery walls will reduce the permeability in that direction or how a flatjack can simulate a bentonite seal, except in the most crude of approaches.<sup>9</sup>

Similarly, there has been considerable skepticism about the DOE's proposed disposal configuration for Yucca Mountain. DOE proposes disposal in the unsaturated zone in a configuration in which boiling of water is expected for "the first few hundred years after closure...in the drift vicinity."<sup>10</sup> The DOE expects the effects to be as follows:

<sup>8</sup> Makhijani and Makhijani 2006. Italics in the original. This article is based on the full report, which is in French: *Examen critique du programme de recherche de l'ANDRA pour déterminer l'aptitude du site de Bure au confinement géologique des déchets à haute activité et à vie longue : Rapport Final*. Hereafter cited as IEER 2005. The qualifications of the team members are found in Attachment C.

<sup>9</sup> IEER 2005, p. 59, in Chapter 2. Retranslated from the final French report by Annie Makhijani. <sup>10</sup> DOE 2008 p. 2.3.3-58 in Chapter 2 Thermal expansion of the rock matrix induces thermal stresses and associated changes in flow properties near emplacement drifts.... Thermally-driven effects also cause dissolution and precipitation of minerals, which may affect flow properties (thermal-hydrologic-chemical effects).<sup>11</sup>

While the DOE believes that these processes will not prevent satisfactory repository performance, Dr. Don Shettel, an expert geochemist and consultant for the State of Nevada, has concluded that a hot temperature design is "fatally flawed."<sup>12</sup> This was extensively discussed at the May 18, 2004, meeting of the U.S. Nuclear Waste Technical Review Board (NWTRB):

We've talked about thermal concentration of brines and boiling point elevation. We can get fingering of concentrated solutions in fractures, thereby increasing the probability and percentage of thermal seepage waters that might reach the drift on the EBS [Engineered Barrier System]. We have mixed salt deliquescence [absorption of water vapor by solid salts so as to dissolve them], not so much from the dust that's on the canisters, but from the increased amount of thermal seepage water that we believe can reach the EBS. And, if these evaporated or concentrated solutions can reach the EBS before the thermal peak, then they can become, even after the thermal peak, get hydrated salts with thermal decomposition, with the evolution of acidic solutions and vapors. And, **one of the most important aspects of this model is the wet-dry cycling or intermittent seepage**. If you get some seepage on the canisters, and it evaporates to some extent, dries out, the addition of water to that can generate acid.

....We believe that the **high temperature design for the repository is fatally flawed** for the number of reasons that I've discussed, and that **emplacement in the saturated zone would be much better, because that's essentially where DOE has tested their metals at.** And, the saturated zone is also the much less complicated in terms of processes and modeling.<sup>13</sup>

It is clear from the above, that there are scientists who have carefully studied the problem who believe that DOE has tested the metals mainly in an environment [saturated] that is fundamentally different than the proposed disposal environment [unsaturated]. According to them the proposed DOE design is "fatally flawed" and the Yucca Mountain repository site is "not adequate." Dr. Shettel also stated that an entirely different disposal concept in the saturated zone would be "much better."<sup>14</sup>

Testing, experiments, and models that seem to bypass essential questions were a problem that the IEER team discovered in relation to sealants, as quoted above (proposed tests were "neither convincing nor satisfactory"). Moreover, the problem of wet-dry cycling and inadequate modeling was also cited by the IEER team as a significant problem in the French repository research program:

<sup>&</sup>lt;sup>11</sup> DOE 2008 p. 2.3.3-58 in Chapter 2

<sup>&</sup>lt;sup>12</sup> Don Shettel is Chairman and Geochemist, Geoscience Management Institute, Inc.

<sup>&</sup>lt;sup>13</sup> Shettel 2004. Emphasis added.

<sup>&</sup>lt;sup>14</sup> Also see below for further discussion of the corrosion problem.

No evidence is found for any model evolution from simple, scoping, or conceptual models into design base models that result in conceptual design and site evaluation. Model evaluation potentials against direct, experimental results have been omitted. The simple models described in the documents do not seem to be adequate for the evaluation/verification of thermophysical site properties.

It is not clear why one-dimension model results are included in the inverse modeling of in situ experiments; the heat flow is not remotely a linear, onedimensional problem. Even the two-dimensional, analytical model result for an infinite heater length is a very poor model for the arrangement involving a 2 mlong heater only. The large difference between the two-dimensional, analytical, and three-dimensional, numerical models disqualifies the other models. It is even questionable whether the model condition of a three-dimensional domain assuming homogeneous and isotropic material/physical properties is adequate, since the stratigraphy of the Bure site is layered with different properties in different directions.

The thermal conductivity, one of the most important thermophysical site characteristic, has not been adequately established. The standard deviation of this parameter is unusually high, leaving a large margin of uncertainty in the heat-rejecting capacity of the site. The number of samples used for establishing thermophysical site properties based on laboratory samples appears to be low, especially considering the potential spatial variation of these properties over the proposed storage area.

Although the temperature regime according to the baseline design is belowboiling, above-boiling operation is not impossible. A bi-stable system, involving either below boiling or above boiling conditions in the emplacement area, is quite possible under some circumstances. A steam cycle therefore is possible under certain heat load conditions, namely, if the backfill buffer material cannot saturate and the damaged zone cannot re-saturate due to vapor-phase water loss caused by the condensing zones of the emplacement area.

Since above-boiling point temperatures are expected in the Type C and spent fuel modules for long periods of time in the preferred design selection, these modules may develop continuous steam cycles within the emplacement area for centuries.<sup>15</sup>

There is experimental evidence that result of wet-dry cycling at Yucca Mountain could result in very rapid corrosion of the C-22 alloy containers. While the DOE believes the contrary, Dr. Roger Staehle, who worked as a consultant for the State of Nevada with a research team including other experts and Catholic University of America faculty, made a presentation to the NWTRB during which he went through the team's experimental findings for the NWTRB; he concluded with a set of stark "warnings":

<sup>&</sup>lt;sup>15</sup> IEER 2005, pp. 101-102, Chapter 3. Retranslated from the final French report by Annie Makhijani.

#### Warnings

1. There is an abundance of warnings as well as solid quantitative data that demonstrate that corrosion of the C-22 alloy is *inevitable and rapid*.

2. A good paradigm for the warnings about C-22 can be found with Alloy 600 that was widely used in the nuclear industry as tubing in steam generators and as structural components. Alloy 600 has broadly failed in these applications, and present failures could easily have been predicted from past occurrences.

3. There are now *abundant warnings that that C-22 alloy is not adequate nor is the present design of the repository adequate.* Such warnings are founded on warnings, some of which are 15 years old.

4. Further, there is abundant evidence that the YM site itself is not adequate.

5. The analogies of warnings from the present nuclear industry are abundant and apply directly to whether the present design at YM is adequate. *The answer is that it is not.* 

6. Some of the warnings from experience of the water cooled nuclear reactor industry apply directly to the design and development of the Yucca Mountain facility. These should be carefully assessed, e.g. as they apply to heated surfaces.

7. Finally, the incapacity to inspect the YM containers requires assurances of reliable performance that are higher than those of normal industrial expectations.<sup>16</sup>

The problem of adequacy of the research program or lack thereof points up the critical need to have confidence in each of the three elements of geologic disposal. In the above examples, we have shown that in the case of Yucca Mountain the behavior of the containers as well as the rest of the Engineered Barrier System has not been characterized to the point that independent scientists could agree that Yucca Mountain is a suitable disposal site, even though the DOE believes it is. On the contrary, there is quite a bit of evidence that Yucca Mountain is not a suitable site, and may even be "fatally flawed," since the containers are essentially the only effective barrier preventing radionuclide releases to the environment.

The Nuclear Waste Technical Review Board considered the question of the potential for severe corrosion due to deliquescence at length following the May 2004 meeting from which the above presentation is drawn. While the twists and turns that the issue took are technically interesting and illustrate the uncertainties, the most important point to note here is that, in the end, the DOE decided to entirely ignore the issue because it believes it to be "insignificant":

Although deliquescence of salts on the waste package surface is expected to occur, this process has been excluded from TSPA [Total System Performance Assessment] because the effects of such deliquescence have been determined to be insignificant to performance (Table 2.2-5, FEP 2.1.09.28.0A, Localized corrosion on waste package outer surface due to deliquescence). The physiochemical characteristics of brines produced through deliquescence of minerals in deposited dusts are not expected to generate an environment favorable for the initiation of localized corrosion and

<sup>&</sup>lt;sup>16</sup> Staehle 2004. Italics added.

propagation for Alloy 22 (UNS N06022) waste packages. In addition, at elevated temperatures (greater than 120°C), only small quantities of brine will form from the available dust, and brine volume will limit the extent of localized corrosion damage should it initiate.<sup>17</sup>

#### And again:

Modeling of evaporative evolution of potential seepage waters shows that corrosive calcium and magnesium-chloride brines are not expected to form. As noted above, although deliquescence-induced brine formation is expected to occur, this process has been excluded from TSPA because the effects of such deliquescence have been determined to be insignificant to performance.<sup>18</sup>

The Nuclear Waste Technical Review Board, the expert oversight body appointed by Congress to oversee the Yucca Mountain program, came to a somewhat different conclusion regarding whether deliquescence-induced corrosion should be excluded from DOE's license application:

The NWTRB's report was sent to Congress with a letter dated August 2008, two months after the DOE had submitted its license application concluding that deliquescence-induced corrosion could be ignored in performance assessment because it was judged to be insignificant. For this very reason, the report is worth quoting at length:

The Board's January 12, 2007, letter [to the DOE Office of Civilian Radioactive Waste Management] and its attached report contained the following additional findings:

- Cumulative damage due to the combined effects of deliquescence-induced localized corrosion and seepage-based localized corrosion merits some analysis.
- Including seepage-based localized corrosion in TSPA-LA while excluding deliquescence-induced localized corrosion is incongruous because the process (localized corrosion) is the same in both cases.
- Deliquescence-induced general corrosion of Alloy 22 should be included in TSPA-LA.
- Anomalies among recent experiments at high temperatures, such as unexpectedly high general corrosion rates and a maximum of general corrosion rate with respect to temperature, require explanation.
- Effects of waste package surface condition on the corrosion of the waste package surface may need more investigation.
- Including deliquescence-induced localized corrosion in TSPA-LA would add to its completeness, robustness, and credibility.

In a follow-up letter to OCRWM dated July 10, 2007 (Garrick 2007c), the Board pointed out that the dust settling on waste package surfaces during ventilation would contain significant amounts of organic materials and that reactions between these materials and nitrate in the dust could affect the amount of nitrate, which inhibits

<sup>&</sup>lt;sup>17</sup> DOE 2008, p. 2.3.5-10

<sup>&</sup>lt;sup>18</sup> DOE 2008, p. 2.3.5-12

localized corrosion if present in large enough quantities relative to chloride. The Board stated that the Project should analyze the effects of the full range of factors (e.g., organics in dust, acid-gas devolatilization, and radiolysis) that could influence whether inhibitive nitrate-to-chloride ratios persist under repository conditions.

OCRWM responded to the Board's January 12, 2007, and July 10, 2007, letters in a November 20, 2007, letter (Sproat 2007c). Although the Board agrees with some of the points mentioned in the letter, **in several instances OCRWM did not address points brought up by the Board. For example, in its January 12 letter, the Board addressed the apparent incongruity of excluding deliquescence-induced localized corrosion while including seepage-based localized corrosion despite the fact that both are the same process, i.e., localized corrosion**. In its November 20, 2007, letter, the Project reiterated the differences in the environments between deliquescence-induced and seepage based localized corrosion. The Board concurs that the environments are quite different, but the processes are not. **Regardless of whether NRC regulations allow a process to be split in two and one part to be discarded, doing so still remains incongruous.** 

In addition, the Project refers to components of the dust deposited on waste package surfaces as "reactants" or "limited reactants" in several places in its November 20 letter. Although the Board agrees that many components in the dust could be reactants, it seems that the principal reactants in general or localized corrosion would be either the water component of deliquescent brines or oxygen dissolved in the brines. Both water and oxygen are essentially limitless in supply. If they are consumed by the brine in corrosion reactions, they simply will be replenished rapidly by dissolution or deliquescence. The Board would welcome additional information from the Project about what other components of the dust undergo reactions. **Finally, although OCRWM claimed that it had addressed Board concerns about the effects of organic materials on the nitrate-to-chloride ratio in the November 20 letter, the basis for this claim is unclear.** 

In sum, despite the workshop in September 2006 and the exchange of letters in 2007, the issue of deliquescence-induced localized corrosion, although apparently tractable, remains open.<sup>19</sup>

In other words, on perhaps the most critical scientific uncertainty for the entire Yucca Mountain program, the DOE has

- failed to follow the advice of the Congressionally mandated Technical Review Board
- submitted a license application that dismisses as "insignificant" the very process that the NWRTB asked it to include and address further and that has led some scientists with considerable expertise to conclude that Yucca Mountain is not an adequate site or that the design is "fatally flawed."

There is no evidence in the draft Waste Confidence Decision that the NRC has taken any of this information and analysis into account in reiterating Finding 1 that there is "Reasonable Assurance That Safe Disposal of High-Level Radioactive Waste and Spent Fuel in a Mined Geologic Repository Is Technically Feasible." Further, the NRC draft

<sup>&</sup>lt;sup>19</sup> NWTRB 2008, pp. 27-28, italics and bold emphasis added.

Decision also notes that salt repositories are unsuitable for disposal of spent fuel (see below).

# 2. Uncertainty in performance results and the question of technical feasibility

The technical feasibility of "safe disposal" of waste in a geologic disposal system with "reasonable assurance" must be judged according to technically sound and legally valid performance criteria. There are two issues that relate to "technical feasibility" in this context

- a. What is the nature of the performance standards that must be met? This relates to the radiation protection standard set to protect the health and environment of future generations from the effects of waste disposal.
- b. Is there reasonable assurance that the performance standard can be met and that other safety goals, such as worker safety during constructing, waste emplacement, and sealing, can also be met? This relates to a reasonable level of scientific and statistical confidence that the performance standard in terms of health and environmental protection will be met in practice.

# a. Nature of the Performance Standard

The history of the process of specifying the standards of performance, such as maximum allowable dose, the pathways via which that dose must be assessed, and the period over which performance must be evaluated, in the United States undermines the NRC's claim of technical feasibility. The claim is also undermined by estimates of performance that cover a wide range and include at the upper limit large exceedance of the current EPA radiation dose requirement.

EPA standards for disposal of spent fuel, high-level waste, and transuranic waste were first promulgated in 1985 and amended later on to include drinking water protection.<sup>20</sup> The rule specified a period of protection of 10,000 years. Yet the National Research Council study done for the DOE in 1983<sup>21</sup> had already criticized the EPA proposal before its finalization and advocated extending the period of performance for all time, judging compliance for the proposed period of 10,000 years to be "rather easy."<sup>22</sup> The National Research Council also advocated a maximum individual dose approach rather than a population dose approach.

The EPA essentially ignored the National Research Council's advice and adopted the 10,000 year limit and limits on total releases of certain radionuclides including carbon-14. The EPA standard was to be the fundamental performance criterion for public health and environmental protection for spent fuel, high-level waste, and transuranic waste disposal.

<sup>&</sup>lt;sup>20</sup> The regulation is 40 CFR 191, and can be found on the Web at <u>http://www.access.gpo.gov/nara/cfr/waisidx\_08/40cfr191\_08.html</u>.

<sup>&</sup>lt;sup>21</sup> NAS-NRC 1983 Chapter 8.

<sup>&</sup>lt;sup>22</sup> NAS-NRC 1983 p. 236.

Further study showed that the National Research Council's conclusion that a 10,000 year limit would make compliance "rather easy" to be incorrect with respect to unsaturated repositories like Yucca Mountain with respect to the specific standard adopted by the EPA. Specifically, the EPA set a limit of carbon-14 emissions of 100 curies per 1,000 metric tons of heavy metal in spent fuel or equivalent high-level waste.

An EPA panel was convened to examine the question of carbon-14 releases from unsaturated repositories like Yucca Mountain. In 1993, the Science Advisory Board of the EPA cast considerable doubt on whether Yucca Mountain, a proposed unsaturated repository, could meet the carbon-14 emission limit in the EPA standard:

 $\dots$ [I]t is not possible on the basis of presently available information to predict with reasonable confidence whether releases from an unsaturated repository would be less than or greater than the Table 1 (40 CFR 191) release limits. (The Table 1 release limit is one-tenth of the inventory.)<sup>23</sup>

Instead of looking for a new repository that might meet the standard, Congress mandated special standards for Yucca Mountain, which may, in light of the process, be fairly called a double-standard-standard. The scientific basis of these standards was to be provided by the National Academy of Sciences.

The National Research Council of the National Academies issued a report in 1995 advocating a period of performance extending to the peak dose and a rather complex method of estimating the peak dose.<sup>24</sup> The latter itself generated sufficient controversy that one of the panel members, Professor Thomas Pigford, one of the most prominent nuclear engineers in the United States (and one of the authors of the 1983 National Research Council report), wrote a dissent. He concluded that the methods of dose calculation "in Appendix C are not mathematically valid."<sup>25</sup> He concluded that the method adopted

would introduce unjustified and unprecedented leniency in public health protection from radioactive waste.

and that

probabilistic exposure scenario [in Appendix C of the National Research Council's 1995 report] will be perceived by many as a disguised means of reducing the calculated individual doses below the high values (ca. 10 rem per year) that were presented to the committee. Better repository design is the proper means of obtaining low doses, not by nonscientific policy fixes. Policy makers must reject pressures for short-term expediency and economy, lest, by enacting policy that compromises scientific

<sup>&</sup>lt;sup>23</sup> Loehr, Nygaard, and Watson 1993

<sup>&</sup>lt;sup>24</sup> NAS-NRC 1995, Appendix C.

<sup>&</sup>lt;sup>25</sup> NAS-NRC 1995, Appendix E, p. 177.

**validity and credibility, it undermines public confidence** and puts and end to all further nuclear development and research.<sup>26</sup>

In 2001, the EPA proposed a new standard that applied only to Yucca Mountain. Contrary to the advice of the National Research Council report of 1995, it limited the period of performance to 10,000 years.<sup>27</sup> This was invalidated in court and then the EPA proposed a revised draft standard in 2005.<sup>28</sup> That proposed standard was far more lax for the period from 10,000 to 1 million years than any radiation protection standard protecting today's population. At 350 millirem per year, the lifetime risk of fatal cancer to women would be as high as 1 in 62. Higher doses to some people were permitted. For a small minority, doses as high as 2 rem would be permitted leading to a lifetime fatal cancer risk of 1 in 10.<sup>29</sup>

The EPA published its final rule in 2008. It limits doses in the first 10,000 years to 15 millirem per year committed effective dose equivalent, and to 100 millirem per year in the 10,000 to 1 million year period.<sup>30</sup>

The State of Nevada has sued the EPA over these final standards.<sup>31</sup> It should be noted in this context that the courts have twice before invalidated EPA "final" rules in regard to deep geologic repositories. Further the NRC has also changed its rules. In the early stages, following the 1980 DOE EIS on geologic disposal it was assumed that the containers would be the main barrier for an initial period, such as 1,000 years, but that the geologic setting would perform the main job of preventing long-lived radionuclides from reaching the human environment.

In sum, after more than a quarter of a century of trying to come up with a standard that would apply to spent fuel disposal at a proposed repository (40 CFR 191 applies to spent fuel disposal but no repository is proposed to which it might apply and it does not apply to the only one that is proposed), the matter of a final standard is still unsettled in that it is under litigation. Without a final standard that is clear of court challenges, performance assessment must necessarily rest on guesses about what it might be; this is not a basis on which "reasonable assurance" of the technical feasibility of "safe disposal" can be given, for the simple reason that there is no accepted definition of safe in relation to Yucca Mountain as yet. This is the current situation even if it could be shown that Yucca Mountain could conform to postulated rather than actual settled dose limits.

And, as it happens, there is no reasonable assurance as yet that Yucca Mountain can meet the final standard that the EPA has now in place at 40 CFR 197.

<sup>&</sup>lt;sup>26</sup> Pigford 1995, emphasis added.

<sup>&</sup>lt;sup>27</sup> EPA 2001.

<sup>&</sup>lt;sup>28</sup> EPA 2005

<sup>&</sup>lt;sup>29</sup> Makhijani and Smith 2005. The original standard 40 CFR 191 has no specified public health protection beyond 10,000 years.

<sup>&</sup>lt;sup>30</sup> EPA 2008

<sup>&</sup>lt;sup>31</sup> Nevada v. EPA 2008 (State of Nevada v. Environmental Protection Agency (D.C. Cir., No. 08-1327, consolidated with No. 08-1345))

#### b. Evaluating performance

We will assume for the purpose of this section that the EPA standard for Yucca Mountain at 40 CFR 197 is the one against which "safe disposal" is to be judged as it concerns protection of future generations. In this limited context, a reasonable assurance of the technical feasibility of safe disposal at Yucca Mountain must show that there is a high probability that the standard will be met. This requires that the performance assessment that estimates the dose be generally accepted in the scientific community and that reasonable technical questions raised by experts on critical issues have been resolved. This is not the case with Yucca Mountain.

Analysis provided to the Nuclear Waste Technical Review Board indicates that the geologic setting of Yucca Mountain contributes essentially nothing to the performance of the site. This can be seen from the set of DOE graphs in Attachment A, which is a part of these comments. Specifically, Graph A, the first one in Attachment A, shows that in the absence of the container, a dose limit of 15 millirem would be greatly exceeded in much less than 10,000 years. Graph A shows that a 25 millirem per year dose limit, which was the norm against which the DOE was assessing compliance at the time, would be exceeded as soon as 2,000 years after closure and the peak dose would be on the order of 1,000 millirem well before 10,000 years. This is more than 60 times the EPA dose limit for the period less than 10,000 years. All of the other graphs show that if the container stays intact, the failure of another part of the overall system would not affect doses much in the first 10,000 years. (The peak dose beyond 10,000 years exceeds the limit in 40 CFR 197 in all cases in this set of DOE graphs – see below).

This puts a premium on the integrity of the container because it is the one element that would ensure compliance (according to the DOE model) in the period less than 10,000 years. This DOE conclusion that the container is practically the only barrier to the release of radioactivity has also been expressed before the Nuclear Waste Technical Review Board by an independent expert, Roger Staehle (also quoted above):

The central question that we're all considering here is really the integrity of the container. So, whatever we're thinking about has to be directed toward the integrity of the container, because that's **the primary or virtually the only barrier to release of radioactivity**. <sup>32</sup>

As we have noted above, the question of whether the containers will endure for very long is, at best, an open one. There is clear evidence that they may corrode quickly relative to time scales required for assessing performance.

If they do corrode quickly, then the situation described in Graph A of Attachment A, that is, doses tens of times greater than the present final EPA standard prior to 10,000 years will prevail. The DOE itself has calculated doses for the repository that vary widely, indeed, wildly. For instance, the most recent estimate, in DOE's license application for the Yucca Mountain repository shows peak doses that would be more than 100 times

<sup>&</sup>lt;sup>32</sup> Staehle 2004 p. 241.

lower than the final EPA standard of 100 millirem per year (beyond 10,000 years) discussed above.<sup>33</sup> But the peak doses shown in Attachment A (base case), prepared by the DOE for the NWTRB, are about an order of magnitude higher than the 100 millirem standard – that is, they are a thousand times bigger than the estimate in the DOE license applications. As another example, the DOE had estimated doses as high as 10 rem in a presentation to the National Research Council, or ten thousand times higher than the estimate in the license application (see Dr. Pigford's quote above). Finally, DOE's peak dose estimates in its 2002 Final Environmental Impact Statement for Yucca Mountain are also much higher than the 100 millirem per year dose to the maximally exposed individual. The Table below is reproduced from DOE's Final EIS for Yucca Mountain. Even the mean dose to the "reasonably maximally exposed person (RMEI)" is greater than 100 millirem. The 95 percentile dose for the "reasonably maximally exposed person" is far higher – 510 millirem. Should the population 18 kilometers from Yucca Mountain be in the thousands, many individuals would be expected to have doses considerably in excess of 500 millirem, since this value is a 95<sup>th</sup> percentile estimate. We note that even 30 kilometers away, where people live today, the 95 percentile peak dose is much greater than 100 millirem per year.

 Table 5-12. Impacts for an individual from groundwater releases of radionuclides during 1 million years after repository closure for the lower-temperature repository operating mode.

	Mean		95th-percentile	
	Peak annual individual	Time of peak	Peak annual individual	Time of peak
Individual	dose (millirem)	(years)	dose (millirem)	(years)
At RMEI location <sup>a</sup>	120 <sup>b</sup>	480,000	510 <sup>c</sup>	410,000
At 30 kilometers <sup>d</sup>	83°	$NC^{f}$	350°	NC
At discharge location <sup>g</sup>	48 <sup>e</sup>	NC	240 <sup>e</sup>	NC

a. The RMEI location is approximately 18 kilometers (11 miles) downgradient from the repository.

b. Based on 300 simulations of total system performance, each using random samples of uncertain parameters.

c. Represents a value for which 285 out of the 300 simulations yielded a smaller value.

d. 30 kilometers = 19 miles.

e. Estimated using scale factors as described in Section 5.4.1.

f. NC = not calculated (peak time would be greater than time given for the RMEI location).

g. 60 kilometers (37 miles) at Franklin Lake Playa.

Source: "Chapter 5: Environmental Consequences of Long-Term Repository Performance," p. 5-29, in Volume I of *Final Environmental Impact Statement for a Geologic Repository for the Disposal of Spent Nuclear Fuel and High-Level Radioactive Waste at Yucca Mountain, Nye County, Nevada*, DOE/EIS-0250 (U.S. Department of Energy, February 2002), on the Web at

http://www.ocrwm.doe.gov/documents/feis\_a/vol\_1/eis05\_bm.pdf.

In sum, at the present juncture, it is impossible to say with any reasonable assurance what the radiation doses to the public from a Yucca Mountain repository would be. The DOE itself has in the last few years calculated doses that are different by a factor of 1,000, ranging from compliance to non-compliance. The DOE has dismissed the potential for severe corrosion due to deliquescence as insignificant. But that possibility cannot be ruled out on the basis of present scientific evidence. As discussed above, the DOE chose to disregard the advice of the NWTRB on this matter.

<sup>&</sup>lt;sup>33</sup> DOE 2008, Table 2.4-2, p. 2.4-357.

This demonstrates that there is not enough scientific basis for "reasonable assurance" that waste can be disposed of at Yucca Mountain safely for the durations envisaged. On the contrary, the uncertainties continue to be high and the possibility that Yucca Mountain could suffer a complete failure (be "fatally flawed") cannot be reasonably excluded. The NRC does not assume that Yucca Mountain will be licensed. But its draft Finding 1 has not taken into account the data and analysis that indicate the potential that it may not meet EPA's standard and therefore cannot be any part of the basis for its Finding.

Another example throws considerable light on the issue. For decades it was assumed that salt was a suitable medium for high-level waste and spent fuel disposal. Salt sites were part of the DOE's first round set under the Nuclear Waste Policy Act (NWPA). Over the decades DOE has investigated several sites in salt formations. One of the top three sites that DOE selected for characterization for spent fuel disposal was a salt site (in Texas); the others were on federally controlled land in Washington State (the basalt site at Hanford) and Nevada (the volcanic tuff site at Yucca Mountain).<sup>34</sup> But now the NRC itself considers salt as unsuitable for spent fuel disposal. According to the draft waste confidence rule:

Salt formations currently are being considered as hosts only for reprocessed nuclear materials because heat-generating waste, like spent nuclear fuel, exacerbates a process by which salt can rapidly deform. This process could potentially cause problems for keeping drifts stable and open during the operating period of a repository.<sup>35</sup>

The problem of salt being an inappropriate medium for spent fuel disposal is linked to a larger problem of waste confidence as it relates to assessment of the environmental impact from the licensing of reactors. This issue concerns the obsolescence and incorrectness of the governing regulation for reactor licensing, 10 CFR 51, which sets forth "environmental protection regulations applicable to NRC's domestic licensing and related regulatory functions."<sup>36</sup> It is connected to the Waste Confidence Rule and is discussed in Section C below.

The NRC also did not consider the third geologic formation that was in the DOE's top three: the basalt formation at the Hanford Washington site. Many serious defects of the site, including very serious problems in safety, were noted by one of the leading geologist in the United States, Donald E. White, who was a member of the National Research Council panel that wrote a report for the DOE on geologic isolation. In regard to safety Dr. White noted three "threatening effects" including "rock bursting," "costly and troublesome drainage problems" and the following:

Construction of the repository at very high in-site temperatures, estimated by Rockwell to be 57°C but possibly considerably higher. Refrigeration on a scale seldom if ever attempted in world mining may be necessary. The costs in time, money, energy, and lives of men are likely to be very high.

 <sup>&</sup>lt;sup>34</sup> See Nevada timeline 1999
 <sup>35</sup> NRC 2008, p. 59555.

<sup>&</sup>lt;sup>36</sup> 10 CFR 51.1 2008

**Even if each of the above [threatening effects] is individually tractable, all in combination may be intolerable.** More satisfactory alternatives probably can be found elsewhere.<sup>37</sup>

The DOE ignored this 1983 analysis and went ahead and selected basalt at Hanford as one of the top three sites it would characterize.

In the case of granite, the medium in which DOE hoped to find second repository locations for characterization, the DOE proceeded with a screening program that was so technically deficient that the ranking results were not credible. Essentially, the scoring system adopted by the DOE in its Delphi consultation gave zero weight to criteria for which no information was available. This made them equivalent to criteria which were "unimportant" or "judged to be poorly measured." In other words, if the DOE did not know anything about it then it could be ignored. As a result, the sites for which the least was known would tend be ranked higher than those about which there were more data and adverse as well as positive or partly positive characteristics could be evaluated. In other words, the DOE essentially used an "ignorance is bliss" approach to site ranking in order to determine which sites it would characterize."<sup>38</sup> The second repository program was abandoned in 1986.

We may also cite the example of France in regard to performance, which has the second largest number of reactors of any country in the world (after the United States) and which has a repository program that has been attempting to characterize a site. We have already noted that the program's research in regard to seals and thermal effects is deficient in certain critical aspects. We note here than ANDRA, the French agency charged with repository characterization and development, itself had found that doses would be greatly exceeded in the event of a seal failure. Calculated peak doses in that scenario due to chlorine-36 in Class B waste (the approximate equivalent of U.S. Greater Than Class C waste) would be 300 millirem per year and those from due to iodine-129 in spent fuel would be 1,500 millirem per year.<sup>39</sup> Both of these are greatly in excess of the French limit of 25 millirem per year and even of the more lax U.S. final EPA standard for Yucca Mountain of 100 millirem per year beyond 10,000 years.

These examples illustrate that it is essential to take into account the specific aspects of repository research that are important to assessing whether a given disposal system can perform to specified standards for health and environmental protection.

With the exception of salt sites, which the NRC itself rejects for spent fuel, the NRC has failed to take the specific scientific evidence about the U.S. repository program and the potential for it to meet performance, safety, and health criteria for protecting public health, worker safety, and the environment into account. By failing to examine the available evidence in regard to the elements of a repository system relevant to the United

<sup>&</sup>lt;sup>37</sup> White 1983, p. 25, reprinted as an appendix to Makhijani and Tucker 1984, emphasis added.

<sup>&</sup>lt;sup>38</sup>See Makhijani 1986

<sup>&</sup>lt;sup>39</sup> ANDRA 2001, p. 139.
States, the NRC has not met the minimal requirements of a scientifically based analysis that is necessary to arrive at a conclusion that there is "reasonable assurance" that safe disposal of spent fuel in a repository is technically feasible.

We are not persuaded by the NRC appeal to the fact that 24 countries have repository programs..<sup>40</sup> The fact that all countries with nuclear power programs have to deal with the intractable problem of nuclear waste and have chosen to believe that disposing it of in deep underground will solve the problem is not a scientific demonstration of technical feasibility of safe disposal of nuclear spent fuel in a geologic repository. In its Waste Confidence Decision Update, the NRC has used information from other countries to argue the unexceptionable point that social and political factors are important. The fact remains that no country has a repository for spent fuel or even high-level waste disposal. Further, the NRC has not presented technical evidence from the many repository programs to show that there are enough data for each of the three elements described above - the waste and waste packages, the back fill and sealing system, and the near- and far-field environment – in these programs to come to a reasonable conclusion that each is sound and that they will function together as modeled with reasonable assurance. Nor has it presented any scientific analysis of how these programs are technically relevant to the specific conditions in the United States in terms of assisting the NRC's ability to buttress Finding 1 in regard to the three elements and the modeling of their functioning together.

By contrast, we have shown that the U.S. Yucca Mountain site may well not meet established radiation protection norms and may even be fatally flawed. The geologic setting is not likely to play a significant role in containment of radionuclides, even according to the DOE's own assessment. Among other things, the basalt site at Hanford presents severe safety issues, which the NRC did not address. The second round repository investigation for granite sites in the United States was a failure, for a variety of reasons.

IEER's detailed review of the French repository program research indicated that the research was significantly deficient in certain critical areas – seals and thermal perturbation modeling. And we have shown that ANDRA's own estimates of doses in case of failure of seals would result in doses that would greatly exceed both French and U.S. disposal standards. The NRC itself has deemed salt unsuitable for spent fuel. Yet it did not explore the implications of that conclusion for the Waste Confidence Decision Update or for its reactor licensing program (see Section C below). The NRC mentions that the German salt dome repository program at Gorleben was suspended "[a]fter decades of intense discussions and protests,"<sup>41</sup> but mentioned none of the adverse technical factors that made the choice of Gorleben controversial or the fatal accident that occurred in 1987.<sup>42</sup>

<sup>&</sup>lt;sup>40</sup> NRC 2008, p. 59559. <sup>41</sup> NRC 2008, p. 59559.

<sup>&</sup>lt;sup>42</sup> For a discussion of some of the technical factors and the accident see Franke and Makhijani 1987.

#### **3.** Conclusions regarding Finding 1

In sum, in reiterating Finding 1, the NRC has not taken into account a mountain of data and analysis that are relevant to it that show that it is far from assured that safe disposal of spent fuel in a geologic respistory is technically feasible. The NRC has not met either of the criteria we set forth at the beginning of this section for assessing whether there was reasonable assurance that safe disposal is technically feasible. In the absence of data from a repository that has been sealed after spent fuel has actually been disposed of – and such data does not exist because no such repository exists – the NRC must provide data on and analysis of the major elements of a site that could be developed in the United States and show that the three elements required in any repository system would work together satisfactorily (i.e., meet radiation protection standards) and that such a repository could be safely built. The NRC has not done this. It has not evaluated the severe problems that the U.S. repository program has encountered and the many twists and turns that rules and regulations have taken as a result, notably with respect to Yucca Mountain. Indeed, the NRC has provided no scientific evidence in its Draft Decision that there is reasonable assurance in the scientific and statistical sense of the term that there is reasonable assurance safe disposal of spent fuel in a geologic repository is technically feasible.

In view of the above, we conclude that the NRC's Finding 1 should be modified. This is necessary on its own, but it is especially necessary in view of the fact that Finding 2 depends on Finding 1. We recommend that Finding 1 be modified to read:

- 1. While some of the elements of deep geologic disposal have been studied to a sufficient degree that they may be viable elements of a disposal system, an entire thermally and mechanically perturbed system has never been tested. The data on the individual elements of the perturbed and sealed system and for their combined functioning are not yet sufficient to determine the performance of a repository for safe spent fuel disposal with reasonable assurance.
- 2. The DOE has been pursuing study and characterization of repositories for decades and essential technical questions in relation to performance continue to be in doubt. Under some circumstances, the impact of disposing of spent fuel in a geologic repository could be significant.
- 3. Considerable further work remains to be done before there can be reasonable assurance that safe disposal of spent fuel and high-level waste in a deep geologic repository in the United States is technically feasible.

We have also concluded that a new generic environmental impact statement is needed to address the fundamental deficiencies of Table S-3. Licenses for new reactors and extension of licenses of existing reactors cannot be properly granted on the basis of the existing Table S-3.

#### **B.** Comments on Proposed Finding 2

The proposed Finding 2 states:

The Commission finds reasonable assurance that sufficient mined geologic repository capacity can reasonably be expected to be available within 50–60 years beyond the licensed life for operation (which may include the term of a revised or renewed license) of any reactor to dispose of the commercial HLW and spent fuel originating in such reactor and generated up to that time.<sup>43</sup>

The NRC has made an unwarranted leap from its "Finding 1"<sup>44</sup> that a geologic repository for disposal of high-level waste and spent fuel is technically feasible to the conclusion that there is "reasonable assurance" of the actual availability of a repository within 50 or 60 years beyond the operating license of any commercial reactor in the United States.

In order to proceed from a finding that a geologic repository is technically feasible to the conclusion that one will be available within a specified time frame (in this case ~100 to 150 years), at least three additional demonstration elements are necessary. First, it must be shown that the requisite work of finding, characterizing, licensing and developing an actual site suitable for disposal of the actual amounts of waste to be generated is possible within the stipulated time. Second, a demonstration of financial feasibility and reasonableness is needed. And thirdly, a demonstration of political and social acceptability is also necessary. We will consider this last question first.

#### 1. Social and Political Acceptability

The NRC has provided a survey of various country programs in order to review the issue of social and political acceptability.<sup>45</sup> This survey itself shows that there can be no confidence that the necessary social and political conditions exist in the United States to provide any assurance that a repository can be developed in any foreseeable time frame. Second, the NRC's survey is partly inaccurate. Third, the NRC's survey is essentially incomplete in that it omits the country that is often held up as being exemplary for nuclear power – France.

We discuss the NRC's survey before proceeding to the specific discussion of the situation in the United States.

#### 1. United Kingdom:

The NRC appears to believe that the United Kingdom had a repository program for high level waste and spent nuclear fuel in the 1990s. Specifically the draft rule states the following

<sup>&</sup>lt;sup>43</sup> NRC 2008, p. 59561.

<sup>&</sup>lt;sup>44</sup> NRC 2008, p. 59553. See below for comments on Finding 1.

<sup>&</sup>lt;sup>45</sup> NRC 2008, pp. 59559-59561.

In the United Kingdom, in 1997, an application for the construction of a rock characterization facility at Sellafield was rejected, leaving the country without a path forward for long-term management or disposal of HLW or SNF. In 1998, an inquiry by the UK House of Lords subsequently endorsed geologic disposal, but specified that public acceptance was required.<sup>46</sup>

The NRC appears to have its facts about the UK repository program wrong. According to a timeline and status report by Alan Hooper of Nirex, Britain's waste management company, the geological investigations for a high-level waste repository were short-lived; they did not involve an application for a rock characterization facility:

- 1976—The Royal Commission on Environmental Pollution (Flower's Report) recommended the creation of a National Waste Disposal Corporation.
- 1979—Start of program of geological investigations for HLW disposal.
- 1981—Termination of the geological investigations and suspension of a decision on high-level waste disposal for 50 years.
- 1982—Nuclear Industry Radioactive Waste Executive (NIREX) created to implement Government policy on intermediate-level waste (ILW) and low-level waste (LLW).
- ..
- 1987—Abandonment of the near-surface program and adoption of new policy that all ILW and LLW should go deep...; new deep site selection process started.
- •
- 1991—Nirex decides to focus investigations on Sellafield in Cumbria.
- 1992—Nirex announces plans for a Rock Characterisation Facility (RCF) at Sellafield; the plans were eventually considered at a public inquiry which ended in 1996.
- 1997—Decision by Government not to allow Nirex to proceed with the RCF, thus terminating the UK's siting program.<sup>47</sup>

As can be seen, the UK terminated its HLW geologic disposal investigations in 1981. The rock characterization facility to which the NRC refers was for Intermediate Level Waste (similar to Greater Than Class C waste in the United States), which is also mandated for deep geologic disposal. However, the geologic requirements for disposal of ILW are much less stringent than for high-level waste or spent fuel, because the characteristics of these wastes are very different. For instance, the specific activity of high-level waste and spent fuel is generally much higher, as is the heat generation.

The UK formed a Committee on Radioactive Waste Management as a vehicle for public consultation and exploration of the issue of long-term waste management. As the NRC

<sup>&</sup>lt;sup>46</sup> NRC 2008, p. 29559.

<sup>&</sup>lt;sup>47</sup> Hooper 2006, pp. 249- 250. Emphasis added.

noted, the most recent evidence is that this is also failing. According to the draft waste confidence rule:

This [program] led to the initiation of a national public consultation, and major structural reorganization within the UK program. In 2007, the Scottish Government officially rejected any further consultation with the UK Government on deep geologic disposal of HLW and SNF. Discussions may continue on issues of interim storage only. This action by the Scottish Government effectively ends more than 7 years of consultations with stakeholders from communities near Scottish nuclear installations and represents another major setback for the UK program.<sup>48</sup>

Actually, the Scottish government press release does not mention high-level waste or spent nuclear fuel explicitly, but "higher activity" waste,<sup>49</sup> which includes intermediate level waste in the UK. In point of fact, the UK has no active repository program that is looking at a specific site for high-level waste or spent nuclear fuel and has not had any since 1981.

In other words, even though British nuclear waste authorities may believe that a repository is technically feasible, the program is at a dead end and only interim storage is on the table. So far the public consultation program has failed to elicit any progress towards a high-level waste repository. In the meantime, the decommissioning and clean-up of its main reprocessing site (Sellafield) is estimated to take more than 100 years and costs have skyrocketed to 73 billion pounds (roughly \$100 billion).<sup>50</sup> While Sellafield was born as a nuclear weapons materials production site, most of the work there and most of the waste there has been generated in the past few decades from reprocessing of British and (more recently) foreign spent fuel. These costs do not include waste disposal or repository development costs.

2. Germany

The German repository program began investigating a salt dome at Gorleben in 1977. Major construction and characterization activities were carried out. The NRC described its status as follows:

After decades of intense discussions and protests, an agreement was reached in 2000 between the utilities and the government to suspend exploration of Gorleben for at least three, and at most, ten years. In 2003, the Federal Ministry for the Environment set up an interdisciplinary expert group to identify, with public participation, criteria for selecting new candidate sites.<sup>51</sup>

There is as yet no specific site being characterized. After more than three decades, the program is moribund.

<sup>&</sup>lt;sup>48</sup> NRC 2008, p. 59559.

<sup>&</sup>lt;sup>49</sup> Scottish Government 2007

<sup>&</sup>lt;sup>50</sup> Irish Times 2008

<sup>&</sup>lt;sup>51</sup> NRC 2008, p. 59559-59560.

#### 3. Switzerland

The Swiss have done a quarter century of geologic repository research. In 1998, the Swiss was authorities found that a repository was technically feasible and that it has been successfully demonstrated, the repository was rejected in a referendum in the canton.<sup>52</sup> The Swiss authorities have no firm date for the opening of a repository, but, according to the NRC, they "do not expect [that] a deep geologic repository will be available in their country before 2040."

#### 4. Canada

An independent commission, empanelled by the Canadian government found in 1998 that a geologic repository was technically feasible and that the concept had been sufficiently demonstrated. Yet, public acceptance is not assured. Canadian law requires public consultation. In 2007, Canada adopted an approach of public consultation with communities, which will supposedly be "community-driven" and "collaborative." No site has been selected as yet for characterization. The authorities recognize that the process will take time. According to the NRC, the Canadian waste authority "assumes the availability of a deep geological repository in 2035<sup>53</sup> An assumption is clearly not the same as a reasonable assurance. It simply allows financial calculations to be made. Given that the authorities are still on square-one in regard to public acceptance after 37 years of implementing a program and considerably more than that of nuclear reactor experience, the date of 2035 can only be considered notional. It is not based on an actual program of characterization on the ground or the acceptance of a particular community located at a specific site.

#### 5. Finland

Finland is the only country with an active nuclear power program and an active repository program where the host community government has approved of the repository site and agreed to host it. The opening of the deep repository is expected in 2020 54

#### 6. Sweden

Two municipalities in Sweden have agreed to be potential hosts of a geologic repository and an application for repository development is estimated to be filed in 2009.<sup>55</sup> However, it should be noted that Sweden has had a national moratorium on the construction of new nuclear power plants.<sup>56</sup> Therefore, its entire public consultation process has been carried out in the context that the waste stream would be limited to that

<sup>&</sup>lt;sup>52</sup> NRC 2008, p. 59560.

<sup>&</sup>lt;sup>53</sup> Both quotes are from NRC 2008, p. 59560, italics added.

 <sup>&</sup>lt;sup>54</sup> NRC 2008, p. 59560.
<sup>55</sup> NRC 2008, p. 59560.

<sup>&</sup>lt;sup>56</sup> Lundqvist 2006 p. 227

from its existing reactor fleet. It is an open question whether public acceptability would be forthcoming should Sweden reconsider its moratorium and rescind it.

#### 7. France

The NRC has described the above six cases as part of its discussion of Finding 2 and the proposed update of this finding. It is interesting that the NRC did not discuss the French program (other than a passing mention in a footnote). In fact, the French program has faced serious public opposition and its history is somewhat similar to the one in the United States. The original intent was to characterize more than one site. Only one site, in north-eastern France is being characterized. It has faced considerable local opposition. The selection of a second site (in western France) for characterization was abandoned after serious public opposition.<sup>57</sup> The French appear to be as averse to having high-level nuclear waste in their backyards as people in other countries. Further, as noted above, there are serious technical questions about how ANDRA, the French nuclear waste agency, is proceeding to characterize the site and whether the results will be adequate to provide a satisfactory scientific basis for performance assessment. In other words, the public's skepticism about official technical work may not be misplaced, contrary to the NRC's implication that public and political non-acceptance of a geologic repository is somehow not based in science.<sup>58</sup>

#### 2. Political and Social Acceptance Issues in the United States

Political and social acceptance is as essential in a democracy as technical feasibility. We have already discussed that the NRC has not provided the basis for its finding that there is reasonable assurance that a repository is technically feasible. We discuss here the social and political aspects of feasibility, which are also important for estimating a schedule. The NRC now acknowledges that in developing a repository schedule:

The Commission's proposed revision of Finding 2 is based on its assessment not only of our understanding of the technical issues involved, but also **predictions of the time needed** to bring about the necessary societal and political acceptance for a repository site.<sup>59</sup>

The U.S. program has been beset with difficulties that are well known. Some of them are described in the discussion of the proposed update to the NRC's waste confidence findings. Some others have been discussed above. The failure of the second repository program provides another example. It was, in large measure, due to public opposition; but at least some of that opposition was technically well-founded since there were many technical problems with the approach that the DOE used to select the sites in its Draft

<sup>&</sup>lt;sup>57</sup> CNE 2001, pp. 53-55.

<sup>&</sup>lt;sup>58</sup> The proposed waste confidence rule states "International developments have made clear that technical experience and confidence in geologic disposal, on their own, have not sufficed to bring about the broader societal and political acceptance needed to realize the authorization of a single national repository." NRC 2008, p. 59559.

<sup>&</sup>lt;sup>59</sup> NRC 2008, p. 59561, emphasis added.

Area Recommendation Report. (An unscientific element in the DOE's approach to site ranking, an essential technical element of site section, is briefly discussed above as an example of the problems in the report). The narrowing of site characterization to one site in Nevada was also political. As discussed above and below, the Yucca Mountain site has characteristics that make it unsuitable for a repository. But in the present context of a discussion of the proposed revision to Finding 2, it is sufficient to note that the State of Nevada and its representatives have been vigorously opposed to it on a bipartisan basis. Further, the political position of those representatives is considerably stronger today than it was when the 1987 amendments to the 1982 Nuclear Waste Policy Act (NWPA) were passed. Senator Harry Reid of Nevada is now Majority Leader of the U.S. Senate.

The Yucca Mountain Project also faces serious budgetary constraints. DOE's announced timetable of an opening by 2020 is contingent on Congressional appropriations. There is no basis in present political reality to assume that the DOE would get what it wants for site development. The United States program is also mired in litigation. Though a final EPA standard has been issued, it is not a given that it will hold up in the courts or that the Yucca Mountain site can meet the limits that the EPA has set.

The vigorous opposition of the people of Nevada and also of many along the transportation routes to Nevada is a fact that does not bode well for the eventual operation of the Yucca Mountain repository. Only one repository program is proceeding with a specific site where a repository may be assumed to open with reasonable assurance. That is the Finnish program, which was undertaken with both national and local approval. There is no other repository program that is on a road that would allow a conclusion that a repository would open with "reasonable assurance." Indeed, the NRC's revision of Finding 2 is not now dependent on the opening of Yucca Mountain, but on the opening of some repository within 50 to 60 years of the termination of the license of any operating reactor.<sup>60</sup>

We now have a President of the United States who is on the record as having stated that the Yucca Mountain site is unsuitable. President Obama has written:

I want every Nevadan to know that I have always opposed using Yucca Mountain as a nuclear waste repository, and I want to explain the many reasons why I've held that view.

In my state of Illinois, we have faced our own issues of nuclear waste management. There are some who believe that Illinois should serve as a repository for nuclear waste from other states. My view on this subject was made clear in a 2006 letter to Sen. Pete Domenici, who at the time was chairman of the Senate Energy Committee. "States should not be unfairly burdened with waste from other states," I wrote. "Every state should be afforded the opportunity to chart a course that addresses its own interim waste storage in a manner that makes sense for that state."

That is a position I hold to this day when it comes to both Illinois and Nevada.

<sup>&</sup>lt;sup>60</sup> NRC 2008, p. 59558 and p. 59561.

After spending billions of dollars on the Yucca Mountain Project, there are still significant questions about whether nuclear waste can be safely stored there. I believe a better short-term solution is to store nuclear waste on-site at the reactors where it is produced, or at a designated facility in the state where it is produced, until we find a safe, long-term disposal solution that is based on sound science.

In the meantime, I believe all spending on Yucca Mountain should be redirected to other uses, such as improving the safety and security of spent fuel at plant sites around the country and exploring other long-term disposal options.<sup>61</sup>

But if Yucca Mountain fails, it is not at all evident that a second program could be successfully put into place, as the NRC assumes. Besides the repeated delays, cost overruns, and technical problems that have plagued the Yucca Mountain program, there are other historical facts that need to be taken into account here. For instance, the DOE's Nuclear Waste Negotiator program, which aimed to find a community by consent, was eventually a failure. President George H.W. Bush appointed David H. Leroy as the Nuclear Waste Negotiator in 1990.<sup>62</sup>

Some attempts to locate a "temporary storage" facility at Native American reservations failed outright. The Private Fuel Storage proposed for Goshute reservation in Utah has also essentially failed, despite approval by the NRC, because of state opposition and opposition of people within the Goshute tribe to a tribal council decision to host it. A legal challenge remains.<sup>63</sup> It is highly unlikely that PFS will get to use the license that the NRC has granted it.

There is nothing in the history of the U.S. high-level waste program, from the first characterization program near the Lyons, Kansas, site in the 1960s to the Yucca Mountain site in 2009, that encourages the view that a repository would gain state approval. In its discussion of Finding 2, the NRC itself has acknowledged that "technical experience and confidence" are not enough to create a successful repository program:

It is important to note, however, that broader institutional issues have emerged since 1990 that bear on the time it takes to implement geologic disposal. International developments have made clear that technical experience and confidence in geologic disposal, on their own, have not sufficed to bring about the broader societal and political acceptance needed to realize the authorization of a single national repository.<sup>64</sup>

http://deseretnews.com/article/content/mobile/1,5620,645199671,00.html?printView=true and at http://healutah.org/nuclearutah/waste/pfs, among other sources. Not all challenges have ended. In July 2007, Private Fuel Storage made a claim against the Department of the Interior, hoping to reverse the decision. See NRC 2008, p. 59566 (footnote 24) – the claim has not been settled.

<sup>61</sup> Obama 2007

<sup>62</sup> Wald 1991

<sup>&</sup>lt;sup>63</sup> Two agencies of the Department of the Interior have issued decisions effectively ending the proposed Private Fuel Storage facility. See BIA 2006 and BLM 2006. Discussion of the opposition to the PFS in Nevada can be found at

<sup>&</sup>lt;sup>64</sup> NRC 2008, p. 59559.

The entire history of the program, from Lyons Kansas, to the second round repository sites, to PFS, to the continuing legal, technical, and political challenges to Yucca Mountain, including now from the President of the United States, lends support to the view that both state and local consent are necessary (and consent of the people and governments of the tribes in the case of Native Americans) in the United States to the opening of a spent fuel repository.<sup>65</sup> With this history and with the strong U.S. tradition of state political prerogatives and rights, a statement that there is "reasonable assurance" that a repository would open in the foreseeable future without both state and local consent is unwarranted and unjustified. This conclusion would stand even if Yucca Mountain were a technically suitable site. And, as discussed above, there are many indications that Yucca Mountain is not a technically suitable site.

Yucca Mountain could not even accommodate spent fuel from existing reactors without new legislation, much less spent fuel from any new reactors that might be built. A second repository would also require new legislation and, as the proposed update acknowledges, it may require new NRC regulations.<sup>66</sup> There needs to be reasonable assurance that workable legislation would be passed before the NRC can conclude that there is "reasonable assurance" that a repository will be available in some general time frame. To fail to provide a basis for assuming that there would be such legislation is to fail to provide a satisfactory basis for the central claim in the proposed Finding 2.

The NRC stated in its Draft Waste Confidence rule that its revision of Finding 2 is based in part on "**predictions of the time needed** to bring about the necessary societal and political acceptance for a repository site."<sup>67</sup> But the NRC has not provided any political, historical, legislative, or social fact, much less an analysis, to support its prediction that that there will be sufficient political or societal support for a repository by 50 to 60 years after the license of any reactor has expired. Under the present circumstances, with opposition from the President of the United States and from the Majority Leader of the U.S. Senate, it is reasonable to conclude that the Yucca Mountain project will sputter along with inadequate funds or be ended entirely.

In the absence of action to lift the 70,000 metric ton cap, legislation to authorize a second repository is needed. Moreover, such legislation should be workable. The history of nuclear waste programs around the world indicates that state, local, and (when applicable) tribal consent is one essential ingredient of a successful program (though by no means the only one). Further, the federal government must be of one mind in pursuing the project over a long period of time. The history of the NWPA shows that not one of these societal and political conditions has been met. There is no indication in political reality that they will be met. The history of the second repository, which was abandoned in 1986, and the Nuclear Waste Negotiator program also points in the same direction.

<sup>&</sup>lt;sup>65</sup> This does not mean state and local support would be sufficient; it is just one necessary condition. Technical, legal, environmental and health criteria also needed to be satisfied.

<sup>&</sup>lt;sup>66</sup> See footnote 3, NRC 2008, p. 59555.

<sup>&</sup>lt;sup>67</sup> NRC 2008, p. 59561, emphasis added.

Even though it recognizes the important of social and political factors, the NRC proposes to find that there is reasonable assurance that there will be a repository any underlying legislative or political feasibility analysis. In effect, the NRC is assuming that the Executive Branch of government can confront the Legislative Branch with a *fait accompli* of granting license extensions to existing reactor licensees and licenses to new applicants. The implicit assumption is that Congress must then act to create a repository program that will accommodate all the waste and that new legislation will actually result in a repository.

The NRC apparently recognizes the weakness of its position regarding Finding 2 in that it explicitly solicits comment as to whether it should find instead that storage on site is safe "until a disposal facility can reasonably be expected to be available."<sup>68</sup> There is even less reasonableness in punting to the indefinite future, when the uncertainties and risks become greater. A large part of the very notion of spent fuel disposal is that it is far too risky to leave spent fuel lying around at dozens of sites for the indefinite future. This matter cannot be settled within the framework of dates or simply indefinite deferral of decisions. After repeatedly incorrect Waste Confidence Decisions regarding reasonable assurance of repository availability, the reasonable thing now is to do an Environmental Impact Statement that properly considers all the alternatives. This is necessary in any case, since a large part of the environmental impact evaluation done in the reactor licensing process is either obsolete or wrong or both (see below).

#### 3. Financial considerations

There is also no fiscal or economic basis for concluding that there is a reasonable assurance that a repository will be available. The Nuclear Waste Policy Act requires nuclear utilities to collect 0.1 cents per kilowatt-hour from ratepayers and provide them to the federal government for spent fuel disposal in a repository. Annual nuclear electricity generation was about 787 billion kWh in 2006,<sup>69</sup> making that year's contribution to the Nuclear Waste Fund of about 787 million dollars. About 56,000 metric tons of spent fuel have already been generated as of April 2008. The figure is expected to rise to 119,000 metric tons by 2035.<sup>70</sup> However, reactor relicensing is continuing so this quantity is likely to increase, for instance, if nearly all operating reactors are relicensed.

In addition, the geologic repository must also accommodate Department of Energy reprocessing high-level waste disposal. As discussed above, it is highly unlikely that the 70,000 metric ton cap for the Yucca Mountain site will be lifted by Congress. The financial consequences of these facts must be taken into account in any waste confidence ruling dealing with both existing and new reactors.

The DOE's cost estimate for Yucca Mountain has escalated from about 57.5 billion dollars in 2001 to 96 billion dollars in 2008 for a variety of reasons, including more waste

<sup>&</sup>lt;sup>68</sup> NRC 2008, p. 59561.

<sup>&</sup>lt;sup>69</sup> Data from the U.S. Energy Information Administration (DOE EIA 2009)

<sup>&</sup>lt;sup>70</sup> DOE OCRWM 2008.

and inflation.<sup>71</sup> This estimate is based on a smooth functioning of the program from here on out. This is highly unlikely given that program funds are highly likely to be cut, if it is not terminated altogether. It would be prudent and reasonable to assume that the costs of Yucca Mountain likely to be well over \$100 billion, if it opens. At 0.1 cent per kWh, and 90 percent capacity factor for 60 years, the present U.S. reactor fleet will generate about \$50 billion in revenue.<sup>72</sup> Moreover, this revenue is in current dollars, since the fee is not adjusted for inflation. But the costs are subject to inflation, one reason that they keep going up with every delay. Note that the cost estimate of \$96 billion is in constant 2007 dollars. While there is some additional revenue from DOE defense high-level waste and some revenue from interest, this is unlikely to keep pace with rising costs.

It is not reasonable to assume that the present 0.1 cent per kWh fee will suffice to pay for the U.S. repository program. Further, given the political and legislative situation and the history of Nevada's opposition to Yucca Mountain, it is not reasonable to assume that the 70,000 metric ton cap will be lifted. Hence a second repository may well be necessary to accommodate spent fuel from existing reactors, and the problem will be worse if most or all of the reactors are relicensed. This would be true even if no new reactors are built.

There is at present no way to estimate the costs of a second repository, since the cost escalations for the first have been large and the program may fail altogether for one or more of a variety of reasons. In the interim, governmental liabilities for failing to meet its statutory deadline for beginning the process of taking ownership and disposing of the spent fuel are mounting. With no reasonable date for Yucca Mountain or a second repository in sight, the government's liabilities may become huge and must be taken into account in the overall cost of spent fuel storage and disposal. The penalty costs cannot at present be charged to ratepayers, since the government is in contractual default. The costs are nonetheless real to the people of the United States as a whole and much of the money is coming from ratepayers via federal taxes, and the rest from other taxpayers who are not now consuming nuclear electricity.

The NRC needs to address the financial uncertainties, legislative difficulties, and other political and social problems in making its estimate of the time in which a repository might become available. While political situations are subject to change, there is nothing in the past that encourages the view that it is becoming easier to find political acceptance for a repository in any part of the country.

In view of the above, the Institute for Energy and Environmental Research makes the following recommendations regarding the update of Finding 2. This finding should be change to explicitly state that:

1. It is far from assured that a second repository site can be successfully opened in the United States without the acceptance of the host state and local community.

<sup>&</sup>lt;sup>71</sup> DOE 2008b

<sup>&</sup>lt;sup>72</sup> Some of this has already been generated, of course, since ratepayers have been paying into the fund for the past quarter of a century.

Such acceptance may or may not be forthcoming. The history of the U.S. repository program is not encouraging in this regard.

- 2. It is far from assured that the cap of 70,000 metric tons of heavy metal that is imposed by the Nuclear Waste Policy Act will be lifted.
- 3. In view of 1 and 2 above, commercial nuclear reactor licensees should make financial, security, and technical provisions for indefinite, secure, and hardened storage of spent fuel at reactor sites. These provisions should include infrastructure for transferring spent fuel bundles from one dry cask to another.
- 4. In view of 1, 2, and 3 above a generic EIS on spent fuel management and disposal including the alternatives mentioned above needs to be prepared, along with cost estimates and estimates of comparative security risks.

#### **C. Requirements for a Generic Environmental Impact Statement on Spent Fuel** Waste Confidence

The Waste Confidence Decision Update is being proposed in the context of NRC relicensing reactors in the existing fleet and of the applications for licenses for new reactors that it is considering. This update has major implications for safety and environmental impact. It will commit generations far into the future to potential harm if the NRC does not properly consider all relevant aspects of "safe disposal" and of environmental and health impacts of the wastes and radioactivity releases associated with reactor operations.

#### 1. Need for a Generic EIS on Waste and Reactor-Related Emissions

As set forth in Section A above, the NRC has not presented a scientific analysis to support its claim that there is "reasonable assurance" that "safe disposal" of spent fuel in a geologic repository is "technically feasible" (Finding 1) or that it can be opened within the time frame set forth in the proposed revision of Finding 2. On the contrary, it far from assured that such safe disposal is technically feasible. It is important to note in this context that the prior Commission bases, on which its earlier findings were based, have been invalidated by experience, time, and new scientific understandings, many of which have been discussed above. Consider Yucca Mountain, which should provide the strongest case for a technical feasibility determination. Deadlines have repeatedly slipped. New data on corrosion have emerged. Some experts have deemed this site as inadequate and even "fatally flawed.' Most of the DOE dose estimates made since 1990 show exposures in excess of the current EPA standard of 100 millirem beyond 10,000 vears. As a result, there is considerable scientific basis to doubt that Yucca Mountain is a suitable repository or that it should be licensed. We have discussed a critical problem with DOE's license application in that it sidestepped a key recommendation of the NWTRB by declaring it insignificant. There is also no real basis to estimate a future time, either as a date or in relation to expiry of reactor licenses, when there can be reasonable assurance that a repository can be opened.

The escalation of costs without an actual result in the form of a repository as well as the escalation of penalties for the government's failure to begin disposing of existing wastes

is causing waste management costs to escalate well beyond what was projected when the program was put into place. There is no clear current cost estimate of what it will cost to dispose of all the spent fuel currently scheduled to be produced from existing licenses and license extensions that have already been granted. This means that it is impossible to make a reasonable comparison with alternatives methods of electricity production that do no involve the creation of long-lived radioactive waste such as spent fuel and Greater Than Class C waste and depleted uranium.

In view of these facts, it is essential for the NRC to prepare a thorough generic environmental impact statement on spent fuel that would be generated by new reactors as well as from relicensing of existing reactors.

The NRC also needs a current and coherent analysis of the health impacts of the nuclear waste that will be created incident to the licensing of new nuclear plants and re-licensing of existing nuclear plants. The need for such a statement is further demonstrated by the fact that much of the basis for the assessment of the environmental impacts of reactor operation, which is part of the reactor licensing process, is obsolete and/or wrong. Specifically, Table S-3 at 10 CFR 51.51, is obsolete or incorrect in many respects, especially in regard to assumptions about the impacts of disposal of spent fuel, Greater than Class C Waste, Depleted Uranium as well as about other impacts (see below). Since the NRC is now engaged in a sweeping process, via relicensing existing reactors and considering new reactor licensees, to allow the creation of vast amounts of new waste, a generic EIS is needed.

Finally, the prior EIS on geologic disposal, prepared by the DOE is, like Table S-3, hopelessly out of date and also incorrect in essential parts about its estimates of environmental and health impacts.

No pre-existing EIS, already prepared by the NRC or the U.S. Department of Energy ("DOE"), is sufficient to support the Waste Confidence Decision. For instance, the EIS prepared by the DOE in 1980 is insufficient in scope and grossly out of date. As one example, the DOE EIS does not anticipate any releases from a properly constructed repository in the absence of extraordinary and rare events. In fact, it stated that:there was "every expectation that long-term radiological impacts will be nonexistent."<sup>73</sup> As discussed at length above, this is contrary to present understanding of any medium but salt, which the NRC itself now says is unsuitable for spent fuel disposal.

As another example, the DOE did not even examine a repository in tuff, which is the rock at Yucca Mountain and has been the only repository being characterized since 1987. It was written before there was an adequate understanding of the complexities of the three elements of the disposal system, discussed above in Section A, and the difficulties of estimating their joint performance. For instance, at the time, containers were expected to perform the role of a barrier for the early period of disposal, while the geologic system would take care of the long-term:

<sup>&</sup>lt;sup>73</sup> DOE 1980, p. 5.72. The DOE only considered long-term radiological releases in case of improbable events such as meteorite impacts

The multiple barriers that could contain nuclear waste in deep mined repositories fall into two categories: 1) geologic or natural barriers and 2) engineered barriers. Geologic barriers are expected to provide isolation of the waste for at least 10,000 years after the waste is emplaced in a repository and probably will provide isolation for millenia [sic] thereafter. Engineered barriers are those designed to assure total containment of the waste within the disposal package *during an initial period* during which most of the intermediate-lived fission products decay. This time period might be as long as 1,000 years...<sup>74</sup>

It is clear that when DOE prepared this EIS in 1980, engineered barriers, including containers, were not expected to fulfill the main long-term function of containment for 10,000 years or more. But the NRC now only requires only an overall performance assessment which combines the performance of all elements together and does not put any sublimits on the performance of any particular element. As we have noted in Section A, in the case of Yucca Mountain, the essential performance burden in the sense of compliance with regulations rests with the containers. Indeed, the NRC's rules in this regard have also changed since the DOE's EIS was issued. The NRC's first rules corresponded more to the DOE's EIS concept that engineered barriers were to contain the waste in an initial period with the geology taking up the function after that. Those rules, which apply to geologic repositories to be licensed by the NRC, are at 10 CFR 60, but they Yucca Mountain was exempted from them, just as it was exempted from 40 CFR 191, Subpart B, which applies to all other repositories. 10 CFR 63, which requires only a combined performance assessment, was promulgated specially for Yucca Mountain.

Finally, a central part of licensing of new reactors and of the relicensing of existing reactors is as it concerns light water reactors (that is, all licensed power reactors in the United States) is the requirement that the license applicant prepare an Environmental Report that addresses:

Table S-3, Table of Uranium Fuel Cycle Environmental Data, as the basis for evaluating the contribution of the environmental effects of uranium mining and milling, the production of uranium hexafluoride, isotopic enrichment, fuel fabrication, reprocessing of irradiated fuel, transportation of radioactive materials, and management of low level wastes and high level wastes related to uranium fuel cycle activities to the environmental costs of licensing the nuclear power reactor.<sup>75</sup>

In the sections below we show that Table S-3 is obsolete and incorrect in a number of critical areas and needs revision, correction, and updating.<sup>76</sup> Since this is the main vehicle for assessing the environmental impacts of nuclear energy, a revision of this table and of the corresponding parts of 10 CFR 51, needs to be a part of the generic EIS on waste and the environmental impacts of nuclear energy.

<sup>&</sup>lt;sup>74</sup> DOE 1980, p. 5.1

<sup>&</sup>lt;sup>75</sup> 10 CFR 51.51(e) 2008. [N.B.: formerly 51.20(e) 1984 ]

<sup>&</sup>lt;sup>76</sup> The comments below on Table S-3 apply as well to Table S-3A, which is in WASH-1248 and provides more detail for Table S-3, when applicable.

#### 2. Solid high-level waste and spent fuel disposal impacts

This requirement applies to "any applicant's environmental report submitted on September 4, 1979, or thereafter."<sup>77</sup> In regard to high-level waste or spent fuel, Table S-3 purports to provide environmental impacts that "are maximized to either of the two fuel cycles (uranium only and no recycle)."<sup>78</sup> While this purports to be the maximum impact from spent fuel disposal (either with or without reprocessing), the claim is either wrong, obsolete, or both.

First, the Nuclear Waste Policy Act envisions disposal of spent fuel. The reprocessing impact calculations are therefore irrelevant for present licensing and environmental impact considerations. Second, the Statements of Consideration associated with the promulgation of the final rule effective on September 4, 1979, explain the regulation note the following in regard to storage and disposal as follows:

In determining the impacts associated with waste management and disposal, the [Nuclear Regulatory Commission] staff assumed that high-level waste (or reactor spent fuel treated as waste) would be stored in interim facilities (water basins and retrievable surface storage facilities) for about twenty years and then disposed of by burial in a bedded salt repository.<sup>79</sup>

In a footnote to this passage, the NRC noted that the original rulemaking had not extensively covered deep geologic disposal but subsequent work, published in NUREG-0116 has remedied that problem:

...NUREG-0116, Section 4.4, provides a 30-page quantitative discussion of disposal of long-lived wastes in a bedded salt repository, with citations to many relevant technical documents prepared since 1973.<sup>80</sup>

Thus, in 1979, the NRC had considered bedded salt as suitable for disposal either of reprocessed high-level waste or unreprocessed spent fuel. Yet, the draft waste confidence rule of 2008 states that salt formations are not being considered for spent fuel disposal for technical reasons (see quote above). Hence, Table S-3 is completely outdated and inappropriate according to current law, which requires spent fuel disposal, and the NRC's own understanding of salt repositories.

To wit, disposal in salt, which is the basis for estimating the environmental impact of high-level waste or spent fuel disposal, is only considered suitable for high-level waste resulting from reprocessing, but reprocessing is not the current policy. Rather, direct disposal of spent fuel, for which the NRC would not consider salt formation, is now the current policy.

<sup>&</sup>lt;sup>77</sup> 10 CFR 51.51(e) 2008.

<sup>&</sup>lt;sup>78</sup> 10 CFR 51.51 2008, Table S-3, Footnote 1. Uranium only means a reprocessing cycle in which only the recovered uranium is reused as a fuel.

<sup>&</sup>lt;sup>79</sup> NRC 1979

<sup>80</sup> NRC 1979, footnote 19

Moreover, Table S-3 assumes that there will be no releases whatsoever from solid highlevel waste disposal.<sup>81</sup> According to WASH-1248, which is the underlying document developed for promulgating the rule:

The most significant solid radiological waste consists of the fission products separated from the spent fuel of an annual fuel requirement in the reprocessing operation. These high level wastes will be stored onsite for a maximum of 10 yrs., and will ultimately be shipped, probably by rail, to a Retrievable Surface Storage Facility (RSSF). The RSSF will be established to store and manage high level solid wastes under constant surveillance for up to 100 years, or until such time as a more permanent Federal repository can be established. The facility will be designed to prevent the release of significant amounts of radioactive material to the environment under all credible environmental conditions and human actions. *Therefore, such waste will not be released as effluents to the environment.*<sup>82</sup>

The same assumption of essentially zero release and zero impact has evidently been applied to spent fuel as well. The NRC's 1981 background information on Table S-3 affirms this as well:

It has been assumed that a geologic repository will be designed and operated so as to retain solid radioactive waste indefinitely.<sup>83</sup>

And again:

The high-level radioactive waste from the once-through fuel cycle is the spent fuel assemblies, which will be packaged and disposed of in a geologic repository. The radioactive waste from the uranium-only recycle option consists of the fuel assembly hulls, the high-level and intermediate-level wastes from reprocessing, and the plutonium waste. These wastes will be disposed of in a geologic repository in the form of solids which will have chemical and physical properties that mitigate the release of radionuclides to the environs. It is assumed that *the geologic repository will be designed and operated so that the solid radioactive wastes are confined indefinitely*.<sup>84</sup>

Table S-3 does not show any releases from a deep geologic repository though ten million curies per reactor-year would be disposed of. Nor are any adverse health impacts estimated. Of course, these are implicitly zero as well, corresponding to the assumed zero release of radionuclides from the repository.

<sup>&</sup>lt;sup>81</sup> Table S-3 was revised in 1979 when 10 CFR 51 was promulgated. It has not been changed since. The references to Table S-3 are from 10 CFR 51 as it currently stands and to Table S-3A in so far as it is compatible with the present Table S-3.

<sup>&</sup>lt;sup>82</sup> WASH-1248, p. S-23, italics added.

<sup>&</sup>lt;sup>83</sup> NRC 1981

<sup>&</sup>lt;sup>84</sup> NRC 1981, p. 13, italics added.

In 1983, the Supreme Court affirmed the reasonableness of the zero releases assumed in Table S-3 (BG&E v. NRDC, 462 U.S. 87). This decision was rendered in the context of the assumption of disposal of reprocessing high-level waste or spent fuel in a bedded salt repository. As noted above, the assumption of disposal of reprocessing waste from commercial spent fuel is obsolete; current law requires disposal of spent fuel. There is no commercial reprocessing facility in the United States. The assumption of disposal of spent fuel in salt has been is no longer scientifically supportable due to the thermomechanical properties of salt. The NRC itself has concluded that only reprocessing highlevel waste is suitable for disposal in salt. Further, the assumption of zero release of radioactivity due to disposal of spent fuel is contrary to the established scientific understanding of the expected performance of all other geologic settings. For instance, all of the DOE documents cited above as well as the graphs shown in Attachment A to these comments show positive doses due to disposal of spent fuel in Yucca Mountain. Of course, positive doses can only be the result of positive releases of radionuclides into the human environment. As far back as 1983, the report on geologic isolation prepared for the DOE by the National Research Council concluded that radiation doses would be positive doses for spent fuel and high level reprocessing waste disposal in all settings other than salt that were evaluated – tuff, granite, and basalt.<sup>85</sup>

The Supreme Court's 1983 finding that an assumption of zero release from high-level waste or spent fuel disposal has therefore been rendered obsolete by the combination of following three considerations:

- 1. The Nuclear Waste Policy Act requires the disposal of waste from commercial nuclear power plants in the form of spent fuel rather than reprocessing waste.
- 2. Spent fuel cannot be safely disposed of in a salt repository, as acknowledged by the NRC (see above)
- 3. All other repository settings are now acknowledged to have some releases of radioactivity.

10 CFR 51 therefore is no longer valid and as the basis for determining the environmental performance of nuclear power plants so far as releases from spent fuel are concerned. As a result it does not provide a satisfactory basis for licensing new nuclear power plants or relicensing existing ones. It also does not provide the basis for confidence that a suitable repository will be available that will keep the environmental impacts within the limits assumed by Table S-3.

Instead of addressing the substantive issues that it faces in regard to waste confidence in the licensing of new reactors or the relicensing of existing reactors under the technical and legal conditions that exist today, the NRC has wrongly assumed the problem away in its draft waste confidence findings by implicitly assuming that Table S-3 is still valid. A new and valid estimate of the set of environmental impacts from high-level waste and

<sup>&</sup>lt;sup>85</sup> NAS-NRC 1983, Chapter 9. Estimates of doses from spent fuel disposal are only presented for basalt along with the statement that the conclusions for basalt "will apply as well to the other repository media." p. 282.

spent fuel disposal is evidently needed as part of any waste confidence rule. A generic environmental impact statement is needed in order to establish the basis on which new reactors can be licensed or existing reactors can be relicensed.

We note here that there are other parts of Table S-3 that is obsolete or wrong or both that do not concern high-level waste or spent fuel, but relate to the impacts from other parts of the fuel cycle. These also needed to be covered in the new, generic environmental impact statement. Some additional requirements for revision of Table S-3 are discussed in below.

As noted above, Table S-3 is either incorrect or obsolete or both in regard to high-level waste and spent fuel disposal in a geologic repository. There are other ways in which these tables do not properly or adequately assess the impact of wastes and effluents associated with nuclear reactor operation. A thorough revision of these tables and the associated analysis is necessary to correct them and to assess the environmental impact from relicensing existing commercial reactors or licensing new reactors, both of which will result in the generation of large amounts of new waste and radioactivity. We will first cover the ways in which Table S-3 is deficient in matters other than high-level waste and spent nuclear fuel disposal. Then we will provide recommendations for the scope of the generic environmental impact statement that is needed to address those aspects of environmental and health impacts of reactor licensing and re-licensing.

#### 3. Releases of volatile radionuclides from spent fuel

Volatile radionuclides are mainly released to the atmosphere from spent fuel when it is reprocessed if not captured.<sup>86</sup> For instance, iodine-129 would be released to the atmosphere in this way, if not captured. There are also liquid effluents as a result of reprocessing.

In constructing Table S-3, the NRC assumed that I-129 would be released to the atmosphere prior to spent fuel disposal in a repository even though, physically this would not occur. The NRC claimed that this was a "conservative" assumption:

For spent fuel disposal the staff made the conservative assumption that fissionproduct gases in the spent fuel, including all tritium, krypton-85, carbon-14, and iodine-129, would be released during handling and emplacement of the waste prior to sealing of the repository. This assumption reflects the possibility that the spent fuel storage canisters and the fuel rod cladding will be corroded by the salt during the period the repository is open (roughly 6 to 20 years, and volatile materials in the fuel will escape to the environment. The staff assumed, however, that after the repository is sealed there would be no further release of radioactive materials to the environment.<sup>87</sup>

<sup>&</sup>lt;sup>86</sup> The release of carbon-14 as carbon-14 dioxide gas is covered separately below.

<sup>&</sup>lt;sup>87</sup> NRC 1979.

The NRC made this assumption in the context of disposal in a bedded salt repository, which, as noted, is obsolete for spent fuel. It is also not conservative for any other geologic setting, since iodine-129 releases into groundwater could cause much higher doses either via groundwater or where the groundwater is discharged into surface water.

For instance, the largest dose calculated by the French nuclear waste agency ANDRA, was due to I-129 in spent fuel. As noted in Section A, the whole body effective dose equivalent from I-129 in the event of seal failure was estimated to be 1,500 millirem, greatly in excess of both the French and current U.S. EPA performance requirements. Since the main organ that is irradiated is the thyroid, the implied dose to the thyroid is about 30,000 millirem.<sup>88</sup>

It is clear that under present circumstances, with present technical information, and under current law, Table S-3 is not conservative. On the contrary, by assuming that I-129 is dispersed into the atmosphere, the doses are implicitly assumed to be quite low. For instance, WASH-1248, the document underlying 10 CFR 51, estimates the thyroid dose due to the release of volatile radionuclides (mainly I-129) as only 6.3 millirem from one-reactor year of operation.

This dose appears to be well with compliance limits and hence the NRC can proceed to liecense reactors on this basis. However, if it is assumed that spent fuel will be disposed of in a geologic repository where groundwater could become contaminated, then the performance measure to be used is not longer that applying to one reactor for one eyar, but whther the geologic repository system is suitable for disposal of all the spent fuel that is created in the program as a whole. In the French case, the spent fuel disposed of is much less than will be required in the U.S., since the French have fewer reactors and they have reprocessing. It is plausible that the U.S. impacts from iodine disposal could therefore be far in excess of the limits set in 40 CFR 197 for geologic disposal.<sup>89</sup> Therefore the cumulative impact of licensing new reactors and re-licesing existing reactors would be far in excess of that estimated in Table S-3, which assumes zero releases into the environment from disposal of solid spent fuel.

Other parts of Table S-3 relating to volatile or gaseous radionuclides are also obsolete. For instance, Table S-3 assumes a release of 400,000 curies of krypton-85 into the atmosphere per reactor-year. While this may be conservative, it is greatly in excess of the EPA's maximum allowable release of krypton-85 from one-gigawatt-year<sup>90</sup> of operation as specified in 10 CFR 190.10(b):

<sup>&</sup>lt;sup>88</sup> Calculated using thyroid and committed dose equivalent dose conversion factors for ingestion of iodine-129 in EPA 1999 and 2002 suppl. The weighting factor used for the thyroid is 0.03, according to 40 CFR 191.

<sup>&</sup>lt;sup>89</sup> The DOE's license application for Yucca Mountain estimates low doses only because it assumes neartotal container integrity for very long periods of time and treats deliquescence-induced corrosion as insignificant.

<sup>&</sup>lt;sup>90</sup> This is equal to one 1,000 megawatt reactor operating for one year at 100 percent capacity factor. Table S-3 assumes a "Reference Reactor Year" which is the same reactor operating at 80 percent capacity factor,

(b) The total quantity of radioactive materials entering the general environment from the entire uranium fuel cycle, per gigawatt-year of electrical energy produced by the fuel cycle, contains less than 50,000 curies of krypton-85, 5 millicuries of iodine-129, and 0.5 millicuries combined of plutonium-239 and other alpha-emitting transuranic radionuclides with half-lives greater than one year.<sup>91</sup>

Hence, the assumed release of Kr-85 in Table S-3 is far in excess of that allowed under current EPA rules, demonstrating yet another aspect of the obsolescence of Table S-3. We understand that these releases would occur mainly in the case of the reprocessing option being chosen and that reprocessing is not the current law for spent fuel management and disposal. But Table S-3 is designed to cover both the reprocessing and non-reprocessing cases. The releases it estimates, as an upper bound, are not in compliance with current regulations.

Table S-3's estimate of 1,300 millicuries (1.3 curies) of iodine -129, and 203 millicuries (0.203 curies) of fission products and transuranic radionuclides not otherwise specified are also not aligned with 40 CFR 190.10(b).

It is clear that some of the NRC assesses releases from reactor operations to be insignificant that are far in excess of those allowed by the EPA. The fact that these releases would be primarily from reprocessing operations and that reprocessing is no longer envisaged as the basis for disposal only highlights the obsolescence of Table S-3.

Further, it is possible that reprocessing may become the basis for spent fuel management for some or all of spent fuel. While we have concluded that such a course would create far more serious problems than it solves, it is nonetheless within the realm of possibility. For instance, it is part of a set of options being considered under the Global Nuclear Energy Partnership.<sup>92</sup>

As of April 2008, U.S. nuclear power plants had created 56,000 metric tons of spent fuel. The DOE anticipates that 119,000 metric tons of spent fuel will be created by existing reactors by 2035. There is some uncertainty about waste generation per reactor for new reactors, since it will depend on enrichment, burn-up etc. But 30 new reactors would likely generate in excess of 600 metric tons per year of spent fuel, or 24,000 metric tons over 40 years.

In sum, just considering spent fuel alone, there are a many ways in which Table S-3 is obsolete and/or incorrect. Hence revision of operational norms and release estimates in both the reprocessing and non-reprocessing cases is essential as is a reevaluation of the impacts and costs in a new generic EIS.

see NUREG-0116, Table 3.2, p. 3-14. When translated into the same basis as the EPA regulation, the krypton-85 emissions would be 500,000 curies per gigawatt-year.

<sup>&</sup>lt;sup>91</sup> 40 CFR 190.10(b) 2008

<sup>&</sup>lt;sup>92</sup> GNEP PEIS draft 2008, see Section S.2.4 for a summary of options the DOE is considering. A Final EIS has not yet been prepared.

#### 4. Greater than Class C (GTCC) waste and low-level waste

Table S-3 is severely outdated with respect to GTCC waste. It is also outdated with respect to Class A, B, and C low-level waste.

#### a. GTCC waste

There was no GTCC waste category when the 10 CFR § 51.51 and Table S-3 was revised in the late 1970's.<sup>93</sup> NRC regulations regarding GTCC waste were part of low-level waste regulations, which were not issued until 1982 and revised periodically after that.<sup>94</sup> The Part 61 low-level waste regulations generally require disposal of GTCC in a deep geologic repository and prohibit shallow land burial unless a specific exemption is obtained.<sup>95</sup> At present Table S-3 assumes all solid radioactive waste, except high-level waste, including what is now called GTCC waste, will be buried in a shallow land burial facility.<sup>96</sup> This is clearly incorrect. GTCC waste cannot be disposed of in shallow lowlevel waste facilities unless a specific exemption to do so is provided by the NRC. None has been provided; nor is there any application for such an exemption.

GTCC waste has a relatively high radioactivity per unit volume and many components of GTCC waste have long half-lives. The impacts in the absence of repository disposal could therefore be considerable – though the amounts would be site specific. Therefore, Table S-3, which was prepared prior to the understanding that led to the creation of a GTCC category, cannot be relied upon for estimating the environmental impact of GTCC disposal. We note here that Table S-3 has been republished in the same way since the late 1970s without change, including after the low-level waste regulations requiring deep geologic disposal of GTCC waste (unless specifically exempted). The current version of 10 CFR 51 also contains this same provision for disposal "on site."<sup>97</sup> The following is copied from the present Table S-3 at 10 CFR 51.51<sup>98</sup>:

Solids (buried on site):		
Other than high level (shallow)	11,300	9,100 Ci comes from low level reactor wastes and 1,500 Ci ] comes from reactor decontamination and decommissioningburied at land burial facilities. 600 Ci comes from millsincluded in tailing returned to ground. Approximately 60 Ci comes from conversion and spent fuel storage. No significant effluent to the environment.

Table S-3 is therefore legally wrong in its *a priori* assumption of shallow land burial (on site or at any site) of GTCC waste.

<sup>&</sup>lt;sup>93</sup> NRC 1979. Table S-3 was first published in WASH-1248 and revised in the late 1970s, in which form it has been republished since that time.

<sup>&</sup>lt;sup>94</sup> 10 CFR Part 61 2008

<sup>&</sup>lt;sup>95</sup> See 10CFR 61.55(a)(2)(iv) 2008 and 10 CFR 61.55(a)(4)(iv) 2008.

<sup>&</sup>lt;sup>96</sup> 10 CFR 51.51 2008. Table S-3 mentions onsite burial (i.e., "buried on site"). This would clearly not be allowed for any of the wastes discussed here.

 <sup>&</sup>lt;sup>97</sup> Disposal on site at reactors would not be permitted since none have a license do to so and no applications have been made. There are other issues as well in relation to low-level waste compacts see below.
<sup>98</sup> 10 CFR 51.51 2008.

The Department of Energy (DOE) is preparing an Environmental Impact Statement (EIS) regarding GTCC disposal.<sup>99</sup> This EIS is being prepared because the DOE considers the development of capability to dispose of GTCC waste as a "major Federal action."<sup>100</sup> A full evaluation of the impacts of options of GTCC disposal has never been done. The impacts of GTCC disposal as evaluated in this EIS need to be incorporated into a revised Table S-3.

Table S-3 is also incorrect in another respect. As can be seen, above, it assumes that there will be "[n]o significant effluent to the environment" and no health impact is estimated. In other words, the assumption here is the same as that for high-level waste and spent fuel disposal – zero environmental impact.

The more stringent requirement for GTCC waste disposal is because the specific activity of the waste is higher than for the Class A, B, and C low-level waste categories as defined in 10 CFR 61.55. No difference in the types of radionuclides or their chemical composition is assumed to exist. The technical inference clearly is that shallow land burial would produce greater impacts than Class A, B, and C waste disposal. The radiation doses estimated by the NRC for these latter waste categories in its low-level waste EIS are greater than zero for all disposal cases, even those in conformity with the 10 CFR 61 regulations, over a period of 500 years.<sup>101</sup> *A forteriori*, the impacts associated with GTCC disposal in shallow land burial at the same reactor site or at some other site would likely be greater.

While the impacts of Disposal of GTCC waste disposal have not been evaluated in the United States, they are required to be disposed of in a deep repository in France. The French evaluation of Class B waste (corresponding approximately to GTCC waste) provides some interesting evidence. According to ANDRA's assessment, the dose from Class B waste disposal at the French Bure site could exceed allowable limits due to exposure to chlorine-36 in the scenario that assumes a failure of the repository seals.<sup>102</sup>

There is no explicit discussion of transuranic waste in Table S-3. Yet NUREG-0116, which supplements WASH-1248, and which is referred to in the notes to Table S-3 explicitly mentions that transuranic waste, mainly generated during reprocessing, should be disposed of in a deep geologic repository. Table S-3 does not even consider chlorine 36.

There will be a considerable amount of GTCC waste even if there is no reprocessing. The DOE estimated that a Boiling Water Reactor would generate 47 cubic meters and a

<sup>&</sup>lt;sup>99</sup> See DOE 2007 and DOE 2007b.

<sup>&</sup>lt;sup>100</sup> According to the GTCC EIS website set up by Argonne National Laboratory for the GTCC EIS process, "The Secretary of Energy has determined that development of disposal capability for GTCC LLW is a major Federal action that may have a significant impact upon the environment within the meaning of the National Environmental Policy Act of 1969 (NEPA)." On the Web at http://www.gtcceis.anl.gov/eis/why/index.cfm.

<sup>&</sup>lt;sup>101</sup> NRC 1982, v. 1, Table 4.6 (pp. 4-30 to 4-32).

<sup>&</sup>lt;sup>102</sup> ANDRA 2001, p. 139.

Pressurized Water Reactor would generate 133 cubic meters upon decommissioning.<sup>103</sup> On this basis the existing reactor fleet would generate in excess of 10,000 cubic meters of GTCC waste upon decommissioning.

Again, it clear that Table S-3 is obsolete or incorrect in a number of respects in regard to GTCC waste. The impact of this needs to be assessed either by the NRC as part of the impacts associated with nuclear energy production.

#### b. Class A, B, and C low-level waste

10 CFR 61 allows disposal of Class A, B, and C low-level waste in shallow land disposal facilities. However, such facilities must be licensed and must meet the dose limits specified at 10 CFR 61 Subpart C. Table S-3 mentions "on site" disposal. WASH-1248, the underlying document supporting Table S-3 also mentions on site diposal. No current reactor sites have such licenses. No application for a new reactor contains provision for obtaining a license for on-site disposal of low-level waste. The table needs to revised and clarified in this regard.

Table S-3 also assumes that shallow land disposal of waste will have not environmental and health impact. This is incorrect. The low-level waste EIS recognizes that some impacts may occur. The standard computational model used for assessing the radiation dose impact of land contamination (and disposal of radioactive waste in shallow land burial facilities is a form of land contamination) generally produces non-zero radiation doses under any reasonable assumption of technical site parameters. This is especially so as 10 CFR 61 Subpart C contains no time limit for performance. That is, the dose limits specified there must be met for the durations that are multiples of the longest lived radionuclides disposed of at the facility. Hence Table S-3 is obsolete and wrong in its assumption of essentially zero release from shallow land burial of low-level waste as well. .

### 5. Depleted Uranium

Table S-3 makes no mention of the large amounts of depleted uranium that will be generated in the course of enrichment of uranium to produce fuel for the proposed nuclear reactors. Large amounts of DU from uranium enrichment plants were not regarded as a waste when Table S-3 was created. But the Nuclear Regulatory Commission has declared depleted uranium as a low-level waste. However, the classification of large amounts of DU from enrichment plants within the low-level waste scheme (Class A, B, C or GTCC) has yet to be decided. The NRC as asked its staff to conduct a generic proceeding to determine such a classification.<sup>104</sup>

<sup>&</sup>lt;sup>103</sup> DOE data as cited in Makhijani and Saleska 1992, Table 6.

<sup>&</sup>lt;sup>104</sup> "... the Commission directs the NRC staff, outside of this adjudication, to consider whether the quantities of depleted uranium at issue in the waste stream from uranium enrichment facilities warrant amending section 61.55(a)(6) or the section 61.55(a) waste classification tables." (NRC 2005).

The NRC staff has recently begun that assessment. It has determined that 10 CFR 61 does not automatically apply to DU in large amounts such as those created by enrichment plants. In fact, it has decided that DU from enrichment plants differs essentially from other low-level wastes in some respects in that it has a much higher level of specific activity, the radionuclides are exceptionally long-lived, and there is in-growth of thorium-230 and radium-226 (which emits radon-222) over hundreds of thousands of years.<sup>105</sup>

DU has radiological characteristics similar to Greater than Class C low-level waste, containing long-lived, alpha-emitting transuranic radionuclides at concentrations greater than 100 nanocuries per gram. Shallow land disposal of over 10,000 metric tons of DU would cause substantial health and environmental impacts in the long run. An assessment done by the Institute for Energy and Environmental Research in the context of evaluating the disposal of 133,000 metric tons of DU from an enrichment plant proposed for New Mexico, concluded that peak doses from the disposal would be in the hundreds of rem per year to the maximally exposed individual under a variety of shallow land disposal conditions, including disposal in dry or wet areas.<sup>106</sup> In contrast, the maximum allowable dose from low-level radioactive waste disposal is only 0.025 rem per year.<sup>107</sup> This means that DU from enrichment plants, over the life of the plant, if disposed of in shallow land burial, would produce doses thousands of times greater than the allowable limit at the time of peak dose.

The NRC staff paper has itself estimated that the disposal of DU in shallow land burial will cause non-zero radiation doses.<sup>108</sup>

Table S-3 does not take any of these realities into account. Indeed, at the time it was published in its present form, in the late 1970s, DU was not even considered a waste. However, the NRC now requires it to be considered as waste in the context of the licensing of uranium enrichment plants.<sup>109</sup> Hence Table S-3 is obsolete in not explicitly considering the impacts of DU.

<sup>&</sup>lt;sup>105</sup> Borchardt 2008 Enclosure 1.

 <sup>&</sup>lt;sup>106</sup> Makhijani and Smith 2004, Table 5 (p. 24). "Version for Public Release Redacted March 20, 2007."
<sup>107</sup> 10 CFR 61.41 2008

<sup>&</sup>lt;sup>108</sup> Borchardt 2008, See Enclosure 1. Note that we do not agree with the results of the NRC staff's calculations. For instance, the NRC staff has assumed that "there will not be significant releases of waste to the environment from fluvial or aeolian erosion." This is completely unrealistic and in general scientifically incorrect for the time periods evaluated – well over 1,000 years and up to one million years. As a result, the quantitative impacts assessed by the NRC for arid sites are serious underestimates (since erosion is the main pathway for long-term dose, which is external dose, in arid areas). See Makhijani and Smith 2004. The NRC's conclusion that that some shallow land burial sites may be suitable for DU disposal is based on the incorrect assumption of zero erosion rates, is therefore also incorrect. There has been no scientifically credible demonstration that there would be essentially zero impact from erosion at shallow burial sites, even if these are more than three meters deep, given the time scales involved.

The 56,000 metric tons of spent fuel that have been created so far correspond to more than 300,000 metric tons of DU.<sup>110</sup> There will be hundreds of thousands of metric tons of additional DU due to future fuel production for the existing reactor fleet. Relicensing the rest of existing reactors and licensing new reactors will commit to production of further large amounts.<sup>111</sup>

DU cannot be buried at the reactor site or the enrichment plant site without an appropriate license. Under the current path, DU from an enrichment plant or even more than one enrichment plant may be disposed of at a single facility.

The impacts of DU management and disposal and whether such safe disposal of DU – that is disposal of DU in conformity with low-level waste disposal standards at 10 CFR 61 Subpart C – is possible needs evaluated in the generic EIS on waste that would include a revision of Table S-3. The costs of disposal that would conform to 10 CRF 61 Subpart C also need to be estimated.<sup>112</sup>

#### 6. Radon

The matter of doses from radon-222 due to emissions from mill tailings had not been included in Table S-3. On March 20, 2008, the NRC denied a petition by the New England Coalition on Nuclear Pollution, which had requested that a value for the impact of radon-222 be included in Table S-3. In denying the petition, the NRC concluded that "the radiological impacts of the uranium fuel cycle, including those from radon-222 emissions, on individuals off-site will remain at or below the Commission's regulatory limits, and as such, are of small significance."<sup>113</sup> The NRC referred to Chapter 6 of NUREG-1437 for technical details about the denial.

Limiting radon-222 emissions from uranium mill sites requires the maintenance of the mill tailings site. This includes maintenance of a cover to prevent radon emissions:

The design and implementation of the radon cover and erosion protection features are the primary reliance for maintaining radon emissions within the [10 CFR] Part 40 limits; significant failure of the covers is considered highly unlikely. However, the indefinite licensed long-term custody and care provide additional assurances.<sup>114</sup>

<sup>&</sup>lt;sup>110</sup> This is an approximate figure. It is much greater than the amount used in the illustrative calculation in the paragraph before. The exact figure attributable to commercial nuclear power plants is difficult to estimate, since the U.S. has had dual use enrichment plants for its civilian and military enrichment requirements and because in recent years the U.S. has also imported enrichment services from Russia in the form of Russian highly enriched uranium that was downblended into low enriched reactor fuel.

<sup>&</sup>lt;sup>111</sup> The exact amounts are difficult to estimate since some depleted uranium tails may be used as enrichment feedstocks and the assay of U-235 in the tails may vary as uranium prices change. <sup>112</sup> See for instance Makhijani and Smith 2004.

<sup>&</sup>lt;sup>113</sup> NRC 2008c. The quote is on p. 14947

<sup>&</sup>lt;sup>114</sup> NRC 1996, Vol. 1, pp. 6-9 and 6-10.

This assumption that there will be custody and maintenance for the indefinite future in NUREG-1437 is patently absurd. While the decay of radium-226, which has a half-life of 1,600 years, is the proximate source of radon-222 emissions from mill tailings, radium-226 itself is the decay product of thorium-230.

So long as there is thorium-230 in the tailings, the amount of radium-226 will be about the same (excepting that part accounted for by differential environmental mobilization). Thorium-230 has a half-life of over 75,000 years. Hence, there will be significant amounts of radium-226 in the tailings ponds for about ten half-lives or about three quarter of a million years. No human institution has lasted even one percent of this time. The United States, which has had a long political continuity, is not even 300 years old, and it has had a Civil War less than a hundred years after its creation. While the Atomic Energy Act may require institutional control and maintenance of mill tailings, an environmental impact assessment is a technical matter. That assessment cannot rely on a legal requirement that is patently out of touch with any reasonable expectation or technical judgment. For instance, the National Research Council has advised that longterm institutional control should not be assumed in waste disposal or matters relating to the use of contaminated sites:

The committee believes that the working assumption of DOE planners must be that many contamination isolation barriers and stewardship measures at sites where wastes are left in place will eventually fail, and that much of our current knowledge of the long-term behavior of wastes in environmental media may eventually be proven wrong. Planning and implementation at these sites must proceed in ways that are cognizant of this potential fallibility and uncertainty.<sup>115</sup>

The NRC has done exactly the opposite of the recommendation of the National Research Council. Instead of being "cognizant of this potential fallibility and uncertainty" arising from the failure of stewardship and the possibility of incorrect assumptions, it has simply reckoned that all of its essential assumptions and all the necessary institutions and finances will be in place for three quarters of a million years. While this time frame is not specified in NUREG-1437, it is implicit in it because radon-222 emissions ultimately originate in the thorium-230 present in the mill tailings. Indeed, over the long periods considered, the potential for high population doses due to erosion and airborne radioactive particles from the mill tailings should be explicitly considered.

Further, radon releases will also occur from DU disposal, which was not considered in Table S-3. DU disposal is now acknowledged by the NRC to create risks for a million years or more.<sup>116</sup> Since U-238 decay will create radium-226 buildup over time, radon-222 risks from DU disposal will persist for the indefinite future.

<sup>&</sup>lt;sup>115</sup> NAS-NRC 2000, p. 5. Italics in the original.

<sup>&</sup>lt;sup>116</sup> Borchardt 2008. See for instance Figure 7. While this Figure stops at one million years, it is evident from the charts that non-zero doses continue after that time.

Finally, it should also be noted that EPA's Federal Guidance Report 13, which provides dose conversion and risk factors for persons by age does not provide any data for radon-222. In updating Table S-3 the NRC will need to consider whether children or women get a higher dose than men under specified environmental conditions.

## 7. Carbon-14

While Table S-3 makes an estimate of 24 curies of carbon-14 releases as gaseous effluents from one reactor year of operation, WASH-1248 does not provide an analysis of the dosimetric consequences. Carbon-14 is oxidized either during reprocessing or in an unsaturated oxidizing environment like Yucca Mountain. While the individual doses from C-14 releases can be expected to be very small, the population doses integrated over time would be very large. This is because carbon-14 has a very long half-life (5,730 years); it will continually be recycled through the biosphere along with non-radioactive carbon. Over ten thousand years, the population doses could be very high in an oxidizing environment. The SAB report cites a population dose of 14 million person rem over 10,000 years assuming that half the carbon-14 is released. This corresponds to 4,000 cancer fatalities over 10,000 years.<sup>117</sup> The total amount of spent fuel considered in this calculation was 70,000 metric tons of heavy metal, the present legal limit for repository disposal. The corresponding estimate per reactor-year, assuming 20 metric tons per reactor-year, would be 1.14 cancer fatalities over 10,000 years. This amounts to 45 fatal cancers due to carbon-14 releases from spent fuel generated over a 40-year operating life and twice that if the license is extended by another 40 years.

Such consequences would be estimated only for unsaturated oxidizing repositories, which is the description that fits the Yucca Mountain site as presently designed and characterized. They would also be estimated in reprocessing scenarios. Hence, the estimates of C-14 fatalities and corresponding estimates of cancer incidence need to be included in a revised Table S-3. We note here that the dose conversion factors have been updated since the EPA carbon-14 report, cited above, was published. Doses and cancer risks need to be calculated on an age-specific, gender-specific basis in the generic waste EIS.

# 8. Conclusions regarding aspects of Table S-3 other than Spent Fuel and High-Level Waste

Table S-3 is obsolete and/or wrong in its legal, technical, environmental and health assumptions and estimates in regard to spent fuel, gaseous releases from spent fuel, GTCC waste, Class A, B, and C low-level waste, DU, radon-222, and carbon-14. In light or more rigorous requirements for waste management and the fact that repository costs have escalated without a repository having been commissioned as previously envisaged, a thorough revision of the cost basis of nuclear power in regard to its waste aspects is also

<sup>&</sup>lt;sup>117</sup> Loehr, Nygaard, and Watson 1993, p. 21

needed. This is essential because without such estimates, the costs of nuclear energy with alternative options cannot be fairly made.

A generic environmental impact statement must compare the environmental impacts and costs of the present course with the following alternatives in regard to spent fuel:

- 1. At reactor storage for the indefinite future, including periodic replacement of storage containers and inter-container transfer.
- 2. Consolidated monitored storage in one or more locations for the indefinite future, including replacement and transfer as in Item 1 above.
- 3. Yucca Mountain at 70,000 metric tons with no second repository.
- 4. Yucca Mountain at a higher capacity than 70,000 metric tons.
- 5. Yucca Mountain with a second repository.
- 6. Yucca Mountain fails as a program and one or more other sites in a new program to accommodate all spent fuel.
- 7. Reprocessing of spent fuel with fast reactor reuse of plutonium and uranium, plus a waste repository for high-level waste and Greater Than Class C waste.
- 8. Reprocessing with light water reactor re-use of plutonium (including costs of reactor modification), with a repository as in Item 7 above.
- 9. Reprocessing of spent fuel without fast reactor reuse of plutonium and uranium, with a repository as in Item 7 above.
- 10. Uranium only fuel recycle, with a repository as in Item 7 above.
- 11. Partial reprocessing, with repository disposal of uranium and mixed uraniumplutonium oxide spent fuel, uranium spent fuel, high-level waste and Greater Than Class C waste.

The risk of terrorist attacks and proliferation risks must be included in the generic EIS. These risks are different for the various options and those differentials need to be factored into the process of choosing a preferred alternative in the EIS process.

It must also consider the various options for GTCC disposal and DU disposal that would conform with existing low level waste dose limits specified at 10 CFR 61 Subpart C.

A waste confidence rule as well as a generic EIS on spent fuel must consider the above alternatives and provide cost estimates for them. These costs must be added to reactor costs for new reactors in the licensing process and in the re-licensing process of existing reactors. The costs must be added to nuclear power costs when evaluating alternatives when preparing environmental impact statements for new reactors. Without a realistic estimate of costs and a generic waste confidence EIS, the EIS process for new reactor licenses and the adjudicatory process for re-licensing reactors will remain fundamentally deficient. If the costs of repository alternatives cannot be realistically estimated based on present U.S. data and history (including technical, legal, regulatory, political, social, and fiscal aspects), then the waste confidence finding must be that there is no reasonable assurance that a repository for spent fuel can be opened in the United States at any time in the foreseeable future. Specifically, if a well-founded upper bound cannot be attributed to waste management and disposal costs, then there is no basis on which to

compare the total costs of nuclear with various combinations of renewable energy, storage, combined heat and power, and efficiency alternatives as a part of the EIS process of licensing new reactors.

#### **D.** Conclusions

The NRC has not provided a sound scientific, technical, legal, political, social financial, or fiscal basis for its conclusions that (i) a geologic repository for disposal of spent fuel is technically feasible, (ii) it can state with reasonable assurance that a geologic repository to accommodate the required waste volumes can be opened within 50 to 60 years after the license expiry of any U.S. nuclear power plant, including new plants.

Further, Tables S-3 is either obsolete or wrong needs to be fundamentally revised to take into account new scientific and legal realities. We have concluded that at present there is no reasonable assurance that a repository in the United States can be opened within the time frame specified in the revised Finding 2 or indeed at any time. A generic EIS on nuclear spent fuel management, including a revision of Tables S-3, is required before new reactors can be licensed or existing reactors can be relicensed.

This generic EIS should include consideration of the impacts of the various options described above. It should include consideration of costs of the various options. Compliance with regulations limiting public exposure should be the fundamental basis for assessing whether the impact is small or not. Note that compliance with annual dose limits needs to be estimated for the most exposed individual, who may be a male or female, infant, or a male or female of any other age, using dose conversion factors that are specific to that age and gender. Population doses should also be estimated as this is important for understanding the full extent of the health risks over time. Other aspects of waste management and disposal to be considered as part of the process of licensing new reactors or relicensing existing reactors are discussed below.

# Attachment A<sup>118</sup>



Graph A: Neutralize Waste Package

Time (year after closure)

<sup>&</sup>lt;sup>118</sup> Source for all graphs: DOE OCRWM 1999.



Graph B: Neutralize Spent Fuel Cladding



Graph C: Neutralize Overlying Flow Barriers



Graph D: Neutralize Unsaturated Zone Transport Barrier



Graph E: Neutralize Saturated Zone Transport Barrier

**Source for all graphs:** U.S. DOE Office of Civilian Radioactive Waste Management, "NWTRB Repository Panel meeting: Postclosure Defense in Depth in the Design Selection Process," presentation for the Nuclear Waste Technical Review Board Panel for the Repository, January 25, 1999. Presented by Dennis C. Richardson. Online at http://www.nwtrb.gov/meetings/1999/jan/richardson.pdf.

**Attachment B** 

#### INSTITUTE FOR ENERGY AND ENVIRONMENTAL RESEARCH

6935 Laurel Avenue, Suite 201 Takoma Park, MD 20912

Phone: (301) 270-5500 FAX: (301) 270-3029 e-mail: ieer@ieer.org http://www.ieer.org

Curriculum Vitae

des membres de l'équipe IEER et un relecteur

présent à l'IEER 29-30 novembre 2004

# Examen critique du programme de recherche de l'ANDRA pour déterminer l'aptitude du site de Bure au confinement géologique des déchets à haute activité et à vie longue

## **RAPPORT FINAL**

préparé par l'Institut pour la recherche sur l'énergie et l'environnement (IEER)

> pour Le Comité Local d'Information et de Suivi

> > Directeur du Projet Arjun Makhijani, Ph.D.

> > Coordinatrice du projet Annie Makhijani

27 décembre 2004 avec corrections 11 janvier 2005
Arjun Makhijani, Ph.D. Annie Makhijani Prof. Jaak Daemen, Ph.D. Prof. George Danko, Ph.D. Prof. Rod Ewing, Ph.D. Detlef Appel, Ph.D. Yuri Dublyansky, Ph.D. Prof. Gerhard Jentzch, Ph.D. Mike Thorne, Ph.D., relecteur

Les différents membres de l'équipe ont eu la responsabilité des disciplines scientifiques suivantes et ont rédigé les chapitres correspondants :

Chapitre 1: Principes de confinement géologique - Arjun Makhijani. Yuri Dublyansky a contribué à la section sur la paléoclimatologie
Chapitre 2: Mécanique des roches - Jaak Daemen
Chapitre 3: Aspects thermiques de la conception et de la construction du site de stockage - George Danko
Chapitre 4: Programme de recherches sur le terme source et le champ proche - Rod Ewing
Chapitre 5: Hydrogéologie - Detlef Appel
Chapitre 6:Aspect minéralogiques et géochimiques dans la formation hôte - Yuri Dublyansky
Chapitre 7: Sismologie et déformation - Gerhard Jentzsch et Horst Letz
Traduction: Annie Makhijani

Relecture de traduction: Annike et Jean-Luc Thierry

Appui scientifique: Annie Makhijani

Documentaliste: Lois Chalmers

## Curriculum Vita of Arjun Makhijani

#### Education:

- Ph.D. University of California, Berkeley, 1972, from the Department of Electrical Engineering. Area of specialization: plasma physics as applied to controlled nuclear fusion. Dissertation topic: multiple mirror confinement of plasmas.
- M.S. (Electrical Engineering) Washington State University, Pullman, Washington, 1967. Thesis topic: electromagnetic wave propagation in the ionosphere.
  Bachelor of Engineering (Electrical), University of Bombay, Bombay, India, 1965.

#### Current Employment:

- 1987-present: President and Senior Engineer, Institute for Energy and Environmental Research, Takoma Park, Maryland. (part-time in 1987).
- February 3, 2004-present, Associate, SC&A, Inc., one of the principal investigators in the audit of the reconstruction of worker radiation doses under the Energy Employees Occupational Illness Compensation Program Act under contract to the Centers for Disease Control and Prevention, U.S. Department of Health and Human Services.

#### **Professional Societies:**

Institute of Electrical and Electronics Engineers and its Power Engineering Society American Physical Society Health Physics Society American Association for the Advancement of Science

#### **Official positions**

Subcommittee on carbon-14 emissions from Yucca Mountain of the Radiation Advisory Committee, U.S. Environmental Protection Agency, 1992-1993 Radiation Advisory Committee, U.S. Environmental Protection Agency, 1992-1994 Technical Advisory Panel, Hanford high level waste tanks, early 1990s (ex-officio) Consultant to the Office of Technology Assessment of the U.S. Congress

#### Consulting Experience, 1975-1987

Consultant on a wide variety of issues to various organizations including:

Tennessee Valley Authority Lower Colorado River Authority Federation of Rocky Mountain States Environmental Policy Institute Lawrence Berkeley Laboratory Food and Agriculture Organization of the United Nations International Labour Office of the United Nations United Nations Environment Programme United Nations Center on Transnational Corporations The Ford Foundation Economic and Social Commission for Asia and the Pacific United Nations Development Programme

#### Some publications relevant to nuclear waste and radioprotection

Makhijani, A., K.M. Tucker, with Appendix by D. White, *Heat, High Water, and Rock Instability at Hanford*, Health and Energy Institute, Washington, D.C., 1985.

Makhijani, A., R. Alvarez, and B. Blackwelder, *Deadly Crop in the Tank Farm: An Assessment of Management of High-Level Radioactive Wastes in the Savannah River Plant Tank Farm, Environmental Policy Institute, Washington, D.C., 1986.* 

Makhijani, A., *Release Estimates of Radioactive and Non-Radioactive Materials to the Environment by the Feed Materials Production Center, 1951-85*, Institute for Energy and Environmental Research, Takoma Park, 1988.

Makhijani, A., and B. Franke, Addendum to Release Estimates of Radioactive and Non-Radioactive Materials to the Environment by the Feed Materials Production Center, 1951-85, Institute for Energy and Environmental Research, Takoma Park, 1989.

Makhijani, A. and S. Saleska, *High Level Dollars Low-Level Sense: A Critique of Present Policy for the Management of Long-Lived Radioactive Waste and Discussion of an Alternative Approach*, Apex Press, New York, 1992.

Makhijani, A. and Annie Makhijani, *Fissile Materials in a Glass, Darkly: Technical and Policy Aspects of the Disposition of Plutonium and Highly Enriched Uranium*, IEER Press, Takoma Park, 1995.

Makhijani, A., H. Hu, K. Yih, eds., *Nuclear Wastelands: A Global Guide to Nuclear Weapons Production and the Health and Environmental Effects*, MIT Press, Cambridge, MA, 1995.

Fioravanti, M. and A. Makhijani, *Containing the Cold War Mess: Restructuring the Environmental Management of the U.S. Nuclear Weapons Complex*, Institute for Energy and Environmental Research, Takoma Park, October 1997.

Makhijani, A., Bernd Franke, and Hisham Zerriffi, *Preliminary Partial Dose Estimates from the Processing of Nuclear Materials at Three Plants during the 1940s and 1950s*, Institute for Energy and Environmental Research, Takoma Park, September 2000. (Prepared under contract to the newspaper *USA Today*.)

Makhijani, A. and Bernd Franke, *Final Report of the Institute for Energy and Environmental Research on the Second Clean Air Act Audit of Los Alamos National Laboratory by the Independent Technical Audit Team*, Institute for Energy and Environmental Research, Takoma Park, December 13, 2000.

Makhijani, Arjun, Hisham Zerriffi, and Annie Makhijani, "Magical Thinking: Another Go at Transmutation," *Bulletin of the Atomic Scientists*, March/April 2001.

Makhijani, A. and Michele Boyd, Poison in the Vadose Zone: An examination of the threats to the Snake River Plain aquifer from the Idaho National Engineering and

*Environmental Laboratory* Institute for Energy and Environmental Research, Takoma Park, October 2001.

Makhijani, A. and Sriram Gopal, Setting Cleanup Standards to Protect Future Generations: The Scientific Basis of Subsistence Farmer Scenario and Its Application to the Estimation of Radionuclide Soil Action Levels (RSALs) for Rocky Flats, Institute for Energy and Environmental Research, Takoma Park, December 2001.

Makhijani, A. and Michele Boyd, *Nuclear Dumps by the Riverside: Threats to the Savannah River from Radioactive Contamination at the Savannah River Site*, Institute for Energy and Environmental Research, Takoma Park, Maryland, forthcoming, March 2004.

## Annie Makhijani

## Education:

M.S. (Chemistry, with emphasis on Physical Chemistry) University of Maryland, College Park, Maryland, 1994. Research topic: the physical properties of nanostructures. Bachelor of Science (Chemistry) University of Maryland, College Park, 1985. Studied Hindi at the Institut des Langues Orientales in Paris (1980). Bachelor of Arts (Psychology) Université de Tours, France (1972)

## Employment:

- 1994-present: Project Scientist, Institute for Energy and Environmental Research, Takoma Park, Maryland.
- Staff Scientist, Institute for Energy and Environmental Research, Takoma Park, Maryland.
- Consultant for the White House Council on Environmental Quality (1979).
- French teacher, Alliance Française, Bombay, India (1977-1979)

## **Publications:**

- Makhijani, Arjun and Annie Makhijani, *Fissile Materials in a Glass Darkly:* Technical *and Policy Aspects of the Disposition of Plutonium and Highly Enriched Uranium*, IEER Press, Takoma Park, 1995.
- Hisham Zerriffi and Annie Makhijani, *An Assessment of Transmutation as a Nuclear Waste Management Strategy*, Institute for Energy and Environmental Research, Takoma Park, 2000.

## Some accomplishments

- Did research on the management of depleted uranium for the proposed Claiborne uranium enrichment plant in Louisiana (1996).
- Did research on the decommissioning or the Sequoyah uranium conversion plant in Oklahoma.
- Was responsible for some of the background research for the Institute for Energy and Environmental Research technical report: *Radiation Exposures in the Vicinity of the Uranium Facility in Apollo, Pennsylvania* (1998).

## RESUME JAAK J.K. DAEMEN

## Education: Ph.D. Geo\_Engineering, University of Minnesota, June 1975 Mining Engineer (Honors), University of Leuven, Belgium, July 1967

Registration: State of Arizona: Registered P.E. Civil Engineering (AZ 12158) and Mining Engineering (AZ 12980)

## Professional:

American Institute of Mining Engineers, American Society of Civil Engineers, International Society for Soil Mechanics and Foundation Engineering, American Society for Engineering Education, International Society for Rock Mechanics, Royal Flemish Engineering Association, Royal Belgian Society of Engineers and Industrialists, American Geophysical Union, American Rock Mechanics Association.

Past Member, National Tunneling Committee, U.S. National Rock Mechanics Committee and Committee on Geological and Geotechnical Engineering of the National Research Council of the National Academy of Sciences; Reviewer for National Science Foundation, Geotechnical Engineering Program; U.S. Geological Survey; Mining Engineering, Society of Mining Engineers of AIME; International Journal of Rock Mechanics and Mining Sciences; Water Resources Research; Canadian Geotechnical Journal

## Employment Record:

October 2001 - Present Professor, Mining Engineering, Mackay School of Mines, University of Nevada, Reno.

July 1990 - Sept.2001 Professor and Chair, Mining Engineering, Mackay School of Mines, University of Nevada, Reno.

September 1976 \_ June 1990 Assistant and Associate Professor, University of Arizona, Department of Mining and Geological Engineering.

Summer 1980, 1981 Visiting Associate Research Engineer, Research Associate, University of California, Berkeley.

Summer 1977 Occidental Research Corporation. Investigations of roof control problems, Island Creek Coal Company.

April 1975 - September 1976 Research Engineer, E. I du Pont de Nemours & Co., Potomac

River Development Laboratory, Martinsburg, West Virginia 2504.

Sept. 1967 - March 1975 Research Assistant, Teaching Assistant, Teaching Associate, Research Fellow and Post\_Doctoral Research Associate, Univ. of Minn, Minneapolis, Department of Civil & Mineral Engineering.

#### Sponsored Research:

Mechanics of Fully Grouted Bolts in Bedded Mine Rook (United Engineering Foundation); Rock Mass Sealing (U.S. Nuclear Regulatory Commission); Numerical Analysis of the influence of Bench Stiffness on Rock Fragmentation in Surface Blasting (AZ MMRRI); Ground and Air Vibrations Induced by Large Surface Blasts (Office of Surface Mining; U.S. Bureau of Mines); Mechanical Characterization of Welded Tuff (Center of Nuclear Waste Regulatory Analyses); Permeability-Strain Measurements in Rock Salt (Sandia National Laboratories); Sealing Studies for WIPP (SNL); Sealing Studies for Yucca Mountain, (SNL), Rock

Movement Induced by Blasting (Placer Dome); Long Term Drift Sability (DOE).

#### Courses Taught:

University of Arizona: Rock Excavation Practice; Tunneling and Underground Construction; Surface Mining; Coal Mining; Geomechanics; Applied Geomechanics: Underground Construction; Advanced Geomechanics; Design of Underground Structures; Rock Fracture and Flow; Subsidence Engineering; Rock Dynamics: Drilling, Blasting; Key Block Theory; Boundary Element Analysis.

University of Nevada, Reno: MINE 210 Mining Methods; MINE 301 Coal Mining; MINE 380 Quarry Engineering; MINE 445 Rock Excavation; MINE 448 Rock Mechanics; MINE 658 Rock Mechanics for Underground Mining and Construction.

<u>Consulting</u>: Morrison\_Knudsen, Inc.; Sandia National Laboratories; Anaconda Minerals Company; Golder Associates; E.I. du Pont de Nemours & Co.; Fluor Mining & Metals; Cia Minera Las Cuevas, San Luis Potosi; Engineers International, Inc.; Itasca Consulting Group, Inc.; Nuclear Waste Management Consultants, Inc.; GRC Consultants, Inc; Hargis and Associates, Inc.; Southwest Research Institute; Asarco Mining Co., Inc.; Getchell Gold , Inc.; Petroplug, Inc.; U.S. DOE, J.S. Redpath.

## CURRICULUM VITAE OF DR. GEORGE DANKO

## **EDUCATION:**

Ph.D.	(Candidacy Degree in Technical Sciences), 1985, Hungarian Academy of
	Sciences. Thesis: Measurement and Model-building for the Convective
	Heat Transfer Examinations.

- Dr. Tech. (Doctor's Degree in Fluid Dynamics), 1976, Department of Fluid Dynamics, University of Technology, Budapest. Thesis: Matrix Analysis of Hydraulic Transients in Pipeline Flow.
- M.S. Applied Math, 1975, Eotvos University of Sciences, Budapest
- M.S. Mechanical Engineering, 1968, University of Technology, Budapest

## **EMPLOYMENT HISTORY:**

7/95-present Professor, Mining Engineering Department,	Mackay School of Mines,
University of Nevada, Reno.	

- 8/90-6/95 Associate Professor, Mining Engineering Department, Mackay School of Mines, University of Nevada, Reno.
- 09/87-8/90 Lecturer in Mechanical Engineering, College of Engineering, University of Nevada, Reno.
- 11/86-8/90 Research Associate, Mining Engineering Department, Mackay School of Mines, University of Nevada, Reno.
- 1/79-11/86 Associate Professor, Institute of Thermal Energy and Systems Engineering, University of Technology, Budapest.
- 8/78-1/79 Visiting Postdoctoral Associate, Department of Mechanical Engineering, University of Minnesota.
- 9/75-8/78 Fellow of Hungarian Academy of Sciences.
- 8/68-9/75 Assistant Professor, Department of Mechanical Engineering, University of Technology, Budapest.

## Selected recent publications relevant to nuclear waste disposal:

- Danko, G., (1999), "In Situ REKA Probe Measurements at Yucca Mountain," <u>Proceedings</u>, <u>International Bureau of Mining Thermophysiscs</u>, St. Petersburg, pp 1-12.
- Danko, G., (2000), "Coupled Convection-Diffusion Modeling with MULTIFLUX," <u>Proceedings of the International Symposium on Hydrogeology and the Environment</u>, Wuhan, China, pp 26-31.
- G. Danko, D. Bahrami, (2001), "Ventilation Analysis of a Cold Conceptual Repository using MULTIFLUX with NUFT," <u>Proceedings</u>, 9<sup>th</sup> International high-Level Radioactive <u>Waste Management Conference</u>, April 29<sup>th</sup>-May 3<sup>rd</sup>.
- G. Danko, D. Bahrami, and A. Adu-Acheampong, (2001), "In Situ Thermophysical Properties Measurements Under Hydrothermal Disturbances at DST," <u>Proceedings</u>, 9<sup>th</sup> <u>International high-Level Radioactive Waste Management Conference</u>, April 29<sup>th</sup>-May 3<sup>rd</sup>.

- G. Danko and D. Bahrami, (2002), "The Application of CFD to Ventilation Calculations at Yucca Mountain", <u>Proceedings, WM 02' Conference</u>, February 24-28, 2002, Tucson, AZ, Session 39B, Paper 12, Abs. 243, pp. 1-11.
- Danko, G., Shah, N., and Bahrami, D., (2002). "Evaluation of Lithophysal Conductivity, Diffusivity, and Porosity Measurements using the REKA Method," <u>Proceedings</u>, <u>WM' 02 Conference</u>, February 24-28, Tucson, AZ. pp. 1-13.
- Danko, G., Jain, A., (2002). "Parameter Identification of a Numerical Transport Code," <u>Proceedings, WM' 02 Conference</u>, February 24-28, Tucson, AZ. pp.1-7.
- Danko, G., and Bahrami, D., (2003). "Sensitivity Analysis of Ventilation Parameters and Site Input Properties," <u>Proceedings, 10th Int. High-Level Radioactive Waste Management Conference</u>, pp.1-8.
- Danko, G., and Bahrami, D., (2003). "Natural Ventilation of a Deep Geologic Nuclear Waste Storage Facility," <u>Proceedings, 10th Int. High-Level Radioactive Waste</u> <u>Management Conference</u>, pp.1-8.
- Danko, G., Shah, N., and Bahrami, D., (2003). "Monte Carlo Analysis of In Situ Lithophysal Properties Identification," <u>Proceedings, 10th Int. High-Level Radioactive</u> <u>Waste Management Conference</u>, pp.1-10.
- Danko, G., Shah, N., and Bahrami, D., (2003). "In Situ Thermophysical Properties Variation at DST, Yucca Mountain," <u>Proceedings, 10th Int. High-Level Radioactive</u> <u>Waste Management Conference</u>, pp.1-8.
- Danko, G., Bahrami, D., Leister, P., and Croise, J., (2003). "Temperature and Humidity Control for Underground Spent Fuel Storage," <u>Proceedings, 10th Int. High-Level</u> <u>Radioactive Waste Management Conference</u>, pp.1-8.

#### **RODNEY C. EWING**

Rod Ewing is a professor in the Department of Nuclear Engineering and Radiological Sciences at the University of Michigan, responsible for the program in radiation effects and nuclear waste management. He also holds appointments in Geological Sciences and Materials Science & Engineering and is an Emeritus Regents' Professor at the University of New Mexico in the Department of Earth and Planetary Sciences, where he was a member of the faculty from 1974 to 1997 and chair of the department from 1979 to 1984. He is also an *Adjungeret Professor* at the University of Aarhus in Denmark.

Ewing received a B.S. degree in geology from Texas Christian University (1968, summa cum laude) and M.S. (1972) and Ph.D. (1974, with distinction) degrees in mineralogy from Stanford University where he held an NSF Fellowship. His graduate studies focused on an esoteric group of minerals, metamict Nb-Ta-Ti oxides that are unusual because they have become amorphous due to radiation damage caused by the presence of radioactive elements (U and Th) and radionuclides in their decay series. This radiation-induced phase transformation from a crystalline to amorphous (periodic-toaperiodic) structure can have significant effects on the properties of materials, such as the decreased durability of radioactive waste forms. Over the past twenty years, the early study of these unusual minerals has blossomed into a broadly based research program on radiation effects in complex ceramic materials. Such studies have lead to the development of techniques to predict and confirm the very long-term behavior of materials, such as those used in radioactive waste disposal. The key to such studies has been the use of natural phases of great age in designing highly durable nuclear waste forms. Present research includes: radiation effects caused by heavy-particle interactions with crystalline materials (e.g., ion-beam modification of ceramics and minerals); the structure and crystal chemistry of complex Nb-Ta-Ti oxides; the crystal chemistry of actinide and fission product elements, the application of "natural analogues" to the evaluation of the long-term durability of radioactive waste forms and the release and transport of radionuclides; the low-temperature corrosion of silicate glasses; the neutronics and geochemistry of the natural nuclear reactors in Gabon, Africa. The research has utilized a wide variety of solid-state characterization techniques, such as xray diffraction, x-ray absorption spectroscopy and high-resolution electron microscopy. The work of the research group has been supported not only by U.S. funding agencies but also from sources abroad (Sweden, Germany, Australia and Japan, as well as by the European Union and NATO). Ewing is the author or co-author of approximately 400 research publications and the editor or co-editor of seven monographs, proceedings volumes or special issues of journals. He was recently granted a patent for the development of a highly durable material for the immobilization of excess weapons plutonium. He received a Guggenheim Fellowship in 2002.

Ewing is a fellow of the Geological Society of America and the Mineralogical Society of America and has served the Materials Research Society as a Councilor (1983-1985; 1987-1989) and Secretary (1985-1986). He was president of the Mineralogical Society of America (2002) International Union of Materials Research Societies (1997-1998) and the New Mexico Geological Society (1981). He was a member of the Board of Directors of the Caswell Silver Foundation (1980-1984) and Energy, Exploration, Education, Inc. (1979-1984). He has served as a guest scientist or faculty member at Battelle Pacific Northwest Laboratories, Oak Ridge National Laboratory, the Hahn-Meitner-Institut in Berlin, the Department of Nuclear Engineering in the Technion University at Haifa, the Centre D'Etudes Nucléaires de Fontenay-Aux-Roses, Commissariat A L'Énergie Atomique in France, Charles University in Prague, the Japan Atomic Energy Research Institute, the Institut für Nukleare Entsorgungstechnik of the Kernforschungszentrum Karlsruhe, Aarhus University in Denmark, Mineralogical Institute of Tokyo University and the Khlopin Radium Institute in St. Petersburg, Russia.

The involvement in issues related to nuclear waste disposal has proceeded in parallel with the basic research program most notably in association with the activities of the Materials Research Society where he has been a member of the program committee and the editor or associate editor for the proceedings volumes for the symposia on the "Scientific Basis for Nuclear Waste Management" held in Berlin-82, Boston-84, Stockholm-85, Berlin-88, Strasbourg-91, Kyoto-1994, Boston-1998 and Sydney-2000. He is co-editor of and a contributing author of Radioactive Waste Forms for the Future (published by North-Holland Physics, Amsterdam, 1988). Professor Ewing has served on National Research Council committees for the National Academy of Sciences that have reviewed the Waste Isolation Pilot Plant in New Mexico (1984 to 1996), the Remediation of Buried and Tank Wastes at Hanford, Washington and INEEL, Idaho (1992 to 1995), and the INEEL High-Level Waste Alternative Treatments (1998-1999), as well as a subcommittee on WIPP for the Environmental Protection Agency's National Advisory Council on Environmental Policy and Technology (1992 to 1998). He has served as an invited expert to the Advisory Committee on Nuclear Waste of the Nuclear Regulatory Commission and a consultant to the Nuclear Waste Technology Review Board. He is presently a member of the Board of Radioactive Waste Management of the National Research Council.

## **Dr. Detlef Appel**

**Professional background** 

Born 1943

## 1965-1971

study of geology at the University of Hannover, Lower Saxony, Germany, and the University of Vienna, Austria - diploma thesis on tectonical aspects of the Asse salt-structure in Lower Saxony (test site for radioactive waste disposal in West-Germany).

## 1971-1983

scientific employee: Institute of Geology and Paleontology of the University of Hannover - doctoral thesis on sedimentological questions of Upper Triassic sandstone formation in Lower Saxony.

## Since 1983

## freelancing consultant

Numerous expert opinions / publications in applied (hydro)geology and methodology (mostly in cooperation with other authors):

- selection, assessment and licensing of sites for final disposal of "conventional" and radioactive waste,
- risk assessment of (abandoned industrial) contaminated sites,
- site-specific and conceptual groundwater and soil protection in

environmental impact assessment, water and soil management and planning, Main clients: state authorities, regional/local water and environmental authorities, environmental NGOs (Greenpeace) and local environmental organizations. <u>Advisory activity</u>

for German federal and state governments, environmental NGOs and local citizen action groups:

- Advisory Board on "Questions of Nuclear Power Phase-Out" of the Lower Saxony Ministry of the Environment (1992-1998),

- Committee on Site Selection Procedure of the Federal Ministry of the Environment, Nature Protection and Reactor-Safety (1999-2002),

- Working Group Fuel and Waste Management of the German Commission on Reactor-Safety,

- Radiation Protection Commission of BUND Friends of the Earth,
- Scientific Advisory Board of the Konrad Mine Working Group.

International activities and cooperation

- Swiss Expert Group on Disposal Concepts for Radioactive Waste,

- Cantonal Working Group Wellenberg (Advisory Board of the Canton Nidwalden on safety aspects of the formerly planned LWA/MAW repository, Switzerland; until September 2002),

- Forum on Stakeholder Confidence (OECD/NEA),
- EC-Project COWAM (Community Waste Management),

## Membership of scientific / professional associations

- German Geological Society,
- Society of Environmental Geosciences,
- Engineering-Technical Association on Contaminated Sites,
- Professional Society of German Geoscientists.

#### YURI V. DUBLYANSKY

EDUCATION WORK PLACE	University of Perm, Russia: PhD (Candidate of Sciences) in Geosciences, 1987 University of Odessa, Ukraine: M.S. in Geological Engineering and Hydrogeology, 1982 Fluid Inclusion Lab. Institute of Mineralogy and Petrography, Russian Academy of Sciences, Siberian Branch, since 1985 to present
POSITION	Senior Scientist
WORK ADDRESS	Russia, 630090, Novosibirsk, 3, Koptyuga Ave. IM&P SB RAS Phone: +8-913-920-5263 (cel); FAX: +7-3832-332792 e-mail: kyoto_yuri@hotmail.com
SPECIALIZATION AND FIELD OF INTEREST	Geological disposal of nuclear waste; low temperature hydrothermal processes; fluid inclusions, isotope geochemistry. Analysis of the scientific and regulatory issues related to the geological disposal of the high-level nuclear waste.
LANGUAGES	English (fluent) and French (somewhat rusty)

## PROFESSIONAL EXPERIENCE

By request of the State of Nevada Attorney General Office, with the group of co-authors from USA, UK and Russia, writing a scientific monograph, providing independent evaluation of the suitability of the U.S. proposed site for geological disposal of the highlevel nuclear waste at Yucca Mountain, Nevada. Monograph will be used by the State of Nevada as part of legal deposition in the forthcoming litigations, court hearings and licensing proceedings related to the Yucca Mountain high-level nuclear waste disposal site.
1999-2001 Official representative of the State of Nevada in the three-lateral (U.S. Department of Energy, State of Nevada and University of Nevada) research project on the paleo-hydrology of the proposed geological disposal site for the high-level nuclear waste at Yucca Mountain, Nevada. In this capacity testified before the presidential Nuclear Waste

Technical Review Board and before the Advisory Committee on Nuclear Waste of the U.S. Nuclear Regulatory Commission. Scientific leader and manager of the research project commissioned by the Government of the State of Nevada studying critical issues of the geological suitability of the proposed

1997 - 1998 Served as an expert to TACIS (a EC program), assessing geological issues of the nuclear waste disposal in the Northwest Russia. Performed critical evaluation of the concept of the nuclear waste disposal in permafrost on the Novaya Zemlia archipelago.

high-level nuclear waste site in Nevada.

- 1994 1998 Consulting the State of Nevada's Nuclear Waste Project Office and the Attorney General Office on the issues of the geological suitability of the high-level nuclear waste repository at Yucca Mountain. Submitted 19 technical reports.
- 1993 1994 International Scientific Fellowship Award from NSERC, Canada, taken up at McMaster University, Hamilton, Ontario, Canada. Fluid inclusion and stable isotope geochemistry research.

1992 - 1993 Consulting the Hungarian National Authority for Nature Conservation on fossil hydrothermal systems and caves in Budapest and the Transdanubian Range.

# RECENT PROFESSIONAL PUBLICATIONS PERTINENT TO THE NUCLEAR WASTE DISPOSAL

- Dublyansky Y.V., Smirnov, S.Z., and Pashenko S.E. 2003 Identification of the deepseated component in paleo fluids circulated through a potential nuclear waste disposal site: Yucca Mountain, Nevada, USA. *Journal of Geochemical Exploration*, 4013, pp. 1-5. (*In press*)
- 2. Dublyansky, Y., Ford, D., and Reutski, V. 2001 Traces of epigenetic hydrothermal activity at Yucca Mountain, Nevada: preliminary data on the fluid inclusion and stable isotope evidence. *Chemical Geology*. **173**, pp. 125-149.
- Dublyansky, Y. 2001 Paleohydrogeology of Yucca Mountain by Fluid Inclusions and Stable Isotopes. Proc. Int. Con., Amer. Nucl. Soc. "High-Level Radioactive Waste Management". La Grande Park, Illinois. CD ROM
- 4. Dublyansky, Y., Szymanski, J., Chepizhko, A., Lapin, B., and Reutski, V. 1999 Paleohydrogeology of Yucca Mountain (Nevada, USA): Key to the Site Suitability Assessment for Planed Nuclear Waste Repository. *Geoecology*. **1**, pp. 77-87. (In Russian)
- Dublyansky, Y., Szymanski, J., Chepizhko, A., Lapin, B. and Reutski, V. 1998 Geological History of Yucca Mountain (Nevada) and the Problem of a High-Level Nuclear Waste Repository. *Defence Nuclear Waste Disposal in Russia*. NATO Series. Kluwer Academic Publishers, The Netherlands. pp. 279-292.
- 6. Hill, C., Dublyansky, Y., Harmon, R., and Schluter, C. 1995 Overview of calcite/opal deposits at or near the proposed high-level nuclear waste site, Yucca Mountain, Nevada: pedogenic, hypogene, or both? *Environmental Geology*, 26(1), pp. 69-88.

## Prof. Dr. Gerhard Jentzsch

University of Jena

Born in 1946 in Taucha near Leipzig, Germany

## **Education:**

Habilitation for Geophysics, Free University of Berlin, 1985, Institute for Geophysical Sciences, Free University of Berlin.

Doctoral examination, Technical University of Clausthal, Germany, 1976, from Faculty for Geosciences, Institute for Geophysics.

Exam (Diploma) in Geophysics, 1972, same institute.

## **Current Employment:**

1996-present: Full Professor for Applied Geophysics at the Institute for Geosciences of the University of Jena

Professional Societies:

German Geophysical Society (currently President of this society), Geologische Vereinigung, European Geophysical Union, American Geophysical Union Employment history:

1990 - 1996: Professor for General Geophysics at the Institute for Geophysics, Technical University of Clausthal.

1987 – 1990: Professor for Applied Geophysics (Angewandte Geophysik) at the Geological Institute of the University of Bonn.

1977 – 1987: Assistant at the Institute for Geophysical Sciences, Free University of Berlin, Assistence Professor (Hochschulassistent)

1972 – 1977: scientific co-worker of Prof. Dr. O. Rosenbach, Institute for Geophysics

Consulting Experience, 1990 – present:

Seismic hazard assessment for the sites of different nuclear power plants and nuclear industry in Germany, in the form of:

- check of reports
- own calculations
- member of advisory board

1999 – 2002 Member of the German siting committee to develop a procedure for the search for a site of the German nuclear repository (appointed by the German Federal Ministry of the Environment)

1993 – 1998 Member Advisory Board for the Termination of Nuclear Energy Use (Provincial Ministry for the Environment of Lower Saxony) Additional information:

Research Interests: deformation and seismology (Earth tides, global dynamics, seismological network in East-Thuringia, Geodynamic Observatory Moxa), seismic hazard assessment, physical volcanology

Publications: more than 40 papers during the past 5 years; 15 of them in reviewed journals

National and international activities:

Chairman of working groups (IAG), convenor of special sessions (EGS Meetings, Earthtide Symposium, national meetings), reviewer for the German Research Soc. and different scientific journals

Currently: President of the German Geophysical Society

## Publications relating to seismicity / deformation and nuclear waste repository:

## 1. Nuclear waste repositories:

AKEnd: Arbeitskreis Auswahlverfahren Endlagerstandorte des BMU, 2000. 1. Zwischenbericht, Stand: Juni 2000. Bundesministerium für Umwelt, Naturschutz und Reaktorsicherheit (BMU), Referat RS III 4 (A), 54 S. First intermediate report.

Bräuer, V. und G. Jentzsch, 2001. Abgrenzung von Gebieten mit offensichtlich ungünstigen geologischen Verhältnissen. Bericht an den AkEnd. Separation of areas with obvious unfavourable geological conditions.

Jentzsch, G., 2001. Vulkanische Gefährdung in Deutschland. Bericht an den AkEnd. Volcanic hazard in Germany.

AKEnd: Arbeitskreis Auswahlverfahren Endlagerstandorte des BMU, 2001. 2. Zwischenbericht – Stand der Diskussion. Bundesministerium für Umwelt, Naturschutz und Reaktorsicherheit (BMU), Referat RS III 4 (A), 179 S. Second intermediate report.

Appel, D., V. Bräuer, G. Jentzsch und K.-H. Lux, 2002. Geowissenschaftliche Kriterien zur Endlagerstandortsuche für radioaktive Abfälle – Ergebnisse des Arbeitskreises Auswahlverfahren Endlagerstandorte. Z. Angew. Geol, 2/2002, 40 – 47. Geoscientific criteria for the seek of a repository for radioactive waste – results of the AkEnd.

AKEnd: Arbeitskreis Auswahlverfahren Endlagerstandorte des BMU, 2002. Auswahlverfahren für Endlagerstandorte – Empfehlungen des

AkEnd. Abschlussbericht, Bundesministerium für Umwelt, Naturschutz und Reaktorsicherheit (BMU), Referat RS III 4 (A), 260 S. Final report. Jentzsch, G., 2002. Temperaturverträglichkeit der Gesteine - Neigung zur Ausbildung von Wasserwegsamkeiten. Bericht an den AkEnd. Temperature acceptance of rocks – tendency to open transport paths for fluids.

## 2. Seismology and deformation

Kracke, D., R. Heinrich, G. Jentzsch, and D. Kaiser, 2000. Seismic Hazard assessment of the East Thuringian Region / Germany – case study. Studia Geophysica et Geodaetica, 44/4, 537 – 548.

Kracke, D., R. Heinrich, A. Hemmann, G. Jentzsch, and A. Ziegert, 2000. The East Thuringia Seismic Network. Studia Geophysica et Geodaetica, 44/4, 594 – 601.

Hemmann, A., T. Meier, G. Jentzsch and A. Ziegert, 2000. A similarity of waveforms at stations Moxa and Plauen for the 1985/86 swarm. Studia Geophysica et Geodaetica, 44/4, 602 - 607.

Kroner, C., T. Jahr, G. Jentzsch, W. Zürn, R. Widmer-Schniedrig, and B. Heck, 2000. BFO and Moxa: Two observatories for seismological broadband observations. Orfeus Newsletter, Dez. 2000, Vol. 2, No. 3.

Jahr, T., Jentzsch, G., Kroner, C., 2001. The Geodynamic observatory Moxa / Germany: Instrumentation and purposes. Proc. 14th International Symposium on Earth Tides, Special Issue J. Geodetic Soc. of Japan, 47/1, 34 – 39.

Ishii, H., Jentzsch, G., Graupner, S., Nakao, S., Ramatschi, M. and Weise, A., 2001. Observatory Nokogiriyama / Japan: Comparison of different tiltmeters. Proc. 14th International Symposium on Earth Tides, Special Issue J. Geodetic Soc. of Japan, 47/1, 155 – 160.

Jentzsch, G., Malischewsky, P., Zaddro, M., Braitenberg, C., Latynina, A., Bojarsky, E., Verbytzkyy, T., Tikhomirov, A. and Kurskeev, A., 2001. Relations between different geodynamic parameters and seismicity in areas of high and low seismic hazards. Proc. 14th International Symposium on Earth Tides, Special Issue J. Geodetic Soc. of Japan, 47/1, 82 – 87.

Gutdeutsch, R., D. Kaiser, and G. Jentzsch, 2002. Estimation of earthquake magnitudes from epicentral intensities and other focal parameters in Central and Southern Europe. Geophys. J. Int., 151(3), 824 - 834.

Jentzsch, G. S. Graupner, A. Weise, H. Ishii, and S. Nakao, 2002. Environmental effects in tilt data of Nokogiriyama Observatory (extended abstract). Bulletin d'Information Marees Terrestres, 137, 10931 - 10936.

Jentzsch, G., M. Korn, and A. Špičák (eds.), 2003. The swarm earthquakes in the area Vogtland / NW-Bohemia: Interaction of tectonic stress and fluid migration in a magmatic environment. Special Issue J. Geodyn., 35, 1 / 2, 258 p.

Jentzsch, G., M. Korn, and A. Špičák, 2003. Editorial. In: Jentzsch, G., M. Korn, and A. Špičák (eds.): The swarm earthquakes in the area Vogtland / NW-Bohemia: Interaction of tectonic stress and fluid migration in a magmatic environment. Special Issue J. Geodyn., 35, 1 / 2, 1 -3.

Kurz, J., T. Jahr und G. Jentzsch, 2003. Geodynamic modelling of the recent stress and strain field in the Vogtland swarm earthquake area using the finiteelement method. In: Jentzsch, G., M. Korn, and A. Špičák (eds.): The swarm earthquakes in the area Vogtland / NW-Bohemia: Interaction of tectonic stress and fluid migration in a magmatic environment. Special Issue J. Geodyn., 35, 1 / 2, 247 – 258.

Hemmann, A., T. Meier, G. Jentzsch, and A. Ziegert, 2003. Similarity of waveforms and relative relocation of the earthquake swarm 1997/98 near Werdau. In: Jentzsch, G., M. Korn, and A. Špičák (eds.): The swarm earthquakes in the area Vogtland / NW-Bohemia: Interaction of tectonic stress and fluid migration in a magmatic environment. Special Issue J. Geodyn., 35, 1 / 2, 191 – 208.

## **Curriculum Vita of Mike Thorne**

**Qualifications** PhD FSRP

#### **KEY SKILLS**

- Radiological protection
- Assessing the radiological safety of disposal of radioactive wastes
- Distribution and transport of radionuclides in the environment
- Expert elicitation procedures
- Probabilistic safety studies
- Development of safety criteria
- Pharmacodynamics

CAREER HISTORY

#### 2001- Mike Thorne and Associates Limited

# **Review Studies for the Proposed Australian National Radioactive Waste Repository**

## **Client – RWE NUKEM**

Reviews of reports on animal transfer factors and of the potential effects of climate change on the repository plus development of a model for the biokinetics of the <sup>226</sup>Ra decay chain in grazing animals.

#### Support for development of the Drigg Post-closure Radiological Safety Assessment

#### **Client - BNFL**

Support in the areas of FEP analysis, biosphere characterisation, human intrusion assessment and the effects of natural disruptive events. In addition, provision of advice of future research initiatives that should be pursued by BNFL.

## Co-ordination of biosphere research and participation in BIOCLIM

Client - UK Nirex Ltd

**Review of Parameter Values:** Review of biosphere parameter values for use in the ANDRA assessment model AQUABIOS.

#### Effects of Radiation on Organisms Other Than Man

**Client:** Study for ANDRA to identify appropriate indicator organisms and develop appropriate dosimetry and effects models for those organisms.

## Evaluation of Unusual Pathways for Radionuclide Transport from Nuclear Installations Client – Environment Agency

Review of literature and conduct of formal elicitation meetings to determine potential pathways and evaluate their radiological significance.

Support Studies on the Drigg Post-closure Performance Assessment Client - BNFL Biosphere Research Co-ordination and Assessment Studies Client - United Kingdom Nirex Ltd

Continuation of a programme of work originally undertaken at Electrowatt Engineering (UK) Ltd

**Site Investigation and Risk Assessment - Hilsea Lines Client - Portsmouth City Council** Radiological assessment of a radium-contaminated site.

## PROFESSIONAL ACTIVITIES AND MEMBERSHIP

- Fellow of the Society for Radiological Protection and Immediate Past President
- Member of the Eco-ethics International Union
- Visiting Fellow at the Climatic Research Unit, University of East Anglia

## SELECTION OF PUBLICATIONS

The biosphere in post-closure radiological safety assessments of solid radioactive waste disposal, M C Thorne, Interdisciplinary Science Reviews, Vol. 23, 258-268, 1998.

Modelling radionuclide distribution and transport in the environment, K M Thiessen, M C Thorne, P R Maul, G Prohl and H S Wheater, Environmental Pollution, 100, 151-177, 1999.

Validation of a physically based catchment model for application in post-closure radiological safety assessments of deep geological repositories for solid radioactive wastes, M C Thorne, P Degnan, J Ewen and G Parkin, Journal of Radiological Protection, 20(4), 403-421, 2000.

Development of a solution method for the differential equations arising in the biosphere module of the BNFL suite of codes MONDRIAN, M M R Williams, M C Thorne, J G Thomson and A Paulley, Annals of Nuclear Energy, 29, 1019-1039, 2002.

Modelling sequential BIOsphere Systems under CLIMate change for radioactive waste disposal. Project BIOCLIM, D Texier, P Degnan, M F Loutre, D Paillard and M Thorne, Proceedings of the 10<sup>th</sup> International High-level Radioactive Waste Management Conference (IHLRWM), March 30<sup>th</sup> – April 2<sup>nd</sup>, Las Vegas, Nevada.

#### References

- 10 CFR 20 2008 U.S. Nuclear Regulatory Commission. Code of Federal Regulations. Title 10 Energy. Part 20 – Standards for Protection Against Radiation. 1-1-08 Edition. Washington, DC: Office of the Federal Register, National Archives and Records Administration; U.S. Government Printing Office, 2008. On the Web at http://www.access.gpo.gov/nara/cfr/waisidx\_08/10cfr20\_08.html.
- 10 CFR 51 2008 U.S. Nuclear Regulatory Commission. Code of Federal Regulations. Title 10 Energy. Part 51 – Environmental Protection Regulations for Domestic Licensing and Related Regulatory Functions. 1-1-08 Edition. Washington, DC: Office of the Federal Register, National Archives and Records Administration; U.S. Government Printing Office, 2008. On the Web at <u>http://www.access.gpo.gov/nara/cfr/waisidx\_08/10cfr51\_08.html</u>. § 51.51 Uranium fuel cycle environmental data--Table S-3, is on the Web at <u>http://www.nrc.gov/reading-rm/doc-collections/cfr/part051/part051-0051.html</u>. Viewed on 1 February 2009.
- 10 CFR 60 2008 U.S. Nuclear Regulatory Commission. Code of Federal Regulations. Title 10 Energy: Chapter I Nuclear Regulatory Commission; Part 60 – Disposal Of High-Level Radioactive Wastes In Geologic Repositories. 1-1-08 Edition. Washington, DC: Office of the Federal Register, National Archives and Records Administration; U.S. Government Printing Office, 2008. On the Web at http://www.access.gpo.gov/nara/cfr/waisidx\_08/10cfr60\_08.html.
- 10 CFR 61 2008 U.S. Nuclear Regulatory Commission. Code of Federal Regulations. Title 10 Energy: Chapter I Nuclear Regulatory Commission; Part 61 – Licensing Requirements For Land Disposal Of Radioactive Waste. 1-1-08 Edition. Washington, DC: Office of the Federal Register, National Archives and Records Administration; U.S. Government Printing Office, 2008. On the Web at http://www.access.gpo.gov/nara/cfr/waisidx\_08/10cfr61\_08.html.
- 10 CFR 63 2008 U.S. Nuclear Regulatory Commission. Code of Federal Regulations. Title 10 Energy: Chapter I Nuclear Regulatory Commission; Part 63 – Disposal Of Highlevel Radioactive Wastes In A Geologic Repository At Yucca Mountain, Nevada. 1-1-08 Edition. Washington, DC: Office of the Federal Register, National Archives and Records Administration; U.S. Government Printing Office, 2008. On the Web at <u>http://www.access.gpo.gov/nara/cfr/waisidx\_08/10cfr63\_08.html</u>.
- 40 CFR 190
   U.S. Environmental Protection Agency. Code of Federal Regulations. Title 40 –
   2008
   Protection of Environment. Chapter I Environmental Protection Agency. Part 190 –
   Environmental Radiation Protection Standards For Nuclear Power Operations. 7 1-08 Edition. Washington, DC: Office of the Federal Register, National Archives and Records Administration; U.S. Government Printing Office, 2008. On the Web at http://www.access.gpo.gov/nara/cfr/waisidx 08/40cfr190 08.html.
- 40 CFR 191
  U.S. Environmental Protection Agency. Code of Federal Regulations. Title 40 Protection of Environment. Chapter I – Environmental Protection Agency. Part 191 – Environmental Radiation Protection Standards For Management And Disposal Of Spent Nuclear Fuel, High-Level And Transuranic Radioactive Wastes. 7-1-08 Edition. Washington, DC: Office of the Federal Register, National Archives and Records Administration; United States Government Printing Office, 2008. On the Web at http://www.access.gpo.gov/nara/cfr/waisidx\_08/40cfr191\_08.html.

40 CFR 197 2008	U.S. Environmental Protection Agency. <i>Code of Federal Regulations. Title 40 –</i> <i>Protection of the Environment. Chapter I Environmental Protection Agency. Part</i> <i>197 – Public Health and Environmental Radiation Protection for Yucca Mountain,</i> <i>Nevada.</i> 7-1-08 Edition. Washington, D.C.: Office of the Federal Register, National Archives and Record Service; U.S. Government Printing Office, 2008. On the Web at <u>http://www.access.gpo.gov/nara/cfr/waisidx_08/40cfr197_08.html</u> .
ANDRA 2001	Agence nationale pour la gestion des déchets radioactifs. <i>Dossier 2001 Argile, sur l'avancement des études &amp; recherches relatives à la faisabilité d'un stockage de déchets à haute activite et à vie langue en formation géologique profonde. Rapport de synthèse.</i> Châtenay-Malabry: ANDRA, Décembre 2001.
BIA 2006	U.S. Bureau of Indian Affairs. "Notice of Availability of the Record of Decision (Rod) for a Proposed Lease of Tribal Trust Lands Between Private Fuel Storage, L.L.C. (PFS) and Skull Valley Band of Goshute Indian (Band) in Tooele County, UT," <i>Federal Register</i> v. 71, no. 192, October 4, 2006, pp. 58629 to 58630. On the Web at <u>http://edocket.access.gpo.gov/2006/pdf/06-8484.pdf</u>
BLM 2006	U.S. Bureau of Land Management, "Notice of Availability of the Record of Decision for the Right-of-Way Applications Filed by Private Fuel Storage, L.L.C., for an Independent Spent Fuel Storage Installation on the Reservation of the Skull Valley Band of Goshute Indians and the Related Transportation Facility in Tooele County, UT," <i>Federal Register</i> v. 71, no. 188, September 28, 2006, pp. 57005 to 57006. On the Web at <a href="http://edocket.access.gpo.gov/2006/pdf/E6-15734.pdf">http://edocket.access.gpo.gov/2006/pdf/E6-15734.pdf</a>
Borchardt 2008	R.W. Borchardt. Subject: <i>Response to Commission Order CLI-05-20 Regarding Depleted Uranium</i> , Rule Making Issue. SECY-08-0147. Washington, DC: NRC, October 7, 2008. On the Web at <u>http://www.nrc.gov/reading-rm/doc-collections/commission/secys/2008/secy2008-0147/2008-0147scy.pdf</u> .
CNE 2001	Commission Nationale d'Evaluation relative aux recherches sur la gestion des déchets radioactifs. <i>Rapport d'évaluation No 7</i> . Paris: CNE, juin 200. On the Web at <u>http://lesrapports.ladocumentationfrancaise.fr/BRP/014000485/0000.pdf</u> .
Deseret News 2006	Suzanne Struglinski. "Interior Department decisions stop nuclear-waste storage plans, Hatch says," <i>Deseret News</i> , September 7, 2006. On the Web at <u>http://deseretnews.com/article/content/mobile/1,5620,645199671,00.html?printVie w=true</u>
DOE 1980	U.S. Department of Energy. Final Environmental Impact Statement: Management of Commercially Generated Radioactive Waste. DOE/EIS-0046F. Washington, DC: DOE, Assistant Secretary for Nuclear Energy, Office of Nuclear Waste Management, Octor 1990. Vol. 1 on the Web at <a href="http://www.ocrwm.doe.gov/documents/1980_FEIS/33515/33515.pdf">http://www.ocrwm.doe.gov/documents/1980_FEIS/33515/33515.pdf</a> .
DOE 2007	U.S. Department of Energy. "Notice of Intent to Prepare an Environmental Impact Statement for the Disposal of Greater-Than-Class-C Low-Level Radioactive Waste," <i>Federal Register</i> , v. 72, no. 140, July 23, 2007, pp. 40135-40139. On the Web at <u>http://edocket.access.gpo.gov/2007/pdf/E7-14139.pdf</u> .
DOE 2007b	U.S. Department of Energy. "Notice of Intent to Prepare an Environmental Impact Statement for the Disposal of Greater-Than-Class-C Low-Level Radioactive Waste: Correction," <i>Federal Register</i> , v. 72, no. 146, July 31, 2007, p. 41819. On the Web at <u>http://edocket.access.gpo.gov/2007/pdf/Z7-14139.pdf</u> .

DOE 2008	U.S. Department of Energy, Office of Civilian Radioactive Waste Management, Safety Analysis Report: Yucca Mountain Repository License Application, DOE/RW-0573, Rev. 0, Las Vegas, NV: OCRWM, June 2008. Links on the Web at <u>http://www.nrc.gov/reading-rm/adams/web-based.html</u> , searching for ML081560400.
DOE 2008b	U.S. Department of Energy. Office of Public Affairs. U.S. Department of Energy Releases Revised Total System Life Cycle Cost Estimate and Fee Adequacy Report for Yucca Mountain Project. [Press Release]. Washington, DC: DOE, August 5, 2008. On the Web at http://www.ocrwm.doe.gov/info_library/newsroom/documents/8_5_08_FINAL_TS LCC_PR.pdf.
DOE EIA 2009	U.S. Department of Energy. Energy Information Administration. "Table 1.1. Net Generation by Energy Source: Total (All Sectors), 1994 through October 2008 (Thousand Megawatthours)." <i>Electric Power Monthly</i> with data for October 2008, Report Released: January 15, 2009. On the Web at <u>http://www.eia.doe.gov/cneaf/electricity/epm/table1_1.html</u> .
DOE OCRWM 1999	U.S. Department of Energy. Office of Civilian Radioactive Waste Management. "NWTRB Repository Panel meeting: Postclosure Defense in Depth in the Design Selection Process," presentation for the Nuclear Waste Technical Review Board Panel for the Repository, January 25, 1999. Presented by Dennis C. Richardson. Online at <u>http://www.nwtrb.gov/meetings/1999/jan/richardson.pdf</u> .
DOE OCRWM 2008	U.S. Department of Energy. Office of Civilian Radioactive Waste Management. How Much Nuclear Waste Is In The United States? Washington, DC: DOE, last reviewed: 04/08. On the Web at http://www.ocrwm.doe.gov/ym_repository/about_project/waste_explained/howmuc h.shtml.
EPA 2001	U.S. Environmental Protection Agency. "40 CFR Part 197: Public Health and Environmental Radiation Protection Standards for Yucca Mountain, NV: Proposed Rule." <i>Federal Register</i> , v. 66, no. 114, June 13, 2001. pp. 32074-32135. On the Web at <u>http://frwebgate.access.gpo.gov/cgi- bin/getdoc.cgi?dbname=2001_register&amp;docid=01-14626-filed.pdf</u> .
EPA 2005	U.S. Environmental Protection Agency. "40 CFR Part 197: Public Health and Environmental Radiation Protection Standards for Yucca Mountain, NV: Proposed Rule." <i>Federal Register</i> , v. 70, no. 161, August 22, 2005. pp. 49014-49065. On the Web at <u>http://edocket.access.gpo.gov/2005/pdf/05-16193.pdf</u> .
EPA 2008	U.S. Environmental Protection Agency. "40 CFR Part 197: Public Health and Environmental Radiation Protection Standards for Yucca Mountain, Nevada, Final Rule." <i>Federal Register</i> , v. 73, no. 200, October 15, 2008. pp. 61256-61289. On the Web at <u>http://edocket.access.gpo.gov/2008/pdf/E8-23754.pdf</u> .
FGR 13 1999 and 2002 Suppl.	Keith F. Eckerman, Richard W. Leggett, Christopher B. Nelson, Jerome S. Puskin, and Allan C.B. Richardson. <i>Cancer Risk Coefficients for Environmental Exposure</i> <i>to Radionuclides.</i> EPA 402-R-99-001. Federal Guidance Report No. 13, CD Supplement. Rev. 1. Oak Ridge, TN: Oak Ridge National Laboratory; Washington, DC: Office of Radiation and Indoor Air, U.S. Environmental Protection Agency, April 2002. Includes original 1999 FGR no. 13, which is also on the Web at <u>http://www.epa.gov/radiation/docs/federal/402-r-99-001.pdf</u> /.

Franke and Makhijani 1987	Bernd Franke and Arjun Makhijani. Avoidable Death: A Review of the Selection and Characterization of a Radioactive Waste Repository in West Germany. Washington, DC: Health & Energy Institute; Takoma Park, MD: Institute for Energy and Environmental Research, November 1987.
GNEP PEIS draft 2008	U.S. Department of Energy and Global Nuclear Energy Partnership. <i>Draft Global Nuclear Energy Partnership Programmatic Environmental Impact Statement</i> . DOE/EIS-0396. Washington, DC: DOE, October 2008. Links on the Web at <a href="http://www.gnep.energy.gov/peis.html">http://www.gnep.energy.gov/peis.html</a> . Summary on the Web at <a href="http://www.gnep.energy.gov/peis/Draft_PEIS/Summary.pdf">http://www.gnep.energy.gov/peis/Draft_PEIS/Summary.pdf</a> .
GTCC EIS website	U.S. Department of Energy. Office of Environmental Management. <i>Why the GTCC LLW EIS is Needed</i> . DOE's Argonne National Laboratory, viewed February 2, 2009. On the Web at <u>http://www.gtcceis.anl.gov/eis/why/index.cfm</u> .
HEAL Utah 2006	Healthy Environment Alliance of Utah. <i>Private Fuel Storage: Incredible News: PFS Proposal Dead!</i> [Salt Lake City]: HEAL Utah, [2006?]. On the Web at <u>http://healutah.org/nuclearutah/waste/pfs</u> .
Hooper 2006	Alan J. Hooper. "The Long-Term Management of the United Kingdom's Radioactive Waste: Status in 2005," in <i>Geological Challenges in Radioactive Waste</i> <i>Isolation: Fourth Worldwide Review</i> , P.A. Witherspoon and G.S. Bodvarsson, eds., LBNL-59808 (Lawrence Berkeley National Laboratory, Berkeley, CA, 2006); pp. 249-255. On the Web at <u>http://www-esd.lbl.gov/NW/pdfs/lbnl-59808-wwr4.pdf</u> .
IEER 2005	Institute for Energy and Environmental Research. <i>Examen critique du programme de recherche de l'ANDRA pour déterminer l'aptitude du site de Bure au confinement géologique des déchets à haute activité et à vie longue</i> , Rapport Final, préparé par l'Institut pour la recherche sur l'énergie et l'environnement IEER) pour Le Comité Local d'Information et de Suivi, 27 décembre 2004, avec corrections 11 janvier 2005. The authors of the report were: Detlef Appel, Prof. Jaak Daemen, George Danko, Yuri Dublyansky, Rod Ewing, Gerhard Jentzsch, Horst Letz, Arjun Makhijani. On the Web at <u>http://www.ieer.org/reports/bure/1204index.html</u> .
Irish Times 2008	"Sellafield Decommissioning to Take Over 100 Years," <i>Irish Times</i> , July 10, 2008. On the Web at <u>http://www.irishtimes.com/newspaper/breaking/2008/0710/breaking5.htm</u> .
LLRWPAA 1985	Public Law 99-240, "Low-Level Radioactive Waste Policy Amendments Act of 1985," (99 Stat.1842), January 15, 1986. On the Web at <u>http://www.gtcceis.anl.gov/documents/docs/LLRWPAA.pdf</u> . Includes text of Public Law 96-573. This copy is missing one page. Request sent to ANL to add page.
Loehr, Nygaard, and Watson 1993	Raymond C. Loehr, Oddvar F. Nygaard, and James E. Watson. Cover letter to Carol M. Browner, forwarding the review of the report entitled <i>Issues Associated</i> <i>with Gaseous Releases of Radionuclides for a Repository in the Unsaturated Zone</i> , April 29, 1993. The letter and the review report (EPA-SAB-RAC-93-010) are on the Web at <u>http://yosemite.epa.gov/sab/sabproduct.nsf/95eac6037dbee075852573a00075f732/1</u> <u>47c6c914dfa47dc8525731b006f2e81!OpenDocument</u> .

Lundqvist 2006	Berit Lundqvist. "The Swedish Program for Spent-Fuel Management," in <i>Geological Challenges in Radioactive Waste Isolation: Fourth Worldwide Review</i> , P.A. Witherspoon and G.S. Bodvarsson, eds., LBNL-59808 (Lawrence Berkeley National Laboratory, Berkeley, CA, 2006), pp. 227-237. On the Web at <u>http://www-esd.lbl.gov/NW/pdfs/lbnl-59808-wwr4.pdf</u> .
Makhijani 1986	Arjun Makhijani. Comments on the Department of Energy's Draft Area Recommendation Report, DOE/CH-15 (1), January 1986. Washington, DC: National Committee for Radiation Victims, April 5, 1986.
Makhijani 2008	Arjun Makhijani. <i>The Use of Reference Man in Radiation Protection Standards and Guidance with Recommendations for Change</i> . Takoma Park, MD: Institute for Energy and Environmental Research, December 2008. On the Web at <u>http://www.ieer.org/reports/referenceman.pdf</u> .
Makhijani and Makhijani 2006	Arjun Makhijani and Annie Makhijani. "Disposal of Long-Lived Highly Radioactive Wastes in France: An IEER Evaluation," <i>Science for Democratic</i> <i>Action</i> , v.13, no.4, January 2006. On the Web at <u>http://www.ieer.org/sdafiles/13-</u> <u>4.pdf</u> .
Makhijani and Saleska 1992	Arjun Makhijani and Scott Saleska. High-Level Dollars, <i>Low</i> -Level <i>Sense</i> . New York: Apex Press, 1992. Selected chapters on the Web at http://www.ieer.org/pubs/highlvl1.html.
Makhijani and Smith 2004	Arjun Makhijani and Brice Smith. <i>Costs and Risks of Management and Disposal of Depleted Uranium from the National Enrichment Facility Proposed to be Built in Lea County New Mexico by LES.</i> Takoma Park, MD: Institute for Energy and Environmental Research, November 24, 2004. On the Web at <u>http://www.ieer.org/reports/du/lesrpt.pdf.</u> "Version for Public Release Redacted March 20, 2007."
Makhijani and Smith 2005	Arjun Makhijani and Brice Smith. <i>Comments on the U.S. Environmental</i> <i>Protection Agency's Proposed Rule for the Public Health and Environmental</i> <i>Radiation Protection Standards for Yucca Mountain, Nevada</i> . Takoma Park, Institute for Energy and Environmental Research, November 21, 2005. On the Web at <u>http://www.ieer.org/comments/waste/yuccaepa.htmlhttp://www.ieer.org/comments/</u> <u>waste/yuccaepa.html</u> .
Makhijani and Tucker 1985	Arjun Makhijani and Kathleen M. Tucker. <i>Heat, High Water, and Rock Instability at Hanford: A Preliminary Assessment of the Suitability of the Hanford, Washington Site for a High-Level Nuclear Waste Repository.</i> Washington. DC: Health and Energy Institute, February 1985.
NAS-NRC 1983	National Research Council. Commission on Physical Sciences, Mathematics, and Resources. Board on Radioactive Waste Management. Waste Isolation Systems Panel. A Study of the Isolation System for Geologic Disposal of Radioactive Wastes. Washington, DC: National Academy Press, 1983.
NAS-NRC 1995	National Research Council. Board on Radioactive Waste Management. Committee on Technical Bases for Yucca Mountain Standards. <i>Technical Bases for Yucca Mountain Standards</i> . National Academy Press, Washington, D.C., 1995. On the Web at <u>http://books.nap.edu/catalog.php?record_id=4943</u> .

NAS-NRC 2000	National Research Council. Board on Radioactive Waste Management. Commission on Geosciences, Environment, and Resources. <i>Long-Term</i> <i>Institutional Management of U.S. Department of Energy Legacy Waste Sites</i> . Washington, DC: National Academy Press, 2000. On the Web at <u>http://www.nap.edu/catalog.php?record_id=9949</u> .
Nevada timeline 1999	Nevada. Nuclear Waste Project Office. <i>Nuclear Waste Policy Dilemma - The First Fifty Years</i> . Carson City, NV: NWPO, [1999?]. On the Web at <u>http://www.state.nv.us/nucwaste/yucca/nwchron1.htm</u> .
Nevada v. EPA 2008	State of Nevada v. Environmental Protection Agency (D.C. Cir., No. 08-1327, consolidated with No. 08-1345)
NRC 1979	U.S. Nuclear Regulatory Commission. "10 CFR Part 51: Licensing and Regulatory Policy and Procedures for Environmental Protection; Uranium Fuel Cycle Impacts from Spent Fuel Reprocessing and Radioactive Waste Management, Promulgation of a final fuel cycle rule," <i>Federal Register</i> , v. 44, published 8/12/79; effective 9/4/79, as reprinted in "Part 51: Statements of Consideration," pp. 51-SC-7 to 51-SC-18.
NRC 1981	U.S. Nuclear Regulatory Commission. "10 CFR Part 51, Appendix A, Narrative Explanation of Table S-3, Uranium Fuel Cycle Environmental Data," <i>46 FR 15154</i> , March 4, 1981. ( <i>Federal Register</i> , v. 46, pp. 15154+)
NRC 1982	U.S. Nuclear Regulatory Commission. <i>Final Environmental Impact Assessment on 10 CFR 61 'Licensing Requirements for Land Disposal of Radioactive Waste.</i> NUREG-0945. Washington, DC: NRC, Office of Nuclear Material Safety and Safeguards, November 1982.
NRC 1996	U.S. Nuclear Regulatory Commission. <i>Generic Environmental Impact Statement for License Renewable of Nuclear Plants</i> . NUREG-1437. Washington, DC: NRC, Office of Nuclear Regulatory Research, May 1996. Links on the Web at <a href="http://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1437">http://www.nrc.gov/reading-rm/doc-collections/nuregs/staff/sr1437</a> .
NRC 2005	U.S. Nuclear Regulatory Commission, <i>Memorandum and Order, CLI-05-20</i> , In the Matter of Louisiana Energy Services, L.P. (National Enrichment Facility) Docket No. 70-3103-ML, October 19, 2005. On the Web at <u>http://www.nrc.gov/reading-rm/doc-collections/commission/orders/2005/2005-20cli.html</u> .
NRC 2008	U.S. Nuclear Regulatory Commission. "Waste Confidence Decision Update," <i>Federal Register</i> v. 73, no. 197, October 9, 2008, pp. 59551 to 59570. On the Web at <u>http://edocket.access.gpo.gov/2008/pdf/E8-23381.pdf</u> .
NRC 2008b	U.S. Nuclear Regulatory Commission. "Consideration of Environmental Impacts of Temporary Storage of Spent Fuel after Cessation of Reactor Operation," <i>Federal Register</i> v. 73, no. 197, October 9, 2008, pp. 59547 to 59551. On the Web at <u>http://edocket.access.gpo.gov/2008/pdf/E8-23384.pdf</u> .
NRC 2008c	U.S. Nuclear Regulatory Commission. "New England Coalition on Nuclear Pollution; Denial of Petition for Rulemaking," <i>Federal Register</i> , v. 73, no. 55, March 20, 2008, pp. 14946-149549. On the Web at <a href="http://edocket.access.gpo.gov/2008/pdf/E8-5647.pdf">http://edocket.access.gpo.gov/2008/pdf/E8-5647.pdf</a> .

NUREG-0116	William P. Bishop and Frank J. Miraglia, Jr, editors. <i>Environmental Survey</i> of the Reprocessing and Waste Management Portion of the LWR Fuel Cycle. NUREG-0116 (Supp.1 to WASH-1248). Washington, DC: Nuclear Regulatory Commission, Office of Nuclear Material Safety and Safeguards, October 1976.
NWPA 1982	Nuclear Waste Policy Act of 1982. On the Web at <u>http://epw.senate.gov/envlaws/nwpa82.pdf</u> .
NWTRB 2008	U.S. Nuclear Waste Technical Review Board. <i>Report to The U.S. Congress and The Secretary of Energy: March 1, 2006-December 31, 2007.</i> Arlington, VA: NWTRB, [2008]. On the Web at http://www.nwtrb.gov/reports/nwtrb_2007_web_508.pdf.
Obama 2007	Barack Obama, "Barack Obama Explains Yucca Mountain Stance," Letter to the Editor, <i>Las Vegas Review-Journal</i> (May 20, 2007). On the Web at <u>http://www.lvrj.com/opinion/7598337.html</u> .
Pigford 1995	Thomas H. Pigford. "Invalidity of the Probabilistic Exposure Scenario Proposed by the National Research Council's TYMS Committee." UCB-NE-9523. Berkeley, CA: Nuclear Engineering Department, University of California, November 1995, as cited in "Calculating Doses from Disposal of High-Level Radioactive Waste: Review of a National Academy of Sciences Report," by Arjun Makhijani, ( <i>Science</i> <i>for Democratic Action</i> v.4, no.4, Fall 1995). On the Web at http://www.ieer.org/sdafiles/vol_4/4-4/4_4art1.html.
Scottish Government 2007	Scottish Government. "Ministers Decline to Endorse Deep Storage," News Release, June 25, 2007. On the Web at <u>http://www.scotland.gov.uk/News/Releases/2007/06/25101822</u> .
Shettel 2004	Don L. Shettel (Chairman, Geoscience Management Institute, Inc.). Comments before the United States Nuclear Waste Technical Review Board, transcript of the May 18, 2004 meeting, pp. 239-240. On the Web at <a href="http://www.nwtrb.gov/meetings/2004/may/04may18.pdf">http://www.nwtrb.gov/meetings/2004/may/04may18.pdf</a> .
Staehle 2004	Roger W. Staehle. <i>Bases for Predicting Occurrences of Rapid Corrosion on the Surfaces of Containers of C-22 at Yucca Mountain</i> , presented at the Spring Meeting of the NWTRBMay 18, 19, 2004 On the web at <a href="http://www.nwtrb.gov/meetings/2004/may/staehle.pdf">http://www.nwtrb.gov/meetings/2004/may/staehle.pdf</a> .
Staehle 2004b	Roger Staehle (Materials Science and Engineering Consultant). Comments before the Nuclear Waste Technical Review Board, transcript of the May 18, 2004 meeting, p. 241. On the Web at <u>http://www.nwtrb.gov/meetings/2004/may/04may18.pdf</u> .
Wald 1991	Matthew L. Wald, "Hired to be Negotiator, but Treated Like Pariah," <i>New York Times</i> , February 13, 1991. On the Web at <a href="http://query.nytimes.com/gst/fullpage.html?res=9D0CE5DC163BF930A25751C0A967958260&amp;sec=&amp;spon=&amp;pagewanted=all">http://query.nytimes.com/gst/fullpage.html?res=9D0CE5DC163BF930A25751C0A967958260&amp;sec=&amp;spon=&amp;pagewanted=all</a> .
WASH-1248	U.S. Atomic Energy Commission. <i>Environmental Survey of the Uranium Fuel Cycle</i> . WASH-1248. Washington, DC: AEC, Fuels and Materials – Directorate of Licensing, April 1974.

White 1983
Donald E. White. "Background Paper for Assessment of Basalt Lava Flows (BWIP), Washington." June 1983 & the "Foreword to the Appendix [i.e., to "Background Paper for Assessment of Basalt Lava Flows, Hanford, Washington"], supplement to *Heat, High Water, and Rock Instability at Hanford: A Preliminary Assessment of the Suitability of the Hanford, Washington Site for a High-Level Nuclear Waste Repository*, by Arjun Makhijani and Kathleen M. Tucker (Washington. DC: Health and Energy Institute, February 1985).

February 6, 2009

### UNITED STATES OF AMERICA NUCLEAR REGULATORY COMMISSION BEFORE THE SECRETARY

Waste Confidence Decision Update 10 C.F.R. Part 51 73 Fed. Reg. 59,551 (Oct. 9, 2008)

Docket ID - 2008-0482

Proposed Rule: Consideration of Environmental Impacts of Temporary Storage of Spent Fuel After Cessation Of Reactor Operation 10 C.F.R. Part 51 73 Fed. Reg. 59,547 (Oct. 9, 2008) RIN: 3150-A147 Docket ID – 2008-0404

## DECLARATION BY DR. GORDON R. THOMPSON IN SUPPORT OF HIS CRITIQUE OF NRC'S WASTE CONFIDENCE DECISION AND ENVIRONMENTAL IMPACT DETERMINATION

)

)

)

)

)

I, Dr. Gordon R. Thompson, declare as follows:

1. I am the executive director of the Institute for Resource and Security Studies (IRSS), a nonprofit, tax-exempt corporation based in Massachusetts. Our office is located at 27 Ellsworth Avenue, Cambridge, MA 02139. IRSS was founded in 1984 to conduct technical and policy analysis and public education, with the objective of promoting peace and international security, efficient use of natural resources, and protection of the environment. I am an expert in the technical analysis of safety, security and environmental issues related to nuclear facilities. A copy of my curriculum vitae is included as Attachment 1 to this declaration.

2. I received an undergraduate education in science and mechanical engineering at the University of New South Wales, in Australia. Subsequently, I pursued graduate studies at Oxford University and received from that institution a Doctorate of Philosophy in mathematics in 1973, for analyses of plasmas undergoing thermonuclear fusion. During my graduate studies I was associated with the fusion research program of the UK Atomic Energy Authority. My undergraduate and graduate work provided me with a rigorous education in the methodologies and disciplines of science, mathematics, and engineering.

3. Since 1977, a significant part of my work has consisted of technical analyses of safety, security and environmental issues related to nuclear facilities. These analyses have been sponsored by a variety of nongovernmental organizations and local, state and national governments, predominantly in North America and Western Europe. Drawing upon these analyses, I have provided expert testimony in legal and regulatory proceedings, and have served on committees advising US government agencies. To illustrate my expertise, I provide in the following paragraphs some details of my experience.

4. I have conducted, directed, and/or participated in a number of studies that evaluated aspects of the design and operation of nuclear facilities with respect to severe accident probabilities and consequences. These include generic studies and studies of individual facilities. For instance, with respect to generic studies on the potential for severe accidents at nuclear power plants, I was co-investigator in a study by the Union of Concerned Scientists on the "source term" issue – the potential for release of radioactive material to the environment.<sup>1</sup> Also, I was one of a team of four scientists who prepared, for Greenpeace International, a comprehensive critique of the state of the art of probabilistic risk assessment (PRA) for nuclear power plants.<sup>2</sup> Our report noted that acts of malicious acts at many nuclear facilities. In addition, I conducted analysis on the relevance of PRA to emergency response planning, as part of a study on emergency planning for nuclear power plant accidents.<sup>3</sup> All of these studies required me to be highly familiar with the design and operation of nuclear power plants, as well as the characteristics of probabilistic risk assessment.

5. I have also done considerable work on the risks posed by individual nuclear facilities. In addition to performing the studies described elsewhere in this declaration, I have studied the risks posed by the Seabrook, Pilgrim, Vermont Yankee, Diablo Canyon, and Three Mile Island plants (USA), the Darlington and Pickering stations (Canada), the Sizewell B station (UK) and the Dukovany plant (Czech Republic). All of these studies required me to become familiar with the relevant details of the design and operation of the facilities involved.

6. To a significant degree, my work has been accepted or adopted by relevant governmental agencies. During the period 1978-1979, for example, I served on an international review group commissioned by the government of Lower Saxony (a state in Germany) to evaluate a proposal for a nuclear fuel cycle center at Gorleben. I led the subgroup that examined accident risks and identified alternative options with lower risk.<sup>4</sup> One of the risk issues that I identified and analyzed was the potential for self-sustaining,

<sup>&</sup>lt;sup>1</sup> Steven Sholly and Gordon Thompson, <u>The Source Term Debate</u> (Cambridge, Massachusetts: Union of Concerned Scientists, January 1986).

<sup>&</sup>lt;sup>2</sup> H. Hirsch et al, <u>IAEA Safety Targets and Probabilistic Risk Assessment</u> (Hannover, Germany: Gesellschaft fur Okologische Forschung und Beratung mbH, August 1989).

<sup>&</sup>lt;sup>3</sup> D. Golding et al, <u>Preparing for Nuclear Power Plant Accidents</u> (Boulder, Colorado: Westview Press, 1995).

<sup>&</sup>lt;sup>4</sup> Jan Beyea, Yves Lenoir, Gene Rochlin and Gordon Thompson (subgroup chair), <u>Report of the Gorleben</u> <u>International Review, Chapter 3: Potential Accidents and their Effects</u>, submitted (in German) to the Government of Lower Saxony, March 1979.

exothermic oxidation reactions of fuel cladding in a high-density spent fuel pool if water is lost from the pool. Hereafter, for simplicity, this event is referred to as a "pool fire".<sup>5</sup> In examining the potential for a pool fire, I identified partial loss of water as a more severe condition than total loss of water. I identified a variety of events that could cause a loss of water from a pool, including aircraft crash, sabotage, and acts of war. Also, I identified and described alternative fuel storage options with lower risk; these lower-risk options included design features such as spatial separation, natural cooling and underground vaults. The Lower Saxony government accepted my findings about the risk of a pool fire, and ruled in May 1979 that high-density pool storage of spent fuel was not an acceptable option at Gorleben. As a direct result, policy throughout Germany has been to use dry storage in casks, rather than high-density pool storage, for away-fromreactor storage of spent fuel.

7. My work has also influenced decision making by safety officials in the U.S. Department of Energy (DOE). During the period 1986-1991, I was commissioned by environmental groups to assess the safety of the military production reactors at the Savannah River Site, and to identify and assess alternative options for the production of tritium for the US nuclear arsenal. Initially, much of the relevant information was classified or otherwise inaccessible to the public. Nevertheless, I addressed safety issues through analyses that were recognized as accurate by nuclear safety officials at DOE. I eventually concluded that the Savannah River reactors could not meet the safety objectives set for them by DOE.<sup>6</sup> DOE subsequently reached the same conclusion, and scrapped the reactors. The current national policy for tritium production is to employ commercial reactors, an option that I had concluded was technically attractive but problematic from the perspective of nuclear weapons proliferation.

8. In 1977, and again during the period 1996-2000, I examined the safety of nuclear fuel reprocessing and liquid high-level radioactive waste management facilities at the Sellafield site in the UK. My investigation in the latter period was supported by consortia of local governments in Ireland and the UK, and I presented my interim findings at briefings in the UK and Irish parliaments in 1998. I identified safety issues that were not addressed in any publicly available literature about the Sellafield site.<sup>7</sup> As a direct result of my investigation, the UK Nuclear Installations Inspectorate (NII) required the operator of the Sellafield site -- British Nuclear Fuels (BNFL) -- to conduct extensive safety analyses. These analyses confirmed the significance of the safety issues that I had identified, and in January 2001 the NII established a legally binding schedule for reduction of the inventory of liquid high-level radioactive waste at Sellafield.<sup>8</sup> The NII

<sup>&</sup>lt;sup>5</sup> At water-cooled reactors, the fuel cladding is made from a zirconium alloy that can enter into a vigorous exothermic oxidation reaction with either air or steam. For simplicity, this reaction can be referred to as a "fire".

<sup>&</sup>lt;sup>6</sup> Gordon Thompson and Steven C. Sholly, <u>No Restart for K Reactor</u> (Cambridge, Massachusetts: Institute for Resource and Security Studies, October 1991).

<sup>&</sup>lt;sup>7</sup> Gordon Thompson, <u>High Level Radioactive Liquid Waste at Sellafield: Risks, Alternative Options and</u>

Lessons for Policy (Cambridge, Massachusetts: Institute for Resource and Security Studies, June 1998).

<sup>&</sup>lt;sup>8</sup> Nuclear Installations Inspectorate, "Specification Issued under Licence Condition 32(4) for the Limitation of the Accumulation or Storage of Liquid High Level Radioactive Waste in B215. Licence Instrument 343. January 2001."

took this action in recognition of the grave offsite consequences of a release to the environment from the tanks in which liquid high-level waste is stored. I had identified a variety of events that could cause such a release, including acts of malice or insanity.

9. In May 2000 I completed a study for Greenpeace International on the hazard potential of the La Hague site in France.<sup>9</sup> Nuclear fuel reprocessing and related activities are conducted at this site. The operator of the site – COGEMA – was authorized to store 14,000 tonnes of spent fuel in high-density pools at La Hague, and proposed to increase the capacity of these pools to 17,600 tonnes. My study described the potential for a pool fire at La Hague, and identified events – including acts of malice or insanity – that could lead to a pool fire. One of the findings of my study was that neither COGEMA nor the French government had a thorough understanding of La Hague's hazard potential, including the potential for a pool fire. Subsequent to the attacks of 11 September 2001 in New York and Washington, media exposure brought La Hague's hazard potential to the attention of the French government. During October 2001 the French government deployed anti-aircraft missiles at La Hague.

10. As stated in paragraph 6, I determined in the period 1978-1979 that partial loss of water from a high-density spent fuel pool is a more severe condition than total loss of water. This is because convective heat transfer is suppressed by the presence of residual water at the base of the fuel assemblies. During any scenario for loss of water from a spent fuel pool, there will be a period of time during which residual water is present. As a result, comparatively old fuel – potentially including fuel aged 10 or more years after discharge from a reactor – can ignite if water is lost from a high-density spent fuel pool. The NRC Staff failed, for more than two decades, to understand this point. An illustration of the Staff's lack of understanding was provided by its statements during a license amendment proceeding in regard to the expansion of spent fuel pool capacity at the Harris nuclear power plant. I served as an expert witness for Orange County, North Carolina, the intervenor in this proceeding. In filings during March and April 2000, the Staff repeatedly disparaged my statements that comparatively old fuel can ignite. A few months later, however, the Staff adopted my position. In a report dated October 2000, but not published until January 2001, the Staff recognized that the flow of air to exposed fuel assemblies could be blocked by the presence of collapsed structures – which might be attributable, for example, to a cask drop or an earthquake – or by the presence of residual water.<sup>10</sup> The Staff analyzed the heat transfer implications of flow blockage and concluded:11

"While the February 2000 [draft] study indicated that for the cases analyzed a required decay time of 5 years would preclude a zirconium fire, the revised analyses show that it is not feasible, without numerous constraints, to define a

<sup>&</sup>lt;sup>9</sup> Gordon Thompson, <u>Hazard Potential of the La Hague Site: An Initial Review</u> (Cambridge, Massachusetts: Institute for Resource and Security Studies, May 2000).

<sup>&</sup>lt;sup>10</sup> Timothy Collins et al (authors are all from the NRC Staff), <u>Technical Study of Spent Fuel Pool Accident</u> <u>Risk at Decommissioning Nuclear Power Plants</u>, October 2000.

<sup>&</sup>lt;sup>11</sup> Collins et al, October 2000 (op cit), page 2-1.

generic decay heat level (and therefore decay time) beyond which a zirconium fire is not physically possible."

11. On numerous occasions, I have drawn attention in my writings and oral presentations to the vulnerability of nuclear facilities to acts of malice or insanity. I have pointed out that PRAs do not address acts of malice or insanity, with the result that a PRA can, at best, provide a lower bound to the probability of a release of radioactive material.<sup>12</sup> In 1996 I wrote a generic report on war and terrorism as risk factors for nuclear power plants.<sup>13</sup> Among other findings, this report noted that an act of war or terrorism at a nuclear power plant might have as its primary target the spent fuel stored at the plant, rather than the reactor. The report concluded with a statement that:

"Public debate about the future operation of existing nuclear power plants, and the construction of new plants, should be broadened to encompass the possible involvement of nuclear plants in war or terrorism."

12. I have reviewed the NRC's Waste Confidence Decision Update (73 Fed. Reg. 59,551 (Oct. 9, 2009) and the NRC's proposed rule entitled "Consideration of Environmental Impacts of Temporary Storage of Spent Fuel After Cessation of Reactor Operation" (73 Fed. Reg. 59,547 (Oct. 9, 2009). I am generally familiar with NRC technical studies of accident risks posed by nuclear power plants and their spent fuel, as well as NRC policies and regulations with respect to the protection of nuclear facilities against intentional attack. Also, I am familiar with governing law and guidance, including the National Environmental Policy Act and relevant NRC implementing regulations.

13. I am the author of a report entitled "Environmental Impacts of Storing Spent Nuclear Fuel and High-Level Waste from Commercial Nuclear Reactors: A Critique of NRC's Waste Confidence Decision and Environmental Impact Determination (February 6, 2009).

\*\*\*\*\*

The facts presented in this declaration and in the report described in paragraph 13 are true and correct to the best of my knowledge, and the opinions expressed in the declaration and report are based on my best professional judgment.

G.R. Thompson

Dr. Gordon R. Thompson

February 6, 200

<sup>&</sup>lt;sup>12</sup> The strengths and weaknesses of PRA methodology are discussed in Hirsch et al, August 1989 (op cit).

<sup>&</sup>lt;sup>13</sup> Gordon Thompson, <u>War, Terrorism and Nuclear Power Plants</u> (Canberra: Peace Research Centre, Australian National University, October 1996).

#### Attachment 1

## Curriculum Vitae for Gordon R. Thompson

August 2008

#### Professional expertise

• Technical and policy analysis in the fields of energy, environment, sustainable development, human security, and international security.

#### Current appointments

• Executive director, Institute for Resource & Security Studies (IRSS), Cambridge, Massachusetts (since 1984).

• Research Professor, George Perkins Marsh Institute, Clark University, Worcester, Massachusetts (since 2002).

#### Education

- D.Phil., applied mathematics, Oxford University (Balliol College), 1973.
- B.E., mechanical engineering, Univ. of New South Wales, Sydney, Australia, 1967.
- B.Sc., mathematics & physics, Univ. of New South Wales, 1966.

#### Project sponsors and tasks (selected)

• Greenpeace Canada, 2007-2008: conducted technical and policy analysis on risk and sustainability issues related to the use of nuclear energy.

• Green Energy Coalition, Pembina Institute, and Ontario Sustainable Energy

Association, 2008: prepared testimony for submission to the Ontario Energy Board.

• US Institute of Peace and other sponsors, 2005-2008: co-convened the Working Group on US-Iran Health Science Cooperation.

• World Health Organization, 2006-2007: conducted policy analysis on the potential for "health-bridge" programs to improve cooperation within and between nations.

• Sierra Club of Canada, 2006-2007: prepared a strategy for development of planning and public-engagement tools to facilitate action on climate change.

• Mothers for Peace, California, 2002-2008: analyzed risk issues and prepared expert testimony associated with the Diablo Canyon nuclear power plants.

• Riverkeeper, New York, 2007-2008: analyzed risk issues and prepared expert testimony associated with the Indian Point nuclear power plants.

• Attorney General of Massachusetts, 2006-2008: analyzed risk issues and prepared expert testimony associated with the Pilgrim and Vermont Yankee nuclear power plants.

• Minnesota Center for Environmental Advocacy, and Minnesotans for an Energy Efficient Economy, 2005-2006: conducted technical analysis and provided expert testimony regarding management of spent fuel from the Monticello nuclear power plant.

• California Energy Commission, 2005: conducted technical analysis and participated in an expert workshop regarding safety and security of commercial nuclear facilities.

• Committee on Radioactive Waste Management (a committee appointed by the UK government), 2005: provided expert advice and technical analysis on long-term safety and security of radioactive waste management.

• Legal Resources Centre, Cape Town, South Africa, 2004-2007: conducted technical analysis regarding the proposed South African pebble bed modular nuclear reactor.

• STAR Foundation, New York, 2002-2004: reviewed planning and actions for decommissioning of research reactors at Brookhaven National Laboratory.

• Attorney General of Utah, 2003: conducted technical analysis and provided expert testimony regarding a proposed national storage facility for spent nuclear fuel.

• Citizens Awareness Network, Massachusetts, 2002-2003: conducted analysis on robust storage of spent nuclear fuel.

• Tides Center, California, 2002-2004: conducted analysis for the Santa Susana Field Laboratory (SSFL) Advisory Panel regarding the history of releases of radioactive material from the SSFL.

• Orange County, North Carolina, 1999-2002: assessed risk issues associated with the Harris nuclear power plant, identified risk-reduction options, and prepared expert testimony.

• William and Flora Hewlett Foundation and other sponsors, 1999-2008: performed research and project development for conflict-management projects, through IRSS's International Conflict Management Program.

• STAR Foundation, New York, 2000-2001: assessed risk issues associated with the Millstone nuclear power plant, identified risk-reduction options, and prepared expert testimony.

• Massachusetts Water Resources Authority, 2000: evaluated risks associated with water supply and wastewater systems that serve greater Boston.

• Canadian Senate, Energy & Environment Committee, 2000: reviewed risk issues associated with the Pickering Nuclear Generating Station.

• Greenpeace International, Amsterdam, 2000: reviewed impacts associated with the La Hague nuclear complex in France.

• Government of Ireland, 1998-2001: developed framework for assessment of impacts and alternative options associated with the Sellafield nuclear complex in the UK.

• Clark University, Worcester, Massachusetts, 1998-1999: participated in confidential review of outcomes of a major foundation's grants related to climate change.

• UN High Commissioner for Refugees, 1998: co-developed a strategy for conflict management in the CIS region.

• General Council of County Councils (Ireland), W. Alton Jones Foundation (USA), and Nuclear Free Local Authorities (UK), 1996-2000: assessed environmental and economic issues of nuclear fuel reprocessing in the UK; assessed alternative options.

• Environmental School, Clark University, Worcester, Massachusetts, 1996: session leader at the Summer Institute, "Local Perspectives on a Global Environment".

• Greenpeace Germany, Hamburg, 1995-1996: performed a study on war, terrorism and nuclear power plants.

• HKH Foundation, New York, and Winston Foundation for World Peace, Washington, DC, 1994-1996: studies and workshops on preventive action and its role in US national security planning.

• Carnegie Corporation of New York, Winston Foundation for World Peace, Washington, DC, and others, 1995: collaboration with the Organization for Security and Cooperation in Europe to facilitate improved coordination of activities and exchange of knowledge in the field of conflict management.

• World Bank, 1993-1994: a study on management of data describing the performance of projects funded by the Global Environment Facility (joint project of IRSS and Clark University).

• International Physicians for the Prevention of Nuclear War, 1993-1994: a study on the international control of weapons-usable fissile material.

• Government of Lower Saxony, Hannover, Germany, 1993: analysis of standards for radioactive waste disposal.

University of Vienna (using funds supplied by the Austrian government), 1992: review of radioactive waste management at the Dukovany nuclear power plant, Czech Republic.
Sandia National Laboratories, 1992-1993: advice to the US Department of Energy's Office of Foreign Intelligence.

• US Department of Energy and Battelle Pacific Northwest Laboratories, 1991-1992: advice for the Intergovernmental Panel on Climate Change regarding the design of an information system on technologies that can limit greenhouse gas emissions (joint project of IRSS, Clark University and the Center for Strategic and International Studies).

• Winston Foundation for World Peace, Boston, Massachusetts, and other funding sources, 1992-1993: development and publication of recommendations for strengthening the International Atomic Energy Agency.

• MacArthur Foundation, Chicago, Illinois, W. Alton Jones Foundation, Charlottesville, Virginia, and other funding sources, 1984-1993: policy analysis and public education on a "global approach" to arms control and disarmament.

• Energy Research Foundation, Columbia, South Carolina, and Peace Development Fund, Amherst, Massachusetts, 1988-1992: review of the US government's tritium production (for nuclear weapons) and its implications.

• Coalition of Environmental Groups, Toronto, Ontario (using funds supplied by Ontario Hydro under the direction of the Ontario government), 1990-1993: coordination and conduct of analysis and preparation of testimony on accident risk of nuclear power plants.

• Greenpeace International, Amsterdam, Netherlands, 1988-1990: review of probabilistic risk assessment for nuclear power plants.

• Bellerive Foundation, Geneva, Switzerland, 1989-1990: planning for a June 1990 colloquium on disarmament, and editing of proceedings.

• Iler Research Institute, Harrow, Ontario, 1989-1990: analysis of regulatory response to boiling-water reactor accident potential.

• Winston Foundation for World Peace, Boston, Massachusetts, and other funding sources, 1988-1989: analysis of future options for NATO (joint project of IRSS and the Institute for Peace and International Security).
• Nevada Nuclear Waste Project Office, Carson City, Nevada (via Clark University), 1989-1990: analyses of risk aspects of radioactive waste management and disposal.

• Ontario Nuclear Safety Review (conducted by the Ontario government), Toronto, Ontario, 1987: review of safety aspects of CANDU reactors.

• Washington Department of Ecology, Olympia, Washington, 1987: analyses of risk aspects of a proposed radioactive waste repository at Hanford.

• Natural Resources Defense Council, Washington, DC, 1986-1987: preparation of expert testimony on hazards of the Savannah River Plant, South Carolina.

• Lakes Environmental Association, Bridgton, Maine, 1986: analysis of federal regulations for disposal of radioactive waste.

• Greenpeace Germany, Hamburg, 1986: participation in an international study on the hazards of nuclear power plants.

• Three Mile Island Public Health Fund, Philadelphia, Pennsylvania, 1983-1989: studies related to the Three Mile Island nuclear power plant and emergency response planning.

• Attorney General, Commonwealth of Massachusetts, 1984-1989: analyses of the safety of the Seabrook nuclear power plant, and preparation of expert testimony.

Union of Concerned Scientists, Cambridge, Massachusetts, 1980-1985: studies on energy demand and supply, nuclear arms control, and the safety of nuclear installations.
Conservation Law Foundation of New England, Boston, Massachusetts, 1985:

preparation of expert testimony on cogeneration potential at a Maine paper mill.

• Town & Country Planning Association, London, UK, 1982-1984: coordination and conduct of a study on safety and radioactive waste implications of the proposed Sizewell nuclear power plant, and testimony to the Sizewell Public Inquiry.

• US Environmental Protection Agency, Washington, DC, 1980-1981: assessment of the cleanup of Three Mile Island Unit 2 nuclear power plant.

• Center for Energy & Environmental Studies, Princeton University, Princeton, New Jersey, and Solar Energy Research Institute, Golden, Colorado, 1979-1980: studies on the potentials of renewable energy sources.

• Government of Lower Saxony, Hannover, Federal Republic of Germany, 1978-1979: coordination and conduct of studies on safety and security aspects of the proposed Gorleben nuclear fuel cycle center.

# Other experience (selected)

• Principal investigator, project on "Exploring the Role of 'Sustainable Cities' in Preventing Climate Disruption", involving IRSS and three other organizations, 1990-1991.

• Visiting fellow, Peace Research Centre, Australian National University, 1989.

• Principal investigator, Three Mile Island emergency planning study, involving IRSS, Clark University and other partners, 1987-1989.

• Co-leadership (with Paul Walker) of a study group on nuclear weapons proliferation, Institute of Politics, Harvard University, 1981.

• Foundation (with others) of an ecological political movement in Oxford, UK, which contested the 1979 Parliamentary election.

• Conduct of cross-examination and presentation of expert testimony, on behalf of the Political Ecology Research Group, at the 1977 Public Inquiry into proposed expansion of reprocessing capacity at Windscale, UK.

• Conduct of research on plasma theory (while a D.Phil candidate), as an associate staff member, Culham Laboratory, UK Atomic Energy Authority, 1969-1973.

• Service as a design engineer on coal-fired power plants, New South Wales Electricity Commission, Sydney, Australia, 1968.

# Publications (selected)

Cost Implications of the Residual Radiological Risk of Nuclear Generation of Electricity in Ontario, a report for the Green Energy Coalition et al, 30 July 2008.
"The US Effort to Dispose of High-Level Radioactive Waste", Energy and

*Environment*, Volume 19, Numbers 3 and 4 (joint issue), 2008, pp 391-412.

• Design and Siting Criteria for Nuclear Power Plants in the 21st Century, a report for Greenpeace Canada, Toronto, January 2008.

• *Risk-Related Impacts from Continued Operation of the Indian Point Nuclear Power Plants*, a report for Riverkeeper, Tarrytown, New York, 28 November 2007.

• Assessing Risks of Potential Malicious Actions at Commercial Nuclear Facilities: The Case of a Proposed Independent Spent Fuel Storage Installation at the Diablo Canyon Site, a report for San Luis Obispo Mothers for Peace, California, 27 June 2007.

• *Health as a Bridge for Peace: Achievements, Challenges, and Opportunities for Action by WHO* (with Paula Gutlove), a report for the Department for Health Action in Crises, World Health Organization, Geneva, 31 December 2006.

• "Using Psychosocial Healing in Postconflict Reconstruction" (with Paula Gutlove), in Mari Fitzduff and Chris E. Stout (eds), *The Psychology of Resolving Global Conflicts: From War to Peace*, Praeger Security International, 2006.

• "What Role for Nuclear Power in a Sustainable Civilization?", *The Green Cross Optimist*, Spring 2006, pp 28-30.

• *Radiological Risk of Homeport Basing of a Nuclear-Propelled Aircraft Carrier in Yokosuka, Japan*, a report for the Citizens Coalition Concerning the Homeporting of a CVN in Yokosuka, 29 June 2006.

• *Risks and Risk-Reducing Options Associated with Pool Storage of Spent Nuclear Fuel at the Pilgrim and Vermont Yankee Nuclear Power Plants*, a report for the Attorney General, Commonwealth of Massachusetts, 25 May 2006.

• Reasonably Foreseeable Security Events: Potential threats to options for long-term management of UK radioactive waste, a report for the UK Committee on Radioactive Waste Management, 2 November 2005.

• "Plasma, policy and progress", *The Australian Mathematical Society Gazette*, Volume 32, Number 3, 2005, pp 162-168.

• "A Psychosocial-Healing Approach to Post-Conflict Reconstruction" (with Paula Gutlove), *Mind & Human Interaction*, Volume 14, Number 1, 2005, pp 35-63.

• "Designing Infrastructure for New Goals and Constraints", Proceedings of the

conference, *Working Together: R&D Partnerships in Homeland Security*, Boston, Massachusetts, 27-28 April 2005, sponsored by the US Department of Homeland Security. (A version of this paper has also been published as CRS Discussion Paper

2005-02, Center for Risk and Security, George Perkins Marsh Institute, Clark University, Worcester, Massachusetts.)

• "Potential Radioactive Releases from Commercial Reactors and Spent Fuel", Proceedings of the conference, *Working Together: R&D Partnerships in Homeland Security*, Boston, Massachusetts, 27-28 April 2005, sponsored by the US Department of Homeland Security. (A version of this paper has also been published as CRS Discussion Paper 2005-03, Center for Risk and Security, George Perkins Marsh Institute, Clark University, Worcester, Massachusetts.)

• Safety of the Proposed South African Pebble Bed Modular Reactor, a report for the Legal Resources Centre, Cape Town, South Africa, 12 January 2005.

• Decommissioning of Research Reactors at Brookhaven National Laboratory: Status, Future Options and Hazards, a report for STAR Foundation, East Hampton, New York, April 2004.

• "Psychosocial Healing and Post-Conflict Social reconstruction in the Former Yugoslavia" (with Paula Gutlove), *Medicine, Conflict and Survival*, Volume 20, Number 2, April-June 2004, pp 136-150.

• "Reducing the Hazards from Stored Spent Power-Reactor Fuel in the United States" (with Robert Alvarez, Jan Beyea, Klaus Janberg, Jungmin Kang, Ed Lyman, Allison Macfarlane and Frank N. von Hippel), *Science and Global Security*, Volume 11, 2003, pp 1-51.

• "Health, Human Security, and Social Reconstruction in Afghanistan" (with Paula Gutlove and Jacob Hale Russell), in John D. Montgomery and Dennis A. Rondinelli (eds), *Beyond Reconstruction in Afghanistan*, Palgrave Macmillan, 2004.

• Psychosocial Healing: A Guide for Practitioners, based on programs of the Medical Network for Social Reconstruction in the Former Yugoslavia (with Paula Gutlove), IRSS, Cambridge, Massachusetts and OMEGA Health Care Center, Graz, Austria, May 2003.

• A Call for Action to Protect the Nation Against Enemy Attack on Nuclear Power Plants and Spent Fuel, and a Supporting Document, San Luis Obispo Mothers for Peace, California, April 2003 and May 2003.

• "Human Security: Expanding the Scope of Public Health" (with Paula Gutlove), *Medicine, Conflict and Survival*, Volume 19, 2003, pp 17-34.

• Social Reconstruction in Afghanistan through the Lens of Health and Human Security (with Paula Gutlove and Jacob Hale Russell), IRSS, Cambridge, Massachusetts, May 2003.

• *Robust Storage of Spent Nuclear Fuel: A Neglected Issue of Homeland Security*, a report for Citizens Awareness Network, Shelburne Falls, Massachusetts, January 2003.

• Medical Network for Social Reconstruction in the Former Yugoslavia: A Survey of Participants' Views on the Network's Goals and Achievements, IRSS, Cambridge, Massachusetts, September 2001.

• The Potential for a Large, Atmospheric Release of Radioactive Material from Spent Fuel Pools at the Harris Nuclear Power Plant: The Case of a Pool Release Initiated by a Severe Reactor Accident, a report for Orange County, North Carolina, 20 November 2000.

• A Review of the Accident Risk Posed by the Pickering 'A' Nuclear Generating Station, a report for the Standing Committee on Energy, Environment and Natural Resources, Canadian Senate, August 2000.

• *High-Level Radioactive Liquid Waste at Sellafield: An Updated Review*, a report for the UK Nuclear Free Local Authorities, June 2000.

• *Hazard Potential of the La Hague Site: An Initial Review*, a report for Greenpeace International, May 2000.

• A Strategy for Conflict Management: Integrated Action in Theory and Practice (with Paula Gutlove), IRSS, Cambridge, Massachusetts, March 1999.

• Risks and Alternative Options Associated with Spent Fuel Storage at the Shearon

Harris Nuclear Power Plant, a report for Orange County, North Carolina, February 1999.

• High Level Radioactive Liquid Waste at Sellafield: Risks, Alternative Options and

Lessons for Policy, IRSS, Cambridge, Massachusetts, June 1998.

• "Science, democracy and safety: why public accountability matters", in F. Barker (ed), *Management of Radioactive Wastes: Issues for local authorities*, Thomas Telford, London, 1998.

• "Conflict Management and the OSCE" (with Paula Gutlove), *OSCE/ODIHR Bulletin*, Volume 5, Number 3, Fall 1997.

• Safety of the Storage of Liquid High-Level Waste at Sellafield (with Peter Taylor), Nuclear Free Local Authorities, UK, November 1996.

• Assembling Evidence on the Effectiveness of Preventive Actions, their Benefits, and their Costs: A Guide for Preparation of Evidence, IRSS, Cambridge, Massachusetts, August 1996.

• *War, Terrorism and Nuclear Power Plants,* Peace Research Centre, Australian National University, Canberra, October 1996.

• "The Potential for Cooperation by the OSCE and Non-Governmental Actors on Conflict Management" (with Paula Gutlove), *Helsinki Monitor*, Volume 6 (1995), Number 3.

• "Potential Characteristics of Severe Reactor Accidents at Nuclear Plants", "Monitoring and Modelling Atmospheric Dispersion of Radioactivity Following a Reactor Accident" (with Richard Sclove, Ulrike Fink and Peter Taylor), "Safety Status of Nuclear Reactors and Classification of Emergency Action Levels", and "The Use of Probabilistic Risk Assessment in Emergency Response Planning for Nuclear Power Plant Accidents" (with Robert Goble), in D. Golding, J. X. Kasperson and R. E. Kasperson (eds), *Preparing for Nuclear Power Plant Accidents*, Westview Press, Boulder, Colorado, 1995.

• A Data Manager for the Global Environment Facility (with Robert Goble), Environment Department, The World Bank, June 1994.

• *Preventive Diplomacy and National Security* (with Paula Gutlove), Winston Foundation for World Peace, Washington, DC, May 1994.

• Opportunities for International Control of Weapons-Usable Fissile Material,

International Physicians for the Prevention of Nuclear War, Cambridge, Massachusetts, January 1994.

• "Article III and IAEA Safeguards", in F. Barnaby and P. Ingram (eds), *Strengthening the Non-Proliferation Regime*, Oxford Research Group, Oxford, UK, December 1993.

• *Risk Implications of Potential New Nuclear Plants in Ontario* (prepared with the help of eight consultants), a report for the Coalition of Environmental Groups, Toronto,

submitted to the Ontario Environmental Assessment Board, November 1992 (3 volumes).

• *Strengthening the International Atomic Energy Agency*, IRSS, Cambridge, Massachusetts, September 1992.

• Design of an Information System on Technologies that can Limit Greenhouse Gas Emissions (with Robert Goble and F. Scott Bush), Center for Strategic and International Studies, Washington, DC, May 1992.

• *Managing Nuclear Accidents: A Model Emergency Response Plan for Power Plants and Communities* (with six other authors), Westview Press, Boulder, CO, 1992.

• "Let's X-out the K" (with Steven C. Sholly), *Bulletin of the Atomic Scientists*, March 1992, pp 14-15.

• "A Worldwide Programme for Controlling Fissile Material", and "A Global Strategy for Nuclear Arms Control", in F. Barnaby (ed), *Plutonium and Security*, Macmillan Press, UK, 1992.

• *No Restart for K Reactor* (with Steven C. Sholly), IRSS, Cambridge, Massachusetts, October 1991.

• Regulatory Response to the Potential for Reactor Accidents: The Example of Boiling-Water Reactors, IRSS, Cambridge, Massachusetts, February 1991.

• Peace by Piece: New Options for International Arms Control and Disarmament, IRSS, Cambridge, Massachusetts, January 1991.

• *Developing Practical Measures to Prevent Climate Disruption* (with Robert Goble), CENTED Research Report No. 6, Clark University, Worcester, Massachusetts, August 1990.

• "Treaty a Useful Relic", *Bulletin of the Atomic Scientists*, July/August 1990, pp 32-33.

• "Practical Steps for the 1990s", in Sadruddin Aga Khan (ed), *Non-Proliferation in a Disarming World*, Proceedings of the Groupe de Bellerive's 6th International Colloquium, Bellerive Foundation, Geneva, Switzerland, 1990.

• A Global Approach to Controlling Nuclear Weapons, IRSS, Cambridge, Massachusetts, October 1989.

• *IAEA Safety Targets and Probabilistic Risk Assessment* (with three other authors), Greenpeace International, Amsterdam, August 1989.

• *New Directions for NATO* (with Paul Walker and Pam Solo), published jointly by IRSS and the Institute for Peace and International Security (both of Cambridge, Massachusetts), December 1988.

• "Verifying a Halt to the Nuclear Arms Race", in F. Barnaby (ed), *A Handbook of Verification Procedures*, Macmillan Press, UK, 1990.

• "Verification of a Cutoff in the Production of Fissile Material", in F.Barnaby (ed), *A Handbook of Verification Procedures*, Macmillan Press, UK, 1990.

• "Severe Accident Potential of CANDU Reactors," Consultant's Report in *The Safety of Ontario's Nuclear Power Reactors*, Ontario Nuclear Safety Review, Toronto, February 1988.

• Nuclear-Free Zones (edited with David Pitt), Croom Helm Ltd, Beckenham, UK, 1987.

• *Risk Assessment Review For the Socioeconomic Impact Assessment of the Proposed High-Level Nuclear Waste Repository at Hanford Site, Washington* (edited; written with

five other authors), prepared for the Washington Department of Ecology, December 1987.

• *The Nuclear Freeze Revisited* (with Andrew Haines), Nuclear Freeze and Arms Control Research Project, Bristol, UK, November 1986. Variants of the same paper have appeared as Working Paper No. 18, Peace Research Centre, Australian National

University, Canberra, February 1987, and in *ADIU Report*, University of Sussex, Brighton, UK, Jan/Feb 1987, pp 6-9.

• *International Nuclear Reactor Hazard Study* (with fifteen other authors), Greenpeace, Hamburg, Federal Republic of Germany (2 volumes), September 1986.

• "What happened at Reactor Four" (the Chernobyl reactor accident), *Bulletin of the Atomic Scientists*, August/September 1986, pp 26-31.

• *The Source Term Debate: A Report by the Union of Concerned Scientists* (with Steven C. Sholly), Union of Concerned Scientists, Cambridge, Massachusetts, January 1986.

• "Checks on the spread" (a review of three books on nuclear proliferation), *Nature*, 14 November 1985, pp 127-128.

• Editing of *Perspectives on Proliferation*, August 1985, published by the Proliferation Reform Project, IRSS.

• "A Turning Point for the NPT ?", *ADIU Report*, University of Sussex, Brighton, UK, Nov/Dec 1984, pp 1-4.

• "Energy Economics", in J. Dennis (ed), *The Nuclear Almanac*, Addison-Wesley, Reading, Massachusetts, 1984.

• "The Genesis of Nuclear Power", in J. Tirman (ed), *The Militarization of High Technology*, Ballinger, Cambridge, Massachusetts, 1984.

• A Second Chance: New Hampshire's Electricity Future as a Model for the Nation (with Linzee Weld), Union of Concerned Scientists, Cambridge, Massachusetts, 1983.

• Safety and Waste Management Implications of the Sizewell PWR (prepared with the help of six consultants), a report to the Town & Country Planning Association, London, UK, 1983.

• Utility-Scale Electrical Storage in the USA: The Prospects of Pumped Hydro,

Compressed Air, and Batteries, Princeton University report PU/CEES #120, 1981.

• *The Prospects for Wind and Wave Power in North America*, Princeton University report PU/CEES # 117, 1981.

• *Hydroelectric Power in the USA: Evolving to Meet New Needs*, Princeton University report PU/CEES # 115, 1981.

• Editing and part authorship of "Potential Accidents & Their Effects", Chapter III of *Report of the Gorleben International Review*, published in German by the Government of Lower Saxony, FRG, 1979; Chapter III published in English by the Political Ecology Research Group, Oxford, UK.

• A Study of the Consequences to the Public of a Severe Accident at a Commercial FBR located at Kalkar, West Germany, Political Ecology Research Group, 1978.

# Expert presentations and testimony (selected)

• Institute of Environmental Studies, University of New South Wales, Sydney, Australia, April 2008: presentation, "Citizen Engagement for Sustainable Society".

• Department of Urban and Regional Planning, Shaheed Beheshti University, Tehran,

April 2008: presentation, "Sustainable Cities: Challenges and Opportunities".

• National Academy of Sciences, Washington, DC, January 2008: presentation, "What do interested parties think about the expansion of nuclear energy?"

• Abt Associates, Cambridge, Massachusetts, March 2007: presentation, "Creating Informed Action on Climate Change".

• Universities of Medical Science in Tabriz and Isfahan, Iran, April 2007: presentation, "Healthy Design of the Built Environment".

• Minnesota Public Utilities Commission, 2006: testimony regarding trends, risks and costs associated with management of spent fuel from the Monticello nuclear power plant.

• Presentation, "Are Nuclear Installations Terrorist Targets?", at the conference, *Nuclear* 

*Energy: Does it Have a Future?*, Drogheda, County Louth, Ireland, 10-11 March 2005. • Presentation at the session, "UN Security Council Resolution 1244 and Final Status for Kosovo", at the conference, *Lessons Learned from the Balkan Conflicts*, Boston College, Chestnut Hill, Massachusetts, 16-17 October 2004.

California Public Utilities Commission, 2004: testimony regarding the nature and cost of potential measures for enhanced defense of the Diablo Canyon nuclear power plant.
European Parliament, 2003: invited presentation to EP members regarding safety and

security issues at the Sellafield nuclear site in the UK, and broader implications.

• US Congress, 2002 and 2003: invited presentations at member-sponsored staff briefings on vulnerabilities of nuclear-power facilities to attack and options for improved defenses.

• Numerous public forums in the USA, 2001-2006: invited presentations to public officials and general audiences regarding vulnerabilities of nuclear-power facilities to attack and options for improved defenses.

• UK Consensus Conference on Radioactive Waste Management, 1999: invited testimony on information and decision-making.

• Joint Committee on Public Enterprise and Transport, Irish Parliament, 1999: invited testimony on nuclear fuel reprocessing and international security.

• UK and Irish Parliaments, 1998: invited presentations to members on risks and alternative options associated with nuclear fuel reprocessing in the UK.

• Center for Russian Environmental Policy, Moscow, 1996: invited presentation at a forum in parallel with the G-7 Nuclear Safety Summit.

• Lacey Township Zoning Board, New Jersey, 1995: testimony regarding radioactive waste management.

• Ontario Court of Justice, Toronto, Ontario, 1993: testimony regarding Canada's Nuclear Liability Act.

• Oxford Research Group, seminar on "The Plutonium Legacy", Rhodes House, Oxford, UK, 1993: invited presentation on nuclear safeguards.

• Defense Nuclear Facilities Safety Board, Washington, DC, 1991: testimony regarding the proposed restart of K-reactor, Savannah River Site.

• Conference to consider amending the Partial Test Ban Treaty, United Nations, New York, 1991: presentation on a global approach to arms control and disarmament.

• US Department of Energy, hearing on draft EIS for new production reactor capacity, Columbia, South Carolina, 1991: testimony on tritium need and implications of tritium production options.

• Society for Risk Analysis, 1990 annual meeting, New Orleans, special session on nuclear emergency planning: presentation on real-time techniques for anticipating emergencies.

• Parliamentarians' Global Action, 11th Annual Parliamentary Forum, United Nations, Geneva, 1990: invited presentation on the potential for multilateral nuclear arms control.

• Advisory Committee on Nuclear Facility Safety, Washington, DC, 1989: testimony on public access to information and on government accountability.

• Peace Research Centre, Australian National University, seminar on "Australia and the Fourth NPT Review Conference", Canberra, 1989: invited presentation regarding a universal nuclear weapons non-proliferation regime.

• Carnegie Endowment for International Peace, Conference on "Nuclear Non-Proliferation and the Role of Private Organizations", Washington, DC, 1989: invited presentation on options for reform of the non-proliferation regime.

• US Department of Energy, EIS scoping hearing, Columbia, South Carolina, 1988: testimony on appropriate scope of an EIS for new production reactor capacity.

• International Physicians for the Prevention of Nuclear War, 6th and 7th Annual Congresses, Koln, FRG, 1986 and Moscow, USSR, 1987: invited presentations on relationships between nuclear power and the threat of nuclear war.

• County Council, Richland County, South Carolina, 1987: testimony on implications of severe reactor accidents at the Savannah River Plant.

• Maine Land Use Regulation Commission, 1985: testimony on cogeneration potential at facilities of Great Northern Paper Company.

• Interfaith Hearings on Nuclear Issues, Toronto, Ontario, 1984: invited presentations on options for Canada's nuclear trade and Canada's involvement in nuclear arms control.

• Sizewell Public Inquiry, UK, 1984: testimony on safety and radioactive waste implications of the proposed Sizewell nuclear power plant.

• New Hampshire Public Utilities Commission, 1983: testimony on electricity demand and supply options for New Hampshire.

• Atomic Safety & Licensing Board, US Nuclear Regulatory Commission, 1983: testimony on use of filtered venting at the Indian Point nuclear power plant.

• US National Advisory Committee on Oceans and Atmosphere, 1982: testimony on implications of ocean disposal of radioactive waste.

• Environmental & Energy Study Conference, US Congress, 1982: invited presentation on implications of radioactive waste management.

# Miscellaneous

• Married, two children.

• Extensive experience in public speaking and interviews by representatives of print and electronic media.

• Author of numerous essays and letters in newspapers and magazines.

# Contact information

Institute for Resource and Security Studies 27 Ellsworth Avenue, Cambridge, Massachusetts 02139, USA Phone: 617-491-5177 Fax: 617-491-6904

# INSTITUTE FOR RESOURCE AND SECURITY STUDIES 27 Ellsworth Avenue, Cambridge, Massachusetts 02139, USA Phone: 617-491-5177 Fax: 617-491-6904 Email: info@irss-usa.org

Environmental Impacts of Storing Spent Nuclear Fuel and High-Level Waste from Commercial Nuclear Reactors: A Critique of NRC's Waste Confidence Decision and Environmental Impact Determination

> by Gordon R. Thompson

> > 6 February 2009

Prepared under the sponsorship of Texans for a Sound Energy Policy

# Abstract

The US Nuclear Regulatory Commission (NRC) issued its Waste Confidence Decision in 1984, expressing NRC's confidence that radioactive waste from commercial nuclear reactors would be safely stored and ultimately disposed of in a safe manner. The 1984 Decision was reaffirmed and revised in 1990. In October 2008, NRC issued a Draft Update to its Waste Confidence Decision. At the same time, NRC issued a Proposed Rule, confirming a previous, generic determination by NRC that interim storage of spent nuclear fuel (SNF) has no significant environmental impact, and relaxing the time limit for application of that determination.

This report provides a critical review of the findings in the Waste Confidence Decision, as modified by the Draft Update, insofar as those findings relate to the environmental impacts of interim storage of SNF or high-level radioactive waste (HLW) originating in commercial reactors. Also, this report provides a critical review of the Proposed Rule. To support its critical review of the Waste Confidence Decision and the Proposed Rule, this report provides a general summary of selected, adverse impacts on the environment that can arise from interim storage of SNF and HLW.

# About the Institute for Resource and Security Studies

The Institute for Resource and Security Studies (IRSS) is an independent, nonprofit, Massachusetts corporation, founded in 1984. Its objective is to promote sustainable use of natural resources and global human security. In pursuit of this mission, IRSS conducts technical and policy analysis, public education, and field programs. IRSS projects always reflect a concern for practical solutions to resource and security problems.

# About the Author

Gordon R. Thompson is the executive director of IRSS and a research professor at Clark University, Worcester, Massachusetts. He studied and practiced engineering in Australia, and received a doctorate in applied mathematics from Oxford University in 1973, for analyses of plasma undergoing thermonuclear fusion. Dr. Thompson has been based in the USA since 1979. His professional interests encompass a range of technical and policy issues related to international security and protection of natural resources. He has conducted numerous studies on the environmental and security impacts of nuclear facilities and options for reducing these impacts.

# Acknowledgements

This report was prepared by IRSS under the sponsorship of Texans for a Sound Energy Policy, an organization based in Victoria, Texas. Diane Curran assisted the author by obtaining information that was used during preparation of the report. The author, Gordon R. Thompson, is solely responsible for the content of the report.

# Contents

- 1. Introduction
- 2. Radioactive Waste from Commercial Reactors: History & Likely Future Trends
- 3. Radioactive Inventories at Spent-Fuel Storage Facilities
- 4. An Overview of Radiological Risk
- 5. Potential for a Fire in a Spent-Fuel Pool
  - 5.1 Recognition of the Spent-Fuel Hazard5.2 Technical Understanding of Pool Fires5.3 Initiation of a Pool Fire5.4 Pool Fires in a SAMA Context
- 6. Potential for Radioactive Release from an ISFSI
- 7. Potential for Attack on a Commercial Nuclear Facility
  - 7.1 The General Threat Environment
    7.2 National Policy and Practice on Homeland Security
    7.3 Commercial Nuclear Facilities as Potential Targets of Attack
    7.4 NRC's Approach to Nuclear-Facility Security
    7.5 Vulnerability of Typical Reactors, Pools and ISFSIs to Attack
    7.6 Potential Attacks in a SAMA Context
- 8. Options for Reducing Radiological Risk
- 9. NRC Regulation of Spent-Fuel Storage

9.1 NRC's Approach to Regulating Spent-Fuel Storage9.2 Impacts of NRC's Regulatory Approach

- 10. A NEPA-Compliant Approach to Regulation of SNF and HLW Storage
- 11. Conclusions
- 12. Bibliography

Tables (See next page)

# List of Tables

(Tables are located at the end of the report.)

Table 1-1: NRC Waste Confidence Findings, 1990 Version and Version Now Proposed by NRC

Table 3-1: Cesium-137 Inventories and Other Indicators for Reactors, Spent-Fuel Pools and the ISFSI at Indian Point

 Table 3-2: Illustrative Inventories of Cesium-137

Table 5-1: Estimated Present Value of Cost Risk Associated with Atmospheric Releases from Conventional Accidents: Full Spectrum of Releases from a Core-Damage Event at the IP2 or IP3 Reactor; Fire in the IP2 or IP3 Spent-Fuel Pool

Table 6-1: Estimated Atmospheric Release of Radioactive Material and DownwindInhalation Dose for Blowdown of the MPC in a Spent-Fuel-Storage Module

Table 6-2: Illustrative Calculation of Heat-Up of a Fuel Rod in a PWR Fuel Assembly Due to Combustion in Air

Table 7-1: Public Opinion in Four Muslim Countries Regarding the US "War on Terrorism"

Table 7-2: Opinions of Selected Experts Regarding the Probability of Another 9/11-Type Attack in the United States

Table 7-3: Future World Scenarios Identified by the Stockholm Environment Institute

Table 7-4: Some Potential Modes and Instruments of Attack on a US Nuclear Power Plant

Table 7-5: Potential Sabotage Events at a Spent-Fuel-Storage Pool, as Postulated in NRC's August 1979 GEIS on Handling and Storage of Spent LWR Fuel

Table 7-6: The Shaped Charge as a Potential Instrument of Attack

Table 7-7: Performance of US Army Shaped Charges, M3 and M2A3

Table 7-8: Types of Atmospheric Release from a Spent-Fuel-Storage Module at an ISFSI as a Result of a Potential Attack

Table 7-9: Estimated Present Value of Cost Risk of a Potential Atmospheric Release from a Reactor or Spent-Fuel Pool at Indian Point, Including a Release Caused by an Attack

Table 8-1: Selected Approaches to Protecting US Critical Infrastructure From Attack by Sub-National Groups, and Some of the Strengths and Weaknesses of these Approaches

Table 8-2: Selected Options to Reduce the Risk of a Spent-Fuel-Pool Fire at a Commercial Reactor

Table 8-3: Estimation of Incremental Cost if Spent Fuel from a New PWR is Transferred from the Spent-Fuel Pool to Dry Storage After 5 Years of Storage in the Pool

# 1. Introduction

In October 2008, the US Nuclear Regulatory Commission (NRC) issued a set of proposed findings that address, among other matters, the interim storage of radioactive waste generated by commercial nuclear reactors. This report provides a critical review of the proposed findings, insofar as those findings relate to the environmental impacts of storing radioactive waste.

#### An overview of radioactive waste from commercial reactors

Commercial nuclear reactors periodically discharge nuclear fuel assemblies that are "spent", in the sense that they are no longer suitable for generating power from nuclear fission. Each spent nuclear fuel (SNF) assembly contains a large amount of radioactive material, and the decay of that material generates heat. Release of radioactive material from an assembly to the environment could cause significant adverse impacts on exposed persons.

With some minor exceptions, spent fuel discharged from US commercial reactors is now being stored at the reactor sites. Initially, a spent fuel assembly is stored under water in a pool adjacent to the reactor. After some years of storage in this pool, an assembly could be transferred to an on-site, dry-storage facility known as an independent spent fuel storage installation (ISFSI). In the future, assemblies might also be shipped to ISFSIs built at off-site locations.<sup>1</sup>

Current national policy for managing SNF is to store spent fuel assemblies for an interim period, followed by their disposal in a mined, underground repository. The US Department of Energy (DOE) has applied to NRC for a license to operate such a repository at Yucca Mountain, Nevada. Many observers doubt that this repository will open.

As a separate initiative, DOE has established the Global Nuclear Energy Partnership (GNEP) program. That program is pursuing the development of alternative nuclear fuel cycles that would involve the physical and chemical processing of SNF to separate its components (plutonium, uranium, fission products, etc.). The separation processes would generate radioactive waste streams including streams of high-level radioactive waste (HLW).

<sup>&</sup>lt;sup>1</sup> As an alternative, spent fuel assemblies generated at several reactor sites might be stored in an ISFSI located at one reactor site.

#### NRC findings regarding management of SNF and HLW

In 1984, NRC issued its Waste Confidence Decision, expressing NRC's confidence that radioactive waste from commercial nuclear reactors would be safely stored and ultimately disposed of in a safe manner. The 1984 Decision was reaffirmed and revised in 1990. In October 2008, NRC issued, for public comment, a draft Update to its Waste Confidence Decision.<sup>2</sup> Hereafter, that document is referred to as the "Draft Update". In parallel, NRC issued a proposed rule regarding consideration of the environmental impacts of temporary storage of spent fuel.<sup>3</sup> That document is referred to, hereafter, as the "Proposed Rule". The Proposed Rule provides a generic determination that interim storage of spent fuel has no significant environmental impact.

Table 1-1 shows the five findings set forth in the 1990 version of the Waste Confidence Decision, together with the modification of two of those findings that is proposed in the Draft Update. It is interesting to compare these two versions of the findings with each other and with the original findings, issued in 1984. Notably, Finding 2 stated in 1984 that a repository would – with "reasonable assurance" – be available by 2007-2009. In 1990, that date was extended to 2025 (within the first quarter of the 21st century), and NRC now proposes to further extend that date to 2049-2059 (50-60 years after expiration of the Dresden 1 operating license).<sup>4</sup> This progression invites skepticism about NRC's "reasonable assurance".

The Proposed Rule proposes a revision of the NRC regulations set forth in 10 CFR Part 51. With the proposed revision, paragraph (a) of section 51.23 would read:<sup>6</sup>

# "51.23 Temporary storage of spent fuel after cessation of reactor operation – generic determination of no significant environmental impact.

(a) The Commission has made a generic determination that, if necessary, spent fuel generated in any reactor can be stored safely and without significant environmental impacts beyond the licensed life for operation (which may include the term of a revised or renewed license) of that reactor at its spent fuel storage basin or at either onsite or offsite independent spent fuel storage installations until a disposal facility can reasonably be expected to be available."

The principal difference between this language and the previous language, established in 1990, is the relaxation of the time limit for application of paragraph 51.23 (a). In the

<sup>&</sup>lt;sup>2</sup> NRC, 2008a.

<sup>&</sup>lt;sup>3</sup> NRC, 2008b.

<sup>&</sup>lt;sup>4</sup> NRC, 2008a.

<sup>&</sup>lt;sup>5</sup> NRC's estimated time horizon for repository availability has receded with each revision of its Waste Confidence Decision, beginning at 23-25 years in 1984, then receding to 35 years in 1990, and to 41-51 years in 2008.

<sup>&</sup>lt;sup>6</sup> NRC, 2008b.

1990 version, there was a time limit – at least 30 years beyond a reactor's licensed life for operation.<sup>7</sup> The revised version contains no specific time limit for its application.

# Purposes of this report

This report provides a critical review of the findings in the Waste Confidence Decision, as modified by the Draft Update, insofar as those findings relate to the environmental impacts of interim storage of SNF or HLW originating in commercial reactors. Thus, the focus here is on Findings 3, 4 and 5, as shown in Table 1-1.<sup>8</sup> Also, this report provides a critical review of the Proposed Rule.

To support its critical review of the Draft Update and the Proposed Rule, this report provides a general summary of selected, adverse impacts on the environment that can arise from interim storage of SNF and HLW. This summary could be useful outside the context of the Draft Update and the Proposed Rule.

#### Categories of environmental impacts

Two categories of adverse impacts on the environment are examined here. The first category consists of the risk of radiological harm arising from unplanned releases of radioactive material. The second category consists of adverse impacts, including social and economic impacts, that could arise from deficiencies in NRC's approach to regulating the storage of SNF and HLW.

In examining the risk of radiological harm, this report considers the potential for unplanned releases of radioactive material to the environment, especially to the atmosphere.<sup>9</sup> The primary focus here is on unplanned releases from spent fuel. The affected fuel could be stored in a pool adjacent to a commercial reactor, or in an ISFSI located at a reactor site or elsewhere. This report also provides a brief, limited discussion of unplanned releases from reactors. That discussion relates to potential associations and interactions between spent-fuel releases and reactor releases. Unplanned releases, as discussed in this report, are distinct from the comparatively small, planned releases that occur during operation of a nuclear power plant or a spent-fuel storage facility.

In this report, the term "risk" – used here in the context of radiological harm – encompasses the type and scale of potential adverse outcomes together with the probabilities of occurrence of those outcomes.<sup>10</sup> The radiological harm could be direct,

<sup>&</sup>lt;sup>7</sup> NRC, 2008b.

<sup>&</sup>lt;sup>8</sup> This author has published, in other contexts, writings that relate to Findings 1 and 2. See, for example: Thompson, 2008a.

<sup>&</sup>lt;sup>9</sup> Unplanned releases to ground or surface water could also yield significant adverse impacts. The spatial extent of significant impacts is likely to be greatest for atmospheric releases.

<sup>&</sup>lt;sup>10</sup> Some analysts define "risk" as the arithmetic product of two quantitative indicators: a consequence indicator; and a probability indicator. That definition is simplistic and can be misleading, and is not used in

as measured by outcomes such as the number of radiation-induced human illnesses. Alternatively, the radiological harm could be indirect, in the form of social and economic impacts that arise from the direct harm.

#### Unplanned releases of radioactive material

Unplanned releases of radioactive material from a spent-fuel storage facility or a reactor could arise as a result of two types of accident. The term "conventional accidents" is used here to refer to incidents caused by human error, equipment failure or natural events.<sup>11</sup> By contrast, "malice-induced accidents" are incidents caused by deliberate, malicious actions. The parties taking those malicious actions could be national governments or sub-national groups.<sup>12</sup> In considering malicious actions, this report focuses on actions by sub-national groups.

#### Adverse impacts arising from regulatory deficiencies

As mentioned above, the second category of adverse, environmental impacts examined in this report consists of impacts, including social and economic impacts, that could arise from deficiencies in NRC's approach to regulating the storage of SNF and HLW. One factor to be examined in this context is NRC's refusal to perform any environmental impact statement (EIS) that addresses the risk of malice-induced accidents at a nuclear facility. A second factor is NRC's heavy reliance on secrecy as a protective measure, without acknowledgment that secrecy can be counterproductive, and can have adverse impacts on society and the economy. A third factor is the role of "protective deterrence" in the defense and security of the USA, and the potential to enhance protective deterrence by implementing protective measures of the type called for in the National Infrastructure Protection Plan (NIPP).

#### Protection of sensitive information

In examining the radiological risk associated with malice-induced accidents, this report necessarily discusses the potential for a deliberate attack on a nuclear power plant or an ISFSI. Any responsible analyst who discusses the potential for such an attack is careful about making statements in public settings. The author of this report exercises such care. The author has no access to classified information, and this report contains no such

this report. That definition is especially inappropriate for risks associated with malicious actions, because there is usually no statistical basis to support quantitative estimates of the probabilities of such actions. In this report, the risk of an activity is defined as a set of quantitative and qualitative information that describes the potential adverse outcomes from the activity and the probabilities of occurrence of those outcomes.

<sup>&</sup>lt;sup>11</sup> NRC's Glossary, accessed at the NRC web site (www.nrc.gov) on 23 January 2009, contains no definition of "accident". The terms "conventional accident" and "malice-induced accident" are used in this report. Both types of accident can be foreseen, and a licensee should be able to maintain control of a facility if either type of accident occurs.

<sup>&</sup>lt;sup>12</sup> Relevant sub-national groups could be based in the USA or in other countries.

information. However, a higher standard of discretion is necessary. An analyst should not publish sensitive information, defined here as detailed information that could substantially assist an attacking group to attain its objectives, even if this information is publicly available from other sources. On the other hand, if a facility's design and operation leave the facility vulnerable to attack, and the vulnerability is not being addressed appropriately, then a responsible analyst is obliged to publicly describe the vulnerability in general terms.

This report exemplifies the balance of responsibility described in the preceding paragraph. Vulnerabilities of nuclear facilities are described here in general terms. Detailed information relating to those vulnerabilities is withheld here, although that information has been published elsewhere or could be re-created by many persons with technical education and/or military experience. For example, this report does not provide cross-section drawings of nuclear facilities, although such drawings have been published for many years and are archived around the world.

NRC license proceedings provide potential forums at which sensitive information could be discussed without concern about disclosure to potential attackers. Rules and practices are available so that the parties to a license proceeding could discuss sensitive information in a protected setting.

# Structure of this report

The remainder of this report has eleven sections. Sections 2 through 10 are as listed in the table of contents. Conclusions are set forth in Section 11, and a bibliography is provided in Section 12. All documents cited in the text and tables of this report are listed in the bibliography, unless the full citation is provided directly in a footnote. Tables are provided at the end of the report.

# 2. Radioactive Waste from Commercial Reactors: History & Likely Future Trends

During normal operation of a commercial nuclear reactor, the reactor periodically discharges spent fuel assemblies. Also, the reactor releases a comparatively small amount of radioactive material to the environment, and generates a stream of packaged, low-level, radioactive waste. Decommissioning of the reactor generates an additional stream of radioactive waste, including wastes that are not suitable for disposal as low-level waste. Here, our focus is on spent fuel, and on HLW that may be generated by processing spent fuel.

#### The early assumption of reprocessing

When the commercial reactors now operating in the USA were designed, the designers assumed that spent fuel would be stored at each reactor for only a few years.<sup>13</sup> After that storage period, each spent fuel assembly would be transported to a "reprocessing" plant where it would be separated into its components (plutonium, uranium, fission products, etc.) through physical and chemical processes. Most of the radioactive material in the assemblies would emerge from the reprocessing plant as a stream of HLW, packaged in a solid form such as borosilicate glass in a stainless steel canister.

Reprocessing fell out of favor and was banned by President Carter in 1977.<sup>14</sup> Although the ban was subsequently lifted, reprocessing has not resumed. The current national policy for managing spent fuel is to store the fuel for an interim period (measured in decades), with eventual disposal of the fuel in a mined repository. The GNEP program envisions a change in that policy, as discussed below.

When a spent fuel assembly is discharged from a reactor, it is placed in a water-filled pool adjacent to the reactor. Given the expectation of reprocessing, the pools at the present generation of US reactors were originally designed so that each held only a small inventory of spent fuel. Low-density, open-frame storage racks were used.<sup>15</sup> Cooling fluid can circulate freely through such a rack.

# Use of high-density racks in spent-fuel pools

After reprocessing was abandoned in the 1970s, spent fuel began to accumulate in the pools. Excess spent fuel could have been offloaded to other storage facilities, allowing continued use of low-density racks. Instead, as a cost-saving measure, high-density racks were introduced, allowing much larger amounts of spent fuel to be stored in the pools. The high-density racks have a closed-form configuration in which each fuel assembly is surrounded by neutron-absorbing plates, to suppress criticality.<sup>16</sup> That configuration creates the potential for auto-ignition and propagating combustion of the fuel's zirconium cladding if water were lost from the pool.<sup>17</sup> The resulting event can be termed a "pool fire". To date, no such event has occurred.

As shown later in this report, NRC has never properly assessed either the risk of a pool fire or the opportunities to reduce that risk. Instead, NRC has enabled and encouraged the use of high-density racks in spent-fuel pools. Such racks are now used at all

<sup>&</sup>lt;sup>13</sup> NRC, 1979.

<sup>&</sup>lt;sup>14</sup> The ban reflected a widely shared view that reprocessing is uneconomic and promotes the proliferation of nuclear weapons.

<sup>&</sup>lt;sup>15</sup> NRC, 1979.

<sup>&</sup>lt;sup>16</sup> NRC, 1979.

<sup>&</sup>lt;sup>17</sup> Alvarez et al, 2003.

commercial reactors in the USA. Licensees have naturally preferred to use high-density racks, because this is the cheapest option for storing spent fuel.

# The national inventory of spent fuel, and its management

The quantity of spent fuel is often measured in terms of metric tons of heavy metal (MTHM), based on the fresh (pre-irradiation) form of the fuel. The same indicator can be used for HLW, by tracing the HLW back to the fresh fuel from which it originated.

As of early 2008, about 57,000 MTHM of commercial spent fuel was in storage across the USA, in 35 states. This stock of fuel is growing at the rate of about 2,000 MTHM annually.<sup>18</sup> The majority of this stock of fuel is stored in pools at operating reactors.<sup>19</sup> As mentioned above, those pools are equipped with high-density racks. The remainder of the fuel is stored in ISFSIs. There are 49 licensed ISFSIs across the USA, of which 45 are at reactor sites.<sup>20</sup> At some of those reactor sites, decommissioning activities have removed the reactor, leaving an ISFSI as the remaining major facility on the site.

ISFSIs were first established in the 1980s, and the number of ISFSIs began to grow rapidly in the mid-1990s.<sup>21</sup> This growth reflects the fact that spent-fuel pools are reaching their maximum capacity of spent fuel. When a pool approaches that point, and the licensee wishes to continue operating the reactor, older fuel in the pool is offloaded to an ISFSI to make room for fuel newly discharged from the reactor.<sup>22</sup> The offloading occurs on a batch basis, reflecting the use of modular storage at ISFSIs. Storage modules are filled one at a time, and then installed at the ISFSI.

According to NRC, all pools across the USA will be packed at full capacity by 2015.<sup>23</sup> From that point forward, growth in the national inventory of spent fuel from existing reactors will be accommodated entirely in ISFSIs, until a repository is opened.

When a reactor reaches the end of its operating life, storage of spent fuel in the associated pool will continue for some time thereafter. However, dry storage in an ISFSI will be a cheaper option for long-term storage. Thus, ongoing pool storage at permanently shut-down reactors will be comparatively rare.

<sup>&</sup>lt;sup>18</sup> NRC, 2008c.

<sup>&</sup>lt;sup>19</sup> The NRC does not publish spent-fuel inventory data broken down by reactor, site or storage mode. Other sources show that the majority of the inventory is now in pools at operating reactors. See, for example: Alvarez et al, 2003.

<sup>&</sup>lt;sup>20</sup> One ISFSI license is for an away-from-reactor site in Utah. Actual establishment of that ISFSI appears unlikely.

<sup>&</sup>lt;sup>21</sup> NRC, 2008c.

<sup>&</sup>lt;sup>22</sup> The older fuel is appropriate for transfer to an ISFSI because it produces less heat from radioactive decay than is produced by newly-discharged fuel.

<sup>&</sup>lt;sup>23</sup> Figure, "Nuclear Fuel Pool Capacity", accessed at the NRC web site (www.nrc.gov) on 27 January 2009.

To summarize, NRC has enabled and encouraged the development of a de facto, national strategy for storing spent fuel from commercial reactors. Major elements of the strategy are: (i) storage of spent fuel, after discharge from a reactor, in a pool equipped with high-density racks; (ii) placement of the pool in close proximity to the reactor, with sharing of systems; (iii) accumulation of spent fuel in the pool until the pool is packed nearly to full capacity, followed by periodic offloading of older fuel from the pool to an on-site ISFSI in order to make room for newly-discharged fuel; and (iv) after permanent shut-down of the reactor, transfer of the remaining fuel from the pool to the ISFSI.

# Future trends in reactor operation and spent-fuel storage

At present, 104 commercial reactors are licensed for operation in the US. Each of these reactors was licensed for an initial 40-year period, and many have received 20-year license extensions. A number of reactors with license extensions are now licensed for operation into the 2040s, one of them (Nine Mile Point 2) being licensed to operate until 2046. If reactors that were commissioned more recently receive 20-year license extensions, which seems likely, they will be licensed into the 2050s. Watts Bar 1 would be licensed until 2055.<sup>24</sup>

Thus, if the present practice of high-density pool storage continues, we can expect that existing reactors will operate in close proximity to pools, packed with spent fuel at high density to nearly their full capacity, for future periods as long as 46 years. That conclusion has significant implications for the environmental impacts of spent-fuel storage, as discussed later in this report.

NRC is considering applications for operating licenses for new commercial reactors. Some people see those applications as the beginning of a "renaissance" of nuclear power. The accuracy of that perception will become clear over time. For the purpose of examining potential impacts on the environment, one can assume that a number of new reactors will enter service. A member of the initial cohort of reactors might begin commercial operation in, for example, 2020. Assuming a 60-year operating life, that reactor would shut down in 2080.

NRC has taken no action to encourage or require a spent-fuel storage strategy for new reactors that differs from the strategy now being implemented for existing reactors. Thus, for the purpose of examining potential environmental impacts, one can assume a continuation of the present strategy. Indeed, it appears that reactor vendors, license applicants and the NRC have all assumed, without any evident analysis or debate, that the present spent-fuel storage strategy will continue.

If new reactors employed spent-fuel pools similar in size to the pools at existing reactors, then a typical new pool would become packed to near its capacity in the middle of a

<sup>&</sup>lt;sup>24</sup> NRC, 2008c.

reactor's 60-year operating life. Thus, if a reactor entered service in 2020, its pool would become packed to near its capacity around 2050, and would remain packed at that level until the reactor ceased operating in 2080. Given such an outcome, a cohort of new reactors would yield large, densely-packed inventories of spent fuel in their adjacent pools during the time period when existing reactors would prolong the present strategy of spent fuel storage, and its environmental impacts, into the late 21st century and potentially beyond.

# The Global Nuclear Energy Partnership

The US government is pursuing, through the GNEP program at DOE, the development of "alternative" nuclear fuel cycles.<sup>25</sup> Current national policy is to operate a "once-through" fuel cycle in which spent fuel is stored and eventually disposed of in a radioactive waste repository. One of the explicit purposes of the GNEP program is to develop fuel-cycle options that would require less repository capacity than would be required for a once-through fuel cycle producing the same amount of electrical energy. Thus, the GNEP program is relevant to NRC's Waste Confidence Decision.

Each of the GNEP fuel cycles would involve the processing of spent fuel in facilities that would produce streams of HLW. The HLW waste forms would require storage prior to their placement in a repository. The storage period could be long. For example, some fuel cycles would involve the separation of cesium and strontium isotopes from the other constituents of spent fuel. The cesium and strontium isotopes would be incorporated into some type of liquid or solid HLW waste form that would be stored for about 300 years.<sup>26</sup>

Separation of cesium and strontium isotopes for extended storage would be done to reduce the need for repository capacity. Over 300 years of storage, radioactive decay would substantially reduce the inventory of these isotopes, and their heat output would decline accordingly.<sup>27</sup> From a purely technical perspective, the construction and operation of a repository would become easier and cheaper if that approach were adopted. However, the approach raises important questions about the risk of prolonged storage and the inter-generational equity of deferred disposal.

According to DOE, the transition to an alternative fuel cycle could begin as soon as 10-15 years in the future.<sup>28</sup> Yet, NRC's Draft Update and Proposed Rule are silent regarding the implications of the GNEP program.

<sup>&</sup>lt;sup>25</sup> DOE, 2008.

<sup>&</sup>lt;sup>26</sup> DOE, 2008.

<sup>&</sup>lt;sup>27</sup> Cesium-137 has a half-life of 30 years. Over 300 years, the inventory of this isotope would decline by a factor of about 1,000.

<sup>&</sup>lt;sup>28</sup> DOE, 2008.

# 3. Radioactive Inventories at Spent-Fuel Storage Facilities

The inventories of radioactive material at spent-fuel storage facilities are illustrated here by considering the Indian Point site as a representative site. At that site, the Indian Point 2 (IP2) and Indian Point 3 (IP3) commercial reactors remain operational, and the Indian Point 1 (IP1) reactor is permanently shut down. The IP2 and IP3 reactors are pressurized-water reactors (PWRs). An ISFSI has been established on the site.

All but a small fraction of the site's inventory of radioactive material is contained within fuel assemblies at six facilities: the IP2 and IP3 reactors; the IP1, IP2 and IP3 spent-fuel pools; and the ISFSI. The IP1 pool is not discussed here.

Active or spent fuel assemblies contain a variety of radioactive isotopes.<sup>29</sup> One isotope, namely cesium-137, is especially useful as an indicator of the potential for radiological harm. Cesium-137 is a radioactive isotope with a half-life of 30 years. This isotope accounts for most of the offsite radiation exposure that is attributable to the 1986 Chernobyl reactor accident, and for about half of the radiation exposure that is attributable to fallout from the testing of nuclear weapons in the atmosphere.<sup>30</sup> Cesium is a volatile element that would be liberally released during conventional accidents or attack scenarios that involve overheating of nuclear fuel.

Table 3-1 shows estimated amounts of cesium-137 in nuclear fuel in the IP2 and IP3 reactors and spent-fuel pools, and in one of the spent-fuel storage modules of the Indian Point ISFSI. Table 3-2 compares these amounts with atmospheric releases of cesium-137 from detonation of a 10-kilotonne fission weapon, the Chernobyl reactor accident of 1986, and atmospheric testing of nuclear weapons. These data show that release of a substantial fraction of the cesium-137 in an Indian Point nuclear facility would create comparatively large radiological consequences.

In the IP2 and IP3 spent-fuel pools, as at commercial reactors across the USA, spent fuel is stored in high-density racks. This configuration has significant implications for risk because loss of water from such a pool would, over a wide range of scenarios, lead to spontaneous ignition of the hottest spent fuel and a fire that would spread across the pool. That fire would release to the atmosphere a substantial fraction of the pool's inventory of cesium-137, together with other radioactive isotopes. The potential for this event is discussed further in Section 5, below.

<sup>&</sup>lt;sup>29</sup> In an operating reactor, an active fuel assembly contains radioactive isotopes with half-lives ranging from seconds to millennia. After the reactor is shut down or a fuel assembly becomes spent (i.e., it is discharged from the reactor), the assembly's inventory of each isotope declines at a rate determined by the isotope's half-life. Thus, an atmospheric release from an operating reactor would contain short- and longer-lived isotopes, while a release from a spent-fuel-storage facility would contain only longer-lived isotopes. That difference has implications for the emergency response that would be appropriate for each release. <sup>30</sup> DOE, 1987.

# 4. An Overview of Radiological Risk

As explained in Section 1, above, two categories of adverse impacts on the environment are examined in this report. The first category consists of the risk of radiological harm arising from unplanned releases of radioactive material. The radiological harm could be direct, as measured by outcomes such as the number of radiation-induced human illnesses. Alternatively, the radiological harm could be indirect, in the form of social and economic impacts that arise from the direct harm.

In considering the potential for unplanned releases, this report focuses on atmospheric releases. Such a release could cause radiological consequences at the site where the release occurs and at downwind, offsite locations. The released material would travel in a plume of gases and small particles. The particles would settle on the ground and other surfaces at downwind locations, and would then be re-distributed by rain, wind, etc. Humans could be irradiated through various pathways including inhalation, external exposure, and ingestion of contaminated food and water. Types of radiological consequences could include:

(i) "early" human fatalities or morbidities (illnesses) that arise during the first several weeks after the release;

(ii) "latent" fatalities or morbidities (e.g., cancers) that arise years after the release;

(iii) short- or long-term abandonment of land, buildings, etc.;

(iv) short- or long-term interruption of agriculture, water supplies, etc.; and

(v) social and economic impacts of the above-listed consequences.

An unplanned atmospheric release could arise as a result of a conventional accident or a malice-induced accident. The potential for a conventional accident can be examined using the techniques of probabilistic risk assessment (PRA). In the PRA field, accident-initiating events are typically categorized as "internal" events (human error, equipment failure, etc.) or "external" events (earthquakes, fires, strong winds, etc.). A malice-induced accident would involve a deliberate attack. Such an attack could be mounted by a variety of actors, in a variety of ways, for various motives. The potential for an attack is discussed further in Section 7, below. That discussion shows how PRA techniques can be adapted to examine the risks of malice-induced accidents.

# Development of PRA capability

From the earliest years of the nuclear-technology era, analysis and experience have shown that a nuclear reactor can undergo an accident in which the reactor's fuel is damaged. This damage can lead to a release of radioactive material within the reactor and, potentially, from the reactor to the external environment. An early illustration of this accident potential occurred in the UK in 1957, when an air-cooled reactor at

Windscale caught fire and released radioactive material to the atmosphere. At that time, spent fuel was not perceived as a significant hazard.

When the basic designs of the existing fleet of commercial reactors were being established in the 1960s, there was limited technical understanding of the potential for severe accidents at reactors. In this context, "severe" means that the reactor core is severely damaged, which typically involves melting of some fraction of the core materials. Analysts in the PRA field typically refer to such an event as a "core-damage" accident. Knowledge about the potential for core-damage accidents was substantially improved by completion of the Reactor Safety Study (WASH-1400) in 1975.<sup>31</sup> That study, although deficient in various respects, established the basic principles for a reactor PRA. More knowledge has accumulated from analysis and experience since 1975.<sup>32</sup>

The "high point" of PRA practice was reached in 1990 with publication by NRC of its NUREG-1150 study, which examined five different US reactors using a common methodology.<sup>33</sup> The study was well funded, involved many experts, was conducted in an open and transparent manner, was done at Level 3 (i.e., radiological consequences were estimated), considered internal and external initiating events, explicitly propagated uncertainty through its chain of analysis, was subjected to peer review, and left behind a large body of published documentation. Each of those features is necessary if the findings of a PRA are to be credible. There are deficiencies in the NUREG-1150 findings, which can be corrected by fresh analysis and the use of new information. The process of correction is possible because the NUREG-1150 study was conducted openly and left a documentary record.

PRA practice in the USA has degenerated since the NUREG-1150 study. Now, PRAs are conducted by the nuclear industry, and the only published documentation is a summary statement of findings. NRC formerly sponsored independent reviews of industry PRAs, but no longer does so. Thus, PRA findings have lacked credibility for at least a decade. An illustration of the degeneration of PRA practice was the disclosure, during a July 2008 hearing before the NRC Commissioners, that the NRC Staff lacks an in-house capability to use the MACCS computer code.<sup>34</sup> That code is used to assess the radiological consequences of an atmospheric release of radioactive material.

<sup>&</sup>lt;sup>31</sup> NRC, 1975.

<sup>&</sup>lt;sup>32</sup> Relevant experience includes the Three Mile Island reactor accident of 1979 and the Chernobyl reactor accident of 1986.

<sup>&</sup>lt;sup>33</sup> NRC, 1990b.

<sup>&</sup>lt;sup>34</sup> NRC, 2008e.

# 5. Potential for a Fire in a Spent-Fuel Pool

# 5.1 Recognition of the Spent-Fuel Hazard

Until 1979 it was widely assumed that stored spent fuel did not pose risks comparable to those associated with reactors. This assumption arose because a spent fuel assembly does not contain short-lived radioactivity, and therefore produces less radioactive decay heat than does a similar fuel assembly in an operating reactor. However, that factor was counteracted by the introduction of high-density, closed-form storage racks into spentfuel pools, beginning in the 1970s.

# The potential for a pool fire

Unfortunately, the closed-form configuration of the high-density racks would create a major problem if water were lost from a spent-fuel pool. The flow of air through the racks would be highly constrained, and would be almost completely cut off if residual water or debris were present in the base of the pool. As a result, removal of radioactive decay heat would be ineffective. Over a broad range of water-loss scenarios, the temperature of the zirconium fuel cladding would rise to the point (approximately 1,000 degrees C) where a self-sustaining, exothermic reaction of zirconium with air or steam would begin. Fuel discharged from the reactor for 1 month could ignite in less than 2 hours, and fuel discharged for 3 months could ignite in about 3 hours.<sup>35</sup> Once initiated, the fire would spread to adjacent fuel assemblies, and could ultimately involve all fuel in the pool. A large, atmospheric release of radioactive material would occur. For simplicity, this potential disaster can be described as a "pool fire".

Water could be lost from a spent-fuel pool through leakage, boiling, siphoning, pumping, displacement by objects falling into the pool, or overturning of the pool. These modes of water loss could arise from events, alone or in combination, that include: (i) acts of malice by persons within or outside the plant boundary; (ii) an aircraft impact; (iii) an earthquake; (iv) dropping of a fuel cask; (v) accidental fires or explosions; and (vi) a severe accident at an adjacent reactor that, through the spread of radioactive material and other influences, precludes the ongoing provision of cooling and/or water makeup to the pool.

These events have differing probabilities of occurrence. None of them is an everyday event. Nevertheless, they are similar to events that are now routinely considered in planning and policy decisions related to commercial nuclear reactors. To date, however, such events have not been given the same attention in the context of spent-fuel pools.

<sup>&</sup>lt;sup>35</sup> This sentence assumes adiabatic conditions.

Some people have found it counter-intuitive that spent fuel, given its comparatively low decay heat and its storage under water, could pose a fire hazard. This perception has slowed recognition of the hazard. In this context, a simple analogy may be helpful. We all understand that a wooden house can stand safely for many years but be turned into an inferno by a match applied in an appropriate location. A spent-fuel pool equipped with high-density racks is roughly analogous, but in this case ignition would be accomplished by draining water from the pool. In both cases, a triggering event would unleash a large amount of latent chemical energy.

# The sequence of studies related to pool fires

Two studies completed in March 1979 independently identified the potential for a fire in a drained spent-fuel pool equipped with high-density racks. One study was by members of a scientific panel assembled by the German state government of Lower Saxony to review a proposal for a nuclear fuel cycle center at Gorleben.<sup>36</sup> After a public hearing, the Lower Saxony government ruled in May 1979, as part of a broader decision, that high-density pool storage of spent fuel would not be acceptable at Gorleben. The second study was done by Sandia Laboratories for NRC.<sup>37</sup> In light of knowledge that has accumulated since 1979, the Sandia report generally stands up well, provided that one reads the report in its entirety. However, the report's introduction contains an erroneous statement that complete drainage of the pool is the most severe case, as was recognized in the Gorleben context. Unfortunately, NRC continued, until October 2000, to employ the erroneous assumption that complete drainage is the most severe case.

NRC has published various documents that discuss aspects of the potential for a spentfuel-pool fire. Several of these documents are discussed below. Only three of the various documents are products of processes that provided an opportunity for formally structured public comment and, potentially, for in-depth analysis of risks and alternatives. One such document is the August 1979 generic environmental impact statement (GEIS) on handling and storage of spent fuel (NUREG-0575).<sup>38</sup> The second document is the May 1996 GEIS on license renewal for nuclear power plants (NUREG-1437).<sup>39</sup> These two documents purported to provide systematic analysis of the risks and relative costs and benefits of alternative options. The third document is NRC's September 1990 review (55 FR 38474) of its Waste Confidence Decision.<sup>40</sup> That document did not purport to provide an analysis of risks and alternatives.

<sup>&</sup>lt;sup>36</sup> Thompson et al, 1979.

<sup>&</sup>lt;sup>37</sup> Benjamin et al, 1979.

<sup>&</sup>lt;sup>38</sup> NRČ, 1979.

<sup>&</sup>lt;sup>39</sup> NRC, 1996.

<sup>&</sup>lt;sup>40</sup> NRC, 1990a.

NUREG-0575 addresses the potential for a spent-fuel-pool fire in a single sentence that cites the 1979 Sandia report. The sentence reads:<sup>41</sup>

"Assuming that the spent fuel stored at an independent spent fuel storage installation is at least one year old, calculations have been performed to show that loss of water should not result in fuel failure due to high temperatures if proper rack design is employed."

Although this sentence refers to pool storage of spent fuel at an independent spent fuel storage installation, NUREG-0575 regards at-reactor pool storage as having the same properties. This sentence misrepresents the findings of the Sandia report. The sentence does not define "proper rack design". It does not disclose Sandia's findings that high-density racks promote overheating of exposed fuel, and that overheating can cause fuel to self-ignite and burn. NRC has never corrected this deficiency in NUREG-0575.

NUREG-1437 also addresses the potential for a spent-fuel-pool fire in a single sentence, which in this instance states:<sup>42</sup>

"NRC has also found that, even, under the worst probable cause of a loss of spentfuel pool coolant (a severe seismic-generated accident causing a catastrophic failure of the pool), the likelihood of a fuel-cladding fire is highly remote (55 FR 38474)."

The parenthetic citation is to NRC's September 1990 review of its Waste Confidence Decision. Thus, NUREG-1437's examination of pool fires is totally dependent on the September 1990 review. In turn, that review bases its opinion about pool fires on the following four NRC documents:<sup>43</sup> (i) NUREG/CR-4982;<sup>44</sup> (ii) NUREG/CR-5176;<sup>45</sup> (iii) NUREG-1353;<sup>46</sup> and (iv) NUREG/CR-5281.<sup>47</sup> These documents are discussed in Section 5.2, below. That discussion reveals substantial deficiencies in the documents' analysis of the potential for a pool fire.

Thus, neither of the two GEISs (NUREG-0575 and NUREG-1437), nor the September 1990 review of the Waste Confidence Decision, provides a technically defensible examination of spent-fuel-pool fires and the associated risks and alternatives. The statements in each document regarding pool fires are inconsistent with the findings of subsequent, more credible studies discussed below.

<sup>&</sup>lt;sup>41</sup> NRC, 1979, page 4-21.

<sup>&</sup>lt;sup>42</sup> NRC, 1996, pp 6-72 to 6-75.

<sup>&</sup>lt;sup>43</sup> NRC, 1990a, page 38481.

<sup>&</sup>lt;sup>44</sup> Sailor et al, 1987.

<sup>&</sup>lt;sup>45</sup> Prassinos et al, 1989.

<sup>&</sup>lt;sup>46</sup> Throm, 1989.

<sup>&</sup>lt;sup>47</sup> Jo et al, 1989.

The most recent published NRC technical study on the potential for a pool fire is an NRC Staff study, originally released in October 2000 but formally published in February 2001, that addresses the risk of a pool fire at a nuclear power plant undergoing decommissioning.<sup>48</sup> This author submitted comments on the study to the NRC Commissioners in February 2001.<sup>49</sup> The study was in several respects an improvement on previous NRC documents that addressed pool fires. It reversed NRC's longstanding, erroneous position that total, instantaneous drainage of a pool is the most severe case of drainage. However, it did not consider acts of malice. Nor did it add significantly to the weak base of technical knowledge regarding the propagation of a fire from one fuel assembly to another. Its focus was on a plant undergoing decommissioning. Therefore, it did not address potential interactions between pools and operating reactors, such as the interactions discussed in Section 5.3, below.

In 2003, eight authors, including the present author, published a paper on the risks of spent-fuel-pool fires and the options for reducing these risks.<sup>50</sup> That paper aroused vigorous comment, and its findings were disputed by NRC officials and others. Critical comment was also directed to a related report by this author.<sup>51</sup> In an effort to resolve this controversy, the US Congress requested the National Academy of Sciences (NAS) to conduct a study on the safety and security of spent-fuel storage. NAS submitted a classified report to Congress in July 2004, and released an unclassified version in April 2005.<sup>52</sup> Press reports described considerable tension between NAS and NRC regarding the inclusion of material in the unclassified NAS report.<sup>53</sup>

Since September 2001, NRC has not published any document that contains technical analysis related to the potential for a pool fire. Instead, NRC has issued statements claiming that the risk of a pool fire has been limited by secret studies and secret actions.

NRC concedes, in the Draft Update and elsewhere, that a fire could spontaneously break out in a spent-fuel pool following a loss of water. NRC also concedes that radioactive material released to the atmosphere during a pool fire would have significant, adverse impacts on the environment. To offset those concessions, NRC argues that the probability of a pool fire is very low. NRC attributes the alleged low probability, in part, to unspecified, secret security measures and damage-control preparations that have been implemented at commercial reactors since September 2001. NRC further attributes the alleged low probability, in part, to unspecified, secret studies that find that a fire would not break out in certain scenarios for loss of water from a pool.<sup>54</sup> This approach by NRC is discussed further in Section 9, below.

<sup>&</sup>lt;sup>48</sup> Collins and Hubbard, 2001

<sup>&</sup>lt;sup>49</sup> Thompson, 2001a.

 $<sup>^{50}</sup>$  Alvarez et al, 2003.

<sup>&</sup>lt;sup>51</sup> Thompson, 2003.

<sup>&</sup>lt;sup>52</sup> NAS, 2006.

<sup>&</sup>lt;sup>53</sup> Wald, 2005.

<sup>&</sup>lt;sup>54</sup> NRC, 2008a; NRC, 2008d.

## **5.2 Technical Understanding of Pool Fires**

Section 5.1, above, introduces the concept of a pool fire and describes the history of analysis of pool-fire risk. There is a body of technical literature on this risk, containing documents of varying degrees of completeness and accuracy. Current opinions about the risk vary widely, but the differences of opinion are more about the probabilities of pool-fire scenarios than about the physical characteristics of these scenarios. In turn, differing opinions about probabilities lead to differing support for risk-reducing options. This situation is captured in a comment by Allan Benjamin on a paper (Alvarez et al, 2003) by this author and seven colleagues.<sup>55</sup> Benjamin's comment is quoted in the unclassified NAS report as follows:<sup>56</sup>

"In a nutshell, [Alvarez et al] correctly identify a problem that needs to be addressed, but they do not adequately demonstrate that the proposed solution is cost-effective or that it is optimal."

The "proposed solution" to which Benjamin refers is the re-equipment of spent-fuel pools with low-density, open-frame racks, transferring excess spent fuel to onsite dry storage. In fact, however, the [Alvarez et al] authors had not claimed to complete the level of analysis, especially site-specific analysis, that risk-reducing options should receive in an Environmental Report or EIS. These authors stated:<sup>57</sup>

"Finally, all of our proposals require further detailed analysis and some would involve risk tradeoffs that also would have to be further analyzed. Ideally, these analyses could be embedded in an open process in which both analysts and policy makers can be held accountable."

The paper by Alvarez et al is consistent with current knowledge of pool-fire phenomena, including the findings set forth in the unclassified NAS report. The same cannot be said for all of the NRC documents that were cited in NRC's September 1990 review of its Waste Confidence Decision. As discussed in Section 5.1, above, four NRC documents were cited to support that review's finding regarding the risks of pool fires.<sup>58</sup> In turn, the May 1996 GEIS on license renewal (NUREG-1437) relied on the September 1990 review for its position on the risks of pool fires. The four NRC documents are discussed in the following paragraphs.

NUREG/CR-4982 was prepared at Brookhaven National Laboratory to provide "an assessment of the likelihood and consequences of a severe accident in a spent fuel storage

<sup>&</sup>lt;sup>55</sup> Allan Benjamin was one of the authors of: Benjamin et al, 1979.

<sup>&</sup>lt;sup>56</sup> NAS, 2006, page 45.

<sup>&</sup>lt;sup>57</sup> Alvarez et al, 2003, page 35.

<sup>&</sup>lt;sup>58</sup> NRC, 1990a, page 38481.

pool".<sup>59</sup> The postulated accident involved complete, instantaneous loss of water from the pool, thereby excluding important phenomena from consideration. The Brookhaven authors employed a simplistic model to examine propagation of a fire from one fuel assembly to another. That model neglected important phenomena including slumping and burn-through of racks, slumping of fuel assemblies, and the accumulation of a debris bed at the base of the pool. Each of these neglected phenomena would promote fire propagation. The study ignored the potential for interactions between a pool fire and a reactor accident. It did not consider acts of malice. Overall, this study did not approach the completeness and quality needed to support consideration of a pool fire in an EIS.

NUREG/CR-5176 was prepared at Lawrence Livermore National Laboratory.<sup>60</sup> It examined the potential for earthquake-induced failure of the spent-fuel pool and the pool's support systems at the Vermont Yankee and Robinson Unit 2 plants. It also considered the effect of dropping a spent-fuel shipping cask on a pool wall. Overall, this study appears to have been a competent exercise within its stated assumptions. With appropriate updating, NUREG/CR-5176 could contribute to the larger body of analysis that would be needed to support consideration of a pool fire in an EIS.

NUREG-1353 was prepared by a member of the NRC Staff to support resolution of NRC Generic Issue 82.<sup>61</sup> It postulated a pool accident involving complete, instantaneous loss of water from the pool, thereby excluding important phenomena from consideration. It relied on the fire-propagation analysis of NUREG/CR-4982. As discussed above, that analysis is inadequate. In considering heat transfer from boiling water reactor (BWR) fuel after water loss, NUREG-1353 assumed that a high-density rack configuration would involve a 5-inch open space between each row of fuel assemblies. That assumption is inappropriate and non-conservative. Modern, high-density BWR racks have a center-to-center distance of about 6 inches in both directions. Thus, NUREG-1353 under-estimated the potential for ignition of BWR fuel. Overall, NUREG-1353 did not approach the completeness and quality needed to support consideration of a pool fire in an EIS.

NUREG/CR-5281 was prepared at Brookhaven National Laboratory to evaluate options for reducing the risk of pool fires.<sup>62</sup> It took NUREG/CR-4982 as its starting point, and therefore shared the deficiencies of that study.

Clearly, these four NRC documents do not provide an adequate technical basis for an EIS that addresses the risk of pool fires. The knowledge that they do provide could be supplemented from other documents, including the unclassified NAS report, the paper by Alvarez et al, and the NRC Staff study (NUREG-1738) on pool-fire risk at a plant

<sup>&</sup>lt;sup>59</sup> Sailor et al, 1987.

<sup>&</sup>lt;sup>60</sup> Prassinos et al, 1989.

<sup>&</sup>lt;sup>61</sup> Throm, 1989.

<sup>&</sup>lt;sup>62</sup> Jo et al, 1989.

undergoing decommissioning.<sup>63</sup> However, this combined body of information would be inadequate to support the preparation of an EIS. For that purpose, a comprehensive, integrated study would be required, involving analysis and experiment. The depth of investigation would be similar to that involved in preparing the NRC's December 1990 study on the risks of reactor accidents (NUREG-1150).<sup>64</sup>

# A pool-fire "source term"

The incompleteness of the present knowledge base is evident when one needs a "source term" to estimate the radiological consequences of a pool fire. The concept of a source term encompasses the magnitude, timing and other characteristics of an atmospheric release of radioactive material. Present knowledge does not allow an accurate theoretical or empirically-based prediction of the source term for a postulated pool-fire scenario. Available information indicates that, for a broad range of scenarios, the atmospheric release fraction of cesium-137 would be between 10 and 100 percent. This report assumes a cesium-137 release fraction of about 50 percent. Table 3-1 shows that the inventory of cesium-137 in a representative pool – the IP2 or IP3 pool during the period of license extension – would be about 70 MCi. Thus, a release of 35 MCi of cesium-137 is used here to examine the consequences of a pool fire.

#### Secret studies by NRC

The Draft Update mentions secret studies allegedly conducted or sponsored by NRC, after September 2001, to improve technical understanding of pool fires. Aspects of those studies include "detailed and realistic analytical modeling", "extensive testing of zirconium oxidation kinetics in an air environment", and "full scale coolability and "zirc fire" testing of spent fuel assemblies".<sup>65</sup> If those studies were indeed carried out, and done competently, they could have yielded an improved technical understanding of pool fires. However, the Draft Update provides no citation to any document, secret or otherwise, that describes the alleged studies.

Secret studies are also mentioned in an August 2008 decision by the NRC Commissioners to deny petitions for rulemaking, filed by the Attorneys General of Massachusetts and California, regarding the environmental impacts of storing spent fuel at high density in pools.<sup>66</sup> In that decision, the secret studies are referred to as the "Sandia studies", because they were done at Sandia National Laboratories. The decision cites two documents that were not previously cited by NRC. One of these documents is entirely secret and the other is available in a highly redacted version.<sup>67</sup> The redacted

<sup>&</sup>lt;sup>63</sup> Collins and Hubbard, 2001.

<sup>&</sup>lt;sup>64</sup> NRC, 1990b.

<sup>&</sup>lt;sup>65</sup> NRC, 2008a, page 59565.

<sup>&</sup>lt;sup>66</sup> NRC, 2008d.

<sup>&</sup>lt;sup>67</sup> The two citations are provided in Footnote 6 at page 46207 of the Rulemaking Petition Decision (NRC, 2008d). Both citations are to reports prepared at Sandia National Laboratories. One report, which is

document describes theoretical analyses using the MELCOR computer code, and the other document appears, from its title, to describe similar theoretical analyses. Thus, one can reasonably conclude that neither document describes empirical investigations (e.g., "full scale coolability and "zirc fire" testing of spent fuel assemblies") as mentioned in the Draft Update. (See previous paragraph.)

To summarize, the Draft Update, issued in October 2008, mentions one set of secret studies, while the rulemaking petition decision, issued in August 2008, mentions a different set of secret studies. This inconsistency represents, at a minimum, carelessness and a lack of respect for the public.

# **5.3 Initiation of a Pool Fire**

The initiation of a pool fire would require the loss of water from a pool, and the absence of water makeup or spray cooling of the exposed fuel during the period while it heats up to the ignition temperature. As stated above, that period would be just a few hours if fuel has been recently discharged from the reactor. After ignition, water spray would be counterproductive, because it would feed a steam-zirconium reaction.

Water could be lost from a spent-fuel pool through leakage, boiling, siphoning, pumping, displacement by objects falling into the pool, or overturning of the pool. These modes of water loss could arise from events, alone or in combination, that include: (i) acts of malice by persons within or outside the plant boundary; (ii) an accidental aircraft impact; (iii) an earthquake; (iv) dropping of a fuel cask; (v) accidental fires or explosions; and (vi) a severe accident at an adjacent reactor that, through the spread of radioactive material and other influences, precludes the ongoing provision of cooling and/or water makeup to the pool.

Given the major consequences of a pool fire, analyses should have been performed to examine pool-fire scenarios across a full range of initiating events. NRC has devoted substantial attention and resources to the examination of reactor-core-damage scenarios, through studies such as NUREG-1150.<sup>68</sup> Neither NRC nor the nuclear industry has conducted a comparable, comprehensive study of pool fires. In the absence of such a study, this report provides illustrative analysis of selected issues.

entirely secret, was prepared in November 2006 and titled *Mitigation of Spent Fuel Pool Loss-of-Coolant Inventory Accidents and Extension of Reference Plant Analyses to Other Spent Fuel Pools*. It is said to be a Letter Report, implying that it is comparatively short. The other report was available from NRC's ADAMS document archive in a severely redacted version; when obtained, it was revealed to be a June 2003 draft report titled *MELCOR 1.8.5 Separate Effect Analyses of Spent Fuel Pool Assembly Accident Response*. Footnote 6 describes the latter report, illogically, as "a version of the Sandia Studies". <sup>68</sup> NRC, 1990b.

#### The NUREG-1353 estimate of pool-fire probability

As discussed above, the NRC document NUREG-1353 was deficient in various respects. It did, however, provide an estimate for the probability of a pool fire at a PWR plant. That estimate is 2 per million reactor-years.<sup>69</sup> NRC has not issued a revised estimate for that probability. Thus, it is appropriate to examine the implications of the NUREG-1353 estimate for pool-fire risk. IRSS performs such an examination, as described below. It does not follow that IRSS accepts the NUREG-1353 probability estimate as definitive.

#### A pool fire accompanied by a reactor accident

At a typical US nuclear power plant, the spent-fuel pool is outside but immediately adjacent to the reactor containment, and shares some essential support systems with the reactor. Thus, it is important to consider potential interactions between the pool and the reactor in the context of accidents. There could be at least three types of interaction. First, a pool fire and a core-damage accident could occur together, with a common cause. For example, a severe earthquake could cause leakage of water from the pool, while also damaging the reactor and its supporting systems to such an extent that a core-damage accident occurs. Second, the high radiation field produced by a pool fire could initiate or exacerbate an accident at the reactor by precluding the presence and functioning of operating personnel. Third, the high radiation field produced by a core-damage accident could initiate or exacerbate a pool fire, again by precluding the presence and functioning of operating personnel. Many core-damage sequences would involve the interruption of cooling to the pool, which would call for the presence of personnel to provide makeup water or spray cooling of exposed fuel.

The third type of interaction was considered in a license-amendment proceeding in regard to expansion of spent-fuel-pool capacity at the Harris nuclear power plant. There were three parties to the proceeding – the NRC Staff, Carolina Power and Light (CP&L), and Orange County. The Harris plant has one reactor and four pools. The reactor – a PWR – is in a cylindrical, domed containment building. The four pools are in a separate, adjacent building that was originally intended to serve four reactors. Only one reactor was built. Two pools were in use at high density prior to the proceeding, and the proceeding addressed the activation of the two remaining pools, also at high density.

During the proceeding, the Atomic Safety and Licensing Board (ASLB) determined that the potential for a pool fire should be considered, and ordered the three parties to analyze a single scenario for such a fire.<sup>70</sup> In the ASLB's postulated scenario, a severe accident at the Harris reactor would contaminate the Harris site with radioactive material to an extent that would preclude actions needed to supply cooling and makeup to the Harris pools.

<sup>&</sup>lt;sup>69</sup> Throm, 1989, Table 4.7.1.

<sup>&</sup>lt;sup>70</sup> ASLB, 2000.

Thereafter, the pools would boil and dry out, and fuel within the pools would burn. Following the ALSB's order, Orange County submitted a report by this author.<sup>71</sup> The NRC Staff submitted an affidavit by members of the Staff.<sup>72</sup> CP&L – the licensee – submitted a document prepared by ERIN Engineering.<sup>73</sup>

Orange County's analysis found that the minimum value for the best estimate of a pool fire, for the ASLB's postulated scenario, is 1.6 per 100 thousand reactor-years. That estimate did not account for acts of malice, degraded standards of plant operation, or gross errors in design, construction or operation. The NRC Staff estimated, for the same scenario, that the probability of a pool fire is on the order of 2 per 10 million reactor-years. The ASLB accepted the Staff's estimate, thereby concluding that, for the particular configuration of the Harris plant, the postulated scenario is "remote and speculative"; the ASLB then terminated the proceeding without conducting an evidentiary hearing.<sup>74</sup> Elsewhere, the author has described deficiencies in the ASLB's ruling.<sup>75</sup>

One reason for the difference in the probability estimates proffered by Orange County and the NRC Staff was their differing assessments of the spread of radioactive material from the reactor containment building to the separate, adjacent pool building. The Staff agreed with Orange County on some other matters. For example, the Staff reversed its previous, erroneous position that comparatively long-discharged fuel will not ignite in the event of water loss from a high-density pool. NRC Staff members stated that loss of water from pools containing fuel aged less than 5 years "would almost certainly result in an exothermic reaction", and also stated: "Precisely how old the fuel has to be to prevent a fire is still not resolved."<sup>76</sup> Moreover, the Staff assumed that a fire would be inevitable if the water level fell to the top of the racks.

Most importantly for present purposes, the technical submissions of all three parties agreed that the onset of a pool fire in two of the pools in the Harris pool building would preclude the provision of cooling and water makeup to the other two pools. This effect would arise from the spread of hot gases and radioactive material throughout the pool building, which would preclude access by operating personnel. Thus, the pools not involved in the initial fire would boil and dry out, and their fuel would burn. The parties' agreement on this point established that the radiation field created by an accident at one part of a nuclear power plant could, by precluding access by personnel, cause an accident at another part of the plant. Whether or not this effect would occur in a particular scenario would depend on the specific configuration of the plant and the characteristics of the scenario.

<sup>&</sup>lt;sup>71</sup> Thompson, 2000.

<sup>&</sup>lt;sup>72</sup> Parry et al, 2000.

<sup>&</sup>lt;sup>73</sup> ERIN, 2000.

<sup>&</sup>lt;sup>74</sup> ASLB, 2001.

<sup>&</sup>lt;sup>75</sup> Thompson, 2001b.

<sup>&</sup>lt;sup>76</sup> Parry et al, 2000, paragraph 29.

Interactions between a core-damage accident and a pool fire could be especially important in the context of an attack from outside and/or inside the plant. Attackers could, either deliberately or inadvertently, release radioactive material from one facility (e.g., a reactor) that precludes personnel access to other facilities (e.g., a pool), thereby initiating accidents at those facilities. This matter is discussed in Section 7, below.

# Sabotage analysis in NUREG-0575

IRSS is aware of one instance in which NRC published an analysis of the impacts of deliberate, malicious actions at a spent-fuel pool. Such an analysis was provided in NUREG-0575, the August 1979 GEIS on handling and storage of spent fuel. That analysis is discussed further in Section 7, below.

# **5.4 Pool Fires in a SAMA Context**

When the licensee of a commercial reactor applies for a license extension, the licensee is required to examine a set of Severe Accident Mitigation Alternatives (SAMAs) that could reduce risk. For each SAMA, a "benefit" is determined by estimating the amount by which this SAMA would, if adopted, reduce the present value of cost risk of reactor operation. The cost of implementing the SAMA is also estimated. If the benefit exceeds the cost, the SAMA is determined to be "cost effective".

The "present value of cost risk" is estimated as follows. First, the annual risk of coredamage events at the reactor is assessed, considering only conventional accidents. That risk is framed in terms of the monetized offsite and onsite costs of a set of potential atmospheric releases of radioactive material, multiplied for each release by its estimated annual probability. Then, the annual risk is summed (with discounting) over the 20-year period of license extension. The resulting indicator is the present value of cost risk for the reactor. Various assumptions and approximations are used during the estimation of this indicator.<sup>77</sup>

NRC does not require that spent-fuel-pool fires be considered in SAMA analyses. There is, however, no logical basis for that position. To illustrate, Table 5-1 shows the estimated present value of cost risk for the reactors and spent-fuel pools at the Indian Point site. The table shows that the present value of cost risk is greatest for a pool fire, even without considering the onsite impacts of such a fire.

In Table 5-1, the present value of cost risk for each reactor is an estimate by the licensee. For each pool, the present value of cost risk derives from two sources. First, it derives from an estimate of pool-fire probability that NRC set forth in NUREG-1353 and has not repudiated. Second, it derives from an estimate by Beyea et al of the offsite costs arising

<sup>&</sup>lt;sup>77</sup> IRSS does not necessarily accept any of the assumptions and approximations used in SAMA analyses.
from an atmospheric release of 35 MCi of cesium-137. (See the source term discussion in Section 5.2, above.)

Beyea et al estimate the offsite costs of a 35 MCi release of cesium-137 from the Indian Point site to be \$461 billion.<sup>78</sup> Their study identifies a number of factors that, if considered, could increase the estimated costs. A further increase would occur if indirect impacts of the release were considered. Indirect economic impacts would include: (i) loss of market share for products from the region and across the US, due to stigma effects; (ii) loss of tourist revenue in the region and across the US, due to stigma effects; (iii) prolonged, costly litigation that retards recovery from the event; and (iv) loss of confidence in regional and national stability and governance, causing outflow of capital and skilled labor.

Consideration of pool fires in a SAMA context is addressed further in Sections 7 and 8, below.

# 6. Potential for Radioactive Release from an ISFSI

At an ISFSI, spent fuel is stored in modules. The inner portion of each module is a sealed, cylindrical multi-purpose canister (MPC) made of stainless steel. Spent fuel assemblies are stored inside the MPC, in a helium atmosphere. The MPC is placed inside an overpack made of concrete and steel. The overpack is penetrated by vents that allow ambient air to circulate over the MPC by natural convection, thereby removing heat that is generated in the fuel assemblies by radioactive decay.

Holtec's HI-STORM 100SA module, scheduled for use at the Diablo canyon ISFSI, is a typical module. This module takes the form of a cylinder with a vertical axis, anchored to a concrete pad in the open air. The overpack has an outer diameter of 3.7 meters and a height of 5.9 meters. Its outer, carbon steel shell is about 3/4 inch (2 cm) thick, the inner shell is about 11/4 inch (3 cm) thick, and the space between these shells is filled by about 27 inches (69 cm) of concrete (details vary by module version).<sup>79</sup> That is a robust structure in terms of its resistance to natural forces (e.g., tornado-driven missiles), but not in terms of its ability to withstand penetration by weapons available to sub-national groups. The cylindrical wall of the MPC is about 1/2 inch (1.3 cm) thick, and could be readily penetrated by available weapons. The spent fuel assemblies inside the MPC are composed of long, narrow tubes made of zirconium alloy, inside which uranium oxide fuel pellets are stacked. The walls of the tubes (the fuel cladding) are about 0.023 inch (0.6 mm) thick. Zirconium is a flammable metal. In finely divided form, it is used in military incendiary devices.

<sup>&</sup>lt;sup>78</sup> Beyea et al, 2004.

<sup>&</sup>lt;sup>79</sup> Holtec FSAR, Chapter 1.

One type of scenario for an atmospheric release from an ISFSI module would involve mechanical loading of the module in a manner that creates a comparatively small hole in the MPC. The loading could arise, for example, from the air blast produced by a nearby explosion, or from the impact of an aircraft or missile. If the loading were sufficient to puncture the MPC, it would also shake the spent fuel assemblies and damage their cladding.

Table 6-1 addresses the "blowdown" (escape of helium and gases) of an MPC that has been subjected to a loading pulse sufficient to cause a comparatively small hole. The table shows that, for a hole with an equivalent diameter of 2.3 mm, radioactive gases and particles released during the blowdown would yield an inhalation dose (CEDE) of 6.3 rem to a person 900 m downwind from the release. Most of that dose would be attributable to release of two-millionths (1.9E-06) of the MPC's inventory of radioisotopes in the "fines" category.

Another type of scenario for an atmospheric release would involve the creation of one or more holes in an MPC, with a size and position that allows ingress and egress of air. In addition, the scenario would involve the ignition of incendiary material inside the MPC, causing ignition and sustained burning of the zirconium alloy cladding of the spent fuel. Heat produced by burning of the cladding would release volatile radioactive material to the atmosphere. Illustrative calculations in Table 6-2 show that heat from combustion of cladding would be ample to raise the temperature of adjacent fuel pellets to well above the boiling point of cesium.

Note from Table 3-2 that a typical ISFSI module would contain 1.3 MCi of cesium-137, about half the amount of cesium-137 released during the Chernobyl reactor accident of 1986. Most of the offsite radiation exposure from the Chernobyl accident was due to cesium-137. Thus, a fire inside an ISFSI module, as described in the preceding paragraph, could cause significant radiological harm. The potential for deliberate creation of such a fire is discussed in Section 7, below.

# 7. Potential for Attack on a Commercial Nuclear Facility

# 7.1 The General Threat Environment

The potential for a deliberate attack on a commercial nuclear facility arises within a larger context, namely the general threat environment for the US homeland. That environment reflects, in turn, a complex set of factors operating internationally.

As discussed in Section 2, above, we can expect that existing commercial reactors will operate in close proximity to pools, packed with spent fuel at high density to nearly their full capacity, for future periods as long as 46 years. That situation could persist into the 22nd century if new reactors are commissioned and employ the present strategy for

storing spent fuel. Thus, in assessing the risk of malice-induced accidents affecting spent fuel, one should consider the general threat environment over the next century.

#### The threat from sub-national groups

The US homeland has not been attacked by another nation since World War II. One factor behind this outcome has been the US deployment of military forces with a high capability for counter-attack. There have, however, been significant attacks on the US homeland and other US assets by sub-national groups since World War II. Such attacks are typically not deterred by US capability for counter-attack, because the attacking group has no identifiable territory. Indeed, sub-national groups may attack US assets with the specific purpose of prompting US counter-attacks that harm innocent persons, thereby undermining the global political position of the US.

Attacks on the homeland by sub-national groups in recent decades include vehicle bombings of the World Trade Center in New York in February 1993 and the Murrah Federal building in Oklahoma City in April 1995, and aircraft attacks on the World Trade Center and the Pentagon in September 2001. Outside the homeland, attacks on US assets by sub-national groups have included vehicle-bomb attacks on a Marine barracks in Beirut in October 1983 and embassies in Tanzania and Kenya in August 1998, and a boat-bomb attack on the USS Cole in October 2000. Sub-national groups have repeatedly attacked US and allied forces in Iraq and Afghanistan.

In many of these incidents, the attacking group has been based outside the US. An exception was the Oklahoma City bombing, where the attacking group was domestic in both its composition and its motives. There is concern that future attacks within the US may be made by groups that are domestically based but have linkages to, or sympathy with, interests outside the US. This phenomenon was exhibited in London in July 2005, when young men born in the UK conducted suicide bombings in underground trains and a bus.

Reducing the risk of attack by sub-national groups requires a sophisticated, multi-faceted and sustained policy. An unbalanced policy can be ineffective or counterproductive. After September 2001, the US government implemented a policy that was heavily weighted toward offensive military action. Evidence has accumulated that this policy has been significantly counterproductive. Table 7-1 provides a sample of the evidence. The table shows public-opinion data from four Muslim-majority countries (Morocco, Egypt, Pakistan, Indonesia). In each country, a majority (ranging from 53 percent of respondents in Indonesia to 86 percent in Egypt) believes that the primary goal of the US "war on terrorism" is to weaken Islam or control Middle East resources (oil and natural gas). One expression of this belief is that substantial numbers of people (ranging from 19 percent of respondents in Indonesia to 91 percent in Egypt) approve of attacks on US

troops in Iraq. Smaller numbers of people (ranging from 4 to 7 percent of respondents) approve of attacks on civilians in the US.<sup>80</sup>

The great majority of people, in these four countries and elsewhere, will not participate in attacks on US assets. However, there are consequences when millions of people believe that the US seeks to undermine their religion and culture and control their resources. Among other consequences, this belief creates a social climate that can help sub-national groups to form and to acquire the skills, funds and equipment they need in order to mount attacks. From a US perspective, such groups are "terrorists". Within their own cultures, they may be seen as soldiers engaged in "asymmetric warfare" with a powerful enemy.

Many experts who study these issues see a substantial probability that the US homeland will, over the coming years, be subjected to an attack comparable in severity to the attack of September 2001. Table 7-2 summarizes the judgment of a selected group of experts on this matter.

### The threat environment over the coming decades

As mentioned above, an assessment of the risk of malice-induced accidents affecting spent fuel should consider the general threat environment over the next century. Forecasting trends in the threat environment over such a period is a daunting exercise, with inevitably uncertain findings. Nevertheless, a decision about the design and mode of operation of a nuclear facility must reflect either an implicit or an explicit forecast of trends in the general threat environment. It is preferable that the forecast be explicit, and global in scope, because the US cannot be insulated from broad trends in violent conflict and social disorder.

Numerous analysts – in academia, government and business – are involved in efforts to forecast possible worldwide trends that pertain to violence. These efforts rarely attempt to look forward more than one or two decades. Two examples are illustrative. First, a group based at the University of Maryland tracks a variety of indicators for most of the countries in the world, in a data base that extends back to 1950 and earlier. Using these data, the group periodically provides country-level assessments of the potential for outbreaks of violent conflict.<sup>81</sup> Second, the RAND corporation has conducted a literature review and assessment of potential worldwide trends that would be adverse for US national security.<sup>82</sup>

Several decades ago, some analysts of potential futures began taking an integrated world view, in which social and economic trends are considered in the context of a finite planet. In this view, trends in population, resource consumption and environmental degradation can be significant, or even dominant, determinants of the options available to human

<sup>&</sup>lt;sup>80</sup> Kull et al, 2007.

<sup>&</sup>lt;sup>81</sup> Marshall and Gurr, 2005.

<sup>&</sup>lt;sup>82</sup> Kugler, 1995.

societies. A well-known, early example of this genre is the *Limits to Growth* study, sponsored by the Club of Rome, which modeled world trends by using systems dynamics.<sup>83</sup> A more recent example is the work of the Global Scenario group, convened by the Stockholm Environment Institute (SEI).<sup>84</sup> This work was informed by systems-dynamics thinking, but focused on identifying the qualitative characteristics of possible future worldwide scenarios for human civilization. SEI identified three types of scenario, with two variants of each type, as shown in Table 7-3. The Conventional Worlds scenario has Market Forces and Policy Reform variants, the Barbarization scenario has Breakdown and Fortress World variants, while the Great Transitions scenario has Eco-Communalism and New Sustainability Paradigm variants.

The SEI scenarios provide a useful framework for considering the paths that human civilization could follow during the next century and beyond. Not all paths are possible. Notably, continued trends of resource depletion and irreversible degradation of ecosystems would limit the range of options available to succeeding generations. Similarly, destruction of human and industrial capital through large-scale warfare could inhibit economic and social recovery for many generations.

At present, the dominant world paradigm corresponds to the Market Forces scenario. Policy Reform is pursued at the rhetorical level, but is weakly implemented in practice. In parts of the world, notably in Africa, the Breakdown scenario is already operative. Aspects of the Fortress World scenario are also evident, and are likely to become more prominent if trends of resource depletion and ecosystem degradation continue, especially if major powers reject the dictates of sustainability and use armed force to secure resources. One sign of resource depletion is a growing body of analysis that predicts a peak in world oil production within the next few decades.<sup>85</sup> This prediction is sobering in view of the prominent role played by oil in the origins and conduct of war in the 20th century.<sup>86</sup> A now-familiar sign of ecosystem degradation is anthropogenic, global climate change. Analysts are considering the potential for climate change to promote, through its adverse impacts, social disorder and violence.<sup>87</sup> Other manifestations of ecosystem degradation are also significant. The recent Millennium Ecosystem Assessment determined that 15 out of the 24 ecosystem services that it examined "are being degraded or used unsustainably, including fresh water, capture fisheries, air and water purification, and the regulation of regional and local climate, natural hazards, and pests".<sup>88</sup> According to analysts at the United Nations University in Bonn, continuation of such trends could create up to 50 million environmental refugees by the end of the decade.<sup>89</sup>

<sup>&</sup>lt;sup>83</sup> Meadows et al, 1972.

<sup>&</sup>lt;sup>84</sup> Raskin et al, 2002.

<sup>&</sup>lt;sup>85</sup> Hirsch et al, 2005; GAO, 2007.

<sup>&</sup>lt;sup>86</sup> Yergin, 1991.

<sup>&</sup>lt;sup>87</sup> Gilman et al, 2007; Campbell et al, 2007; Smith and Vivekananda, 2007.

<sup>&</sup>lt;sup>88</sup> MEA, 2005, page 1.

<sup>&</sup>lt;sup>89</sup> Adam, 2005.

At present, human population and material consumption per capita are growing to a degree that visibly stresses the biosphere. Moreover, ecosystem degradation and resource depletion coexist with economic inequality, increasing availability of sophisticated weapons technology, and an immature system of global governance. Major powers are doing little to address these problems. It seems unlikely that these imbalances and sources of instability will persist at such a scale during the remainder of the 21st century without major change occurring. That change could take various forms, but two broadbrush scenarios can illustrate the range of possible outcomes. In one scenario, there would be a transition to a civilization similar to the New Sustainability Paradigm articulated by SEI. That civilization would be comparatively peaceful and technologically sophisticated. Alternatively, the world could descend into a form of barbarism such as the Fortress World scenario articulated by SEI. That society might be locally prosperous, within enclaves, but would be violent and unstable.

In assessing the likelihood of malicious actions at a nuclear facility, it would be prudent to adopt a pessimistic assumption of the potential for violent conflict in the future. Using SEI terminology, one could assume a Fortress World scenario with a high incidence of violent conflict of a type that involves sophisticated weapons and tactics. Violence might be perpetrated by national governments or by sub-national groups. A RAND corporation analyst has contemplated such a future in the following terms:<sup>90</sup>

"A dangerous world may offer an insidious combination of nineteenth-century politics, twentieth-century passions, and twenty-first century technology: an explosive mixture of multipolarity, nationalism, and advanced technology."

# 7.2 National Policy and Practice on Homeland Security

To mount an effective response to the general threat environment for the US homeland, the nation needs a coherent homeland-security strategy that links responses to an array of specific threats, such as the potential for a deliberate attack on a commercial nuclear facility. As discussed below, there are deficiencies in the strategy that has been implemented. The nominal strategy was articulated by the White House in the *National Strategy for Homeland Security*, first published in July 2002 and updated in October 2007. That document sets forth four major goals:<sup>91</sup>

- "• Prevent and disrupt terrorist attacks;
- Protect the American people, our critical infrastructure, and key resources;
- Respond to and recover from incidents that do occur; and
- Continue to strengthen the foundation to ensure our long-term success."

<sup>&</sup>lt;sup>90</sup> Kugler, 1995, page 279.

<sup>&</sup>lt;sup>91</sup> White House, 2007, page 1.

The document defines critical infrastructure as including "the assets, systems, and networks, whether physical or virtual, so vital to the United States that their incapacitation or destruction would have a debilitating effect on security, national economic security, public health or safety, or any combination thereof".<sup>92</sup> Commercial nuclear reactors and their spent fuel are identified in the document as elements of the nation's critical infrastructure and key resources.

## Protecting critical infrastructure

The US Department of Homeland Security has issued the *National Infrastructure Protection Plan* (NIPP), whose purpose is to provide "the unifying structure for the integration of critical infrastructure and key resources (CI/KR) protection into a single national program".<sup>93</sup> Other Federal agencies, including NRC, have confirmed their acceptance of the NIPP.

The NIPP identifies three purposes of measures to protect critical infrastructure and key resources: (i) deter the threat; (ii) mitigate vulnerabilities; and (iii) minimize consequences associated with an attack or other incident. The NIPP identifies a range of protective measures as follows:<sup>94</sup>

"Protection can include a wide range of activities such as improving business protocols, hardening facilities, building resiliency and redundancy, incorporating hazard resistance into initial facility design, initiating active or passive countermeasures, installing security systems, leveraging "self-healing" technologies, promoting workforce surety programs, or implementing cyber security measures, among various others".

Protective measures of these types could significantly reduce the probability that an attack would be successful. Such measures could, therefore, "deter" attacks by altering attackers' cost-benefit calculations. That form of deterrence is different from deterrence attributable to an attacked party's capability to counter-attack. For convenience, the two forms of deterrence are described hereafter as "protective deterrence" and "counter-attack deterrence". It should be noted that the effective functioning of both forms of deterrence requires that: (i) potential attackers are aware of the deterrence strategy; and (ii) the deterrence strategy is technically credible. That requirement means that the existence and capabilities of protective measures, such as those identified in the NIPP, should be widely advertised. The technical details of a protective measure should, however, remain confidential if disclosure of those details would allow the measure to be defeated.

From the statement quoted above, it is clear that the authors of the NIPP recognize the potential benefits of designing protective measures into a facility before it is constructed.

<sup>&</sup>lt;sup>92</sup> White House, 2007, page 25.

<sup>&</sup>lt;sup>93</sup> DHS, 2006, page iii.

<sup>&</sup>lt;sup>94</sup> DHS, 2006, page 7.

At the design stage, attributes such as resiliency, redundancy, hardening and passive operation can often be incorporated into a facility at a comparatively low incremental cost. Capturing opportunities for low-cost enhancement of protective measures would allow decision makers to design against a more pessimistic (i.e., more prudent) threat assumption, thereby strengthening protective deterrence, reducing the costs of other security functions (e.g., guard forces), and enhancing civil liberties (e.g., by reducing the perceived need for measures such as wiretapping). Moreover, incorporation of enhanced protective measures would often reduce risks associated with conventional accidents (e.g., fires), extreme natural events (e.g., earthquakes), or other challenges not directly attributable to human malice.

## Protective deterrence as part of a balanced policy for homeland security

As mentioned above, reducing the risk of attack by sub-national groups requires a sophisticated, multi-faceted and sustained policy. The policy must balance multiple factors operating within and beyond the homeland. An unbalanced policy can be ineffective or counterproductive.

A high-level task force convened by the Council on Foreign Relations (CFR) in 2002 understood the need for a balanced policy for homeland security.<sup>95</sup> One of the task force's major conclusions recognized the value of protective deterrence, while also recognizing that offensive military operations by the US could increase the risk of attack on the US. The conclusion was as follows:<sup>96</sup>

"Homeland security measures have deterrence value: US counterterrorism initiatives abroad can be reinforced by making the US homeland a less tempting target. We can transform the calculations of would-be terrorists by elevating the risk that (1) an attack on the United States will fail, and (2) the disruptive consequences of a successful attack will be minimal. It is especially critical that we bolster this deterrent now since an inevitable consequence of the US government's stepped-up military and diplomatic exertions will be to elevate the incentive to strike back before these efforts have their desired effect."

The NIPP could support a vigorous national program of protective deterrence, as recommended by the CFR task force in 2002. However, priorities of the US government have not been consistent with such a program. Resources and attention devoted to offensive military operations are much larger than those devoted to the protection of critical infrastructure.<sup>97</sup> The White House stated, in the *National Strategy for Combating* 

<sup>&</sup>lt;sup>95</sup> Members of the task force included two former Secretaries of State, two former chairs of the Joint Chiefs of Staff, a former Director of the CIA and the FBI, two former US Senators, and other eminent persons.

<sup>&</sup>lt;sup>96</sup> Hart et al, 2002, pp 14-15.

<sup>97</sup> Flynn, 2007.

*Terrorism*, issued in September 2006:<sup>98</sup> "We have broken old orthodoxies that once confined our counterterrorism efforts primarily to the criminal justice domain." In practice, that statement means that the US government has relied overwhelmingly on military means to reduce the risks of attacks on US assets by sub-national groups. That policy has continued despite mounting evidence, as illustrated by Tables 7-1 and 7-2, that it is unbalanced and counterproductive.

A well-informed analyst of homeland security has summarized national priorities in the following statement:<sup>99</sup>

"Since the White House has chosen to combat terrorism as essentially a military and intelligence activity, it treats homeland security as a decidedly second-rate priority. The job of everyday citizens is to just go about their lives, shopping and traveling, while the Pentagon, Central Intelligence Agency, and National Security Agency wage the war."

Under the new Presidential administration, national priorities may shift, leading to greater emphasis on protective deterrence. Unfortunately, critical-infrastructure facilities approved or constructed prior to that policy shift may lack the protective design features that are envisioned in the NIPP. Persons responsible for the design or licensing of nuclear facilities could anticipate a national policy shift and take decisions accordingly.

Section 8, below, discusses options and issues that should be considered in developing a balanced policy for protecting US critical infrastructure from attack by sub-national groups. That discussion shows the potential benefits that could be gained by assigning a higher priority to protective deterrence.

# 7.3 Commercial Nuclear Facilities as Potential Targets of Attack

A sub-national group contemplating an attack within the US homeland would have a wide choice of targets. Also, groups in that category could vary widely in terms of their capabilities and motivations. In the context of potential attacks on nuclear facilities, the groups of concern are those that are comparatively sophisticated in their approach and comparatively well provided with funds and skills. The group that attacked New York and Washington in September 2001 met this description. A group of this type could choose to attack a US nuclear facility for one or both of two broad reasons. First, the attack could be highly symbolic. Second, the impacts of the attack could be severe.

<sup>&</sup>lt;sup>98</sup> White House, 2006, page 1.

<sup>&</sup>lt;sup>99</sup> Flynn, 2007, page 11.

#### Nuclear facilities as symbolic targets

From the symbolic perspective, commercial nuclear facilities are inevitably associated with nuclear weapons. The association further extends to the United States' large and technically sophisticated capability for offensive military operations. Application of that capability has aroused resentment in many parts of the world. Although nuclear weapons have not been used by the United States since 1945, US political leaders have repeatedly threatened, implicitly or explicitly, to use nuclear weapons again. Those threats coexist with efforts to deny nuclear weapons to other countries. The US government justified its March 2003 invasion of Iraq in large part by the possibility that the Iraqi government might eventually deploy nuclear weapons. There is speculation that the United States will attack nominally commercial nuclear facilities in Iran to forestall Iran's deployment of nuclear weapons.<sup>100</sup> Yet, the US government rejects the constraint of its own nuclear weapons by international agreements such as the Non-Proliferation Treaty.<sup>101</sup> As an approach to international security, this policy has been criticized by the director general of the International Atomic Energy Agency as "unsustainable and counterproductive".<sup>102</sup> It would be prudent to assume that this policy will motivate sub-national groups to respond asymmetrically to US nuclear superiority, possibly through an attack on a US commercial nuclear facility.

## Radiological impacts of an attack on a nuclear facility

The impacts of an attack on a commercial nuclear facility could be severe because these facilities typically contain large amounts of radioactive material. Release of this material to the environment could create a variety of severe impacts. Also, as explained in Section 7.4, below, US nuclear facilities are provided with a defense that is "light" in a military sense. Moreover, imprudent design choices have made a number of these facilities highly vulnerable to attack. That combination of factors means that many US nuclear facilities can be regarded as potent radiological weapons that await activation by an enemy.

As explained in Section 3, above, a facility's inventory of cesium-137 provides an indicator of the facility's potency as a radiological weapon. Table 3-1 shows estimated amounts of cesium-137 in nuclear fuel in the Indian Point reactors and spent-fuel pools, and in one of the spent-fuel storage modules of the Indian Point ISFSI. Table 3-2 compares these amounts with atmospheric releases of cesium-137 from detonation of a 10-kilotonne fission weapon, the Chernobyl reactor accident of 1986, and atmospheric testing of nuclear weapons. These data show that release of a substantial fraction of the cesium-137 in a nuclear facility, such as those at Indian Point, would create comparatively large radiological consequences.

<sup>&</sup>lt;sup>100</sup> Hersh, 2006; Brzezinski, 2007.

<sup>&</sup>lt;sup>101</sup> Deller, 2002; Scarry, 2002; Franceschini and Schaper, 2006.

<sup>&</sup>lt;sup>102</sup> ElBaradei, 2004, page 9.

#### 7.4 NRC's Approach to Nuclear-Facility Security

A policy on protecting nuclear facilities from attack is laid down in NRC regulation 10 CFR 50.13. That regulation was promulgated in September 1967 by the US Atomic Energy Commission (AEC) – which preceded the NRC – and was upheld by the US Court of Appeals in August 1968. It states:<sup>103</sup>

"An applicant for a license to construct and operate a production or utilization facility, or for an amendment to such license, is not required to provide for design features or other measures for the specific purpose of protection against the effects of (a) attacks and destructive acts, including sabotage, directed against the facility by an enemy of the United States, whether a foreign government or other person, or (b) use or deployment of weapons incident to US defense activities."

Some readers might interpret 10 CFR 50.13 to mean that licensees are not required to design or operate nuclear facilities to resist potential attacks by sub-national groups. The NRC has rejected that interpretation in the context of vehicle-bomb attacks, stating:<sup>104</sup>

"It is simply not the case that a vehicle bomb attack on a nuclear power plant would almost certainly represent an attack by an enemy of the United States, within the meaning of that phrase in 10 CFR 50.13."

Events have obliged the NRC to progressively require greater protection against attacks by sub-national groups. A series of events, including the 1993 vehicle-bomb attack on the World Trade Center in New York, persuaded the NRC to introduce, in 1994, regulatory amendments requiring licensees to defend nuclear power plants against vehicle bombs.<sup>105</sup> The attacks on New York and Washington in September 2001 led the NRC to require additional protective measures.

With rare exceptions, the NRC has refused to consider potential malicious actions in the context of license proceedings or environmental impact statements. The NRC's policy on this matter is illustrated by a September 1982 ruling by the Atomic Safety and Licensing Board in the operating-license proceeding for the Harris nuclear power plant. An intervenor, Wells Eddleman, had proffered a contention alleging, in part, that the plant's safety analysis was deficient because it did not consider the "consequences of terrorists commandeering a very large airplane....and diving it into the containment." In refusing to consider this contention, the ASLB stated:<sup>106</sup>

<sup>&</sup>lt;sup>103</sup> Federal Register, Vol. 32, 26 September 1967, page 13445.

<sup>&</sup>lt;sup>104</sup> NRC, 1994, page 38893.

<sup>&</sup>lt;sup>105</sup> NRC, 1994.

<sup>&</sup>lt;sup>106</sup> ASLB, 1982.

"This part of the contention is barred by 10 CFR 50.13. This rule must be read *in pari materia* with 10 CFR 73.1(a)(1), which describes the "design basis threat" against which commercial power reactors *are* required to be protected. Under that provision, a plant's security plan must be designed to cope with a violent external assault by "several persons," equipped with light, portable weapons, such as hand-held automatic weapons, explosives, incapacitating agents, and the like. Read in the light of section 73.1, the principal thrust of section 50.13 is that military style attacks with heavier weapons are not a part of the design basis threat for commercial reactors. Reactors could not be effectively protected against such attacks without turning them into virtually impregnable fortresses at much higher cost. Thus Applicants are not required to design against such things as artillery bombardments, missiles with nuclear warheads, or kamikaze dives by large airplanes, despite the fact that such attacks would damage and may well destroy a commercial reactor."

#### The design basis threat

The NRC requires its licensees to defend against a design basis threat (DBT), a postulated attack that has become more severe over time. The present DBT for nuclear power plants was promulgated in January 2007. Details are not publicly available. (The NRC publishes a summary description, which is provided below.) The present DBT is similar to one ordered by the NRC in April 2003.<sup>107</sup> At that time, the NRC described its order as follows:<sup>108</sup>

"The Order that imposes revisions to the Design Basis Threat requires power plants to implement additional protective actions to protect against sabotage by terrorists and other adversaries. The details of the design basis threat are safeguards information pursuant to Section 147 of the Atomic Energy Act and will not be released to the public. This Order builds on the changes made by the Commission's February 25, 2002 Order. The Commission believes that this DBT represents the largest reasonable threat against which a regulated private security force should be expected to defend under existing law."

From that statement, and from other published information, it is evident that the NRC requires a comparatively "light" defense for nuclear power plants and their spent fuel. The scope of the defense does not reflect a full spectrum of threats. Instead, it reflects a consensus about the level of threat that licensees can "reasonably" be expected to resist.<sup>109</sup> In illustration of this approach, when the NRC adopted the currently-applicable DBT rule in January 2007, it stated that the rule "does not require protection against a deliberate hit by a large aircraft", and that "active protection [of nuclear power plants]

<sup>&</sup>lt;sup>107</sup> NRC Press Release No. 07-012, 29 January 2007.

<sup>&</sup>lt;sup>108</sup> NRC Press Release No. 03-053, 29 April 2003.

<sup>&</sup>lt;sup>109</sup> Fertel, 2006; Wells, 2006; Brian, 2006.

against airborne threats is addressed by other federal organizations, including the military".<sup>110</sup>

The present DBT for "radiological sabotage" at a nuclear power plant has the following published attributes:<sup>111</sup>

"(i) A determined violent external assault, attack by stealth, or deceptive actions, including diversionary actions, by an adversary force capable of operating in each of the following modes: A single group attacking through one entry point, multiple groups attacking through multiple entry points, a combination of one or more groups and one or more individuals attacking through multiple entry points, or individuals attacking through separate entry points, with the following attributes, assistance and equipment:

(A) Well-trained (including military training and skills) and dedicated individuals, willing to kill or be killed, with sufficient knowledge to identify specific equipment or locations necessary for a successful attack;
(B) Active (e.g., facilitate entrance and exit, disable alarms and communications, participate in violent attack) or passive (e.g., provide information), or both, knowledgeable inside assistance;
(C) Suitable weapons, including handheld automatic weapons, equipped with silencers and having effective long range accuracy;

(D) Hand-carried equipment, including incapacitating agents and explosives for use as tools of entry or for otherwise destroying reactor, facility, transporter, or container integrity or features of the safeguards system; and

(E) Land and water vehicles, which could be used for transporting personnel and their hand-carried equipment to the proximity of vital areas; and

(ii) An internal threat; and

(iii) A land vehicle bomb assault, which may be coordinated with an external assault; and

(iv) A waterborne vehicle bomb assault, which may be coordinated with an external assault; and

(v) A cyber attack."

That DBT seems impressive, and is more demanding than previously-published DBTs. However, the DBT cannot be highly demanding in practice, given the equipment that the NRC requires for a security force. Major items of required equipment are semiautomatic rifles, shotguns, semiautomatic pistols, bullet-resistant vests, gas masks, and flares for

<sup>&</sup>lt;sup>110</sup> NRC Press Release No. 07-012, 29 January 2007.

<sup>&</sup>lt;sup>111</sup> 10 CFR 73.1 Purpose and scope, accessed from the NRC web site (www.nrc.gov) on 14 June 2007.

night vision.<sup>112</sup> Plausible attacks could overwhelm a security force equipped in this manner. Also, press reports state that the assumed attacking force contains no more than six persons.<sup>113</sup> The average US nuclear-plant site employs about 77 security personnel, covering multiple shifts.<sup>114</sup> Thus, comparatively few guards are on duty at any given time.<sup>115</sup>

Table 7-4 sets forth some potential modes and instruments of attack on a nuclear power plant, and summarizes the present defenses against these modes and instruments. That table shows that a variety of potential attack scenarios could not be effectively resisted by present defenses. Illustrative scenarios are discussed, in a general sense, in Section 7.5, below.

#### Protective deterrence and the NRC

A rationale for the present level of protection of nuclear facilities was articulated by the NRC chair, Richard Meserve, in 2002:<sup>116</sup>

"If we allow terrorist threats to determine what we build and what we operate, we will retreat into the past – back to an era without suspension bridges, harbor tunnels, stadiums, or hydroelectric dams, let alone skyscrapers, liquid-natural-gas terminals, chemical factories, or nuclear power plants. We cannot eliminate the terrorists' targets, but instead we must eliminate the terrorists themselves. A strategy of risk avoidance – the elimination of the threat by the elimination of potential targets – does not reflect a sound response."

That statement shows no understanding of the need for a balanced policy to protect critical infrastructure, employing the principles of protective deterrence. There is considerable potential to embody those principles in the design of nuclear facilities, especially new facilities. It has been known for decades that nuclear power plants could be designed to be more robust against attack. For example, in the early 1980s the reactor vendor ASEA-Atom developed a preliminary design for an "intrinsically safe" commercial reactor known as the PIUS reactor. Passive-safety design principles were used. The design basis for the PIUS reactor included events such as equipment failures, operator errors and earthquakes, but also included: (i) takeover of the plant for one operating shift by knowledgeable saboteurs equipped with large amounts of explosives;

<sup>&</sup>lt;sup>112</sup> 10 CFR 73 Appendix B – General Criteria for Security Personnel, Section V, accessed from the NRC web site (www.nrc.gov) on 14 June 2007.

<sup>&</sup>lt;sup>113</sup> Hebert, 2007.

<sup>&</sup>lt;sup>114</sup> Holt and Andrews, 2006.

<sup>&</sup>lt;sup>115</sup> If each member of a 77-person security force were on duty 40 hours/week for 42 weeks/year (allowing 10 weeks/year for vacation, illness, training, etc.), the average number of persons on duty at any time would be 15.

<sup>&</sup>lt;sup>116</sup> Meserve, 2002, page 22.

(ii) aerial bombardment with 1,000-pound bombs; and (iii) abandonment of the plant by the operators for one week.<sup>117</sup>

#### Consideration of malicious actions in environmental impact statements

NRC has generally refused to consider potential malicious actions in environmental impact statements. An exception is NRC's August 1979 GEIS on handling and storage of spent fuel (NUREG-0575), which considered potential sabotage events at a spent-fuel pool.<sup>118</sup> Table 7-5 describes the postulated events, which encompass the detonation of explosive charges in the pool, breaching of the walls of the pool building and the pool floor by explosive charges or other means, and takeover of the central control room for one half-hour. Involvement of up to about 80 adversaries is implied.

NUREG-0575 did not recognize the potential for an attack with these attributes to cause a fire in the pool.<sup>119</sup> Technically-informed attackers operating within this envelope of attributes could cause a fire in a spent-fuel pool at any operating nuclear power plant in the USA.<sup>120</sup> Informed attackers could use explosives, and their command of the control room for one half-hour, to drain water from the pool and release radioactive material from the adjacent reactor. The radiation field from the reactor release and the drained pool could preclude personnel access, thus precluding recovery actions if command of the plant were returned to the operators after one half-hour. Exposure of spent fuel to air could initiate a fire that would release to the atmosphere a large fraction of the pool's inventory of cesium-137.<sup>121</sup>

Pursuant to a ruling obtained from the 9th Circuit of the US Court of Appeals by San Luis Obispo Mothers for Peace (SLOMFP), in 2007 the NRC Staff issued a Supplement to its October 2003 Environmental Assessment (EA) for a proposed ISFSI at the Diablo Canyon site. The Supplement purported to address the risk of potential malicious actions at the ISFSI. A draft version of the Supplement was issued in May 2007 and a final version was issued in August 2007.<sup>122</sup> IRSS prepared a detailed review of the draft version and a short review of the final version.<sup>123</sup> There was little change from the draft to the final version. Both versions exhibited grave deficiencies. Neither version provided a credible assessment of the risks of potential malicious actions. In October 2008 the NRC Commissioners rejected arguments submitted by SLMOFP regarding

<sup>&</sup>lt;sup>117</sup> Hannerz, 1983.

<sup>&</sup>lt;sup>118</sup> NRC, 1979, Section 5 and Appendix J.

<sup>&</sup>lt;sup>119</sup> The sabotage events postulated in NUREG-0575 yielded comparatively small estimated radioactive releases.

<sup>&</sup>lt;sup>120</sup> Spent-fuel pools at all US nuclear power plants are currently equipped with high-density racks. Loss of water from such a pool would, over a wide range of water-loss scenarios, lead to ignition and burning of spent fuel assemblies.

<sup>&</sup>lt;sup>121</sup> Alvarez et al, 2003; Thompson, 2006; NAS, 2006.

<sup>&</sup>lt;sup>122</sup> NRC, 2007a; NRC, 2007b.

<sup>&</sup>lt;sup>123</sup> Thompson, 2007a; Thompson, 2007b.

deficiencies in the EA, and ruled that an EIS is not required in this instance.<sup>124</sup> Commissioner Jaczko dissented strongly from the majority decision.<sup>125</sup> The decision may be appealed.

The NRC Staff has refused to implement the 9th Circuit ruling in regions of the USA, such as New York State, that do not fall under the jurisdiction of the 9th Circuit. Nevertheless, the US Environmental Protection Agency (EPA) has requested the NRC Staff to provide, in the EIS for license extension of the IP2 and IP3 plants, "an analysis of the impacts of intentional destructive acts (e.g., terrorism)".<sup>126</sup> The EPA cites the 9th Circuit ruling as requiring such an analysis.

# 7.5 Vulnerability of Typical Reactors, Pools and ISFSIs to Attack

Here, the vulnerability of reactors, pools and ISFSIs to attack is discussed in two parts. First, the vulnerability of reactors and pools is addressed by examining the vulnerability of nuclear power plants. Reactors and pools are, of course, components of those plants. Second, the vulnerability of ISFSIs is addressed, noting that most ISFSIs are at plant sites.

# Vulnerability of nuclear power plants

Nuclear power plants in the USA were not designed to withstand an attack. Nor were they designed to withstand a conventional accident involving damage to the reactor core. However, they employ comparatively massive structures. Thus, they have some ability to survive an attack or a conventional core-damage accident without necessarily suffering a large release of radioactive material. To assess the potential for release, a range of attack scenarios and conventional core-damage scenarios could be articulated, and an atmospheric source term could be estimated for each scenario.

PRA techniques have been developed to examine conventional accident scenarios. Those techniques could be adapted to examine attack scenarios, by postulating for each scenario an initiating event (the attack) and assessing the conditional probabilities and other characteristics of the various possible outcomes of that event. The NRC employed that approach in developing its vehicle-bomb rule.<sup>127</sup>

PRAs and related studies have been done for all US commercial reactors. That work could be built upon to assess the vulnerability of these reactors to attack. The analysis could be further extended to assess the risk of a pool fire arising from a conventional accident or attack, with consideration of pool-reactor interactions. If done properly, the overall analysis could provide a comprehensive assessment of the risk posed by operation

<sup>&</sup>lt;sup>124</sup> This author prepared a declaration supporting SLOMFP's arguments. See: Thompson, 2008b.

<sup>&</sup>lt;sup>125</sup> NRC, 2008e.

<sup>&</sup>lt;sup>126</sup> EPA, 2007.

<sup>&</sup>lt;sup>127</sup> NRC, 1994.

of each US nuclear power plant. Such an assessment could be performed without access to classified information, by using existing engineering knowledge and models, and by developing new models. Published professional literature provides illustrations of analytic techniques that could be used.<sup>128</sup>

Such a comprehensive assessment of risk does not exist. If that assessment did exist, parts of it would not be appropriate for publication. In the absence of such an assessment, IRSS provides here some illustrative analysis of the vulnerability of reactors and pools to attack. The analysis is general and brief, to avoid disclosing sensitive information. IRSS could expand upon this analysis if given the opportunity to do so in a protected setting. It should be noted that skilled attackers could readily obtain or infer a much greater depth of knowledge about a plant's vulnerability than is provided here.

Table 7-4 and the discussion in Section 7.4, above, show that a US nuclear power plant is provided with a comparatively light defense. Thus, a sub-national group with personnel, resources and preparation time comparable to those involved in the September 2001 attacks on New York and Washington could mount an attack with a substantial probability of success.

## Modes of attack on a nuclear power plant

Consider the Indian Point site as an example. An attack at that site might begin with actions that put the IP2 and/or IP3 plant in a compromised state and create stress for plant personnel. For example, attackers could sever the site's electricity grid connection and disable the service water system without needing to penetrate the site boundary. Due to a design deficiency at this site, lack of service water would disable the emergency diesel generators. Thus, the site would lose its primary supplies of electricity and cooling water. Additional actions, which could be accomplished by an insider, could then initiate a core-damage sequence.<sup>129</sup> The attackers might be satisfied to achieve core damage, recognizing that core damage would not necessarily lead to a large release of radioactive material. Alternatively, the attack plan might include actions that compromise the integrity of the reactor containment, in order to ensure a large atmospheric release.

The IP2 (and IP3) containment structure is a reinforced concrete vertical cylinder topped by a hemispherical dome made of the same material. The side walls are 4.5 feet thick with a 0.4 inch thick steel liner, and the dome is 3.5 feet thick with a 0.5 inch thick steel liner.<sup>130</sup> By some standards, this is a robust structure. It could, however, be readily breached using instruments of attack that are available to sub-national groups. For example, Tables 7-6 and 7-7 show the capability of shaped charges.<sup>131</sup>

<sup>&</sup>lt;sup>128</sup> See, for example: Morris et al, 2006; Honnellio and Rydell, 2007; Sdouz, 2007.

 <sup>&</sup>lt;sup>129</sup> The additional actions, which could be taken in advance of the attack, would disable equipment that is needed to maintain core cooling if the primary supplies of electricity and cooling water are unavailable.
 <sup>130</sup> Entergy, 2007, Section 5.1.2. This source describes the IP2 plant; the IP3 plant has a similar design.

<sup>&</sup>lt;sup>131</sup> Also see: Walters, 2003.

A shaped charge could be delivered by a general-aviation aircraft used as a cruise missile in remote-control or kamikaze mode. Alternatively, shaped charges could be placed by attackers who reach the target locations by parachute, ultralight aircraft, helicopter, or site penetration from land or the Hudson River. The attack might involve a standoff component in which shaped-charge warheads are delivered from an offsite location by an instrument such as the TOW (tube-launched, optically-tracked, wire-guided) missile. A shaped charge could be the first stage of a tandem device. In that configuration, the first stage penetrates a structure and is followed by a second stage that damages equipment inside the penetrated structure via fragmentation, blast, incendiary or "thermobaric" effects.

Arms manufacturers are actively developing tandem-warhead systems. For example, in January 2008 Raytheon tested the shaped-charge penetrating stage for its Tandem Warhead System.<sup>132</sup> The shaped charge penetrated 19 feet into steel-reinforced concrete with a compressive strength of 12,600 psi. The purpose of this new system is to penetrate a target protected by concrete, steel and rock barriers, and to cause damage inside the target. Development of the system was self-funded by Raytheon. The current version would have a mass of about 1,000 pounds in its tandem configuration. Raytheon states that it could scale the technology, which implies both larger and smaller versions.

The spent-fuel pools at the IP2 and IP3 plants are immediately outside the respective reactor containments. The floor of each pool is below the local grade level. However, the site slopes downward toward the Hudson River, so the pool floor is above river level. The pool walls are made of concrete, 3 to 6 feet thick.<sup>133</sup> As discussed above, a subnational group could obtain the instruments needed to breach such a wall. Attackers might choose to breach the wall at the local grade level. That action would cause the water level in the pool to fall to near the top of the spent-fuel storage racks. Thereafter, the remaining water would boil and, if makeup water were not supplied, the pool could boil dry in about a day. As fuel assemblies became exposed, their temperature would rise. An assembly exposed for the majority of its length could heat up to ignition temperature in a few hours.<sup>134</sup>

In favorable circumstances, plant operators and other personnel could potentially prevent the initiation of a pool fire by the attack postulated above. To prevent a fire, the operators would have to improvise a water makeup system, or a system to spray water on exposed fuel assemblies. The operators' tasks would be greatly complicated by the radiation field from exposed fuel.<sup>135</sup> To prevent operators from providing makeup or spray water, the attackers could combine an attack on the pool with an attack on the adjacent reactor. The release of radioactive material from the reactor would generate a

<sup>&</sup>lt;sup>132</sup> Raytheon, 2008.

<sup>&</sup>lt;sup>133</sup> Entergy, 2007, Table 9.5-1. This source describes the IP2 plant; the IP3 plant has a similar design.

<sup>&</sup>lt;sup>134</sup> Thompson, 2000.

<sup>&</sup>lt;sup>135</sup> Alvarez et al, 2003.

local radiation field that would, over a wide range of attack scenarios, preclude operator access for a period of days.

#### Aircraft as instruments of attack

Many people have suggested that an aircraft could be used as an instrument of attack on a nuclear facility. The NRC Staff considered this possibility in its Supplement to the EA for the proposed Diablo Canyon ISFSI, as discussed above.<sup>136</sup> The Staff made the mistaken assumption that a large, fuel-laden commercial aircraft would pose the greatest threat using this attack mode. Large, commercial aircraft caused major damage to the World Trade Center and the Pentagon in September 2001, but they would not be optimal as instruments of attack on a nuclear facility. They are comparatively soft objects containing a few hard structures such as turbine shafts. They can be difficult to guide precisely at low speed and altitude. A well-informed group of attackers would probably prefer to use a smaller, general-aviation aircraft laden with explosive material, perhaps in a tandem configuration in which the first stage is a shaped charge. Note that the US General Accounting Office (GAO) expressed concern, in September 2003 testimony to Congress, about the potential for malicious use of general-aviation aircraft. The testimony stated:<sup>137</sup>

"Since September 2001, TSA [the Transportation Security Administration] has taken limited action to improve general aviation security, leaving it far more open and potentially vulnerable than commercial aviation. General aviation is vulnerable because general aviation pilots are not screened before takeoff and the contents of general aviation planes are not screened at any point. General aviation includes more than 200,000 privately owned airplanes, which are located in every state at more than 19,000 airports. Over 550 of these airports also provide commercial service. In the last 5 years, about 70 aircraft have been stolen from general aviation airports, indicating a potential weakness that could be exploited by terrorists."

#### Modes of attack on an ISFSI

Section 6, above, describes two types of potential release of radioactive material from an ISFSI module. In one type, gases and small particles are swept out of the MPC during a blowdown of gases in the MPC through a comparatively small hole. That release would expose a person downwind to a comparatively small inhalation dose. In the second type of release, air would enter and leave the MPC through one or more holes, and the zirconium alloy cladding of the spent fuel would be ignited by use of incendiary material. That release could include a large amount of cesium-137 that would cause significant

<sup>&</sup>lt;sup>136</sup> NRC, 2007a; NRC, 2007b.

<sup>&</sup>lt;sup>137</sup> Dillingham, 2003, page 14.

radiological harm at distances of tens of km downwind. An attacking group seeking to maximize the impact of its attack would clearly prefer the second type of release.

Table 7-8 broadens the discussion in the preceding paragraph by considering four types of potential, attack-induced release, designated as Types I through IV. If a Type I release is set aside as a special case, examination of Types II through IV reveals two interesting trends. First, as one moves from a Type II or Type III release to a Type IV release, the release event would become less dramatic in terms of indicators such as noise, flame and smoke. Second, the environmental impact would decrease as one moves from a Type II to a Type III release.

A well-informed sub-national group planning to attack an ISFSI would be likely to aim at creating a Type IV release. That release would require a comparatively small investment of resources and could produce a comparatively large environmental impact.

The NRC Staff reluctantly prepared an EA that examines the potential for an attack on the Diablo Canyon ISFSI.<sup>138</sup> Most of the analyses and assumptions underlying the EA are secret. However, it is clear that the Staff limited its examination to Type III releases. The Staff may have been misled by the comparatively dramatic appearance of the attack scenarios associated with Type III releases, leading to the false conclusion that Type IV releases would yield comparatively small environmental impacts.

Further discussion of potential attacks on ISFSIs, and their treatment by NRC, is provided in other documents prepared by this author.<sup>139</sup> Also relevant to this issue is a dissent by Commissioner Jaczko to an October 2008 decision by the NRC Commissioners.<sup>140</sup> Jaczko noted, for example, that the NRC Staff lacks an in-house capability to analyze the potential for a zirconium fire.

# 7.6 Potential Attacks in a SAMA Context

Section 5.4, above, discusses the potential for a pool fire in the context of SAMA analyses. To illustrate that discussion, Table 5-1 shows the estimated present value of cost risk for the reactors and spent-fuel pools at the Indian Point site, for conventional accidents. The table shows that the present value of cost risk is greatest for a pool fire, even without considering the onsite impacts of such a fire.

In order to consider potential attacks in SAMA analyses, it is necessary to assign a probability to each potential attack scenario. At present, there is no statistical basis to support quantitative estimates of these probabilities. However, reasonable assumptions of probability can be postulated and used in SAMA analyses to: (i) compare the risk of

<sup>&</sup>lt;sup>138</sup> NRC, 2007a; NRC, 2007b.

<sup>&</sup>lt;sup>139</sup> Thompson, 2007b; Thompson, 2008b.

<sup>&</sup>lt;sup>140</sup> NRC, 2008e.

conventional accidents with the risk of postulated attacks; and (ii) identify and examine SAMAs that reduce both categories of risk.

Here, IRSS provides some illustrative analysis of potential attacks that yield a large atmospheric release from a reactor and/or a pool fire. The probability of such an attack is postulated here to be 1 per 10,000 reactor-years. That number corresponds to a probability of about 1 per century across the US fleet of 104 commercial reactors, assuming that all the reactors are equally attractive as targets. In the SAMA analysis described here, the probability of 1 per 10,000 reactor-years includes a factor of uncertainty. Given the anticipated threat environment over the coming decades, and the vulnerability of the existing nuclear power plants, a postulated probability of 1 per 10,000 reactor-years is at the lower end of the range of assumptions that would be prudent in the context of homeland-security planning.

Table 7-9 shows the estimated present value of cost risk of an atmospheric release from the IP2 and IP3 plants. Attack-induced releases are considered, with a postulated probability of 1 per 10,000 reactor-years. Releases caused by conventional accidents are also considered, carrying forward the analyses summarized in Table 5-1 to include internal and external initiating events and uncertainty. Thus, Table 7-9 provides an overall summary of the present value of cost risks as estimated by the Indian Point licensee and IRSS.

# 8. Options for Reducing Radiological Risk

Options are available for reducing the risk of conventional accidents and malice-induced accidents during storage of spent fuel. These options would involve changes in the design and/or mode of operation of SNF storage facilities. Such risk-reducing options can be thought of as SAMAs, although in NRC licensing practice that term is currently used only in connection with conventional accidents at reactors.

Commercial nuclear facilities, such as reactors, pools and ISFSIs, are elements of the nation's critical infrastructure. Thus, options to reduce the risk of malice-induced accidents at nuclear facilities should be examined in the larger setting of national security, values and interests. Table 8-1 shows the importance of taking this broad view. The table shows how wise design of critical infrastructure can enhance protective deterrence and substitute for defense measures that are less effective and/or have significant adverse impacts. The NIPP has outlined appropriate design principles.

# Options for reducing the risk of a pool fire

Table 8-2 shows some options that could reduce the risk of a fire in a spent-fuel pool. The option that is most compatible with protective deterrence and the NIPP is to re-equip the pool with low-density, open-frame racks, as was planned when the existing commercial reactors were designed. That option would dramatically reduce the

probability of a pool fire, and would substantially reduce the inventory of radioactive material available for release if a fire did occur.

Table 7-9 shows that the present value of cost risk for a fire at an Indian Point pool would be about \$28 million for a conventional accident (assuming probability as in NUREG-1353) and \$500 million for a malice-induced accident (assuming a probability of 1 per 10,000 reactor-years). Those values are calculated according to standard practice for SAMA analyses. In that paradigm, a SAMA would be cost-effective if its benefit (reduction in the present value of cost risk) exceeds its cost.

Table 8-3 provides an estimate of the incremental cost of using low-density racks in the pool associated with a new commercial reactor. With these racks in place, SNF assemblies would be transferred to dry storage after about 5 years of cooling in the pool. An incremental cost of \$3.2 million per year (equivalent to 0.04 cent per kWh of nuclear generation) would arise, beginning in the 11th year of plant operation. That incremental cost would cease at a later point, around the 30th year of plant operation, when the pool inventory of SNF would have approached the pool's capacity if high-density racks had been used. The total, undiscounted incremental cost up to that point would be about \$64 million. Viewed over the entire operating life of the reactor, the total, undiscounted incremental cost would actually be zero, assuming that all SNF remaining in the pool after permanent shut-down of the reactor would be moved to dry storage.

Use of low-density racks would dramatically reduce the risk of a pool fire. Thus, the benefit of this SAMA at Indian Point would be a large fraction of the present value of cost risk shown in Table 7-9 for a pool fire. Comparison with the cost estimate in Table 8-3 shows that this SAMA would be cost-effective by a large margin, in the context of malice-induced accidents.

A more complete discussion of SAMAs related to pool fires is provided in another report by this author.<sup>141</sup> That discussion relates directly to the Indian Point site, but also has general application.

# Options for reducing the risk of release from an ISFSI

The overall risk of a radioactive release from an ISFSI is dominated by the risk of a malice-induced accident. Options for reducing the latter risk include active defense of the site and preparations for damage control.<sup>142</sup> Here, we focus on design options for enhancing the robustness of the ISFSI.

Options for designing an ISFSI to resist attack have been identified by this author, as follows:<sup>143</sup> "re-design of the ISFSI to use thick-walled metal casks, dispersal of the casks,

<sup>&</sup>lt;sup>141</sup> Thompson, 2007c.

<sup>&</sup>lt;sup>142</sup> Thompson, 2007b.

<sup>&</sup>lt;sup>143</sup> Thompson, 2002, paragraph XI-5.

and protection of the casks by berms or bunkers in a configuration such that pooling of aircraft fuel would not occur in the event of an aircraft impact". Elsewhere, the author has provided a more detailed discussion about designing an ISFSI to be more robust against attack.<sup>144</sup> A factor addressed in that discussion is the possibility that society will extend the life of ISFSIs until they become, by default, repositories for spent fuel. Consideration of that possibility could favor an above-ground ISFSI whose robustness would be enhanced through a combination of the design options described above.

Holtec has developed a design for a new ISFSI storage module that is said to be more robust against attack than present modules. The new module is the HI-STORM 100U module, which would employ the same MPC as is used in the present Holtec modules. For most of its height, the 100U module would be underground. Holtec has described the robustness of the 100U module as follows:<sup>145</sup>

"Release of radioactivity from the HI-STORM 100U by any mechanical means (crashing aircraft, missile, etc.) is virtually impossible. The only access path into the cavity for a missile is vertically downward, which is guarded by an arched, concrete-fortified steel lid weighing in excess of 10 tons. The lid design, at present configured to easily thwart a crashing aircraft, can be further buttressed to withstand more severe battlefield weapons, if required in the future for homeland security considerations. The lid is engineered to be conveniently replaceable by a later model, if the potency of threat is deemed to escalate to levels that are considered non-credible today."

# 9. NRC Regulation of Spent-Fuel Storage

# 9.1 NRC's Approach to Regulating Spent-Fuel Storage

As shown in Section 2, above, NRC has enabled and encouraged the development of a de facto, national strategy for storing SNF from existing commercial reactors. This strategy is likely to persist at existing reactors until 2055, and appears poised to continue into the 22nd century at new reactors. As shown in Section 5, above, NRC has known since 1979 that the strategy creates the potential for a fire in a spent-fuel pool, and that the environmental impacts of such a fire would be severe. The Draft Update agrees that a pool fire could occur, but argues that the probability of this event has been limited by secret studies and secret actions.

Options are available for reducing the risk of a pool fire, as shown in Section 8, above. One option – use of low-density racks – would almost eliminate the risk, at a comparatively modest cost. Yet, NRC has never prepared an EIS that assesses the risk of a pool fire and the options for reducing that risk.

<sup>&</sup>lt;sup>144</sup> Thompson, 2003.

<sup>&</sup>lt;sup>145</sup> Holtec, 2007.

#### Published NRC documents that address pool fires

Section 5, above, describes various documents published by NRC that are relevant to pool fires. One document is a 1979 GEIS on SNF handling and storage (NUREG-0575), which failed to identify the risk of a pool fire. Another document is an initial technical report (NUREG/CR-0649) published in 1979, whose introduction mis-characterized its content by erroneously stating that complete drainage of a pool is the most severe case. All subsequent documents published by NRC until October 2000 employed the erroneous assumption that complete drainage is the most severe case. For that and other reasons, none of those documents provides a credible assessment of pool-fire risk or risk-reducing options.

The October 2000 document (published in February 2001 as NUREG-1738) addressed nuclear power plants undergoing decommissioning. At such plants, the risk of a pool fire is qualitatively different, and quantitatively lower, than at operating plants. Thus, NRC should have taken the technical understanding that it had belatedly achieved in NUREG-1738, and applied that understanding to operating plants. Instead, NUREG-1738 was the last technical document published by NRC that addressed pool fires.

#### Secret NRC studies that address pool fires

Since September 2001, NRC has stated on various occasions that it has conducted secret studies addressing the risk of pool fires. The Draft Update, published in October 2008, mentions secret studies of this type.<sup>146</sup> An August 2008 decision by the NRC Commissioners to deny two rulemaking petitions also mentions secret studies of this type.<sup>147</sup> As shown in Section 5.2, above, the two sets of secret studies are clearly different. It appears that NRC is either confused or careless in attributing its position on pool fires to secret studies.

#### NRC actions to reduce the risk of pool fires

Prior to September 2001, NRC required no specific action to reduce the risk of a pool fire. Since September 2001, NRC has required licensees to take actions with the specific purpose of reducing the risk of a pool fire, while simultaneously claiming that the risk was overstated in published documents such as NUREG-1738. The new, risk-reducing actions are secret. From the Draft Update, they appear to include security measures and damage-control preparations.<sup>148</sup>

The NRC Commissioners' August 2008 decision to deny two rulemaking petitions mentions "internal and external strategies" for the supply of emergency water makeup or

<sup>&</sup>lt;sup>146</sup> NRC, 2008a.

<sup>&</sup>lt;sup>147</sup> NRC, 2008d.

<sup>&</sup>lt;sup>148</sup> NRC, 2008a.

spray to spent-fuel pools. These strategies were proposed by the nuclear industry in 2006, and NRC has "approved license amendments and issued safety evaluations to incorporate these strategies into the plant licensing bases of all operating nuclear power plants in the United States". The external strategy involves the use of an "independently-powered, portable" pumping system.<sup>149</sup>

Adoption of these secret strategies shows that the nuclear industry and NRC are aware of the potential for a pool fire, despite their numerous claims that the risk of such a fire is very low. However, the strategies have been implemented in secrecy, without any assessment of their effectiveness and cost by an EIS or equivalent study. A credible assessment would be likely to show that these strategies would be ineffective following a well-executed attack that targets a reactor and its adjacent pool, as discussed in Section 7.5, above.

# Regulation of ISFSIs

An ISFSI poses a radiological risk that is lower than the risk posed by a spent-fuel pool packed at high density. Nevertheless, options are available for reducing the risk associated with malice-induced accidents at an ISFSI, as discussed in Section 8, above. NRC refuses to consider these options in an EIS. Also, NRC attempts to hide the vulnerabilities of existing ISFSIs under a veil of secrecy.

# 9.2 Impacts of NRC's Regulatory Approach

The preceding discussion identifies four notable features of NRC's approach to regulating SNF storage. First, NRC has not performed any credible EIS to assess the risk of a pool fire caused by a conventional accident. Second, NRC refuses to perform any EIS that assesses the risk associated with malice-induced accidents at any nuclear facility. Third, NRC relies heavily on secrecy as a protective measure. Fourth, under the veil of secrecy, NRC has cooperated with the nuclear industry to adopt measures to reduce the risk of a pool fire, without assessing the effectiveness and costs of these measures by conducting an EIS or equivalent study.

These features of NRC's regulatory approach yield significant, adverse impacts on the environment in the following respects. First, NRC's secrecy is likely to be counterproductive, suppressing a true understanding of risk and discouraging the use of appropriate measures of risk reduction. Second, secretive behavior by a governmental agency has adverse impacts on society and the economy. Third, NRC's secrecy and refusal to prepare an EIS undermine the potential to enhance protective deterrence by implementing protective measures of the type called for in the National Infrastructure Protection Plan.

<sup>&</sup>lt;sup>149</sup> NRC, 2008d, Section VI (B) (3).

#### The potential for secrecy to be counterproductive

An entrenched culture of secrecy will adversely affect the safety and security of nuclear facilities. Such a culture is not compatible with a clear-headed, science-based approach to the understanding of risk. Entrenched secrecy perpetuates dogma, stifles dissent, and can create a false sense of security. In illustration, the culture of secrecy in the former USSR was a major factor contributing to the occurrence of the 1986 Chernobyl reactor accident.<sup>150</sup>

Moreover, secrecy is limited in its effectiveness. Nuclear fission power is a mature technology based on science from the mid-20th century. Detailed information about nuclear technology and individual nuclear facilities is archived at many locations around the world, and large numbers of people have worked in nuclear facilities. Similarly, information about weapons and other devices that could be used to attack nuclear facilities is widely available. Large numbers of people have been trained to use such devices in a military context. Thus, it would be prudent to assume that sophisticated subnational groups can identify and exploit vulnerabilities in US nuclear facilities.

## The costs of secrecy

Secrecy is antithetical to US traditions and inconsistent with long-term national prosperity. Thus, when an EIS is conducted to assess design options for a nuclear facility, the EIS should consider the social and economic impacts of secrecy. That consideration would tend to favor options involving features such as hardening, resiliency and passive protection. Secrecy can be reduced or eliminated if such features are employed. In considering the impacts of secrecy, it should be remembered that nuclear facilities exist to serve society, rather than vice versa.<sup>151</sup>

### NRC's undermining of protective deterrence

Section 7, above, discusses the role of protective deterrence as part of a balanced policy for homeland security. That role is illustrated by Table 8-1, which shows the strengths and weaknesses of options for protecting critical infrastructure from attack by subnational groups. Table 8-1 shows the benefits that could flow from adoption of resilient design, passive defense, and other protective measures for infrastructure elements such as SNF or HLW storage facilities. The NIPP envisions the use of such measures. Yet, NRC does not require such measures, and refuses to allow their identification and assessment in an EIS. Moreover, NRC attempts to hide the true characteristics of existing nuclear facilities under a veil of secrecy. In effect, NRC endorses the use of offensive military

<sup>&</sup>lt;sup>150</sup> Thompson, 2002, Section X.

<sup>&</sup>lt;sup>151</sup> NRC's Principles of Good Regulation state, in the context of openness: "Nuclear regulation is the public's business, and it must be transacted publicly and candidly". See: Principles of Good Regulation, accessed at the NRC web site (www.nrc.gov) on 20 November 2007.

operations, surveillance of the domestic population, and related measures as the primary means of protecting critical infrastructure. NRC appears to be willing to sustain that preference into the 22nd century.

# An opportunity to eliminate secrecy regarding spent-fuel pools

Secrecy and its adverse impacts could be quickly eliminated in the context of spent-fuel pools. As discussed in Section 8, above, the pools could be re-equipped with low-density, open-frame racks, as was planned when the existing commercial reactors were designed. That option would dramatically reduce the probability of a pool fire, and would substantially reduce the inventory of radioactive material available for release if a fire did occur. There would no longer be any reasonable basis for secrecy regarding spent-fuel pools.

# 10. A NEPA-Compliant Approach to Regulation of SNF and HLW Storage

The National Environmental Policy Act (NEPA) requires, for US government actions that significantly affect the environment, systematic consideration of impacts and alternatives in an EIS. Licensing of a facility for storage of SNF or HLW is such an action, especially given the modes of storage that NRC has licensed.

This report shows that an SNF storage facility can pose a significant radiological risk, which is a form of environmental impact. Also, deficiencies in NRC regulation of the facility can cause other, significant impacts on the environment, as discussed in Section 9, above. This combined set of impacts could be considered in an EIS without any conceptual difficulty. If NRC were to perform such an EIS, NRC would be obliged to accurately assess the impacts of its own regulatory approach.

Consideration of malice-induced accidents in an EIS would pose two challenges. First, the probabilities of such accidents cannot be quantitatively estimated. Second, some analyses related to such accidents contain sensitive information and are therefore not appropriate for general publication.

Both challenges could be readily overcome. The probabilities of malice-induced accidents could be estimated qualitatively, and a numerical range could be used for illustrative calculations. NRC has well-established procedures for handling sensitive information, including procedures whereby intervenors in a licensing process that involves sensitive information can be represented by persons with security clearances.

If necessary, an EIS could have classified appendices. However, an EIS that is consistent with the purposes of NEPA would use secrecy sparingly, not as a veil to hide inconvenient information. Notably, such an EIS would explicitly identify and examine alternatives whose assessment does not require the use of sensitive information.

#### **11.** Conclusions

C1. NRC has enabled and encouraged the development of a de facto, national strategy for storing spent fuel from existing commercial reactors. Major elements of the strategy are: (i) storage of spent fuel, after discharge from a reactor, in a high-density pool; (ii) placement of the pool in close proximity to the reactor, with sharing of systems; (iii) accumulation of spent fuel in the pool until the pool is packed nearly to full capacity, followed by periodic offloading of older fuel from the pool to an on-site ISFSI in order to make room for newly-discharged fuel; and (iv) after permanent shut-down of the reactor, transfer of the remaining fuel from the pool to the ISFSI.

C2. The strategy described in conclusion C1 creates a substantial risk of radiological harm and, therefore, has severe, adverse impacts on the environment. The dominant component of the radiological risk arises from the potential for a fire in a spent-fuel pool following a loss of water from the pool. That event could be caused by a conventional accident or a malice-induced accident. The potential for a pool fire is exacerbated by the presence of an operating reactor in close proximity to a pool. Among other components of the radiological risk, the most significant component arises from the potential for a malice-induced accident to release radioactive material from an ISFSI.

C3. NRC has conducted some analyses related to the radiological risk described in conclusion C2. The analyses that have been published, taken together, provide an incomplete and inaccurate assessment of the risk. None of the published analyses meets the standards of an EIS prepared under NEPA. NRC has issued statements about the radiological risk associated with malice-induced accidents affecting spent fuel, but has neither published any technical analysis of that risk, nor published any citation to a secret analysis that could meet the standards of an EIS prepared under NEPA.

C4. NRC has conceded, in the Draft Update and other documents, that a fire could occur in a spent-fuel pool following a loss of water. NRC has also conceded that radioactive material released during a pool fire would have significant, adverse impacts on the environment. To offset those concessions, NRC argues that the probability of a pool fire is very low. NRC attributes the alleged low probability, in part, to unspecified, secret security measures and damage-control preparations that have been implemented at commercial reactors. NRC further attributes the alleged low probability, in part, to unspecified, secret studies that find that a fire would not break out in certain scenarios for loss of water from a pool. None of the arguments advanced by NRC to support its claim of low probability cites or provides an analysis that could meet the standards of an EIS prepared under NEPA.

C5. Options are available for reducing the radiological risk now associated with storage of spent fuel. Some of those options are entirely passive, and do not rely on active systems or human action. Options of that type are especially suitable for spent-fuel

storage. Notably, spent-fuel pools could be re-equipped with low-density racks, as was intended when the existing reactors were designed, the excess fuel being moved to ISFSIs. That option would be entirely passive, and would dramatically reduce the potential for a pool fire. Also, the spent-fuel storage modules that are deployed at ISFSIs could be protected from attack by berming, underground placement, and/or stronger outer containers. Those options would be entirely passive, and would significantly reduce the risk of a malice-induced release of radioactive material from an ISFSI. Passive, robust options for risk reduction, such as the options outlined here for spent-fuel pools and ISFSIs, are protective measures of the type called for in the National Infrastructure Protection Plan.

C6. NRC has published some analyses of options for reducing the radiological risk associated with storage of spent fuel. None of those analyses considers the potential for malice-induced accidents. Nor does any of those published analyses meet the standards of an EIS prepared under NEPA. Also, NRC has never published any citation to a secret analysis, meeting the standards of an EIS prepared under NEPA, that examines options for reducing the radiological risk associated with storage of spent fuel.

C7. NRC has not required the use of risk-reducing options of the type outlined in conclusion C5. Nor has NRC analyzed risk-reducing options in the manner required by NEPA, as pointed out in conclusion C6. Instead, NRC claims that the radiological risk associated with spent-fuel storage is limited by secret studies and secret actions, in the following respects. First, says NRC, secret studies show that many accident scenarios would not lead to a large release of radioactive material. Second, says NRC, secret actions significantly reduce the probability of occurrence of accident scenarios that would lead to a large release of radioactive material. NRC takes that position in regard to pool fires, as mentioned in conclusion C4, and in regard to radioactive releases from ISFSIs. NRC appears to be unaware that the use of passive, robust options for risk reduction, of the type discussed in conclusion C5, could reduce or eliminate any need for secrecy.

C8. Conclusion C7 shows that NRC relies on secrecy as a primary measure for limiting the radiological risk associated with spent-fuel storage. NRC's heavy reliance on secrecy, and its refusal to perform risk analyses that meet the standards of an EIS prepared under NEPA, are significant deficiencies in NRC's approach to regulating the storage of spent fuel. NRC's reliance on secrecy has adverse impacts on the environment in two respects. First, secrecy is likely to be counterproductive, suppressing a true understanding of risk and discouraging the use of appropriate measures of risk reduction. Second, secretive behavior by a governmental agency has adverse impacts on society and the economy. In addition, NRC's overall regulatory approach, which combines secrecy with a lack of NEPA compliance, has adverse impacts on the defense and security of the USA. NRC's approach undermines the potential to enhance protective deterrence by implementing protective measures of the type called for in the National Infrastructure Protection Plan.

C9. The de facto, national strategy for storing spent fuel, as described in conclusion C1, creates the substantial risk of radiological harm that is described in conclusion C2. In addition, NRC's approach to the regulation of spent-fuel storage exacerbates the radiological risk and has adverse impacts on society, the economy, national defense and security, as summarized in conclusion C8. Taken together, the national strategy and NRC's regulatory approach have significant, adverse impacts on the environment. In the context of a particular reactor, the combined impacts are at a comparatively high level when the reactor is in its operational period, because the potential for a pool fire is the dominant component of radiological risk, and that potential is exacerbated by reactor operation. The combined impacts then continue at a lower level after permanent shutdown of the reactor, during any remaining period of ISFSI operation.

C10. Likely trends in the operation of existing reactors show a substantial part of the fleet operating into the 2040s, with the last reactor shutting down in 2055. The combined impacts described in conclusion C9 would continue at a comparatively high level during that period, and at a lower level thereafter. If new reactors commence operating and the present fuel-storage strategy continues, the combined impacts associated with that strategy could be expected to continue at a comparatively high level into the latter part of the 21st century and, potentially, into the 22nd century.

C11. Findings 3, 4 and 5 of NRC's Waste Confidence Decision should account for the environmental impacts summarized in conclusion C9, and for likely trends in those impacts as discussed in conclusion C10. No such accounting is provided in the 1990 version of the Decision or in the Draft Update. Finding 3 states that spent fuel "will be managed in a safe manner", the proposed Finding 4 states that spent fuel "can be stored safely without significant environmental impacts", and Finding 5 states that "safe" storage of spent fuel in an ISFSI will be provided if needed. None of those statements has a basis in credible analysis by NRC. The statement in proposed Finding 4 might be shown to be correct, with an emphasis on the word "can", if risk-reducing options of the type discussed in conclusion C5 were considered through analysis that meets the standards of NEPA.

C12. NRC's Proposed Rule should account for the environmental impacts summarized in conclusion C9, and for likely trends in those impacts as discussed in conclusion C10. No such accounting is provided. The Proposed Rule's statement that spent fuel "can be stored safely and without significant environmental impacts" has no basis in credible analysis by NRC. The statement might be shown to be correct, with an emphasis on the word "can", if risk-reducing options of the type discussed in conclusion C5 were considered through analysis that meets the standards of NEPA.

C13. The US government is pursuing, through the GNEP program at DOE, the development of alternative nuclear fuel cycles. Those cycles would involve the processing of spent fuel in facilities that would produce streams of HLW. The HLW

waste forms would require storage prior to their placement in a repository. The storage period could be long. For example, some fuel cycles would involve the separation of cesium and strontium isotopes from the other constituents of spent fuel. The cesium and strontium isotopes would be incorporated into an HLW waste form that would be stored for about 300 years.

C14. NRC's present approach to the regulation of spent-fuel storage could set a precedent for regulation of the storage of HLW waste forms in the future. NRC currently allows spent fuel to be stored in a manner that creates significant, adverse impacts on the environment, and appears willing to allow these impacts to continue through the 21st century. The Draft Update and the Proposed Rule do not acknowledge the potential for NRC's present regulatory approach to set a precedent for regulating the storage of HLW waste forms that are produced in the future.

#### 12. Bibliography

(Adam, 2005)

David Adam, "50m environmental refugees by end of decade, UN warns", *The Guardian*, 12 October 2005.

(Alvarez et al, 2003)

Robert Alvarez, Jan Beyea, Klaus Janberg, Jungmin Kang, Ed Lyman, Allison Macfarlane, Gordon Thompson and Frank N. von Hippel, "Reducing the Hazards from Stored Spent Power-Reactor Fuel in the United States", *Science and Global Security*, Volume 11, 2003, pp 1-51.

(Army, 1967) Department of the Army, *Explosives and Demolitions*, *FM 5-25* (Washington, DC: Department of the Army, May 1967).

(ASLB, 2001) ASLBP No. 99-762-02-LA, "Memorandum and Order (Denying Request for Evidentiary Hearing and Terminating Proceeding)", 1 March 2001.

(ASLB, 2000) ASLBP No. 99-762-02-LA, "Memorandum and Order (Ruling on Late-Filed Environmental Contention)", 7 August 2000.

(ASLB, 1982) *Carolina Power and Light Co.* (Shearon Harris Nuclear Power Plant, Units 1 and 2), LBP-82-119A, 16 NRC 2069, 2098 (1982).

(Benjamin et al, 1979) Allan S. Benjamin and 3 other authors, *Spent Fuel Heatup Following Loss of Water During Storage, NUREG/CR-0649* (Washington, DC: US Nuclear Regulatory Commission, March 1979).

(Beyea et al, 2004) Jan Beyea, Ed Lyman and Frank von Hippel, "Damages from a Major Release of Cs-137 into the Atmosphere of the United States", *Science and Global Security*, Volume 12, 2004, pp 125-136.

(Brian, 2006) Danielle Brian, Project on Government Oversight, letter to NRC chair Nils J. Diaz, 22 February 2006.

#### (Brzezinski, 2007)

Zbigniew Brzezinski, testimony before the US Senate Foreign Relations Committee, 1 February 2007.

## (Campbell et al, 2007)

Kurt M. Campbell et al, *The Age of Consequences: The Foreign Policy and National Security Implications of Global Climate Change* (Washington, DC: Center for Strategic and International Studies, Center for a New American Security, November 2007).

#### (Collins and Hubbard, 2001)

T. E. Collins and G. Hubbard, *Technical Study of Spent Fuel Pool Accident Risk at Decommissioning Nuclear Power Plants, NUREG-1738* (Washington, DC: US Nuclear Regulatory Commission, February 2001). (This document was first released in October 2000.)

# (Deller, 2002) Nicole Deller, "Rule of Power or Rule of Law?", *Science for Democratic Action*, Volume 10, Number 4, August 2002.

#### (DHS, 2006)

US Department of Homeland Security, *National Infrastructure Protection Plan* (Washington, DC: DHS, 2006).

### (Dillingham, 2003)

Gerald L. Dillingham, US General Accounting Office, testimony before the Committee on Commerce, Science and Transportation, US Senate, "Aviation Security: Progress Since September 11, 2001, and the Challenges Ahead", 9 September 2003.

## (DOE, 2008)

US Department of Energy, *Global Nuclear Energy Partnership Programmatic Environmental Impact Statement, Draft, DOE/EIS-0396* (Washington, DC: DOE, October 2008).

#### (DOE, 1987)

US Department of Energy, *Health and Environmental Consequences of the Chernobyl Nuclear Power Plant Accident, DOE/ER-0332* (Washington, DC: DOE, June 1987).

### (ElBaradei, 2004)

Mohamed ElBaradei, Director General, International Atomic Energy Agency, "Nuclear Non-Proliferation: Global Security in a Rapidly Changing World", keynote address, Carnegie International Non-Proliferation Conference, Washington, DC, 21 June 2004.

#### (Entergy, 2007)

Entergy, *Indian Point Unit 2 Updated Final Safety Analysis Report, Version 20*, issued in November 2006, publicly released with redactions in July 2007.

## (EPA, 2007)

US Environmental Protection Agency, Region 2, letter of 10 October 2007 to NRC from Grace Musumeci, RE: Indian Point Nuclear Generating Station, Unit Nos. 2 and 3 License Renewal.

#### (ERIN, 2000)

ERIN Engineering and Research Inc., "Technical Input for Use in the Matter of Shearon Harris Spent Fuel Pool Before the Atomic Safety and Licensing Board (Docket No. 50-400-LA)", November 2000.

#### (Fertel, 2006)

Marvin Fertel, Nuclear Energy Institute, testimony before the Subcommittee on National Security, Emerging Threats and International Relations, US House Committee on Government Reform, 4 April 2006.

#### (Franceschini and Schaper, 2006)

Giorgio Franceschini and Annette Schaper, *Nuclear Weapons Research and Modernization Without Testing: The CTBT in danger?* (Frankfurt: Peace Research Institute Frankfurt, 2006).

### (Flynn, 2007)

Stephen Flynn, *The Edge of Disaster: Rebuilding a Resilient Nation* (New York: Random House, 2007).

#### (GAO, 2007)

US Government Accountability Office, *Crude Oil: Uncertainty about Future Oil Supply Makes It Important to Develop a Strategy for Addressing a Peak and Decline in Oil Production, GAO-07-283* (Washington, DC: GAO, February 2007).

(Gilman et al, 2007) Nils Gilman, Doug Randall and Peter Schwartz, *Impacts of Climate Change* (San Francisco: Global Business Network, January 2007).

(Hannerz, 1983)K. Hannerz, *Towards Intrinsically Safe Light Water Reactors* (Oak Ridge, Tennessee: Institute for Energy Analysis, February 1983).

(Hart et al, 2002)

Gary Hart and Warren B. Rudman (Co-chairs), Stephen E. Flynn (project director) and Task Force members, *America Still Unprepared – America Still in Danger: Report of an Independent Task Force Sponsored by the Council on Foreign Relations* (New York: Council on Foreign Relations, 25 October 2002).

(Hebert, 2007)

H. Josef Hebert, Associated Press, "NRC rejects plan for power plants to stop airliner attacks", *The Boston Globe*, 30 January 2007.

(Hersh, 2006) Seymour M. Hersh, "The Iran Plans", *The New Yorker*, 17 April 2006, pp 30-37.

(Hirsch et al, 2005)

Robert L. Hirsch, Roger H. Bezdek and Robert M. Wendling, "Peaking Oil Production: Sooner Rather Than Later?" *Issues in Science and Technology*, Volume XXI, Number 3, Spring 2005, pp 25-30. (That paper was adapted from a report prepared for the US Department of Energy's National Energy Technology Laboratory.)

(Holt and Andrews, 2006)

Mark Holt and Anthony Andrews, *Nuclear Power Plants: Vulnerability to Terrorist Attack* (Washington, DC: Congressional Research Service, 4 October 2006).

(Holtec, 2007) Holtec International, "The HI-STORM 100 Storage System", accessed at <a href="http://www.holtecinternational.com/hstorm100.html">http://www.holtecinternational.com/hstorm100.html</a>> on 17 June 2007.

(Holtec FSAR)

Holtec International, Final Safety Analysis Report for the Holtec International Storage and Transfer Operation Reinforced Module Cask System (HI-STORM 100 Cask System), NRC Docket No. 72-1014, Holtec Report HI-2002444 (Holtec, undated).

(Honnellio and Rydell, 2007)

Anthony L. Honnellio and Stan Rydell, "Sabotage vulnerability of nuclear power plants", *International Journal of Nuclear Governance, Economy and Ecology*, Volume 1, Number 3, 2007, pp 312-321.

(Jo et al, 1989)

J. H. Jo and 5 other authors, *Value/Impact Analyses of Accident Preventive and Mitigative Options for Spent Fuel Pools, NUREG/CR-5281* (Washington, DC: US Nuclear Regulatory Commission, March 1989).

(Kugler, 1995) Richard L. Kugler, *Toward a Dangerous World: US National Security Strategy for the Coming Turbulence* (Santa Monica, California: RAND Corporation, 1995).

(Kull et al, 2007) Steven Kull et al, *Muslim Public Opinion on US Policy, Attacks on Civilians and al Qaeda* (Maryland: Program on International Policy Attitudes, University of Maryland, 24 April 2007).

(Marshall and Gurr, 2005) Monty G. Marshall and Ted Robert Gurr, *Peace and Conflict 2005*, (College Park, Maryland: Center for International Development and Conflict Management, University of Maryland, May 2005).

(MEA, 2005) Millennium Ecosystem Assessment, *Ecosystems and Human Well-Being: Synthesis* (Washington, DC: Island Press, 2005).

(Meadows et al, 1972) Donella H. Meadows, Dennis L. Meadows, Jorgen Randers and William W. Behrens III, *The Limits to Growth* (London: Earth Island Limited, 1972).

(Meserve, 2002) Richard A. Meserve, "Nuclear Security in a New World", *The Industrial Physicist*, October/November 2002, pp 20-23.

(Morris et al, 2006) Robert H. Morris et al, "Using the VISAC program to calculate the vulnerability of nuclear power plants to terrorism", *International Journal of Nuclear Governance, Economy and Ecology*, Volume 1, Number 2, 2006, pp 193-211.

(NAS, 2006)

Committee on the Safety and Security of Commercial Spent Nuclear Fuel Storage, Board on Radioactive Waste Management, National Research Council, *Safety and Security of Commercial Spent Nuclear Fuel Storage: Public Report* (Washington, DC: National Academies Press, 2006). (This document was first released in April 2005.)

(Nero, 1979) Anthony V. Nero, *A Guidebook to Nuclear Reactors* (Berkeley, California: University of California Press, 1979).
#### (NRC, 2008a)

US Nuclear Regulatory Commission, "10 CFR Part 51, Waste Confidence Decision Update", *Federal Register*, Volume 73, No. 197, 9 October 2008, pp 59551-59570.

#### (NRC, 2008b)

US Nuclear Regulatory Commission, "10 CFR Part 51, Consideration of Environmental Impacts of Temporary Storage of Spent Fuel After Cessation of Reactor Operation", *Federal Register*, Volume 73, No. 197, 9 October 2008, pp 59547-59551.

#### (NRC, 2008c)

US Nuclear Regulatory Commission, 2008-2009 Information Digest, NUREG-1350, Volume 20 (Washington, DC: NRC, August 2008).

#### (NRC, 2008d)

US Nuclear Regulatory Commission, "10 CFR Part 51, The Attorney General of Commonwealth of Massachusetts, The Attorney General of California; Denial of Petitions for Rulemaking", *Federal Register*, Volume 73, No. 154, 8 August 2008, pp 46204-46213.

#### (NRC, 2008e)

US Nuclear Regulatory Commission, "CLI-08-26, Memorandum and Order, Docket No. 72-26-ISFSI", 23 October 2008. (Includes dissent by Commissioner Jaczko.)

#### (NRC, 2007a)

US Nuclear Regulatory Commission Staff, Supplement to the Environmental Assessment and Final Finding of No Significant Impact Related to the Construction and Operation of the Diablo Canyon Independent Spent Fuel Storage Installation, Docket No. 72-26, Pacific Gas and Electric Company, August 2007.

#### (NRC, 2007b)

US Nuclear Regulatory Commission Staff, Supplement to the Environmental Assessment and Draft Finding of No Significant Impact Related to the Construction and Operation of the Diablo Canyon Independent Spent Fuel Storage Installation, Docket No. 72-26, Pacific Gas and Electric Company, May 2007.

#### (NRC, 1996)

US Nuclear Regulatory Commission, *Generic Environmental Impact Statement for License Renewal of Nuclear Plants, NUREG-1437* (Washington, DC: Nuclear Regulatory Commission, May 1996).

#### (NRC, 1994)

US Nuclear Regulatory Commission, "10 CFR Part 73, RIN 3150-AE81, Protection Against Malevolent Use of Vehicles at Nuclear Power Plants", *Federal Register*, Volume 59, Number 146, 1 August 1994, pp 38889-38900.

#### (NRC, 1990a)

US Nuclear Regulatory Commission, "10 CFR Part 51: Waste Confidence Decision Review", *Federal Register*, Vol. 55, 18 September 1990, page 38474.

#### (NRC, 1990b)

US Nuclear Regulatory Commission, Severe Accident Risks: An Assessment for Five US Nuclear Power Plants, NUREG-1150 (Washington, DC: Nuclear Regulatory Commission, December 1990).

#### (NRC, 1979)

US Nuclear Regulatory Commission, *Generic Environmental Impact Statement on Handling and Storage of Spent Light Water Power Reactor Fuel, NUREG-0575* (Washington, DC: Nuclear Regulatory Commission, August 1979).

#### (NRC, 1975)

US Nuclear Regulatory Commission, *Reactor Safety Study*, WASH-1400 (NUREG-75/014) (Washington, DC: Nuclear Regulatory Commission, October 1975).

#### (Parry et al, 2000)

ASLBP No. 99-762-02-LA, "Affidavit of Gareth W. Parry, Stephen F. LaVie, Robert L. Palla and Christopher Gratton in Support of NRC Staff Brief and Summary of Relevant Facts, Data and Arguments upon which the Staff Proposes to Rely at Oral Argument on Environmental Contention EC-6", 20 November 2000.

#### (Powers et al, 1994)

D. A. Powers, L. N. Kmetyk and R. C. Schmidt, *A Review of the Technical Issues of Air Ingression During Severe Reactor Accidents, NUREG/CR-6218* (Washington, DC: Nuclear Regulatory Commission, September 1994).

#### (Prassinos et al, 1989)

P. G. Prassinos and 8 other authors, *Seismic Failure and Cask Drop Analyses of the Spent Fuel Pools at Two Representative Nuclear Power Plants, NUREG/CR-5176* (Washington, DC: US Nuclear Regulatory Commission, January 1989).

#### (Raskin et al, 2002)

Paul Raskin et al, *Great Transition: The Promise and Lure of the Times Ahead* (Boston, Massachusetts: Stockholm Environment Institute, 2002).

(Raytheon, 2008)

Raytheon Company, News Release, "Raytheon Unveils New Bunker-Busting Technology", 12 March 2008, accessed at <a href="http://www.prnewswire.com/cgibin/micro\_stories.pl?ACCT=149999&TICK=RTN&STORY=/www/story/03-12-2008/0004772850&EDATE=Mar+12,+2008> on 13 March 2008">http://www.prnewswire.com/cgibin/micro\_stories.pl?ACCT=149999&TICK=RTN&STORY=/www/story/03-12-2008/0004772850&EDATE=Mar+12,+2008> on 13 March 2008.</a>

#### (Sailor et al, 1987)

V. L. Sailor and 3 other authors, *Severe Accidents in Spent Fuel Pools in Support of Generic Safety Issue 82, NUREG/CR-4982* (Washington, DC: US Nuclear Regulatory Commission, July 1987).

#### (Scarry, 2002)

Elaine Scarry, "A nuclear double standard", *Boston Sunday Globe*, 3 November 2002, page D11.

#### (Sdouz, 2007)

Gert Sdouz, "Radioactive release from VVER-1000 reactors after a terror attack", *International Journal of Nuclear Governance, Economy and Ecology*, Volume 1, Number 3, 2007, pp 305-311.

(Smith and Vivekananda, 2007)

Dan Smith and Janani Vivekananda, A Climate of Conflict: The links between climate change, peace and war (London: International Alert, November 2007).

(Thompson, 2008a) Gordon Thompson, "The US Effort to Dispose of High-Level Radioactive Waste", *Energy and Environment*, Volume 19, Nos. 3+4, 2008, pp 391-412.

#### (Thompson, 2008b)

Gordon R. Thompson, "Second Declaration of Dr. Gordon R. Thompson on Behalf of San Luis Obispo Mothers for Peace in Support of Contention 2 Regarding the Construction and Operation of the Diablo Canyon Independent Spent Fuel Storage Installation", 14 April 2008.

#### (Thompson, 2007a)

Gordon R. Thompson, Institute for Resource and Security Studies, Cambridge, Massachusetts, Declaration of 1 October 2007 regarding the NRC Staff's August 2007 Supplement to the EA related to construction and operation of the Diablo Canyon ISFSI.

#### (Thompson, 2007b)

Gordon R. Thompson, Assessing Risks of Potential Malicious Actions at Commercial Nuclear Facilities: The Case of a Proposed Independent Spent Fuel Storage Installation at the Diablo Canyon Site, a report for San Luis Obispo Mothers for Peace (Cambridge, Massachusetts: Institute for Resource and Security Studies, 27 June 2007).

#### (Thompson, 2007c)

Gordon R. Thompson, *Risk-Related Impacts from Continued Operation of the Indian Point Nuclear Power Plants*, a report for Riverkeeper (Cambridge, Massachusetts: Institute for Resource and Security Studies, 28 November 2007).

#### (Thompson, 2006)

Gordon R. Thompson, *Risks and Risk-Reducing Options Associated with Pool Storage of Spent Nuclear Fuel at the Pilgrim and Vermont Yankee Nuclear Power Plants*, a report for the Office of the Attorney General, Commonwealth of Massachusetts (Cambridge, Massachusetts: Institute for Resource and Security Studies, 25 May 2006).

#### (Thompson, 2003)

Gordon Thompson, *Robust Storage of Spent Nuclear Fuel: A Neglected Issue of Homeland Security* (Cambridge, Massachusetts: Institute for Resource and Security Studies, January 2003).

#### (Thompson, 2002)

Gordon Thompson, Declaration of 7 September 2002 in support of a petition to the US Nuclear Regulatory Commission by Avila Valley Advisory Council, San Luis Obispo Mothers for Peace, Peg Pinard et al, regarding a license application for an ISFSI at the Diablo Canyon site, Docket No. 72-26.

#### (Thompson, 2001a)

Gordon Thompson, *Comments on the NRC Staff's Technical Study of Spent Fuel Pool Accident Risk at Decommissioning Nuclear Power Plants* (Cambridge, Massachusetts: Institute for Resource and Security Studies, 19 February 2001).

#### (Thompson, 2001b)

US Court of Appeals for the District of Columbia Circuit, No. 01-1246, "Declaration of 31 May 2001 by Dr Gordon Thompson in Support of Orange County's Stay Motion".

#### (Thompson, 2000)

Gordon Thompson, *The Potential for a Large, Atmospheric Release of Radioactive Material from Spent Fuel Pools at the Harris Nuclear Power Plant: The Case of a Pool Release Initiated by a Severe Reactor Accident* (Cambridge, Massachusetts: Institute for Resource and Security Studies, 20 November 2000).

#### (Thompson et al, 1979)

Gordon Thompson (subgroup chair), Jan Beyea, Yves Lenoir and Gene Rochlin, "Potential Accidents and their Effects", Chapter 3 of the Report of the Gorleben International Review, submitted (in German) to the government of Lower Saxony, March 1979.

#### (Thompson and Beckerly, 1973)

T. J. Thompson and J. G. Beckerly (editors), *The Technology of Nuclear Reactor Safety* (Cambridge, Massachusetts: MIT Press, 1973).

#### (Throm, 1989)

E. D. Throm, *Regulatory Analysis for the Resolution of Generic Issue 82, "Beyond Design Basis Accidents in Spent Fuel Pools", NUREG-1353* (Washington, DC: US Nuclear Regulatory Commission, April 1989).

#### (Wald, 2005)

Matthew L. Wald, "Agencies Fight Over Report on Sensitive Atomic Wastes", *The New York Times*, 30 March 2005.

#### (Walters, 2003)

William Walters, "An Overview of the Shaped Charge Concept", paper presented at the 11th Annual ARL/USMA Technical Symposium, 5 and 7 November 2003. (That symposium was sponsored by the Mathematical Sciences Center of Excellence at the US Military Academy (USMA) and hosted by the US Army Research Laboratory (ARL) and USMA.)

#### (Wells, 2006)

Jim Wells, US Government Accountability Office, testimony before the Subcommittee on National Security, Emerging Threats and International Relations, US House Committee on Government Reform, "Nuclear Power Plants Have Upgraded Security, but the Nuclear Regulatory Commission Needs to Improve Its Process for Revising the Design Basis Threat", 4 April 2006.

(White House, 2007) The White House, *National Strategy for Homeland Security* (Washington, DC: The White House, October 2007).

(White House, 2006) The White House, *National Strategy for Combating Terrorism* (Washington, DC: The White House, September 2006).

(Yergin, 1991) Daniel Yergin, *The Prize: The Epic Quest for Oil, Money and Power* (New York: Simon and Schuster, 1991).

### Table 1-1NRC Waste Confidence Findings, 1990 Version and Version Now Proposed by NRC

1990 Version	Proposed Version
Finding 1: The Commission finds reasonable	Unchanged
assurance that safe disposal of high-level	
radioactive waste and spent fuel in a mined	
geologic repository is technically feasible.	
<u>Finding 2</u> : The Commission finds reasonable assurance that at least one mined geologic repository will be available within the first quarter of the twenty-first century, and that sufficient repository capacity will be available within 30 years beyond the licensed life for operation (which may include the term of a revised or renewed license) of any reactor to dispose of the commercial high-level	<u>Finding 2</u> : The Commission finds reasonable assurance that sufficient mined geologic repository capacity can reasonably be expected to be available within 50-60 years beyond the licensed life for operation (which may include the term of a revised or renewed license) of any reactor to dispose of the commercial high-level radioactive waste and spent fuel originating in such reactor and generated up to that time.
radioactive waste and spent fuel originating in	
such reactor and generated up to that time.	
Finding 3: The Commission finds reasonable assurance that HLW and spent fuel will be managed in a safe manner until sufficient repository capacity is available to assure the safe disposal of all HLW and spent fuel.	Unchanged
Finding 4:The Commission finds reasonable assurance that, if necessary, spent fuel generated in any reactor can be stored safely and without significant environmental impacts for at least 30 years beyond the licensed life for operation (which may include the term of a revised or renewed license) of that reactor at its spent fuel storage basin, or at either onsite or offsite independent spent fuel storage installations.Finding 5:The Commission finds reasonable assurance that safe independent onsite spent fuel storage or offsite spent fuel storage will be made available if such storage capacity is	Finding 4: The Commission finds reasonable assurance that, if necessary, spent fuel generated in any reactor can be stored safely without significant environmental impacts for at least 60 years beyond the licensed life for operation (which may include the term of a revised or renewed license) of that reactor in a combination of storage in its spent fuel storage basin and either onsite or offsite independent spent fuel storage installations. Unchanged
needed.	

Source: NRC, 2008a

# Table 3-1Cesium-137 Inventories and Other Indicators for Reactors, Spent-Fuel Pools andthe ISFSI at Indian Point

Indicator	Indian Point 2	Indian Point 3
Rated power of reactor	3,216 MWt	3,216 MWt
Number of fuel assemblies in reactor core	193 assemblies	193 assemblies
Mass of uranium in reactor core	87 Mg	87 Mg
Typical period of full-power exposure of a	4.4 yrs	4.4 yrs
fuel assembly (assuming refueling outages	(during 5.4	(during 5.4
of 2-month duration at 24-month intervals,	calendar years)	calendar years)
discharging 72 assemblies, capacity factor		
of 0.9 between outages)		
Typical burnup of fuel assembly at	59,370 MWt-	59,370 MWt-
discharge	days/MgU	days/MgU
Typical Cs-137 inventory in fuel assembly	0.082 MCi	0.082 MCi
at discharge (assuming steady-state fission		
at 0.9x22/24 power for 5.4 yrs with an		
energy yield of 200 MeV per fission and a		
Cs-137 fission fraction of 6.0 percent)		
Approx. Cs-137 inventory in reactor core	7.9 MCi	7.9 MCi
(assuming 193 fuel assemblies with av.		
burnup = 50% of discharge burnup)		
Cs-137 inventory in reactor core according	11.2 MCi	11.2 MCi
to License Renewal Application		
Capacity of spent-fuel pool	1,376 assemblies	1,345 assemblies
Cs-137 inventory in spent-fuel pool	68.6 MCi	66.8 MCi
(assuming space for full-core unloading,		
av. assembly age after discharge = 15 yrs		
Cs-137 inventory in one ISFSI module	1.3	MCi
(assuming 32 fuel assemblies, av. age after		
discharge = 30 yrs)		

#### Source:

This table is adapted from Table 2-1 of: Thompson, 2007c.

### Table 3-2Illustrative Inventories of Cesium-137

Case	Inventory of Cesium-137
Produced during detonation of a 10-kilotonne	0.002 MCi
fission weapon	
Released to atmosphere during Chernobyl reactor	2.4 MCi
accident of 1986	
Released to atmosphere during nuclear-weapon tests,	20 MCi
primarily in the 1950s and 1960s	
(Fallout was non-uniformly distributed across the	
planet, mostly in the Northern hemisphere.)	
In Indian Point 2 spent-fuel pool during period of	68.6 MCi
license extension	
In Indian Point 3 spent-fuel pool during period of	66.8 MCi
license extension	
In IP2 or IP3 reactor core	11.2 MCi
In one storage module at the Indian Point ISFSI	1.3 MCi

#### Source:

This table is adapted from Table 2-2 of: Thompson, 2007c.

#### Table 5-1

#### Estimated Present Value of Cost Risk Associated with Atmospheric Releases from Conventional Accidents: Full Spectrum of Releases from a Core-Damage Event at the IP2 or IP3 Reactor; Fire in the IP2 or IP3 Spent-Fuel Pool

Indicator	Affected Facility		
	Indian Point 2	Indian Point 3	<b>Spent-Fuel Pool at</b>
	Reactor	Reactor	the IP2 or IP3
			Plant
Type of radioactive	Full spectrum of	Full spectrum of	Fire in the pool,
release	releases from core	releases from core	following water loss
	damage	damage	
Present value of	\$3,635,924	\$6,048,060	\$9,923,394
offsite cost risk, for	(as in License	(as in License	(probability from
internal + external	Renewal	Renewal	NUREG-1353,
initiating events	Application)	Application)	offsite cost from
			study by
			Beyea et al)
Present value of	\$1,448,245	\$1,351,583	Not estimated
onsite cost risk, for	(as in License	(as in License	in this table
internal + external	Renewal	Renewal	
initiating events	Application)	Application)	
Total present value	\$5,084,168	\$7,399,643	\$9,923,394
of cost risk, for			
internal + external			
initiating events			

#### Notes:

(a) This table is adapted from Table 6-3 of: Thompson, 2007c.

(b) The full spectrum of releases from each of the two reactors includes accident sequences in which the containment does not fail.

(c) Uncertainty in probability, and the potential for malice-induced accidents, are not considered in this table.

(d) Annual cost risk (\$ per year) is converted to the present values shown here by accumulating the annual value over 20 years with a discount rate of 7 percent per year.

#### Table 6-1

Estimated Atmospheric Release of Radioactive Material and Downwind Inhalation Dose for Blowdown of the MPC in a Spent-Fuel-Storage Module

Indicator		MPC Leakage Area		
		4 sq. mm (equiv. dia. = 2.3 mm)	100 sq. mm (equiv. dia. = 11 mm)	1,000 sq. mm (equiv. dia. = 36 mm)
Fuel Release	Gases	3.0E-01	3.0E-01	3.0E-01
Fraction	Crud	1.0E+00	1.0E+00	1.0E+00
	Volatiles	2.0E-04	2.0E-04	2.0E-04
	Fines	3.0E-05	3.0E-05	3.0E-05
MPC Blowdown	n Fraction	9.0E-01	9.0E-01	9.0E-01
MPC Escape	Gases	1.0E+00	1.0E+00	1.0E+00
Fraction	Crud	7.0E-02	5.0E-01	8.0E-01
	Volatiles	4.0E-03	3.0E-01	6.0E-01
	Fines	7.0E-02	5.0E-01	8.0E-01
<b>Inhalation Dose (CEDE) to a</b> 6.3 r		6.3 rem	48 rem	79 rem
Person at a Dist	ance of 900 m			

#### Notes:

(a) Estimates are from: Gordon Thompson, *Estimated Downwind Inhalation Dose for Blowdown of the MPC in a Spent Fuel Storage Module*, IRSS, June 2007.

(b) The assumed multi-purpose canister (MPC) contains 24 PWR spent fuel assemblies with a burnup of 40 MWt-days per kgU, aged 10 years after discharge.

(c) The following radioisotopes were considered: Gases (H-3, I-129, Kr-85); Crud (Co-60); Volatiles (Sr-90, Ru-106, Cs-134, Cs-137); Fines (Y-90 and 22 other isotopes).

(d) The calculation followed NRC guidance for calculating radiation dose from a designbasis accident, except that the MPC Escape Fraction was drawn from a study by Sandia National Laboratories that used the MELCOR code package.

(e) CEDE = committed effective dose equivalent. In this scenario, CEDE makes up most of the total dose (TEDE) and is a sufficient approximation to it.

(f) The overall fractional release of a radioisotope from fuel to atmosphere is the product of Fuel Release Fraction, MPC Blowdown Fraction, and MPC Escape Fraction.

(g) For a leakage area of 4 square mm, the overall fractional release is: Gases (0.27); Crud (0.063); Volatiles (7.2E-07); Fines (1.9E-06). Fines account for 95 percent of CEDE, and Crud accounts for 4 percent.

## Table 6-2Illustrative Calculation of Heat-Up of a Fuel Rod in a PWR Fuel Assembly Due toCombustion in Air

Indicator	Affected Material	
	Zircaloy Cladding	<b>UO2 Pellets</b>
Solid volume, per m length	1.90E-05 cub. m	6.36E-05 cub. m
	(OD = 1.07  cm;)	(OD = 0.9  cm)
	thickness = $0.06$ cm)	
Mass, per m length	0.124 kg	0.700 kg
	(@ 6.55 Mg per cub. m)	(@ 11.0 Mg per cub. m)
Heat output from	1.48 MJ	Neglected
combustion of material in	(@ 2,850 cal per g Zr)	
air, per m length		
Equilibrium temperature	Neglected	approx. 2,700 deg. C
rise if material receives		
50% of heat output from		( <u>Note</u> : The enthalpy rise if
adjacent combustion, and if		UO <sub>2</sub> temp. rises from 300 K
heat loss from material is		to $3,000 \text{ K} = 1,052 \text{ kJ per}$
neglected		kg UO2)

#### Notes:

(a) Data shown in table are from: Nero, 1979, Table 5-1; Powers et al, 1994, Table 4; and files accessed at International Nuclear Safety Center (INSC), Argonne National Laboratory, <a href="http://www.insc.anl.gov/">http://www.insc.anl.gov/</a>, in March 2008.

(b) Melting point of UO<sub>2</sub> is 2,850 deg. C (from INSC files).

(c) Boiling point of elemental cesium is 685 deg. C (from: Thompson and Beckerley,

- 1973, Volume 2, page 527).
- (d) 1 cal = 4.184 J

### Table 7-1 Public Opinion in Four Muslim Countries Regarding the US ''War on Terrorism''

Country	Percentage of Respondents Who Think that the Primary Goal of What the US Calls "the War on Terrorism" is to:		
	Weaken and Divide the Islamic Religion and its People	Achieve Political and Military Domination to Control Middle East Resources	Protect Itself from Terrorist Attacks
Morocco	33	39	19
Egypt	31	55	9
Pakistan	42	26	12
Indonesia	29	24	23

#### Notes:

(a) Data are from: Steven Kull et al, *Muslim Public Opinion on US Policy, Attacks on Civilians and al Qaeda*, Program on International Policy Attitudes, University of Maryland, 24 April 2007.

(b) Percentages not shown in each row are "do not know" or "no response".

## Table 7-2Opinions of Selected Experts Regarding the Probability of Another 9/11-TypeAttack in the United States

Time Horizon for Potential Attack	Fraction of Interviewed Experts Holding Position (percent)	
	Attack has No Chance or is Unlikely	Attack is Likely or Certain
Within 6 months	80	20
Within 5 years	30	70
Within 10 years	17	83

Notes:

(a) These and other survey data are discussed in: "The Terrorism Index", *Foreign Policy*, September/October 2007, pp 60-67. The underlying data are from: "Terrorism Survey III", June 2007, accessed from the website of the Center for American Progress <a href="https://www.americanprogress.org">www.americanprogress.org</a> on 21 August 2007.

(b) The following question was posed to 108 US-based experts in international security: "What is the likelihood of a terrorist attack on the scale of the 9/11 attacks occurring again in the United States in the following time frames?"

## Table 7-3Future World Scenarios Identified by the Stockholm Environment Institute

Scenario	Characteristics
<b>Conventional Worlds</b>	
Market Forces	Competitive, open and integrated global markets drive world development. Social and environmental concerns are secondary.
Policy Reform	Comprehensive and coordinated government action is initiated for poverty reduction and environmental sustainability.
Barbarization	
Breakdown	Conflict and crises spiral out of control and institutions collapse.
Fortress World	This scenario features an authoritarian response to the threat of breakdown, as the world divides into a kind of global apartheid with the elite in interconnected, protected enclaves and an impoverished majority outside.
Great Transitions	
Eco-Communalism	This is a vision of bio-regionalism, localism, face-to-face democracy and economic autarky. While this scenario is popular among some environmental and anarchistic subcultures, it is difficult to visualize a plausible path, from the globalizing trends of today to eco-communalism, that does not pass through some form of barbarization.
New Sustainability Paradigm	This scenario changes the character of global civilization rather than retreating into localism. It validates global solidarity, cultural cross-fertilization and economic connectedness while seeking a liberatory, humanistic and ecological transition.

#### Source:

Paul Raskin et al, *Great Transition: The Promise and Lure of the Times Ahead*, Stockholm Environment Institute, 2002.

### Table 7-4Some Potential Modes and Instruments of Attack on a US Nuclear Power Plant

Attack Mode/Instrument	Characteristics	Present Defense
Commando-style attack	Could involve heavy	Alarms, fences and lightly-
	weapons and sophisticated	armed guards, with offsite
	tactics	backup
	<ul> <li>Successful attack would</li> </ul>	
	require substantial planning	
	and resources	
Land-vehicle bomb	Readily obtainable	Vehicle barriers at entry
	• Highly destructive if	points to Protected Area
	detonated at target	
Anti-tank missile	Readily obtainable	None if missile launched
	• Highly destructive at point	from offsite
	of impact	
Commercial aircraft	• More difficult to obtain	None
	than pre-9/11	
	• Can destroy larger, softer	
	targets	
Explosive-laden smaller	Readily obtainable	None
aircraft	• Can destroy smaller,	
	harder targets	
10-kilotonne nuclear	• Difficult to obtain	None
weapon	<ul> <li>Assured destruction if</li> </ul>	
	detonated at target	

#### Notes:

This table is adapted from Table 7-4 of: Thompson, 2007c. Sources supporting this table include:

(a) Jim Wells, US Government Accountability Office, testimony before the

Subcommittee on National Security, Emerging Threats and International Relations, US House Committee on Government Reform, 4 April 2006.

(b) Marvin Fertel, Nuclear Energy Institute, testimony before the Subcommittee on National Security, Emerging Threats and International Relations, US House Committee on Government Reform, 4 April 2006.

(c) Danielle Brian, Project on Government Oversight, letter to NRC chair Nils J. Diaz, 22 February 2006.

(d) National Research Council, *Safety and Security of Commercial Spent Nuclear Fuel Storage: Public Report*, National Academies Press, 2006.

## Table 7-5Potential Sabotage Events at a Spent-Fuel-Storage Pool, as Postulated in NRC'sAugust 1979 GEIS on Handling and Storage of Spent LWR Fuel

<b>Event Designator</b>	General Description of Event	Additional Details
Mode 1	• Between 1 and 1,000 fuel	• One adversary can carry 3
	assemblies undergo extensive	charges, each of which can
	damage by high-explosive	damage 4 fuel assemblies
	charges detonated under water	• Damage to 1,000 assemblies
	• Adversaries commandeer the	(i.e., by 83 adversaries) is a
	central control room and hold it	"worst-case bounding estimate"
	for approx. 0.5 hr to prevent the	
	ventilation fans from being	
	turned off	
Mode 2	• Identical to Mode 1 except	
	that, in addition, an adversary	
	enters the ventilation building	
	and removes or ruptures the	
	HEPA filters	
Mode 3	• Identical to Mode 1 within the	• Adversaries enter the central
	pool building except that, in	control room or ventilation
	addition, adversaries breach two	building and turn off or disable
	opposite walls of the building	the ventilation fans
	by explosives or other means	
Mode 4	• Identical to Mode 1 except	
	that, in addition, adversaries use	
	an additional explosive charge	
	or other means to breach the	
	pool liner and 5-ft-thick	
	concrete floor of the pool	

#### Notes:

(a) Information in this table is from Appendix J of: USNRC, *Generic EIS on Handling and Storage of Spent Light Water Power Reactor Fuel, NUREG-0575*, August 1979.
(b) The postulated fuel damage ruptures the cladding of each rod in an affected fuel assembly, releasing "contained gases" (gap activity) to the pool water, whereupon the released gases bubble to the water surface and enter the air volume above that surface.

### Table 7-6The Shaped Charge as a Potential Instrument of Attack

<b>Category of Information</b>	Selected Information in Category
General information	<ul> <li>Shaped charges have many civilian and military</li> </ul>
	applications, and have been used for decades
	• Applications include human-carried demolition charges or
	warheads for anti-tank missiles
	• Construction and use does not require assistance from a
	government or access to classified information
Use in World War II	• The German MISTEL, designed to be carried in the nose
	of an un-manned bomber aircraft, is the largest known
	shaped charge
	• Japan used a smaller version of this device, the SAKURA
	bomb, for kamikaze attacks against US warships
A large, contemporary	• Developed by a US government laboratory for mounting
device	in the nose of a cruise missile
	• Described in an unclassified, published report (citation is
	voluntarily withheld here)
	• Purpose is to penetrate large thicknesses of rock or
	concrete as the first stage of a "tandem" warhead
	• Configuration is a cylinder with a diameter of 71 cm and a
	length of 72 cm
	• When tested in November 2002, created a hole of 25 cm
	diameter in tuff rock to a depth of 5.9 m
	• Device has a mass of 410 kg; would be within the payload
	capacity of many general-aviation aircraft
A potential delivery	• A Beechcraft King Air 90 general-aviation aircraft will
vehicle	carry a payload of up to 990 kg at a speed of up to 460
	km/hr
	• A used King Air 90 can be purchased in the US for \$0.4-
	1.0 million

#### Source:

This table is adapted from Table 7-6 of: Thompson, 2007c.

## Table 7-7Performance of US Army Shaped Charges, M3 and M2A3

Target	Indicator	Type of Shaped Charge		
Material		M3	M2A3	
Reinforced	Maximum wall thickness	60 in	36 in	
concrete	that can be perforated			
	Depth of penetration in	60 in	30 in	
	thick walls			
	Diameter of hole	• 5 in at entrance	• 3.5 in at entrance	
		• 2 in minimum	• 2 in minimum	
	Depth of hole with second	84 in	45 in	
	charge placed over first hole			
Armor plate	Perforation	At least 20 in	12 in	
	Average diameter of hole	2.5 in	1.5 in	

#### Notes:

(a) Data are from: Army, 1967, pp 13-15 and page 100.

(b) The M2A3 charge has a mass of 12 lb, a maximum diameter of 7 in, and a total length of 15 in including the standoff ring.

(c) The M3 charge has a mass of 30 lb, a maximum diameter of 9 in, a charge length of 15.5 in, and a standoff pedestal 15 in long.

# Table 7-8Types of Atmospheric Release from a Spent-Fuel-Storage Module at an ISFSI as aResult of a Potential Attack

Type of Event	Module Behavior	Relevant	Characteristics of
		Instruments and Modes of Attack	Atmospheric Balaasa
Type I:	• Entire module is	• Module is within	Release     Radioactive
Vaporization	vaporized	the fireball of a	content of module is
		nuclear-weapon	lofted into the
		explosion	atmosphere and
			amplifies fallout
			from nuc. explosion
Type II: Rupture	• MPC and overpack	• Aerial bombing	• Solid pieces of
and Dispersal	are broken open	• Artillery, rockets,	various sizes are
(Large)	• Fuel is dislodged	etc.	scattered in vicinity
	from MPC and	• Effects of blast etc.	• Gases and small
	oroken apart	outside the fireball	particles form an
	• Some ignition of	or a nuclear weapon	travels downwind
	cladding may occur	explosion	• Some release of
	without sustained		volatile species (esp
	combustion		cesium-137) if
	comoustion		incendiary effects
			occur
Type III: Rupture	• MPC and overpack	Vehicle bomb	• Scattering and
and Dispersal	are ruptured but	• Impact by	plume formation as
(Small)	retain basic shape	commercial aircraft	for Type II event,
	• Fuel is damaged	• Perforation by	but involving
	but most rods retain	shaped charge	smaller amounts of
	basic shape		material
	<ul> <li>No combustion</li> </ul>		• Little release of
	inside MPC		volatile species
Type IV: Rupture	• MPC is ruptured,	<ul> <li>Missiles with</li> </ul>	<ul> <li>Scattering and</li> </ul>
and Combustion	allowing air ingress	tandem warheads	plume formation as
	and egress	• Close-up use of	for Type III event
	• Zircaloy fuel	shaped charges and	• Substantial release
	cladding is ignited	incendiary devices	of volatile species,
	and combustion	• Thermic lance	exceeding amounts
	propagates within	• Removal of	for Type II release
	the MPC	overpack lid	

Table 7-9

Estimated Present Value of Cost Risk of a Potential Atmospheric Release from a Reactor or Spent-Fuel Pool at Indian Point, Including a Release Caused by an Attack

Type of Event	Estimated Present Value of Cost Risk for Affected Facility			
	Indian Point 2 Reactor	Spent-Fuel Pool at the IP2 or IP3 Plant	Indian Point 3 Reactor	
Full spectrum of releases from reactor core damage, for internal + external initiating events (excluding attack) plus uncertainty	\$10.7 million (as in License Renewal Application)	Not applicable	\$10.7 million (as in License Renewal Application)	
Fire in pool, for internal + external initiating events (excluding attack) plus uncertainty	Not applicable	\$27.7 million (assuming probability as in NUREG-1353)	Not applicable	
Attack on reactor assuming probability of 1 per 10,000 reactor-years	\$73.2 million	Not applicable	\$62.4 million	
Attack on pool assuming probability of 1 per 10,000 reactor-years	Not applicable	\$498 million	Not applicable	
Attack on IP2 reactor and pool assuming probability of 1 per 10,000 reactor-years	\$569 million		Not applicable	
Attack on IP3 reactor and pool assuming probability of 1 per 10,000 reactor-years	Not applicable	\$559 n	nillion	

(Notes for this table are on the following page.)

#### Notes for Table 7-9:

(a) This table is adapted from Table 7-7 of: Thompson, 2007c.

(b) In the second row, the probability of a pool fire is assumed, following NUREG-1353, to be 2.0E-06 per reactor-year adjusted by an uncertainty multiplier (the ratio of 95th percentile to mean probability) of 2.78. That multiplier is taken from Table 4.6.8 of NUREG-1353, for a 99% cutoff value. The fire is assumed to yield an atmospheric release of 35 MCi of Cs-137, with accompanying offsite costs of \$461 billion as estimated by Beyea et al.

(c) An attack on a reactor is assumed here to yield an atmospheric release and accompanying offsite costs as estimated in the License Renewal Application for an Early High release.

(d) An attack on a spent-fuel pool is assumed here to initiate a fire that yields an atmospheric release of 35 MCi of Cs-137, with accompanying offsite costs of \$461 billion as estimated by Beyea et al.

(e) A core-damage event and/or a spent-fuel-pool fire at each unit is assumed here to yield onsite costs of \$2 billion, as estimated in the License Renewal Application for a core-damage event at IP2 or IP3.

(f) Present value is determined by accumulating annual value over 20 years with a discount rate of 7 percent per year.

#### Table 8-1

#### Selected Approaches to Protecting US Critical Infrastructure From Attack by Sub-National Groups, and Some of the Strengths and Weaknesses of these Approaches

Approach	Strengths	Weaknesses
Offensive military	• Could deter or prevent	• Could promote growth of
operations internationally	governments from	sub-national groups hostile
	supporting sub-national	to the USA, and build
	groups hostile to the USA	sympathy for these groups
		in foreign populations
		• Could be costly in terms
		of lives, money and national
		reputation
International police	<ul> <li>Could identify and</li> </ul>	• Implementation could be
cooperation within a legal	intercept potential attackers	slow and/or incomplete
framework		<ul> <li>Requires ongoing</li> </ul>
		international cooperation
Surveillance and control of	<ul> <li>Could identify and</li> </ul>	<ul> <li>Could destroy civil</li> </ul>
the domestic population	intercept potential attackers	liberties, leading to
		political, social and
		economic decline
Secrecy about design and	• Could prevent attackers	• Could suppress a true
operation of infrastructure	from identifying points of	understanding of risk
facilities	vulnerability	<ul> <li>Could contribute to</li> </ul>
		political, social and
		economic decline
Active defense of	<ul> <li>Could stop attackers</li> </ul>	<ul> <li>Requires ongoing</li> </ul>
infrastructure facilities	before they reach the target	expenditure & vigilance
(by use of guards, guns,		<ul> <li>May require military</li> </ul>
gates, etc.)		involvement
Resilient design, passive	• Could allow target to	<ul> <li>Could involve higher</li> </ul>
defense, and related	survive attack without	capital costs
protective measures for	damage, thereby enhancing	
infrastructure facilities	protective deterrence	
(as envisioned in the NIPP)	• Could substitute for other	
	protective approaches,	
	avoiding their costs and	
	adverse impacts	
	• Could reduce risks from	
	accidents & natural hazards	

# Table 8-2Selected Options to Reduce the Risk of a Spent-Fuel-Pool Fire at a CommercialReactor

Option	Passive	Does Option		Comments
	or	Addre	ss Fire	
	Active?	Scenario	s Arising	
		Fre	om:	
		Malice?	Other	
	<b>.</b>		Events?	
Re-equip pool with low-	Passive	Yes	Yes	• Will substantially reduce
density, open-frame racks				pool inventory of
				radioactive material
				• Will prevent auto-ignition
				of fuel in almost all cases
Install emergency water	Active	Yes	Yes	• Spray system must be
sprays above pool				highly robust
				<ul> <li>Spraying water on</li> </ul>
				overheated fuel can feed
				Zr-steam reaction
Mix hotter (younger) and	Passive	Yes	Yes	• Can delay or prevent
colder (older) fuel in pool				auto-ignition in some cases
				• Will be ineffective if
				debris or residual water
				block air flow
				Can promote fire
				propagation to older fuel
Minimize movement of	Active	No	Yes	• Can conflict with
spent-fuel cask over pool		(Most		adoption of low-density,
		cases)		open-frame racks
Deploy air-defense system	Active	Yes	No	<ul> <li>Implementation requires</li> </ul>
(e.g., Sentinel and				presence of US military at
Phalanx) at site				site
Develop enhanced onsite	Active	Yes	Yes	• Requires new equipment,
capability for damage				staff and training
control				• Personnel must function
				in extreme environments

#### Table 8-3

#### Estimation of Incremental Cost if Spent Fuel from a New PWR is Transferred from the Spent-Fuel Pool to Dry Storage After 5 Years of Storage in the Pool

Estimation Step	Estimate	
Average period of use of a fuel assembly in	5 years	
the reactor core		
Period of storage of a spent-fuel assembly	5 years	
in the spent-fuel pool, prior to transfer to		
dry storage		
Point in plant history when transfer of	11 <sup>th</sup> year of plant operation	
spent fuel to dry storage begins		
Average annual transfer of spent fuel from	36 fuel assemblies	
pool to dry storage		
Capital cost of transferring spent fuel from	\$3.2 million per year	
pool to dry storage		
(given a dry-storage cost of \$200 per kgU,		
and a mass of 450 kgU per fuel assembly)		
Capital cost of transferring spent fuel from	0.04 cent per kWh of nuclear generation	
pool to dry storage		
(given a plant capacity of 1.08 GWe, and a		
capacity factor of 0.9)		

#### Notes:

(a) This calculation employs data that apply to the Indian Point 2 nuclear power plant. Similar data apply to other US plants.

(b) Data in this table are from Tables 2-1 and 9-2 of: Thompson, 2007c.

(c) The capital cost begins in the 11<sup>th</sup> year of plant operation, and continues while the plant operates.

### **PRESIDENT'S MESSAGE**

Throughout America's history, there have been some years that appeared to roll into the next without much notice or fanfare. Budgets are proposed that offer some new programs or eliminate an initiative, but by and large continuity reigns.

Then there are the years that come along once in a generation, when we look at where the country has been and recognize that we need a break from a troubled past, that the problems we face demand that we begin charting a new path. This is one of those years.

We start 2009 in the midst of a crisis unlike any we have seen in our lifetimes. Our economy is in a deep recession that threatens to be deeper and longer than any since the Great Depression. More than three and a half million jobs were lost over the past 13 months, more jobs than at any time since World War II. In addition, another 8.8 million Americans who want and need full-time work have had to settle for part-time jobs. Manufacturing employment has hit a 60-year low. Our capital markets are virtually frozen, making it difficult for businesses to grow and for families to borrow money to afford a home, car, or college education for their kids. Many families cannot pay their bills or their mortgage payments. Trillions of dollars of wealth have been wiped out, leaving many workers with little or nothing as they approach retirement. And millions of Americans are unsure about the future—if their job will be there tomorrow, if their children will be able to go to college, and if their grandchildren will be able to realize the full promise of America.

This crisis is neither the result of a normal turn of the business cycle nor an accident of history. We arrived at this point as a result of an era of profound irresponsibility that engulfed both

private and public institutions from some of our largest companies' executive suites to the seats of power in Washington, D.C. For decades, too many on Wall Street threw caution to the wind, chased profits with blind optimism and little regard for serious risks-and with even less regard for the public good. Lenders made loans without concern for whether borrowers could repay them. Inadequately informed of the risks and overwhelmed by fine print, many borrowers took on debt they could not really afford. And those in authority turned a blind eye to this risk-taking; they forgot that markets work best when there is transparency and accountability and when the rules of the road are both fair and vigorously enforced. For years, a lack of transparency created a situation in which serious economic dangers were visible to all too few.

This irresponsibility precipitated the interlocking housing and financial crises that triggered this recession. But the roots of the problems we face run deeper. Government has failed to fully confront the deep, systemic problems that year after year have only become a larger and larger drag on our economy. From the rising costs of health care to the state of our schools, from the need to revolutionize how we power our economy to our crumbling infrastructure, policymakers in Washington have chosen temporary fixes over lasting solutions.

The time has come to usher in a new era a new era of responsibility in which we act not only to save and create new jobs, but also to lay a new foundation of growth upon which we can renew the promise of America.

This Budget is a first step in that journey. It lays out for the American people the extent of the crisis we inherited, the steps we will take to jumpstart our economy to create new jobs, and our plans to transform our economy for the 21st Century to give our children and grandchildren the fruits of many years of economic growth.

It is true that we cannot depend on government alone to create jobs or to generate long-term growth. Ours is a market economy, and the Nation depends on the energy and initiative of private institutions and individuals. But at this particular moment, government must lead the way in providing the short-term boost necessary to lift us from a recession this severe and lay the foundation for future prosperity. That's why immediately upon taking office, my Administration worked with the Congress to pass the American Recovery and Reinvestment Act. This plan's provisions will put money in the pockets of the American people, save or create at least three and a half million jobs, and help to revive our economy.

This moment is one of great paradox and promise: while there are millions of Americans trying to find work, there is also so much work to be done. That's why the Recovery Act and our Budget will make long overdue investments in priorities—like clean energy, education, health care, and a new infrastructure—that are necessary to keep us strong and competitive in the 21st Century.

To finally spark the creation of a clean energy economy, we will make the investments in the next three years to double our Nation's renewable energy capacity. We will modernize Federal buildings and improve the energy efficiency of millions of American homes, saving consumers and taxpayers billions on our energy bills. In the process, we will put Americans to work in new jobs that pay well—jobs installing solar panels and wind turbines; constructing energy efficient buildings; manufacturing fuel efficient vehicles; and developing the new energy technologies that will lead to even more jobs and more savings, putting us on the path toward energy independence for our Nation and a cleaner, safer planet in the process.

To improve the quality of our health care while lowering its cost, we will make the immediate investments needed to computerize all of America's medical records within five years while protecting the privacy of patients. This is a necessary step to reducing waste, eliminating red tape, and avoiding the need to repeat expensive medical tests. We also will fundamentally reform our health care system, delivering quality care to more Americans while reducing costs for us all. This will make our businesses more competitive and ease a significant and growing burden middle-class families are bearing.

To give our children a fair shot to thrive in a global, information-age economy, we will equip thousands of schools, community colleges, and universities with 21st Century classrooms, labs, and libraries. We'll provide new technology and new training for teachers so that students in Chicago and Boston can compete with kids in Beijing for the high-tech, high-wage jobs of the future. We will invest in innovation, and open the doors of college to millions of students. We will pursue new reforms-lifting standards in our schools and recruiting, training, and rewarding a new generation of teachers. And in an era of skyrocketing college tuitions, we will make sure that the doors of college remain open to children from all walks of life.

To create a platform for our entrepreneurs and workers to build an economy that can lead this future, we will begin to rebuild America for the demands of the 21st Century. We will repair crumbling roads, bridges, and schools as well as expand broadband lines across America, so that a small business in a rural town can connect and compete with its counterparts anywhere in the world. And we will invest in the science, research, and technology that will lead to new medical breakthroughs, new discoveries, and entire new industries.

Regaining our economic strength also is critical to our national security. It is a major source of our global leadership, and we must not let it waver. That's why this Budget makes critical investments in rebuilding our military, securing our homeland, and expanding our diplomatic efforts because to provide for the security of the United States we need to use all elements of our power. Moreover, to honor the service of those who have worn our military's uniform, we will make the investments necessary to take care of our veterans.

For these initiatives to lay a foundation for long-term economic growth, it's important that we not only change what Washington invests in, but how Washington does business. We must usher in a new era of responsibility in which we empower citizens with the information they need to hold their elected representatives accountable for the decisions they make. We need to put tired ideologies aside, and ask not whether our Government is too big or too small, or whether it is the problem or the solution, but whether it is working for the American people. Where it does not, we will stop spending taxpayer dollars; where it has proven to be effective, we will invest. This is the approach, for example, we have begun in allocating funds to education, health care, and national security. And as we continue the budgetary process, we will identify more cuts and reallocations for the full Budget presented this spring, and undertake efforts to reform how the programs you fund are managed so that overruns are avoided. waste is cut, and you get the most effective and efficient Government possible.

In the little more than a month my Administration has had in office, we have not had the time to fully execute all the budget reforms that are needed, and to which I am fully committed. Those will come in the months ahead, and next year's budget process will look much different.

But this Budget does begin the hard work of bringing new levels of honesty and fairness to your Government. It looks ahead a full 10 years, making good-faith estimates about what costs we would incur; and it accounts for items that under the old rules could have been left out, making it appear that we had billions more to spend than we really do. The Budget also begins to restore a basic sense of fairness to the tax code, eliminating incentives for companies that ship jobs overseas and giving a generous package of tax cuts to 95 percent of working families.

Finally, while we have inherited record budget deficits and needed to pass a massive recovery and reinvestment plan to try to jump-start our economy out of recession, we cannot lose sight of the long-run challenges that our country faces and that threaten our economic health—specifically, the trillions of dollars of debt that we inherited, the rising costs of health care, and the growing obligations of Social Security. Therefore, while our Budget will run deficits, we must begin the process of making the tough choices necessary to restore fiscal discipline, cut the deficit in half by the end of my first term in office, and put our Nation on sound fiscal footing.

Some may look at what faces our Nation and believe that America's greatest days are behind it. They are wrong.

Our problems are rooted in past mistakes, not our capacity for future greatness. We should never forget that our workers are more innovative and industrious than any on earth. Our universities are still the envy of the world. We are still home to the most brilliant minds, the most creative entrepreneurs, and the most advanced technology and innovation that history has ever known. And we are still the Nation that has overcome great fears and improbable odds. It will take time, but we can bring change to America. We can rebuild that lost trust and confidence. We can restore opportunity and prosperity. And we can bring about a new sense of responsibility among Americans from every walk of life and from every corner of the country.

BARACK OBAMA

THE WHITE HOUSE, FEBRUARY 26, 2009.



### **DEPARTMENT OF ENERGY**

#### Funding Highlights:

- Begins to build a new economy that is powered by clean and secure energy through funding provided in the 2010 Budget and the \$39 billion provided for energy programs in the American Recovery and Reinvestment Act of 2009.
- Provides significant increases in funding for basic research and world-leading scientific user facilities to support transformational discoveries and accelerate solutions to our Nation's most pressing problems – including the development of clean energy.
- Supports economic investment and positions the United States as the world leader in climate change technology.
- Accelerates the transition to a low-carbon economy through increased support of the development and deployment of clean energy technologies such as solar, biomass, geothermal, wind, and low-carbon emission coal power.
- Builds on the \$11 billion provided in the Recovery Act for smart grid technologies, transmission system expansion and upgrades, and other investments to modernize and enhance the electric transmission infrastructure to improve energy efficiency and reliability.
- Supports and encourages the early commercial deployment of innovative, clean energy technologies through loan guarantees.
- Reduces security risks through the detection, elimination, and securing of nuclear material and radiological sources worldwide while maintaining the safety, security, and reliability of the nuclear weapons stockpile.
- Continues the Nation's efforts to reduce environmental risks and safely manage nuclear materials.

**Invests in the Sciences.** As part of the President's plan to double Federal investment in the basic sciences, the 2010 Budget, along with the \$1.6 billion provided in the Recovery Act for the Department of Energy's basic science programs, provides substantially increased support for the Office of Science. The Budget increases funding for improving our understanding of climate science and continues the United States'

commitment to international science and energy experiments. The Budget also expands graduate fellowship programs that will train students in critical energy-related fields.

**Encourages the Early Commercial Use of New, Innovative Energy Technologies that Will Reduce Greenhouse Gas Emissions.** The Budget supports loan guarantees for inno-



vative energy technologies including renewable energy projects, transmission projects, and carbon sequestration projects that avoid, reduce, or sequester air pollutants and greenhouse gases while simultaneously creating green jobs and contributing to long-term economic growth and international competitiveness.

Advances the Development of Low-Carbon Coal Technologies. The Budget supports Carbon Capture and Storage technology, and along with the \$3.4 billion provided in the Recovery Act for low-carbon emission coal power and industrial projects, these funds will help allow the use of our extensive domestic coal resource while reducing the impacts on climate change.

**Invests in Smart, Energy Efficient, Reliable Electricity Delivery Infrastructures.** The Budget provides support for the Office of Electricity Delivery and Energy Reliability as part of the President's investment plan to modernize the Nation's electric grid. It includes: energy storage; cyber-security and investments in research, the development and demonstration of smart grid technologies that will accelerate the transformation of the Nation's energy transmission and distribution system; enhancement of security and reliability of energy infrastructure; and facilitating recovery from disruptions to the energy supply.

Invests in Clean Energy Technologies to Reduce Dependence on Foreign Oil and Accelerate the Transition to a Low-Carbon Economy. The Budget provides support for accelerating research, development, demonstration, deployment, and commercialization of clean energy technologies, including biofuels, renewable energy, and energy efficiency projects. These investments will reduce dependence on foreign oil and create long-term, sustainable economic growth in the green industries of the future.

Reduces Proliferation Risks and Ensures the Safety, Security, and Reliability of the Nuclear Weapons Stockpile Without Nuclear Testing. The Budget supports increased efforts to secure and dispose of nuclear material and invests in innovative science and technology to detect and deter nuclear smuggling and the development of weapons of mass destruction programs. Development work on the Reliable Replacement Warhead will cease, while continued work to improve the nuclear stockpile's safety, security, and reliability is enhanced with more expansive life extension programs. Focuses on the Cleanup and Management of Radioactive Waste and Nuclear Materials. The Budget focuses on improved performance and accountability for the environmental legacy of the Nation's nuclear weapons program by addressing health and safety risks across the country. The Yucca Mountain program will be scaled back to those costs necessary to answer inquiries from the Nuclear Regulatory Commission, while the Administration devises a new strategy toward nuclear waste disposal.