

Appendix A

Consultation Letters

(194 pages)



NP-08-0003

April 30, 2008

Ms. Mary Orms
U.S. Fish and Wildlife Service
c/o TAMU - Corpus Christi
6300 Ocean Drive
Corpus Christi, TX 78412

Subject: Proposed Nuclear Plant in Victoria County, Texas
Request for Information on Threatened or Endangered Species

Dear Ms. Orms:

Exelon Generation Company, LLC (Exelon) is preparing an application to the U.S. Nuclear Regulatory Commission (NRC) for a Combined Construction and Operating License (COL) that would allow the company to build and operate a new nuclear plant at a site in Victoria County, Texas. Exelon expects to submit the COL application to the U.S. Nuclear Regulatory Commission (NRC) in September 2008.

As part of the licensing process, the NRC requires applicants to “assess the impact of the proposed action on threatened or endangered species in accordance with the Endangered Species Act” (10 CFR 51.53). The NRC will formally consult with your office at a later date under Section 7 of the Endangered Species Act. By contacting you in advance via this letter, our goal is to identify any issues that need to be addressed or any information your office may need to support the NRC consultation.

In the following sections of the letter, we briefly describe the site, the proposed action, and the potentially affected species.

The Site

The Victoria County site is an approximately 11,000 acre tract about 13 miles south of the city of Victoria (see attached Figure 1.0). Botanists, wildlife biologists, and wetlands scientists under contract to Exelon began conducting surveys of the site’s wetlands, plant communities, and wildlife in the fall of 2007. This work is on-going and will continue through December 2008. In addition,

April 30, 2008
Ms. Mary Orms
Page 2

fishery biologists will be conducting seasonal surveys of fish in the site's streams and wetlands in 2008. The surveys are intended to gather baseline information on the site's ecological resources to support the impact assessment and to determine if any sensitive species are present. The surveys are also intended to evaluate the natural communities of the site as potential habitat for sensitive species.

The approximately 11,000-acre site is located on a "bench" or terrace west of the Guadalupe River in southern Victoria County, Texas (Figure 2.0). The terrain is relatively flat in the western portion of the site, sloping gently down toward the eastern side of the site. The topography in the area of northeastern site boundary slopes sharply downward to the Guadalupe River floodplain, more specifically Black Bayou (shown on some maps as *McDonald* Bayou) and Linn Lake, an oxbow lake into which Black Bayou flows.

The site is drained by three streams: Black Bayou and tributaries drain the northern and eastern portion of the site; Dry Kuy Creek and tributaries drain the central and southeastern portions of the site; Kuy Creek and tributaries drain the southwestern portion of the site. Black Bayou and Kuy Creek appear to be perennial streams, based on an October 2007 reconnaissance, while Dry Kuy Creek appears to be an intermittent stream. Dry Kuy Creek and several other small tributary streams held standing water in only their lower-lying sections in October 2007, and are presumed to be mostly dry during extended periods of low rainfall.

In addition to these drainages, the site contains ephemeral depressional wetlands of varying hydroperiod and a number of stock ponds. Some of the wetland depressions appear to have been created when site roads were constructed many years ago and natural drainages were blocked or dammed. The centers of some of the depressional wetlands have been deepened, apparently to provide additional water storage for livestock, creating open water habitats (ponds). Several additional livestock ponds have been created on site, with most augmented by windmill-driven wells.

Most of the wet areas are populated by senna bean (*Sesbania drummondii*), as well as the herbaceous plants delta arrowhead (*Sagittaria platyphylla*), squarestem spikerush (*Eleocharis quadrangulata*), smartweed (*Polygonum* spp.), and assorted sedges and grasses. One of the more persistent depression wetlands also contained cow lilies (*Nuphar advena*). Willows (*Salix nigra*) are the dominant trees along the shores of Linn Lake and Black Bayou, with occasional bald cypress (*Taxodium distichum*).

Although there are gas wells scattered across the property, the approximately 11,000-acre site is used primarily for raising livestock (mostly cattle, with a few horses). Fencing divides the upland portions of the site into separate grazing

April 30, 2008
Ms. Mary Orms
Page 3

units. These grazing units are subjected to prescribed burns on a four-year cycle. The burns are intended to encourage the growth of native grassland vegetation and discourage the formation of thickets of shrubs and low-growing trees such as senna bean, huisache, McCartney rose, and mesquite.

The Proposed Action

Exelon proposes to build and operate two new nuclear generating units, each rated at approximately 1,600 megawatts-electrical (gross). Much of the infrastructure, including the generating units and supporting facilities, would be concentrated in an approximately 300 acre area in the northwest part of the approximately 11,000-acre site, as shown in Figure 3.0.

Site construction activities are expected to be performed in the following sequence:

- Preconstruction planning and exploration activities, including a new meteorology tower built at the northwest corner of the plant property, and such site activities as soil boring/sampling and monitoring wells or additional geophysical borings as allowed by 10 CFR 50.10(a)(2).

This work was completed in early 2008.

- Site preparation activities, to include installation of temporary facilities, construction support facilities, service facilities, utilities, docking and unloading facilities, excavations and backfill for facility structures and foundations, and construction of structures, systems and components (SSCs) that do not constitute "construction" activities as defined by 10 CFR 50.10(a)(1).
- Construction activities will include the major power plant construction activities under the COL.

Exelon has developed a construction schedule based on providing additional electric generation to the regional grid in December 2016 (Unit 1) and June 2018 (Unit 2). Based on preliminary planning, the duration of sequential construction of Units 1 and 2 is estimated to be approximately eight and a half years (from the commencement of site preparation activities to commercial operation of Unit 2).

Offsite infrastructure would be constructed in support of the proposed nuclear generating units, including a heavy-haul road that would be constructed from the plant to a barge slip constructed on the Victoria Barge Canal. The barge slip would accommodate delivery of large components for the construction of the proposed nuclear units. The road would traverse undeveloped land, Black Bayou, and the Guadalupe River (via a newly constructed bridge). A pipeline for

April 30, 2008
 Ms. Mary Orms
 Page 4

discharging plant effluent to the Guadalupe River would parallel the heavy-haul road for most of its route, then turn south along the river.

Current plans call for the construction of a 4,800-acre cooling reservoir on the site to serve as the source for condenser cooling water (see Figure 3.0). Makeup water for the cooling reservoir would be purchased from the Guadalupe-Blanco River Authority (GBRA). The GBRA operates a system of canals that supply water to industrial, agricultural, and municipal users. The Exelon Victoria County site would obtain its water from the Calhoun Canal, southeast of Green Lake, via a newly constructed pipeline. The ultimate source of the water would be the Guadalupe River, just downstream of its confluence with the San Antonio River. Preliminary plans include the construction of an approximately 1,300-acre water storage basin east of and adjacent to the proposed 4,800-acre cooling reservoir. The storage basin and an associated pipeline would be operated by the GBRA.

Plans for improvement of transmission system infrastructure are less well defined than facility development plans. Based on preliminary analysis, it appears that it may be necessary to build at least two new transmission lines, including a west-running line that would extend to the Coletto Creek Reservoir area of Goliad County and a northeast-running line that would pass through Calhoun, Jackson, Wharton, and Matagorda Counties.

Potentially Affected Species

Based on a review of historical documents and information on the Texas Parks and Wildlife Department website (“Annotated County lists of Rare Species”), Exelon has developed a preliminary list (Table 1) of state and federally listed species in the six counties that could be affected by the proposed project (including offsite infrastructure). Only two of the protected species listed in Table 1, the white-tailed hawk and the bald eagle, have been observed in the project area by Exelon’s consulting biologists. Neither species has been observed nesting in the project area in surveys conducted to date.

Table 1. Protected Species In Counties Associated With the Exelon - Victoria County Site in Texas.

Common Name	Scientific Name	Federal Status ¹	State Status ¹	Counties
Amphibians				
Sheep Frog	<i>Hypopachus variolosus</i>	- T		Calhoun, Goliad
Black-spotted newt	<i>Notophthalmus meridionalis</i>	- T		Calhoun, Goliad, Victoria

April 30, 2008
 Ms. Mary Orms
 Page 5

Common Name	Scientific Name	Federal Status ¹	State Status ¹	Counties
Birds				
White-tailed hawk	<i>Buteo albicaudatus</i>	- T		All
Piping plover	<i>Charadrius melodus</i>	LT T		Calhoun, Matagorda
Reddish egret	<i>Egretta rufescens</i>	- T		Calhoun, Jackson, Victoria, Matagorda
Peregrine falcon	<i>Falco peregrinus anatum</i>	DL T		All
Arctic peregrine falcon	<i>Falco peregrinus tundrius</i>	DL T		All
Whooping crane	<i>Grus Americana</i>	LE E		All
Bald eagle	<i>Haliaeetus leucocephalus</i>	DL	T	All
Wood stork	<i>Mycteria americana</i>	- T		All
Eskimo curlew	<i>Numenius borealis</i>	LE E		Calhoun, Matagorda
Brown pelican	<i>Pelecanus occidentalis</i>	LE E		Jackson, Victoria, Matagorda
White-faced ibis	<i>Plegadis chihi</i>	- T		All
Interior least tern	<i>Sterna antillarum athalassos</i>	LE E		Goliad, Jackson, Victoria, Wharton
Sooty tern	<i>Sterna fuscata</i>	- T		Calhoun, Jackson, Matagorda
Attwater's prairie chicken	<i>Tympanuchus cupido attwateri</i>	LE E		Victoria, Wharton
Mammals				
Red wolf	<i>Canis rufus</i>	LE L		All
Jaguarundi	<i>Herpailurus yaguarondi</i>	LE E		Calhoun
Ocelot	<i>Leopardus pardalis</i>	LE E		Calhoun, Goliad, Matagorda
White-nosed coati	<i>Nasua narica</i>	- T		Victoria
West Indian manatee	<i>Trichechus manatus</i>	LE E		Calhoun, Matagorda
Black bear	<i>Ursus americana</i>	T/SA T		Calhoun

April 30, 2008
 Ms. Mary Orms
 Page 6

Common Name	Scientific Name	Federal Status ¹	State Status ¹	Counties
Mammals (Continued)				
Louisiana black bear	<i>Ursus americana luteolus</i>	LT T		Jackson, Victoria, Wharton, Matagorda
Reptiles				
Loggerhead sea turtle	<i>Caretta caretta</i>	LT T		Calhoun, Jackson
Texas scarlet snake	<i>Cemophora coccinea lineri</i>	- T		Calhoun, Jackson
Green sea turtle	<i>Chelonia mydas</i>	LT T		Calhoun
Timber/canebrake rattlesnake	<i>Crotalus horridus</i>	- T		All
Leatherback sea turtle	<i>Dermochelys coriacea</i>	LE E		Calhoun
Indigo snake	<i>Drymarchon corais</i>	- T		Goliad
Atlantic hawksbill sea turtle	<i>Eretmochelys imbricata</i>	LE E		Calhoun
Kemp's ridley sea turtle	<i>Lepidochelys kempii</i>	LE E		Calhoun
Texas tortoise	<i>Gopherus berlandieri</i>	- T		Calhoun, Jackson, Goliad, Victoria
Cagle's map turtle	<i>Graptemys caglei</i>	- T		Victoria
Texas horned lizard	<i>Phrynosoma cornutum</i>	- T		Calhoun, Goliad, Jackson

1

LE/E = Endangered; T = Threatened; C = Candidate; - = Not listed; DL = delisted taxon, recovered, monitored for first five years post delisting; SA = listed due to similarity of appearance with a threatened species.

Sources:

TPWD (Texas Parks and Wildlife Department) 2007. Rare, Threatened and Endangered Species of Texas. Available at <http://gis.tpwd.state.tx.us/TPwEndangeredSpecies/DesktopDefault.aspx>.

USFWS (U.S. Fish and Wildlife Service) 2007. County Lists, Lists of Endangered, Threatened, Proposed and Candidate Species for Texas, as of 2007. Available at <http://www.fws.gov/Southwest/es/EndangeredSpecies/lists/ListSpecies.cfm>

April 30, 2008
Ms. Mary Orms
Page 7

We would appreciate your providing a letter within 60 days of receiving this correspondence that details any concerns you may have about listed species or critical habitat in the areas potentially affected by construction and operation of the proposed generating facilities and associated infrastructure. Exelon will include a copy of this letter and your response in the Environmental Report that will be submitted to the NRC as part of the COL application.

Please contact Joshua Trembley at 610-765-5345 should you have any questions regarding the project.

Respectfully,



FOR KAA

Kenneth A. Ainger
Director, New Plant Licensing

Attachments: Figure 1.0 50-Mile Region
Figure 2.0 Habitat Types on the Victoria County Site
Figure 3.0 Victoria County Site and Proposed Plant Footprint



Figure 1.0 50-Mile Region




Figure 2.0 Habitat Types on the Victoria County Site




Figure 3.0 Victoria County Site and Proposed Plant Footprint



NP-08-0004

April 30, 2008

Ms. Celeste Brancel
Environmental Review Coordinator
Texas Parks and Wildlife Department
4200 Smith School Road
Austin, TX 78744-3291

Subject: Proposed Nuclear Plant in Victoria County, Texas
Request for Information on Threatened or Endangered Species

Dear Ms. Brancel:

Exelon Generation Company, LLC (Exelon) is preparing an application to the U.S. Nuclear Regulatory Commission (NRC) for a Combined Construction and Operating License (COL) that would allow the company to build and operate a new nuclear plant at a site in Victoria County, Texas. Exelon expects to submit the COL application to the U.S. Nuclear Regulatory Commission (NRC) in September 2008.

As part of the licensing process, the NRC requires applicants to “assess the impact of the proposed action on threatened or endangered species in accordance with the Endangered Species Act” (10 CFR 51.53). The NRC will formally consult with your office at a later date under Section 7 of the Endangered Species Act. By contacting you in advance via this letter, our goal is to identify any issues that need to be addressed or any information your office may need to support the NRC consultation.

In the following sections of the letter, we briefly describe the site, the proposed action, and the potentially affected species.

The Site

The Victoria County site is an approximately 11,000 acre tract about 13 miles south of the city of Victoria (see attached Figure 1.0). Botanists, wildlife biologists, and wetlands scientists under contract to Exelon began conducting surveys of the site’s wetlands, plant communities, and wildlife in the fall of 2007. This work is on-going and will continue through December 2008. In addition,

April 30, 2008
Ms. Celeste Brancel
Page 2

fishery biologists will be conducting seasonal surveys of fish in the site's streams and wetlands in 2008. The surveys are intended to gather baseline information on the site's ecological resources to support the impact assessment and to determine if any sensitive species are present. The surveys are also intended to evaluate the natural communities of the site as potential habitat for sensitive species.

The approximately 11,000-acre site is located on a "bench" or terrace west of the Guadalupe River in southern Victoria County, Texas (Figure 2.0). The terrain is relatively flat in the western portion of the site, sloping gently down toward the eastern side of the site. The topography in the area of northeastern site boundary slopes sharply downward to the Guadalupe River floodplain, more specifically Black Bayou (shown on some maps as *McDonald Bayou*) and Linn Lake, an oxbow lake into which Black Bayou flows.

The site is drained by three streams: Black Bayou and tributaries drain the northern and eastern portion of the site; Dry Kuy Creek and tributaries drain the central and southeastern portions of the site; Kuy Creek and tributaries drain the southwestern portion of the site. Black Bayou and Kuy Creek appear to be perennial streams, based on an October 2007 reconnaissance, while Dry Kuy Creek appears to be an intermittent stream. Dry Kuy Creek and several other small tributary streams held standing water in only their lower-lying sections in October 2007, and are presumed to be mostly dry during extended periods of low rainfall.

In addition to these drainages, the site contains ephemeral depressional wetlands of varying hydroperiod and a number of stock ponds. Some of the wetland depressions appear to have been created when site roads were constructed many years ago and natural drainages were blocked or dammed. The centers of some of the depressional wetlands have been deepened, apparently to provide additional water storage for livestock, creating open water habitats (ponds). Several additional livestock ponds have been created on site, with most augmented by windmill-driven wells.

Most of the wet areas are populated by senna bean (*Sesbania drummondii*), as well as the herbaceous plants delta arrowhead (*Sagittaria platyphylla*), squarestem spikerush (*Eleocharis quadrangulata*), smartweed (*Polygonum* spp.), and assorted sedges and grasses. One of the more persistent depression wetlands also contained cow lilies (*Nuphar advena*). Willows (*Salix nigra*) are the dominant trees along the shores of Linn Lake and Black Bayou, with occasional bald cypress (*Taxodium distichum*).

Although there are gas wells scattered across the property, the approximately 11,000-acre site is used primarily for raising livestock (mostly cattle, with a few horses). Fencing divides the upland portions of the site into separate grazing

April 30, 2008
Ms. Celeste Brancel
Page 3

units. These grazing units are subjected to prescribed burns on a four-year cycle. The burns are intended to encourage the growth of native grassland vegetation and discourage the formation of thickets of shrubs and low-growing trees such as senna bean, huisache, McCartney rose, and mesquite.

The Proposed Action

Exelon proposes to build and operate two new nuclear generating units, each rated at approximately 1,600 megawatts-electrical (gross). Much of the infrastructure, including the generating units and supporting facilities, would be concentrated in an approximately 300 acre area in the northwest part of the approximately 11,000-acre site, as shown in Figure 3.0.

Site construction activities are expected to be performed in the following sequence:

- Preconstruction planning and exploration activities, including a new meteorology tower built at the northwest corner of the plant property, and such site activities as soil boring/sampling and monitoring wells or additional geophysical borings as allowed by 10 CFR 50.10(a)(2).

This work was completed in early 2008.

- Site preparation activities, to include installation of temporary facilities, construction support facilities, service facilities, utilities, docking and unloading facilities, excavations and backfill for facility structures and foundations, and construction of structures, systems and components (SSCs) that do not constitute "construction" activities as defined by 10 CFR 50.10(a)(1).
- Construction activities will include the major power plant construction activities under the COL.

Exelon has developed a construction schedule based on providing additional electric generation to the regional grid in December 2016 (Unit 1) and June 2018 (Unit 2). Based on preliminary planning, the duration of sequential construction of Units 1 and 2 is estimated to be approximately eight and a half years (from the commencement of site preparation activities to commercial operation of Unit 2).

Offsite infrastructure would be constructed in support of the proposed nuclear generating units, including a heavy-haul road that would be constructed from the plant to a barge slip constructed on the Victoria Barge Canal. The barge slip would accommodate delivery of large components for the construction of the proposed nuclear units. The road would traverse undeveloped land, Black Bayou, and the Guadalupe River (via a newly constructed bridge). A pipeline for

April 30, 2008
 Ms. Celeste Brancel
 Page 4

discharging plant effluent to the Guadalupe River would parallel the heavy-haul road for most of its route, then turn south along the river.

Current plans call for the construction of a 4,800-acre cooling reservoir on the site to serve as the source for condenser cooling water (see Figure 3.0). Makeup water for the cooling reservoir would be purchased from the Guadalupe-Blanco River Authority (GBRA). The GBRA operates a system of canals that supply water to industrial, agricultural, and municipal users. The Exelon Victoria County site would obtain its water from the Calhoun Canal, southeast of Green Lake, via a newly constructed pipeline. The ultimate source of the water would be the Guadalupe River, just downstream of its confluence with the San Antonio River. Preliminary plans include the construction of an approximately 1,300-acre water storage basin east of and adjacent to the proposed 4,800-acre cooling reservoir. The storage basin and an associated pipeline would be operated by the GBRA.

Plans for improvement of transmission system infrastructure are less well defined than facility development plans. Based on preliminary analysis, it appears that it may be necessary to build at least two new transmission lines, including a west-running line that would extend to the Coletto Creek Reservoir area of Goliad County and a northeast-running line that would pass through Calhoun, Jackson, Wharton, and Matagorda Counties.

Potentially Affected Species

Based on a review of historical documents and information on the Texas Parks and Wildlife Department website ("Annotated County lists of Rare Species"), Exelon has developed a preliminary list (Table 1) of state and federally listed species in the six counties that could be affected by the proposed project (including offsite infrastructure). Only two of the protected species listed in Table 1, the white-tailed hawk and the bald eagle, have been observed in the project area by Exelon's consulting biologists. Neither species has been observed nesting in the project area in surveys conducted to date.

Table 1. Protected Species In Counties Associated With the Exelon - Victoria County Site in Texas.

Common Name	Scientific Name	Federal Status ¹	State Status ¹	Counties
Amphibians				
Sheep Frog	<i>Hypopachus variolosus</i>	- T		Calhoun, Goliad
Black-spotted newt	<i>Notophthalmus meridionalis</i>	- T		Calhoun, Goliad, Victoria

April 30, 2008
 Ms. Celeste Brancel
 Page 5

Common Name	Scientific Name	Federal Status ¹	State Status ¹	Counties
Birds				
White-tailed hawk	<i>Buteo albicaudatus</i>	- T		All
Piping plover	<i>Charadrius melodus</i>	LT T		Calhoun, Matagorda
Reddish egret	<i>Egretta rufescens</i>	- T		Calhoun, Jackson, Victoria, Matagorda
Peregrine falcon	<i>Falco peregrinus anatum</i>	DL T		All
Arctic peregrine falcon	<i>Falco peregrinus tundrius</i>	DL T		All
Whooping crane	<i>Grus Americana</i>	LE E		All
Bald eagle	<i>Haliaeetus leucocephalus</i>	DL	T	All
Wood stork	<i>Mycteria americana</i>	- T		All
Eskimo curlew	<i>Numenius borealis</i>	LE E		Calhoun, Matagorda
Brown pelican	<i>Pelecanus occidentalis</i>	LE E		Jackson, Victoria, Matagorda
White-faced ibis	<i>Plegadis chihi</i>	- T		All
Interior least tern	<i>Sterna antillarum athalassos</i>	LE E		Goliad, Jackson, Victoria, Wharton
Sooty tern	<i>Sterna fuscata</i>	- T		Calhoun, Jackson, Matagorda
Attwater's prairie chicken	<i>Tympanuchus cupido attwateri</i>	LE E		Victoria, Wharton
Mammals				
Red wolf	<i>Canis rufus</i>	LE L		All
Jaguarundi	<i>Herpailurus yaguarondi</i>	LE E		Calhoun
Ocelot	<i>Leopardus pardalis</i>	LE E		Calhoun, Goliad, Matagorda
White-nosed coati	<i>Nasua narica</i>	- T		Victoria
West Indian manatee	<i>Trichechus manatus</i>	LE E		Calhoun, Matagorda
Black bear	<i>Ursus americana</i>	T/SA T		Calhoun

April 30, 2008
 Ms. Celeste Brancel
 Page 6

Common Name	Scientific Name	Federal Status ¹	State Status ¹	Counties
Mammals (Continued)				
Louisiana black bear	<i>Ursus americana luteolus</i>	LT T		Jackson, Victoria, Wharton, Matagorda
Reptiles				
Loggerhead sea turtle	<i>Caretta caretta</i>	LT T		Calhoun, Jackson
Texas scarlet snake	<i>Cemophora coccinea lineri</i>	- T		Calhoun, Jackson
Green sea turtle	<i>Chelonia mydas</i>	LT T		Calhoun
Timber/canebrake rattlesnake	<i>Crotalus horridus</i>	- T		All
Leatherback sea turtle	<i>Dermochelys coriacea</i>	LE E		Calhoun
Indigo snake	<i>Drymarchon corais</i>	- T		Goliad
Atlantic hawksbill sea turtle	<i>Eretmochelys imbricata</i>	LE E		Calhoun
Kemp's ridley sea turtle	<i>Lepidochelys kempii</i>	LE E		Calhoun
Texas tortoise	<i>Gopherus berlandieri</i>	- T		Calhoun, Jackson, Goliad, Victoria
Cagle's map turtle	<i>Graptemys caglei</i>	- T		Victoria
Texas horned lizard	<i>Phrynosoma cornutum</i>	- T		Calhoun, Goliad, Jackson

1

LE/E = Endangered; T = Threatened; C = Candidate; - = Not listed; DL = delisted taxon, recovered, monitored for first five years post delisting; SA = listed due to similarity of appearance with a threatened species.

Sources:

TPWD (Texas Parks and Wildlife Department) 2007. Rare, Threatened and Endangered Species of Texas. Available at <http://gis.tpwd.state.tx.us/TpwEndangeredSpecies/DesktopDefault.aspx>.

USFWS (U.S. Fish and Wildlife Service) 2007. County Lists, Lists of Endangered, Threatened, Proposed and Candidate Species for Texas, as of 2007. Available at <http://www.fws.gov/Southwest/es/EndangeredSpecies/lists/ListSpecies.cfm>

April 30, 2008
Ms. Celeste Brancel
Page 7

We would appreciate your providing a letter within 60 days of receiving this correspondence that details any concerns you may have about listed species or critical habitat in the areas potentially affected by construction and operation of the proposed generating facilities and associated infrastructure. Exelon will include a copy of this letter and your response in the Environmental Report that will be submitted to the NRC as part of the COL application.

Please contact Joshua Trembley at 610-765-5345 should you have any questions regarding the project.

Respectfully,

A handwritten signature in black ink, appearing to read 'For KAA', written over a horizontal line.

Kenneth A. Ainger
Director, New Plant Licensing

Attachments: Figure 1.0 50-Mile Region
Figure 2.0 Habitat Types on the Victoria County Site
Figure 3.0 Victoria County Site and Proposed Plant Footprint



Figure 1.0 50-Mile Region




Figure 2.0 Habitat Types on the Victoria County Site




Figure 3.0 Victoria County Site and Proposed Plant Footprint



NP-08-0005

April 30, 2008

Mr. David Bernhart
Asst. Regional Administrator for Protected Resources
NOAA Fisheries Service
Southeast Regional Office
263 13th Avenue South
St. Petersburg, FL 33701

Subject: Proposed Nuclear Plant in Victoria County, Texas
Request for Information on Threatened or Endangered Species

Dear Mr. Bernhart:

Exelon Generation Company, LLC (Exelon) is preparing an application to the U.S. Nuclear Regulatory Commission (NRC) for a Combined Construction and Operating License (COL) that would allow the company to build and operate a new nuclear plant at a site in Victoria County, Texas. Exelon expects to submit the COL application to the U.S. Nuclear Regulatory Commission (NRC) in September 2008.

As part of the licensing process, the NRC requires applicants to “assess the impact of the proposed action on threatened or endangered species in accordance with the Endangered Species Act” (10 CFR 51.53). The NRC will formally consult with your office at a later date under Section 7 of the Endangered Species Act. By contacting you in advance via this letter, our goal is to identify any issues that need to be addressed or any information your office may need to support the NRC consultation.

In the following sections of the letter, we briefly describe the site, the proposed action, and the potentially affected species.

The Site

The Victoria County site is an approximately 11,000 acre tract about 13 miles south of the city of Victoria (see attached Figure 1.0). Botanists, wildlife biologists, and wetlands scientists under contract to Exelon began conducting surveys of the site’s wetlands, plant communities, and wildlife in the fall of 2007.

April 30, 2008

Mr. David Bernhart

Page 2

This work is on-going and will continue through December 2008. In addition, fishery biologists will be conducting seasonal surveys of fish in the site's streams and wetlands in 2008. The surveys are intended to gather baseline information on the site's ecological resources to support the impact assessment and to determine if any sensitive species are present. The surveys are also intended to evaluate the natural communities of the site as potential habitat for sensitive species.

The approximately 11,000-acre site is located on a "bench" or terrace west of the Guadalupe River in southern Victoria County, Texas (Figure 2.0). The terrain is relatively flat in the western portion of the site, sloping gently down toward the eastern side of the site. The topography in the area of northeastern site boundary slopes sharply downward to the Guadalupe River floodplain, more specifically Black Bayou (shown on some maps as *McDonald* Bayou) and Linn Lake, an oxbow lake into which Black Bayou flows.

The site is drained by three streams: Black Bayou and tributaries drain the northern and eastern portion of the site; Dry Kuy Creek and tributaries drain the central and southeastern portions of the site; Kuy Creek and tributaries drain the southwestern portion of the site. Black Bayou and Kuy Creek appear to be perennial streams, based on an October 2007 reconnaissance, while Dry Kuy Creek appears to be an intermittent stream. Dry Kuy Creek and several other small tributary streams held standing water in only their lower-lying sections in October 2007, and are presumed to be mostly dry during extended periods of low rainfall.

In addition to these drainages, the site contains ephemeral depressional wetlands of varying hydroperiod and a number of stock ponds. Some of the wetland depressions appear to have been created when site roads were constructed many years ago and natural drainages were blocked or dammed. The centers of some of the depressional wetlands have been deepened, apparently to provide additional water storage for livestock, creating open water habitats (ponds). Several additional livestock ponds have been created on site, with most augmented by windmill-driven wells.

Most of the wet areas are populated by senna bean (*Sesbania drummondii*), as well as the herbaceous plants delta arrowhead (*Sagittaria platyphylla*), squarestem spikerush (*Eleocharis quadrangulata*), smartweed (*Polygonum* spp.), and assorted sedges and grasses. One of the more persistent depression wetlands also contained cow lilies (*Nuphar advena*). Willows (*Salix nigra*) are the dominant trees along the shores of Linn Lake and Black Bayou, with occasional bald cypress (*Taxodium distichum*).

Although there are gas wells scattered across the property, the approximately 11,000-acre site is used primarily for raising livestock (mostly cattle, with a few

April 30, 2008

Mr. David Bernhart

Page 3

horses). Fencing divides the upland portions of the site into separate grazing units. These grazing units are subjected to prescribed burns on a four-year cycle. The burns are intended to encourage the growth of native grassland vegetation and discourage the formation of thickets of shrubs and low-growing trees such as senna bean, huisache, McCartney rose, and mesquite.

The Proposed Action

Exelon proposes to build and operate two new nuclear generating units, each rated at approximately 1,600 megawatts-electrical (gross). Much of the infrastructure, including the generating units and supporting facilities, would be concentrated in an approximately 300 acre area in the northwest part of the approximately 11,000-acre site, as shown in Figure 3.0.

Site construction activities are expected to be performed in the following sequence:

- Preconstruction planning and exploration activities, including a new meteorology tower built at the northwest corner of the plant property, and such site activities as soil boring/sampling and monitoring wells or additional geophysical borings as allowed by 10 CFR 50.10(a)(2).

This work was completed in early 2008.

- Site preparation activities, to include installation of temporary facilities, construction support facilities, service facilities, utilities, docking and unloading facilities, excavations and backfill for facility structures and foundations, and construction of structures, systems and components (SSCs) that do not constitute "construction" activities as defined by 10 CFR 50.10(a)(1).
- Construction activities will include the major power plant construction activities under the COL.

Exelon has developed a construction schedule based on providing additional electric generation to the regional grid in December 2016 (Unit 1) and June 2018 (Unit 2). Based on preliminary planning, the duration of sequential construction of Units 1 and 2 is estimated to be approximately eight and a half years (from the commencement of site preparation activities to commercial operation of Unit 2).

Offsite infrastructure would be constructed in support of the proposed nuclear generating units, including a heavy-haul road that would be constructed from the plant to a barge slip constructed on the Victoria Barge Canal. The barge slip would accommodate delivery of large components for the construction of the proposed nuclear units. The road would traverse undeveloped land, Black

April 30, 2008

Mr. David Bernhart

Page 4

Bayou, and the Guadalupe River (via a newly constructed bridge). A pipeline for discharging plant effluent to the Guadalupe River would parallel the heavy-haul road for most of its route, then turn south along the river.

Current plans call for the construction of a 4,800-acre cooling reservoir on the site to serve as the source for condenser cooling water (see Figure 3.0). Makeup water for the cooling reservoir would be purchased from the Guadalupe-Blanco River Authority (GBRA). The GBRA operates a system of canals that supply water to industrial, agricultural, and municipal users. The Exelon Victoria County site would obtain its water from the Calhoun Canal, southeast of Green Lake, via a newly constructed pipeline. The ultimate source of the water would be the Guadalupe River, just downstream of its confluence with the San Antonio River. Preliminary plans include the construction of an approximately 1,300-acre water storage basin east of and adjacent to the proposed 4,800-acre cooling reservoir. The storage basin and an associated pipeline would be operated by the GBRA.

Plans for improvement of transmission system infrastructure are less well defined than facility development plans. Based on preliminary analysis, it appears that it may be necessary to build at least two new transmission lines, including a west-running line that would extend to the Coletto Creek Reservoir area of Goliad County and a northeast-running line that would pass through Calhoun, Jackson, Wharton, and Matagorda Counties.

Potentially Affected Species

Based on a review of historical documents and information on the Texas Parks and Wildlife Department website ("Annotated County lists of Rare Species"), Exelon has developed a preliminary list (Table 1) of state and federally listed species in the six counties that could be affected by the proposed project (including offsite infrastructure). Only two of the protected species listed in Table 1, the white-tailed hawk and the bald eagle, have been observed in the project area by Exelon's consulting biologists. Neither species has been observed nesting in the project area in surveys conducted to date.

Table 1. Protected Species In Counties Associated With the Exelon - Victoria County Site in Texas.

Common Name	Scientific Name	Federal Status ¹	State Status ¹	Counties
Amphibians				
Sheep Frog	<i>Hypopachus variolosus</i>	- T		Calhoun, Goliad
Black-spotted newt	<i>Notophthalmus meridionalis</i>	- T		Calhoun, Goliad, Victoria

April 30, 2008

Mr. David Bernhart

Page 5

Common Name	Scientific Name	Federal Status ¹	State Status ¹	Counties
Birds				
White-tailed hawk	<i>Buteo albicaudatus</i>	- T		All
Piping plover	<i>Charadrius melodus</i>	LT T		Calhoun, Matagorda
Reddish egret	<i>Egretta rufescens</i>	- T		Calhoun, Jackson, Victoria, Matagorda
Peregrine falcon	<i>Falco peregrinus anatum</i>	DL T		All
Arctic peregrine falcon	<i>Falco peregrinus tundrius</i>	DL T		All
Whooping crane	<i>Grus Americana</i>	LE E		All
Bald eagle	<i>Haliaeetus leucocephalus</i>	DL	T	All
Wood stork	<i>Mycteria americana</i>	- T		All
Eskimo curlew	<i>Numenius borealis</i>	LE E		Calhoun, Matagorda
Brown pelican	<i>Pelecanus occidentalis</i>	LE E		Jackson, Victoria, Matagorda
White-faced ibis	<i>Plegadis chihi</i>	- T		All
Interior least tern	<i>Sterna antillarum athalassos</i>	LE E		Goliad, Jackson, Victoria, Wharton
Sooty tern	<i>Sterna fuscata</i>	- T		Calhoun, Jackson, Matagorda
Attwater's prairie chicken	<i>Tympanuchus cupido attwateri</i>	LE E		Victoria, Wharton
Mammals				
Red wolf	<i>Canis rufus</i>	LE L		All
Jaguarundi	<i>Herpailurus yaguarondi</i>	LE E		Calhoun
Ocelot	<i>Leopardus pardalis</i>	LE E		Calhoun, Goliad, Matagorda
White-nosed coati	<i>Nasua narica</i>	- T		Victoria
West Indian manatee	<i>Trichechus manatus</i>	LE E		Calhoun, Matagorda
Black bear	<i>Ursus americana</i>	T/SA T		Calhoun

April 30, 2008

Mr. David Bernhart

Page 6

Common Name	Scientific Name	Federal Status ¹	State Status ¹	Counties
Mammals (Continued)				
Louisiana black bear	<i>Ursus americana luteolus</i>	LT T		Jackson, Victoria, Wharton, Matagorda
Reptiles				
Loggerhead sea turtle	<i>Caretta caretta</i>	LT T		Calhoun, Jackson
Texas scarlet snake	<i>Cemophora coccinea lineri</i>	- T		Calhoun, Jackson
Green sea turtle	<i>Chelonia mydas</i>	LT T		Calhoun
Timber/canebrake rattlesnake	<i>Crotalus horridus</i>	- T		All
Leatherback sea turtle	<i>Dermochelys coriacea</i>	LE E		Calhoun
Indigo snake	<i>Drymarchon corais</i>	- T		Goliad
Atlantic hawksbill sea turtle	<i>Eretmochelys imbricata</i>	LE E		Calhoun
Kemp's ridley sea turtle	<i>Lepidochelys kempii</i>	LE E		Calhoun
Texas tortoise	<i>Gopherus berlandieri</i>	- T		Calhoun, Jackson, Goliad, Victoria
Cagle's map turtle	<i>Graptemys caglei</i>	- T		Victoria
Texas horned lizard	<i>Phrynosoma cornutum</i>	- T		Calhoun, Goliad, Jackson

1

LE/E = Endangered; T = Threatened; C = Candidate; - = Not listed; DL = delisted taxon, recovered, monitored for first five years post delisting; SA = listed due to similarity of appearance with a threatened species.

Sources:

TPWD (Texas Parks and Wildlife Department) 2007. Rare, Threatened and Endangered Species of Texas. Available at <http://gis.tpwd.state.tx.us/TpwEndangeredSpecies/DesktopDefault.aspx>.

USFWS (U.S. Fish and Wildlife Service) 2007. County Lists, Lists of Endangered, Threatened, Proposed and Candidate Species for Texas, as of 2007. Available at <http://www.fws.gov/Southwest/es/EndangeredSpecies/lists/ListSpecies.cfm>

April 30, 2008

Mr. David Bernhart

Page 7

We would appreciate your providing a letter within 60 days of receiving this correspondence that details any concerns you may have about listed species or critical habitat in the areas potentially affected by construction and operation of the proposed generating facilities and associated infrastructure. Exelon will include a copy of this letter and your response in the Environmental Report that will be submitted to the NRC as part of the COL application.

Please contact Joshua Trembley at 610-765-5345 should you have any questions regarding the project.

Respectfully,

A handwritten signature in black ink, appearing to read "For KAA". The signature is stylized and includes a large, sweeping flourish above the text.

Kenneth A. Ainger
Director, New Plant Licensing

Attachments: Figure 1.0 50-Mile Region
Figure 2.0 Habitat Types on the Victoria County Site
Figure 3.0 Victoria County Site and Proposed Plant Footprint



Figure 1.0 50-Mile Region




Figure 2.0 Habitat Types on the Victoria County Site




Figure 3.0 Victoria County Site and Proposed Plant Footprint



UNITED STATES DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration

NATIONAL MARINE FISHERIES SERVICE

Southeast Regional Office

263 13th Ave. South

St. Petersburg, Florida 33701

(727) 824-5312, FAX (727) 824-5309

<http://sero.nmfs.noaa.gov>

MAY - 8 2008

F/SER3:EH:tm

Mr. Kenneth A. Ainger
 Director, New Plant Licensing
 Exelon Generation Company, LLC
 200 Exelon Way
 Kennett Square, Pennsylvania 19348

Dear Mr. Ainger:

This correspondence responds to your letter dated April 30, 2008, regarding the proposed licensing of a nuclear power plant in Victoria County, Texas. It appears that the project as described is located distant enough from Endangered Species Act (ESA) listed species, under the National Marine Fisheries Service's (NMFS) purview, that no adverse impacts to them could result from plant construction and operation.

However, ESA consultation is between federal agencies. If Exelon is acting as the designated non-Federal representative for the Nuclear Regulatory Commission (NRC), please submit a copy of the designation letter to NMFS for future consultations.

I have enclosed guidelines for effects analyses and preparation of biological assessments. If you have any ESA questions, please contact our ESA section 7 Coordinator, Eric Hawk at (727) 824-5312 or by e-mail at eric.hawk@noaa.gov.

Sincerely,

David M. Bernhart
 Assistant Regional Administrator
 Protected Resources Division

Enclosure

File: 1514-22.M
 Ref: T/SER/2008/02792



National Marine Fisheries Service
Recommendations for the Contents of
Biological Assessments and Biological Evaluations
O:\FORMS\BA GUIDE-INITGUIDE COMBO .doc

When preparing a Biological Assessment (BA) or Biological Evaluation (BE), keep in mind that the people who read or review this document may not be familiar with the project area or what is proposed by the project. Therefore your BA or BE should present a clear line of reasoning that explains the proposed project and how you determined the effects of the project on each threatened or endangered species, or critical habitat, in the project area. Try to avoid technical jargon not readily understandable to people outside your agency or area of expertise. Remember, this is a **public document**. Some things to consider and, if appropriate, to include in your BA or BE, follow.

1. What is the difference between a Biological Evaluation and a Biological Assessment?

By regulation, a Biological Assessment is prepared for “major construction activities” — defined as “a construction project (or other undertaking having similar physical effects) which is a major Federal action significantly affecting the quality of the human environment (as referred to in the National Environmental Policy Act of 1969 (NEPA) [(42 U.S.C. 4332(2)(C))].” A BA is required if listed species or critical habitat may be present in the action area. A BA also may be recommended for other activities to ensure the agency’s early involvement and increase the chances for resolution during informal consultation. Recommended contents for a BA are described in 50 CFR 402.12(f).

Biological Evaluation is a generic term for all other types of analyses in support of consultations. Although agencies are not required to prepare a Biological Assessment for non-major construction activities, **if a listed species or critical habitat is likely to be affected, the agency must provide the Service with an evaluation on the likely effects of the action.** Often this information is referred to as a BE. The Service uses this documentation along with any other available information to decide if concurrence with the agency’s determination is warranted. Recommended contents are the same as for a BA, as referenced above.

The BAs and BEs should not be confused with Environmental Assessments (EA) or Environmental Impact Statements (EIS) which may be required for NEPA projects. These EAs and EISs are designed to provide an analysis of multiple possible alternative actions on a variety of environmental, cultural, and social resources, and often use different definitions or standards. However, if an EA or EIS contains the information otherwise found in a BE or BA regarding the project and the potential impacts to listed species, it may be submitted in lieu of a BE or BA.

2. What are you proposing to do?

Describe the project. A project description will vary, depending on the complexity of the project. For example, describing the construction or removal of a fixed aid-to-navigation in the Intracoastal Waterway, or the abandonment/dismantling of an oil-producing-platform may be relatively simple, but describing a the extent and amplitude of potential impacts of military training exercises involving different military assets, combinations of weaponry, locations, and seasons would necessarily be more detailed and complex. Include figures and tables if they will help others understand your proposed action and its relationship with the species’ habitat.

How are you (or the project proponent) planning on carrying out the project? What tools or methods may be used? How will the site be accessed? When will the project begin, and how long will it last?

Describe the “action area” (all areas to be affected directly or indirectly by the Federal action and not merely the immediate areas involved in the action [50 CFR 402.02]). Always include a map (topographic maps are particularly helpful). Provide photographs including aerials, if available. Describe the project area (i.e., topography, vegetation, condition/trend).

Describe current management or activities relevant to the project area. How will your project change the area?

Supporting documents are very helpful. If you have a blasting plan, best management practices document, sawfish/sea turtle/sturgeon conservation construction guidelines, research proposal, NEPA or other planning document or any other documents regarding the project, attach them to the BA or BE.

3. What threatened or endangered species, or critical habitat, may occur in the project area?

A request for a species list may be submitted to the Service, or the Federal action agency or its designated representative may develop the list. If you have information to develop your own lists, the Service should be contacted periodically to ensure that changes in species’ status or additions/deletions to the list are included. Sources of biological information on federally-protected sea turtles, sturgeon, Gulf sturgeon (and Gulf sturgeon critical habitat), and other listed species and candidate species can be found at the following website addresses: NMFS Southeast Regional Office, Protected Resources Division (<http://sero.nmfs.noaa.gov/pr/protres.htm>); NMFS Office of Protected Resources (<http://www.nmfs.noaa.gov/pr/species>); U.S. Fish and Wildlife Service (<http://noflorida.fws.gov/SeaTurtles/seaturtle-info.htm>); <http://www.nmfs.noaa.gov/pr/>; <http://www.sad.usace.army.mil/protected%20resources/turtles.htm>; <http://endangered.fws.gov/wildlife.html#Species>; the Ocean Conservancy (<http://www.cmc-ocean.org/main.php3>); the Caribbean Conservation Corporation (<http://www.ccturtle.org/>); Florida Fish and Wildlife Conservation Commission (<http://floridaconservation.org/psm/turtles/turtle.htm>); <http://www.turtles.org>; <http://www.seaturtle.org>; <http://alabama.fws.gov/gs/>; http://obis.env.duke.edu/data/sp_profiles.php; www.mote.org/~colins/Sawfish/SawfishHomePage.html; www.floridasawfish.com; <http://www.flmnh.ufl.edu/fish/Sharks/sawfish/srt/srt.htm>; www.flmnh.ufl.edu/fish/sharks/InNews/sawprop.htm; also, from members of the public or academic community, and from books and various informational booklets. Due to budget constraints and staff shortages, we are only able to provide general, state-wide, or country-wide (territory-wide) species lists.

Use your familiarity with the project area when you develop your species lists. Sometimes a species may occur in the larger regional area near your project, but the habitat necessary to support the species is not in the project area (including areas that may be beyond the immediate project boundaries, but within the area of influence of the project. If, for example, you know that the specific habitat type used by a species does not occur in the project area, it does not need to appear on the species list for the project. However, documentation of your reasoning is helpful for Service biologists or anyone else that may review the document.

4. Have you surveyed for species that are known to occur or have potential habitat in the proposed project area?

The “not known to occur here” approach is a common flaw in many BA/BEs. The operative word here is “known.” Unless adequate surveys have been conducted or adequate information sources have been referenced, this statement is difficult to interpret. It begs the questions “Have you looked?” and “How have you looked?” Always reference your information sources.

Include a clear description of your survey methods so the reader can have confidence in your results. Answer such questions as:

How intensive was the survey? Did you look for suitable habitat or did you look for individuals? Did the survey cover the entire project area or only part of it? Include maps of areas surveyed if appropriate.

Who did the surveys and when? Was the survey done during the time of year/day when the plant is growing or when the animal can be found (its active period)? Did the survey follow accepted protocols?

If you are not sure how to do a good survey for the species, the Service recommends contacting species experts. Specialized training is required before you can obtain a permit to survey for some species.

Remember that your evaluation of potential impacts from a project does not end if the species is/are not found in the project area. You must still evaluate what effects would be expected to the habitat, even if it is not known to be occupied, because impacts to habitat that may result indirectly in death or injury to individuals of listed species would constitute “take”.

5. Provide background information on the threatened or endangered species in the project area.

Describe the species in terms of overall range and population status. How many populations are known? How many occur in the project area? What part of the population will be affected by this project? Will the population’s viability be affected? What is the current habitat condition and population size and status? Describe related items of past management for the species, such as stocking programs, habitat improvements, or loss of habitat or individuals caused by previous projects.

6. How will the project affect the threatened or endangered species or critical habitat that occur in the project area?

If you believe the project will not affect the species, explain why. Effects analyses must include evaluating whether adverse impacts to species’ habitats, whether designated or not, could indirectly harm or kill listed species.

If you think the project may affect the species, explain what the effects might be. The Endangered Species Act requires you consider all effects when determining if an action funded, permitted, or carried out by a Federal agency may affect listed species. Effects you must consider include direct, indirect, and cumulative effects. Effects include those caused by interrelated and interdependent actions, not just the proposed action. Direct effects are those caused by the action and occur at the same time and place as the action. Indirect effects are caused by the action and are later in time but are reasonably certain to occur. Interrelated actions are those that are part of a larger action and depend on the larger action for their justification. Interdependent actions are those that have no significant independent utility apart from the action under consideration. Interrelated or interdependent actions can include actions under the jurisdiction of other federal agencies, state agencies, or private parties. Cumulative effects are those effects of future State or private activities, not involving Federal activities, that are reasonably certain to occur within the action area of the Federal actions subject to consultation.

Describe measures that have or will be taken to avoid or eliminate adverse effects or enhance beneficial effects to the species. Refer to conversations you had with species experts to achieve these results.

Consider recovery potential if the project area contains historic range for a species.

Evaluate impacts to designated critical habitat areas by reviewing any project effects to the physical or biological features essential to the conservation of the species.

7. What is your decision? The Federal action agency must make a determination of effect.

Quite frequently, effect determinations are not necessarily *wrong*; they simply are not justified in the assessment. The assessment should lead the reviewer through a discussion of effects to a logical, well-supported conclusion. Do not assume that the Service biologist is familiar with the project and/or its location and that there is no need to fully explain the impact the project may have on listed species. If there is little or no connection or rationale provided to lead the reader from the project description to the effect determination, we cannot assume conditions that are not presented in the assessment. Decisions must be justified biologically. The responsibility for making and supporting the determination of effect falls on the Federal action agency; however, the Service cannot merely “rubber stamp” the action agency’s determination and may ask the agency to revisit its decision or provide more data if the conclusion is not adequately supported by biological information.

You have three choices for each listed species or area of critical habitat:

1. “No effect” is the appropriate conclusion when a listed species will not be affected, either because the species will not be present or because the project does not have any elements with the potential to affect the species. “No effect” does not include a *small* effect or an effect that is *unlikely* to occur: if effects are insignificant (in size) or discountable (*extremely* unlikely), a “may affect, but not likely to adversely affect” determination is appropriate. A “no effect” determination does **not** require written concurrence from the Service and ends ESA consultation requirements unless the project is subsequently modified in such manner that effects may ensue.
2. “May affect - is not likely to adversely affect” (NLAA) means that all effects are either beneficial, insignificant, or discountable. Beneficial effects have concurrent positive effects without any adverse effects to the species or habitat (i.e., there cannot be “balancing,” wherein the benefits of the project would be expected to outweigh the adverse effects - see #3 below). Insignificant effects relate to the magnitude or extent of the impact (i.e., they must be small and would not rise to the level of a take of a species). Discountable effects are those extremely unlikely to occur. Based on best judgment, a person would not: (1) be able to meaningfully measure, detect, or evaluate insignificant effects; or (2) expect discountable effects to occur. A “NLAA” determination by the action agency requires **written** concurrence from the Service.
3. “May affect - is likely to adversely affect” means that all adverse effects cannot be avoided. A combination of beneficial and adverse effects is still “likely to adversely affect,” even if the net effect is neutral or positive. Adverse effects do not qualify as discountable simply because we are not certain they will occur. The probability of occurrence must be extremely small to achieve discountability. Likewise, adverse effects do not meet the definition of insignificant because they are less than major. If the adverse effect can be detected in any way or if it can be meaningfully articulated in a discussion of the results, then it is not insignificant, it is likely to adversely affect. This requires formal consultation with the Service.

A fourth finding is possible for proposed species or proposed critical habitat:

4. "Is likely to jeopardize/destroy or adversely modify proposed species/critical habitat" is the appropriate conclusion when the action agency identifies situations in which the proposed action is likely to jeopardize a species proposed for listing, or destroy or adversely modify critical habitat proposed for designation. If this conclusion is reached, conference is required.

List the species experts you contacted when preparing the BE or BA but avoid statements that place the responsibility for the decision of "may affect" or "no effect" on the shoulders of the species experts. Remember, this decision is made by the Federal action agency.

Provide supporting documentation, especially any agency reports or data that may not be available to the Service. Include a list of literature cited.

Originally prepared: January 1997
U.S. Fish and Wildlife Service
Arizona Ecological Services Field Office

Revised: January 2006
National Marine Fisheries Service
Protected Resources Division
263 13th Avenue South
St. Petersburg, FL 33701
(727) 824-5312

OUTLINE EXAMPLE FOR A BIOLOGICAL ASSESSMENT OR BIOLOGICAL EVALUATION

Cover Letter - **VERY IMPORTANT** - Include purpose of consultation, project title, and consultation number (if available). A determination needs to be made for each species and for each area of critical habitat. You have three options: 1) a “no effect” determination; 2) request concurrence with an “is not likely to adversely affect” determination; 3) make a “may affect, is likely to adversely affect” determination, and request “formal” consultation. If proposed species or critical habitat are included, state whether the project is likely to result in jeopardy to proposed species, or the destruction or adverse modification of proposed critical habitat. If the critical habitat is divided into units, specify which critical habitat unit(s) will be affected.

Attached to Cover Letter: Biological Assessment or Biological Evaluation document, broken down as follows:

Title: e.g., BA (or BE) for “Project X”; date prepared, and by whom.

A. Project Description - Describe the proposed action and the action area. Be specific and quantify whenever possible.

For Each Species:

1. Description of affected environment (quantify whenever possible)
2. Description of species biology
3. Describe current conditions for each species
 - a. Range-wide
 - b. In the project area
 - c. Cumulative effects of State and private actions in the project area
 - d. Other consultations of the Federal action agency in the area to date
4. Describe critical habitat (if applicable)
5. Fully describe effects of proposed action on each species and/or critical habitat, and species’ response to the proposed action.
 - a. Direct effects
 - b. Indirect effects
 - c. Interrelated and interdependent actions
 - d. Potential incidental take resulting from project activities

Factors to be considered/included/discussed when analyzing the effects of the proposed action on each species and/or critical habitat include: 1) Proximity of the action to the species, management units, or designated critical habitat units; 2) geographic area(s) where the disturbance/action occurs; timing (relationship to sensitive periods of a species’ lifecycle; 3) duration (the effects of a proposed action on listed species or critical habitat depend largely on the duration of its effects); 4) disturbance frequency (the mean number of events per unit of time affects a species differently depending on its recovery rate); 5) disturbance intensity (the effect of the disturbance on a population or species as a function of the population or species’ state after the disturbance); 6) disturbance severity (the effect of a disturbance on a population or species or habitat as a function of recovery rate – i.e., how long will it take to recover)

6. Conservation Measures (protective measures to avoid or minimize effects for each species)
7. Conclusions (effects determination for each species and critical habitat)
8. Literature Cited
9. Lists of Contacts Made/Preparers
10. Maps/Photographs

Guidance on Preparing an Initiation Package for Endangered Species Consultation

This document is intended to provide general guidance on the type and detail of information that should be provided to initiate consultation with U.S. Fish and Wildlife Service (USFWS) and/or National Marine Fisheries Service (NMFS). This is not intended to be an exhaustive document as specific projects may require more or less information in order to initiate consultation. Also, note that this contains guidance on the information required to initiate formal consultation procedures with USFWS and/or NMFS.

Additional information needs may be identified during consultation. Texts in italics below are examples. Normal text is guidance. A glossary of terms is appended.

INTRODUCTION

Here is an example of introductory language:

The purpose of this initiation package is to review the proposed [project name] in sufficient detail to determine to what extent the proposed action may affect any of the threatened, endangered, proposed species and designated or proposed critical habitats listed below. In addition, the following information is provided to comply with statutory requirements to use the best scientific and commercial information available when assessing the risks posed to listed and/or proposed species and designated and/or proposed critical habitat by proposed federal actions. This initiation package is prepared in accordance with legal requirements set forth under regulations implementing Section 7 of the Endangered Species Act (50 CFR 402; 16 U.S.C. 1536 (c)).

Threatened, Endangered, Proposed Threatened or Proposed Endangered Species

Example language:

The following listed and proposed species may be affected by the proposed action:

common name (Scientific name) T

common name (Scientific name) E

common name (Scientific name) PT

common name (Scientific name) PE

This list should include all of the species from the species lists you obtained from USFWS and NMFS. If it doesn't, include a brief explanation here and a more detailed explanation in your record to help USFWS, NMFS and future staff understand your thought process for excluding a species from consideration.

Critical Habitat

Example language:

The action addressed within this document falls within Critical Habitat for [identify species].

CONSULTATION TO DATE

“Consultation” under the ESA consists of discussions between the action agency, the applicant (if any), and USFWS and/or NMFS. It is the sharing of information about the proposed action and related actions, the species and environments affected, and means of achieving project purposes while conserving the species and their habitats. Under the ESA, consultation can be either informal or formal. Both processes are similar, but informal consultation may result in formal consultation if there is a likelihood of unavoidable take. Formal consultation has statutory timeframes and other requirements (such as the submission of the information in this package and a written biological opinion by USFWS or NMFS).

Summarize any consultation that has occurred thus far. Identify when consultation was requested (if not concurrent with this document). Be sure to summarize meetings, site visits and correspondence that were important to the decision-making process.

DESCRIPTION OF THE PROPOSED ACTION

The purpose of this section is to provide a clear and concise description of the proposed activity and any interrelated or interdependent actions.

The following information is necessary for the consultation process on an action:

1. The action agency proposing the action.
2. The authority(ies) the action agency will use to undertake, approve, or fund the action.
3. The applicant, if any.
4. The action to be authorized, funded, or carried out.
5. The location of the action.
5. When the action will occur, and how long it will last.
6. How the action will be carried out
7. The purpose of the action.
8. Any interrelated or interdependent actions, or that none exist to the best of your knowledge.

Describe and specify: **WHO** is going to do the action and under what authority, include the name and office of the action agency and the name and address of the applicant; **WHAT** the project or action is; **WHERE** the project is (refer to attached maps); **WHEN** the action is going to take place, including time line and implementation schedules; **HOW** the action will be accomplished, including the various activities that comprise the whole action, the methods, and the types of equipment used; **WHY** the action is proposed, including its purpose and need; and **WHAT OTHER** interrelated and interdependent actions are known. This combination of actions are what is being consulted on for the 7(a)(2) analysis.

Include a clear description of all conservation measures and project mitigation such as avoidance measures, seasonal restrictions, compensation, restoration/creation (on-site and in-kind, off-site and in-kind, on-site and out-of-kind, off-site and out-of-kind), and use of mitigation or conservation banks.

Here are some examples of commonly overlooked items to include in your project description:

Type of project

Project location

Project footprint

Avoidance areas

Start and end times

Construction access

Staging/laydown areas

Construction equipment and techniques

Habitat status on site

Habitat between work areas and endangered species locations

Permanent vs. temporary impacts

Surrounding land-use
 Hydrology and drainage patterns
 Duration of “temporary” impacts
 Prevailing winds and expected seasonal shifts
 Restoration areas
 Conservation measures
 Compensation and set-asides
 Bank ratios and amounts
 Mitigation: what kind and who is responsible?
 Dust, erosion, and sedimentation controls
 Whether the project is growth-inducing or facilitates growth
 Whether the project is part of a larger project or plan
 What permits will need to be obtained

Action Area

Describe all areas to be affected directly or indirectly by the Federal action and not merely the immediate area involved in the action. This includes any interrelated and interdependent actions. Remember that the action area is not based simply on the Federal action and should not be limited to the location of the Federal action. The same applies to the applicant’s action. The action area is defined by measurable or detectable changes in land, air and water, or to other measurable factors that may elicit a response in the species or critical habitat.

To determine the action area, we recommend that you first break the action down into its components (*e.g.*, vegetation clearing, construction of cofferdams, storage areas, borrow areas, operations, maintenance, etc.) to assess the potential impacts resulting from each component.

Determine the impacts that are expected to result from each component. For example, instream actions may mobilize sediments that travel downstream as increased turbidity and then settle out as sediments on the stream substrate. Sound levels from machinery may be detectable hundreds of feet, thousands of feet, or even miles away. Use these distances when delineating the extent of your action area. Note: don’t forget to subsequently reconstruct the action to assess the combined stressors of the components. You may find that some stressors are synergistically minimized or avoided, whereas other stressors may increase.

Finally, describe the action area, including features and habitat types. Include photographs and an area map as well as a vicinity map. The vicinity map for terrestrial projects should be at a 1:24,000 scale with the USGS quad name included.

SPECIES ACCOUNTS AND STATUS OF THE SPECIES IN THE ACTION AREA

Provide local information on affected individuals and populations, such as presence, numbers, life history, etc. Identify which threats to the species’ persistence identified at the time of listing are likely to be present in the action area. Identify any additional threats that are likely to be present in the action area.

If the species has a distribution that is constrained by limiting factors, identify where in the action area factors are present that could support the species and where they are absent or limiting. For example, if a species is limited to a narrow thermal range and a narrow humidity range, show where in the action area

the temperatures are sufficient to support the species, where the humidity is sufficient to support the species, and where those areas overlap.

Include aspects of the species' biology that relate to the impact of the action, such as sensitivity to or tolerance of: noise, light, heat, cold, inundation, smoke, sediments, dust, etc. For example, if the species is sensitive to loud sounds or vibration, and your project involves loud tools or equipment, reference that aspect of their biology. Include citations for all sources of information

Describe habitat use in terms of breeding, feeding, and sheltering. Describe habitat condition and habitat designations such as: critical habitat (provide unit name or number, if applicable), essential habitat, important habitat, recovery area, recovery unit (provide unit name or number, if applicable). Also discuss habitat use patterns, including seasonal use and migration (if relevant), and identify habitat needs.

Identify and quantify the listed-species habitat remaining in the action area. GIS layers are useful here, as are land ownership patterns--especially local land trusts and open space designations.

Identify any recovery plan implementation that is occurring in the action area, especially priority one action items from recovery plans.

Include survey information. For all monitoring and survey reports, please clearly identify how it was done, when, where, and by whom. If survey protocols were followed, reference the name and date of the protocol. If survey protocols were modified, provide an explanation of how the surveying occurred and the reasoning for modifying the protocol.

Keep it relevant. It is unnecessary to discuss biology that is totally unrelated to project impacts--*e.g.*, discussion of pelage color, teat number, and number of digits fore and aft when the project is a seasonal wetland establishment.

Utilize the best scientific and commercial information available. Use and cite recent publications/journal articles/agency data and technical reports. Include local information, relative to the action area, views of recognized experts, results from recent studies, and information on life history, population dynamics, trends and distribution. Reference field notes, unpublished data, research in progress, etc.

Things to consider:

Existing threats to species

Fragmentation

Urban growth area

Drainage patterns

Information on local sightings and populations

Population trends

Home range and dispersal

Sensitivity of endangered species to: dust, noise, heat, desiccation, etc.

Trap stress/mortality

Predators

ENVIRONMENTAL BASELINE AND CUMULATIVE EFFECTS

Provide information on past, present and future state, local, private, or tribal activities in the action area: specifically, the positive or negative impacts those activities have had on the species or habitat in the area in terms of abundance, reproduction, distribution, diversity, and habitat quality or function. Include the impacts of past and present federal actions as well. Don't forget to describe the impacts of past existence and operation of the action under consultation (for continuing actions).

Cumulative effects include the effects of future State, Tribal, local or private actions that are reasonably certain to occur in the action area. Future Federal actions that are unrelated (*i.e.*, not interrelated or interdependent) to the proposed action are not considered in this analysis because they will be subject to separate consultation pursuant to section 7 of the Act. (Note: Cumulative effects under ESA are ***not*** the same as the definition under NEPA. Be careful not to mix them up.) Describe the impacts of these cumulative effects in terms of abundance, reproduction, distribution, diversity, and habitat quality or function.

Present all known and relative effects to population, *e.g.*, fish stocking, fishing, hunting, other recreation, illegal collecting, private wells, development, grazing, local trust programs, etc. Include impacts to the listed and proposed species in the area that you know are occurring and that are unrelated to your action-- *e.g.*, road kills from off-road vehicle use, poaching, trespass, etc.

EFFECTS OF THE ACTION

The purpose of this section is to document your analysis of the potential impacts the proposed action will have on species and/or critical habitats. This analysis has two possible conclusions for listed species and designated critical habitat:

(1) May Affect, Not Likely to Adversely Affect – the appropriate conclusion when effects on a listed species are expected to be *discountable*, *insignificant*, or completely *beneficial*.

Beneficial effects – contemporaneous positive effects without any adverse effects

Insignificant effects – relate to the size of the impact and should never reach the scale where take would occur.

Discountable effects – those that are extremely unlikely to occur. Based on best judgment, a person would not: (1) be able to meaningfully measure, detect, or evaluate insignificant effects; or (2) expect discountable effects to occur.

(2) May Affect, Likely to Adversely Affect – the appropriate finding if *any* adverse effect may occur to listed species or critical habitat as a direct or indirect result of the proposed action or its interrelated or interdependent actions, and the effect is not discountable, insignificant, or beneficial.

A finding of “may affect” is the primary trigger for initiating section 7 consultation. Further analysis leads to one of the two conclusions above. In the case of a determination that an action is “not likely to adversely affect” a species or critical habitat, you can request USFWS and/or NMFS concurrence with this determination and consultation can be concluded upon receipt of our concurrence. Determinations of “likely to adversely affect” require further consultation between the action agency and USFWS and NMFS. These consultations typically lead to the preparation of a biological opinion, although they can also lead to incorporation of additional protective measures that render the project “not likely to adversely affect” listed species or designated critical habitat. Any actions that are likely to result in the incidental take of a listed species are automatically considered “likely to adversely affect.”

In the case of proposed species or proposed critical habitat, the possible conclusions are:

Species

Likely to Jeopardize the Continued Existence

Not Likely to Jeopardize the Continued Existence

Critical Habitat

Likely to Destroy or Adversely Modify

Not Likely to Destroy or Adversely Modify

The effects analysis includes assessment of:

Direct and indirect effects (stressors) of Federal action

Direct and indirect effects (stressors) of applicant’s action

Direct and indirect effects (stressors) of interrelated or interdependent actions

Direct and indirect effects (stressors) of conservation and minimization measures

Remember: Direct and indirect effects under ESA are **not** the same as direct and indirect effects under NEPA. Be careful not to mix them up. Under ESA, direct effects are those that are caused by the action(s) and occur at the time of the action(s), and indirect effects are those that are caused by the action(s) and are later in time, but are still reasonably certain to occur.

Based on the various components of your action that you used to determine the extent of the action area, this analysis assesses the potential stressors resulting from each component and predicts the likely responses species and critical habitat will have. Note: don't forget to subsequently reconstruct the action to assess the combined stressors of the components. You may find that some stressors are synergistically minimized or avoided, whereas other stressors may increase.

Describe the stressors that are expected to result from each component. For example, instream actions may mobilize sediments that travel downstream as increased turbidity and then settle out as sediments on the stream substrate. Sound levels from machinery may be detectable hundreds of feet, thousands of feet, or even miles away. Describe these stressors in terms of their intensity, frequency, and duration.

Once you have determined the expected stressors resulting from an activity, the next step is to assess the overlap between those stressors and individuals of the species or components of critical habitat. The purpose of determining this overlap is to accurately and completely assess the potential exposure of species and habitat to the stressors resulting from the action. This exposure is the necessary precursor to any possible response those species and habitat may have. Your conclusions of "not likely to adversely affect" or "likely to adversely affect" are based in large part on this response.

To determine exposure, here is a basic set of questions you might answer:

- What are the specific stressors causing the exposure
- Where the exposure to the stressors would occur
- When the exposure to stressors would occur
- How long the exposure to stressors would occur
- What is the frequency of exposure to stressor
- What is the intensity of exposure to stressor
- How many individuals would be exposed
- Which populations those individuals represent
- What life stage would be exposed

For critical habitat, the questions would be similar but would focus on constituent elements of critical habitat.

Remember that exposure to a stressor is not always direct. For example, in some cases individuals of a species may be directly exposed to the sediment mobilized during construction. However, in other cases, individuals of the species would be exposed indirectly when sediment mobilized during construction settles out in downstream areas, rendering those areas unusable for later spawning or foraging.

Here are some examples of stressors you should address:

Exposure to abiotic factors affecting land, air, or water

Exposure to biotic factors affecting species behavior

Spatial or temporal changes in primary constituent elements of critical habitat

Loss or gain of habitat--direct and indirect

Fragmentation of habitat

Loss or gain of forage and/or foraging potential

Loss or gain of shelter/cover

Loss or gain of access through adjacent habitat/loss of corridors determine the potential response or range of responses the exposed individuals or components of critical habitat will have to those levels and types of exposure.

This is where the use of the best scientific and commercial information available becomes crucial. Your analysis must take this information into consideration and the resulting document must reflect the use of this information and your reasoning and inference based on that information. Bear in mind that this analysis may not be the final word on the expected responses as further consultation with USFWS or NMFS may refine this analysis.

Be sure to describe the expected responses clearly and focus your analysis towards determining if any of the possible responses will result in the death or injury of individuals, reduced reproductive success or capacity, or the temporary or permanent blockage or destruction of biologically significant habitats (*e.g.*, foraging, spawning, or lekking grounds; migratory corridors, etc.). Any of these above responses are likely to qualify as adverse effects. If the available information indicates that no observable response is expected from the levels and types of exposure, the action may be unlikely to adversely affect a species or critical habitat. However, remember that no observable response may actually mask an invisible internal response such as increased stress hormone levels, elevated heart rate, etc. Depending on the fitness of the exposed individual and the surrounding environment (including other threats), these “invisible” responses may lead to more serious consequences. We recommend working with your NMFS or USFWS contact to determine the appropriate conclusion.

Don't forget to consider:

Individual responses based on the species biology and sensitivity to exposure

The combined effects of existing threats and new exposure

The combined effects of limiting factors and new exposure

Disrupted reproduction and/or loss of reproduction

Exposure and response of species and critical habitat to interrelated and interdependent actions

Understanding and avoiding the common flaws in developing an effect determination will save you considerable time. These common flaws are: the “Displacement” Approach (*i.e.*, the species will move out of the way; there are plenty of places for them to go); the “Not Known to Occur Here” Approach (*i.e.*, looking at survey results, or lack of results, instead of the Recovery Plan for the species); the “We’ll Tell You Later” Approach (*i.e.*, if we find any, then we’ll let you know and that is when we will consult); or the “Leap of Faith” Approach (*i.e.*, the agency wants the USFWS or NMFS to accept a determination based on trust, rather than the best scientific and commercially available information.). Sticking to flawed determinations will cost everyone time, money, and aggravation.

Analysis of alternate actions

This analysis is required for actions that involve preparation of an EIS. For all other actions, a summary of alternatives discussed in other environmental documents is useful.

OTHER RELEVANT INFORMATION

Provide any other relevant available information the action, the affected listed species, or critical habitat. This could include local research, studies on the species that have preliminary results, and scientific and commercial information on aspects of the project.

CONCLUSION

This is where you put your overall effect determination after you have analyzed the exposure and response of species and habitat to the stressors resulting from the proposed action and interrelated or interdependent actions. Effect determinations must be based on a sound reasoning from exposure to response and must be consistent with types of actions in the project description, the biology in the species accounts, the habitat status and condition, changes to the existing environment, and the best scientific and commercial information available.

Again, the two potential conclusions for **listed species** are:

Not likely to adversely affect species

Likely to adversely affect species

The two potential conclusions for **designated critical habitat** are:

Not likely to adversely affect critical habitat

Likely to adversely affect critical habitat

The two potential conclusions for **proposed species** are:

Not likely to jeopardize species

Likely to adversely jeopardize species

The potential conclusions for **proposed critical habitat** are, under informal and formal consultation respectively:

Not likely to adversely affect species

Likely to adversely affect species

Not likely to destroy or adversely modify critical habitat

Likely to destroy or adversely modify critical habitat

Include the basis for the conclusion, such as discussion of any specific measures or features of the project that support the conclusion and discussion of species expected response, status, biology, or baseline conditions that also support conclusion.

If you make a "no effect" determination, it doesn't need to be in the assessment, but you might have to defend it. Keep the documentation for your administrative record.

LIST OF DOCUMENTS

Provide a list of the documents that have bearing on the project or the consultation, this includes relevant reports, including any environmental impact statements, environmental assessment, or biological assessment prepared for the project. Include all planning documents as well as the documents prepared in conformance with state environmental laws

IMPORTANT NOTE: Each of these documents must be provided with the initiation package consultation for the Services to be able to proceed with formal consultation.

LITERATURE CITED

We are all charged with using the best scientific and commercial information available. To demonstrate you did this, it is a good idea to keep copies of search requests in your record. If you used a personal communication as a reference, include the contact information (name, address, phone number, affiliation) in your record.

LIST OF CONTACTS/CONTRIBUTORS/PREPARERS

Please include contact information for contributors and preparers as well as local experts contacted for species or habitat information.

GLOSSARY

Action Area - all areas to be affected directly or indirectly by the Federal action and not merely the immediate area involved in the action.

Beneficial Effects – contemporaneous positive effects without any adverse effects.

Cumulative Effects – are those effects of future State or private activities, not involving Federal activities, that are reasonably certain to occur in the action area of the Federal action subject to consultation.

Discountable Effects – those that are extremely unlikely to occur. Based on best judgment, a person would not: (1) be able to meaningfully measure, detect, or evaluate insignificant effects; or (2) expect discountable effects to occur.

Effects of the Action – refers to the direct and *indirect effects* of an action on the species or critical habitat, together with the effects of other activities that are *interrelated* or *interdependent* with that action, that will be added to the environmental baseline.

Environmental Baseline – includes the past and present impacts of all Federal, State, or private actions and other human activities in the action area, the anticipated impacts of all proposed Federal projects in the action area that have already undergone formal or early section 7 consultation, and the impact of State or private actions that are contemporaneous with the consultation in process.

Indirect Effects - Indirect effects are those that are caused by the action(s) and are later in time, but are still reasonably certain to occur.

Insignificant Effects – relate to the size of the impact and should never reach the scale where take would occur.

Interdependent Actions - Interdependent actions are those that have no significant independent utility apart from the action that is under consideration, *i.e.* other actions would not occur “but for” this action.

Interrelated Actions - Interrelated actions are those that are part of a larger action and depend on the larger action for their justification, *i.e.* this action would not occur “but for” a larger action.

Likely to Jeopardize the Continued Existence of – to engage in an action that reasonably would be expected, directly or indirectly, to reduce appreciably the likelihood of both the survival and recovery of a listed species in the wild by reducing the reproduction, numbers, or distribution of that species.

May Affect, Likely to Adversely Affect – the appropriate finding if any adverse effect may occur to listed species or critical habitat as a direct or indirect result of the proposed action or its interrelated or interdependent actions, and the effect is not discountable, insignificant, or beneficial. Requires that a biological opinion be prepared by the Service.

May Affect, Not Likely to Adversely Affect – the appropriate conclusion when effects on a listed species are expected to be *discountable*, *insignificant*, or completely *beneficial*. Requires written concurrence from the Service.

No Effect – the appropriate conclusion when a listed species will not be affected, either because the species will not be present or because the project does not have any elements with the potential to affect the species. A “no effect” determination does **not** require written concurrence from the Service and ends ESA consultation requirements. Action agency should document their reasoning for this conclusion in their file.



NP-08-0007

May 20, 2008

Mr. John Wong
US Army Corps of Engineers
Corpus Christi Field Office
5151 Flynn Parkway
Corpus Christi, Texas 78411

Subject: Request for Jurisdictional Determination at Exelon's Victoria County Site

Dear Mr. Wong:

Exelon Generation Company, LLC (Exelon) is preparing a combined construction and operating license (COL) application for submittal to the Nuclear Regulatory Commission (NRC) for a proposed nuclear power plant in Victoria County, Texas. Additionally, Exelon is seeking other federal, state, and local approvals that will be required to construct and operate the proposed plant and appurtenant facilities.

Attached Figure 1 shows the proposed location for the project in Victoria County. The proposed undertaking will occur approximately 13 miles south of Victoria and one mile north of McFaddin. To the west of the site is U.S. Highway 77, and to the east are Linn Lake and the Guadalupe River. The proposed project site can be found on the United States Geological Survey (USGS) 7.5 minute McFaddin, Raisin, Bloomington, and Bloomington SW, Texas (all 1995) topographic quadrangles.

The proposed undertaking will include construction and operation of a nuclear power generation plant with two reactors and associated plant facilities, all co-located in the northern portion of the approximately 11,000-acre project site. A large portion of the site will be used for an approximately 6,100-acre cooling basin and reservoir. The project will also include the construction of various offsite infrastructure to support construction and operation of the proposed nuclear plant.

Exelon met with representatives of the Galveston District of the US Army Corps of Engineers (USACE) in regard to the proposed project on October 9, 2007. At that time, Exelon's Matagorda County site was discussed as the subject site for the proposed project. Subsequently, Exelon chose the Victoria County site as the subject for its COL application and met with you in the USACE Corpus Christi Field Office, on December 4, 2007, to discuss the delineation of Clean Water Act (CWA) Section 404 / Rivers and Harbors Act of 1899 (RHA) Section 10 jurisdictional waters at the proposed Victoria County site.

May 20, 2008
Mr. John Wong
Page 2

The following key points were discussed during the December 4, 2007 meeting, and in follow-up correspondence between you and Mr. Peyton Doub of Tetra Tech NUS, Inc.:


- Given the project location in the coastal plain, the wetland delineation should follow the 1987 Corps of Engineers Wetland Delineation Manual (1987 Manual), but not any of the proposed Supplemental Manuals.
- Due to the size of the property and the presence of many miles of intermittent and ephemeral streams of uncertain regulatory status, it was agreed that Exelon will perform a wetland delineation using aerial photography and ground truthing, and complete field data sheets, but will not precisely survey the delineated boundaries using survey equipment. Upon completion of the USACE jurisdictional determination (JD), Exelon will precisely survey the delineated boundaries of each wetland or other surface water feature determined to be jurisdictional. The detailed follow-up survey will be performed prior to submitting the Department of Army (DA) Permit application.
- Exelon indicated that it will submit the JD request for the site proper in advance of the DA Permit Application and / or additional JD requests for offsite areas that could be affected by the proposed project.

The attached JD request is consistent with the above points. That is, the JD request is for the Victoria County Site (i.e., it does not include offsite areas), and the supporting Wetland Report and JD information forms (commonly referred to as "Rapanos Forms") were based on screening level surveys and prepared in accordance with the 1987 Manual.

Exelon requests a meeting with the USACE within approximately 30 days of receipt of the JD request to discuss the information presented in the JD request, site access issues, and project timing. Please note that, although Exelon is preparing a COL application for the Victoria County Site, no commitment has been made at this time to construct the proposed nuclear plant.

If you have any questions, please contact Mr. Joshua Trembley at 610-765-5345.

Respectfully,



Kenneth A. Ainger
Director, New Plant Licensing

Enclosures: Request For Jurisdictional Determination at Exelon's Victoria County Site
Figure 1 - Map of Proposed Victoria County Site

cc: Brian Bader, USACE Galveston District



Life's better outside.™

July 8, 2008

Mr. Kenneth Ainger
 Exelon Generation
 200 Exelon Way
 Kennett Square, PA 19348

Commissioners

Peter M. Holt
 Chairman
 San Antonio

T. Dan Friedkin
 Vice-Chairman
 Houston

Mark E. Bivins
 Amarillo

J. Robert Brown
 El Paso

Ralph H. Duggins
 Fort Worth

Antonio Falcon, M.D.
 Rio Grande City

Karen J. Hixon
 San Antonio

Margaret Martin
 Boerne

John D. Parker
 Lufkin

Lee M. Bass
 Chairman-Emeritus
 Fort Worth

Carter P. Smith
 Executive Director

RE: Proposed application for combined licenses for the proposed Victoria County Nuclear Facility, Victoria County.

Dear Mr. Ainger:

The Texas Parks and Wildlife Department (TPWD) has received your request for information regarding potential impacts to threatened and endangered species and for information on other issues of concern relating to the project referenced above. Under §12.0011 of the Texas Parks and Wildlife Code, TPWD is charged with "providing recommendations that will protect fish and wildlife resources to local, state, and federal agencies that approve, permit, license, or construct developmental projects" and "providing information on fish and wildlife resources to any local, state, and federal agencies or private organizations that make decisions affecting those resources."

Exelon proposes to build and operate two nuclear generating units, each rated at approximately 1,600 megawatts-electrical (gross). Much of the infrastructure, including the generating units and supporting facilities, would be concentrated in an approximately 300-acre area in the northwest part of the approximately 11,000-acre site located in Victoria County. The proposed project also includes offsite infrastructure to facilitate construction and operation.

Offsite infrastructure would be constructed in support of the proposed nuclear generating units, including a heavy-haul road that would be constructed from the plant to a barge slip constructed on the Victoria Barge Canal. The barge slip would accommodate delivery of large components for the construction of the proposed nuclear units. The road would traverse undeveloped land, Black Bayou, and will include a new bridge across the Guadalupe River. A pipeline for discharging plant effluent to the Guadalupe River would parallel the heavy-haul road for most of its route, and then turn south along the river.

Current plans call for the construction of a 4,800-acre cooling reservoir on the site to serve as the source for condenser cooling water. Makeup water for the cooling reservoir would be purchased from the Guadalupe-Blanco River Authority (GBRA). The GBRA operates a system of canals that supply water to industrial, agricultural, and municipal users. The Exelon Victoria County site would obtain

Mr. Kenneth Ainger
July 8, 2008
Page Two

its water from the Calhoun Canal, southeast of Green Lake, via a newly constructed pipeline. The ultimate source of the water would be the Guadalupe River, just downstream of its confluence with the San Antonio River. Preliminary plans include the construction of an approximately 1,300-acre water storage basin east of and adjacent to the proposed 4,800-acre cooling reservoir. The storage basin and associated pipeline would be operated by the GBRA.

Plans for improvement of transmission system infrastructure are less well defined than facility development plans. Based on preliminary analysis, it appears that it may be necessary to build at least two new transmission lines, including a west-running line that would extend to the Coleto Creek Reservoir area of Goliad County and a northeast-running line that would pass through Calhoun, Jackson, Wharton, and Matagorda counties.

Project Information

Detailed information regarding impacts of the proposed project on fish and wildlife resources were not provided. Therefore, it is not possible to adequately assess the potential impacts of this project upon fish and wildlife resources. TPWD requests that Exelon provide detailed information regarding the proposed project impacts on fish and wildlife resources and address the following concerns and questions.

Water Resources

- *Regional water availability.* Demonstrate sufficient surface/groundwater supplies are available for the proposed project and documented in regional and state water plans.
- *Quantity, timing, and location of water discharges.* Address the discharges related to plant operation and any hydrostatic testing; these discharges may alter flow regimes within the lower Guadalupe River and its nearby estuary, San Antonio Bay. San Antonio Bay supports a diverse and healthy community including oysters, crabs, shrimp, and fish for recreation and commercial harvesting, which should be considered in water resource impact assessments.
- *Quantity, timing and location of water diversions and intakes.* Address the impacts related to the supply and diversion of makeup water on

Mr. Kenneth Ainger
July 8, 2008
Page Three

ecosystem health of affected rivers and bays, including long-term impacts to eggs, larvae, and nekton.

- *Water quality.* Address the changes in existing water quality parameters (temperature, dissolved oxygen, turbidity, chemical constituents) in the receiving water, especially during low flow and drought conditions when there is less water in the receiving stream for dilution, which may be caused by discharges. Discharges of hydrostatic testing waters (if necessary for this project) may contain toxic water additives that would affect fish through acute or chronic toxicity; and may affect reproduction, growth, and recruitment. Address the potential impacts to filter feeding species such as mussels, clams, and oysters, which are particularly vulnerable to the introduction of pollutants or disturbance of sediments affecting water quality, instream and estuarine habitat.
- *Aquatic riparian terrestrial habitat; particularly rare, threatened, and endangered species habitats.* Address the impacts from removal of riparian vegetation and compensation plans for revegetation or compensation. Overhanging vegetation in riparian and wetland areas, undercut banks, logs and other streamside features provide cover for aquatic species. These types of cover and instream habitats could be disturbed by clearing and trenching during construction resulting in decreased shading, increased water temperature, and displacement of wildlife from disturbed areas.
- *Efficient use of surface/groundwater.* It is unclear if there is still the option for the design to change to use cooling towers versus a cooling reservoir. TPWD would have increased concerns should the proposed project include cooling towers, due to the increased amount of water loss from cooling towers.
- *The proposed sampling plan for aquatic resources.* The proposed sampling plan is inadequate. Texas is subject to extreme inter-annual variation in rainfall and hence in stream flows; therefore the Texas Commission on Environmental Quality (TCEQ) has established sampling protocols that require, at a minimum, two years of sampling to characterize a waterbody. Sampling includes fish, benthics, habitat, flow, 24-hour diel parameters and water chemistry characterization. The fact sheets are on the TCEQ Web site for Use Attainability Analyses or Aquatic Life

Mr. Kenneth Ainger
July 8, 2008
Page Four

Assessment at http://www.tceq.state.tx.us/assets/public/compliance/monops/water/wqm/biofact_sheets_may06.pdf. These should be used in any proposed sampling plan for Texas.

- *Implementation of the Cooling Water Intake Structure.* As the agency with the responsibility and authority to manage fish populations in the state, TPWD should be included in any discussion regarding implementation of the Cooling Water Intake Structure rules. The cooling impoundment will have a substantial fish population; it should not be assumed that construction and use of a cooling impoundment will qualify as closed cycle cooling by the TCEQ. Most power plants in Texas that use cooling impoundments are subject to Phase II requirements.
- *Discharge permit.* Since the cooling impoundment will have a substantial fish population, the discharge permit should have effluent limitations for temperature.
- *Water Needs Plan.* TPWD requests that a Water Needs Plan be developed, detailing the expected amount of water needed to be withdrawn from the Calhoun Canal in order to supply the Main Cooling Reservoir (MCR) with the required makeup water and potential impacts and cumulative impacts to San Antonio Bay from reduced freshwater inflows into the bay.

Riparian Impacts

According to the environmental document, the Guadalupe River floodplain, Black Bayou and tributaries, Dry Kuy Creek and tributaries, Kuy Creek and tributaries would be impacted by the proposed project.

The area between the proposed site and the Victoria Barge Canal floods frequently and stays flooded for long periods of time. When these flood events occur, wildlife disperses out of the floodplain and utilizes the adjacent upland as refuge during these events. The proposed site occupies a very important dispersal area for wildlife during these flood events, and the facility design does not appear to allow for any utilization during these periods. Highway mortalities are higher during these flood events in the area surrounding the floodplain and will surely increase when this immediate adjacent habitat is removed.

The haul road will likely create blocks and/or change normal water flow within the floodplain. This will not only impact the duration of floods but it will most

Mr. Kenneth Ainger
July 8, 2008
Page Five

likely adversely impact the plant communities and the wildlife dependent on them, including the upstream flooding possibilities. This floodplain is approximately 3.5 miles across and floods the entire basin for months at a time during some events, and log jams occur, which prolong flood events. Any infrastructure, including a haul road, built over this floodplain must be constructed so as to have a minimal impact during these (mostly annual) events. Upstream flooding could occur if the hydrology is altered.

Recommendations: If the haul road is temporary, it should be built at grade, to avoid altering the current hydrology as little as possible, and not present an impoundment that will increase the number of log jams during flood events. The road should be graded and restored to native vegetation after construction is complete.

If the haul road is permanent, it should be constructed with as much free span as is possible, to avoid permanently altering the normal river and flood flows.

Woody riparian vegetation usually reflects high value wildlife habitat by providing sources of food, cover, nesting and roosting. Ecologically, it stabilizes stream banks, provides shaded microenvironments, and improves water quality by slowing flood waters, filtering pollutants and retaining sediment. The degree of adverse impacts to wildlife habitat resulting from direct loss of riparian vegetation relates directly to the quantity of vegetation lost, the quality of the vegetation assemblage in fulfilling the life requisites of the organisms using it, and the proposed mitigative measures to compensate for those impacts.

Riparian corridors improve water quality and quantity and provide important nutrients to the streams and rivers. Riparian vegetation also holds water by slowing the rate at which water moves from the land into streams, and shaded waterways lose much less water to evaporation. These areas also intercept surface runoff, wastewater, subsurface flow and deeper groundwater flows from upland sources and remove or buffer the effects of associated nutrients, sediment, organic matter, pesticides or other pollutants prior to entry into surface waters and groundwater recharge areas. Riparian areas are extremely complex ecosystems that help provide optimum food and habitat for stream communities as well as being useful in mitigating or controlling nonpoint source pollution and can offer recreational opportunities.

Mr. Kenneth Ainger
July 8, 2008
Page Six

Recommendation: Because the root systems of riparian vegetation help stabilize soils and minimize erosion, TPWD recommends that if riparian vegetation, including mature trees and shrubs, must be removed, the root systems should be left to stabilize the sediment thus reducing erosion potential. TPWD **strongly** recommends that all impacts to forested/riparian areas be mitigated.

Recommendation: TPWD requests that Exelon evaluate the potential impacts and cumulative impacts to resident wildlife given their reduced ability to move to other habitat due to the current management practices, such as the presence of a perimeter fence at the site and evaluate the potential impacts and secondary impacts to all habitats as a result of the proposed project and potential future expansion.

Wetland Impacts

According to the environmental document, the proposed project will impact ephemeral depressional wetlands, wetlands associated with the Guadalupe River, Black Bayou and tributaries, Linn Lake, Dry Kuy Creek and tributaries, Kuy Creek and tributaries.

The Clean Water Act (CWA) sets the basic regulatory framework for regulating discharges of pollutants to U.S. waters. Section 404 of the CWA establishes a federal program to regulate the discharge of dredged and fill material into waters of the U.S., including wetlands. The U.S. Army Corps of Engineers (USACE) and the Environmental Protection Agency (EPA) are responsible for making jurisdictional determinations and regulating wetlands under Section 404 of the CWA. The USACE also makes jurisdictional determinations under Section 10 of the Rivers and Harbors Act of 1899.

Recommendation: Green and Mission lakes, and Hynes and Guadalupe bays are important aquatic resource sites. During construction, sediment-laden stormwater should not be allowed to flow into these lakes and bays. Measures must be in place to assure that necessary flows are maintained and that stormwater from the site is retained and treated before release. During operation, contaminants released into the Guadalupe River would very quickly spread throughout the coastal lakes and bay system, potentially having a significant impact upon many commercially and recreationally important species, including threatened and endangered species such as whooping cranes and sea turtles.

Mr. Kenneth Ainger
July 8, 2008
Page Seven

Isolated wetlands, as well as jurisdictional wetlands, provide valuable habitat for aquatic and terrestrial wildlife. Isolated wetlands within the project area produce and support plant and invertebrate populations that provide food for a wide variety of waterfowl, wading, and other birds. In addition, these wetlands protect water quality by filtering and retaining freshwater runoff and associated pollutants from adjacent roads and developed properties.

Recommendation: TPWD recommends identifying all wetland areas within the project area and minimizing any adverse impacts to isolated wetlands to the same extent as jurisdictional wetlands. Coordination of all impacts to the aquatic resources should be coordinated with Kendal Keyes with the Coastal Fisheries Division; she can be reached at 361-825-3243.

Recommendation: It is unclear whether this project will impact a state-owned streambed. Chapter 86 of the Texas Parks and Wildlife Code places the management, control, and protection of stream bed materials under the authority of the Texas Parks and Wildlife Commission in order to ensure that disturbance of those habitats does not pose a significant threat to aquatic life. Disturbing or taking of materials from a state-owned stream bed without a permit is prohibited, and any material removed incurs a charge per cubic yard payable to TPWD. Dredging for the intake may require a Sand, Shell, Gravel and Marl Permit from TPWD; please contact Rollin MacRae at (512) 389-4639 for additional information.

Terrestrial Resources

There was limited information on the amount and types of vegetation located at the site. The site is mostly upland, with some ephemeral depressional wetlands and stock ponds, augmented by windmill driven wells. The information provided indicates there is significant vegetation, particularly around the wet areas. The upland portion is divided into grazing units, which are burned regularly to encourage native grassland and discourage thickets of shrubs and low-growing trees. Any environmental documentation prepared should include a quantification of types of vegetation present at the site, and the acres of each vegetation type that will be impacted by the project.

From the information provided, it appears the project as proposed will impact 4,800-acres for the cooling reservoir, 1,300-acres for the water storage basin, and 300-acres for the plant site, a total of approximately 6,400-acres. This is a considerable impact on terrestrial and aquatic resources, and without a proposed

Mr. Kenneth Ainger
July 8, 2008
Page Eight

mitigation plan for replacement of those acres, TPWD could not support a Finding of No Significant Impact for this project.

Transmission Line Corridor

According to the environmental documentation the proposed project may require at least two new transmission lines, including a west-running line that would extend to the Coletto Creek Reservoir area of Goliad County and a northeast-running line that would pass through Calhoun, Jackson, Wharton, and Matagorda counties.

Recommendations: TPWD recommends use of existing right-of-way (ROW), such as highway ROWs or transmission or pipeline corridors to reduce the impacts on fish and wildlife resources. Use of existing ROWs should be included in the selection of alternatives for this project.

In addition, TPWD recommends that Exelon evaluate the potential for bird strikes into the proposed aerial electrical lines and units, and the short and long term impacts to wildlife species due to the construction of the two transmission lines (i.e., removal or conversion of habitat). Attached are the TPWD *Recommendations for Electrical Transmission/Distribution Line Design and Construction*.

Migratory Bird Treaty Act

The Migratory Bird Treaty Act (MBTA) provides for a year-round closed season for nongame birds and prohibits the taking of migratory bird nests and eggs, except as permitted by the U.S. Fish and Wildlife Service (USFWS).

Recommendations: Construction activities such as, but not limited to, tree felling as well as vegetation clearing, trampling, or maintenance should occur outside the April 1–July 15 migratory bird nesting season of each year the project is authorized and last for the life of the project. To comply with the MTBA, the proposed site should be surveyed for migratory bird nest sites prior to construction or future maintenance activities. Since raptors nest in late winter and early spring, all construction activities as identified above should be excluded from a minimum zone of 100 meters around any raptor nest during the period of February 1–July 15.

Mr. Kenneth Ainger
 July 8, 2008
 Page Nine

Please contact the USFWS Southwest Regional Office (Region 2) at (505) 248-6879 for further information.

Rare and Protected Resources

The primary threats this project poses to rare, threatened, and endangered species would be from:

- direct impacts to individuals and to populations;
- indirect impacts through removal and disruption of habitats and travel corridors;
- indirect impacts from disruption of the ecosystem.

The environmental documentation should include a discussion of the anticipated impacts, and “may effect but unlikely to effect” type impacts, and a discussion of mitigation measures (avoidance, minimization, and compensation).

Texas’ ecosystems have evolved numerous flora and fauna that are endemic to the state. Endemic species frequently occur in small numbers, so loss of the immediate and surrounding flora and fauna could result in extirpation from the state and possible extinctions for species or subspecies with small range distributions.

Recommendations: Those species already under the protection of either the federal or state endangered species laws for their imperiled status and that reside or travel through the area would likely be significantly affected by any major facility failure. *Consequently, TPWD recommends an environmental impact statement (EIS) be prepared for this facility. Mitigation measures to counter the increased stresses from the facility upon the species should be included in the EIS.*

TPWD reviewed the table provided with the request. Based on records and expected distributions for rare resources that may occur in the area, TPWD recommends the following species be included in the EIS.

Federal and State Listed Endangered

Attwater’s Prairie-Chicken (*Tympanuchus cupido attwateri*)

Brown Pelican (*Pelecanus occidentalis*) (Federally Proposed for Delisting)

Interior Least Tern (*Sterna antillarum athalassos*)

Mr. Kenneth Ainger
 July 8, 2008
 Page Ten

Whooping Crane (*Grus americana*)
 West Indian Manatee (*Trichechus manatus*)
 Atlantic hawksbill sea turtle (*Eretmochelys imbricata*)
 Kemp's Ridley sea turtle (*Lepidochelys kempii*)
 Leatherback sea turtle (*Dermochelys coriacea*)

Federal and State Listed Threatened

Piping Plover (*Charadrius melodus*)
 Green sea turtle (*Chelonia mydas*)
 Loggerhead sea turtle (*Carretta caretta*)

State Listed Endangered

American Peregrine Falcon (*Falco peregrinus anatum*)

State Listed Threatened

Black spotted newt (*Notophthalmus meridionalis*)
 Bald Eagle (*Haliaeetus leucocephalus*)
 Arctic Peregrine Falcon (*Falco peregrinus tundrius*)
 Reddish Egret (*Egretta rufescens*)
 White-faced Ibis (*Plegadis chihi*)
 White-tailed Hawk (*Buteo alicaudatus*)
 Wood Stork (*Mycteria americana*)
 Texas scarlet snake (*Cemophora coccinea lineri*)
 Timber/Canebrake rattlesnake (*Crotalus horridus*)
 Indigo snake (*Drymarchon corais*)
 Texas tortoise (*Gopherus berlandieri*)

Species of Concern

American eel (*Anguilla rostrata*)
 Texas diamondback terrapin (*Malaclemys terrapin littoralis*)
 Welder machaeranthera (*Psilactis heterocarpa*)

Special Features

Colonial Waterbird Rookeries
 Migratory Songbird Stopover and Fallout Sites
 Guadalupe River Ecologically Significant Stream Segment

Sensitive Managed Areas

Aransas National Wildlife Refuge
 Designated Critical Habitat for the Whooping Crane

Mr. Kenneth Ainger
July 8, 2008
Page Eleven

Designated Critical Habitat for the Piping Plover
Guadalupe Delta Wildlife Management Area

The areas of concern and the species not included in the table are discussed in Attachment 1.

Texas Natural Diversity Database (TXNDD) printouts for recorded locations of rare species within 1.5 miles of the facility location are attached for your planning reference. These include one rookery and one eagle nesting territory that are crossed by the facility; and one additional eagle nesting territory and one location for the Welder machaeranthera that fall within 1.5 miles. Additional recorded locations would likely be crossed by the pipelines, transmission lines, roads, and dredging. When these proposed infrastructure locations become available, additional TXNDD information should be requested. A map showing the relative locations for the printouts and additional rare species, special features, and managed natural areas is attached for your planning reference.

Although it is based on the best data available to TPWD regarding rare species, the TXNDD does not provide a definitive statement as to the presence, absence or condition of special species, natural communities, or other significant features within your project area. The TXNDD is intended to assist users in avoiding harm to rare species or significant ecological features. Given the small proportion of public versus private land in Texas, the TXNDD does not include a representative inventory of rare resources in the state. Absence of information in an area, or for any given species, does not imply that rare species are absent from that area. These data are not inclusive and cannot be used as presence/absence data. They represent species that could potentially be in your project area. This information cannot be substituted for on-the-ground surveys by your qualified biologists.

Determining the actual presence of a species in a given area depends on many variables including daily and seasonal activity cycles, environmental activity cues, preferred habitat, transiency and population density (both wildlife and human). The absence of a species can be demonstrated only with great difficulty and then only with repeated negative observations, taking into account all the variable factors contributing to the lack of detectable presence.

The USFWS should always be contacted for additional species occurrence data for federally listed species. For USFWS county lists of rare species, access <http://www.fws.gov/southwest/es/EndangeredSpecies/lists/ListSpecies.cfm>. Also,

Mr. Kenneth Ainger
July 8, 2008
Page Twelve

TPWD county level lists of rare species are available online at http://www.tpwd.state.tx.us/landwater/land/maps/gis/ris/endangered_species.phtml. Lastly, the TXNDD site-specific data are updated continuously, based on new, updated, and previously non-digitized information. For site-specific information on future projects, please e-mail txnnd@tpwd.state.tx.us or contact Dorinda Scott at (512) 389-8723 for the most current TXNDD information. TPWD recommends that rare resources data from the TXNDD and the online county lists be checked for updated information at least every three years for a long-term project such as this one.

The comments and recommendations reflected in this letter are for existing conditions; considering the build-out time of this project, it is likely the resource issues will become more controversial due to changes in natural resources within the project site and surrounding areas. As well, local land use conditions may change during that time frame and additional concerns may arise. The NRC should ensure the EIS is updated within appropriate time frames.

The EIS should incorporate a plan for compensation for those resource impacts that cannot be avoided or minimized. With the project potentially impacting 11,000 acres, TPWD would strongly recommend an integrated compensation plan for the footprint of the project, incorporating all mitigated functions at a single site, including those terrestrial and aquatic habitats not regulated by state or federal law. To mitigate at a larger scale will provide contiguous tracts to assist in compensating for the impacts of the project at an ecosystem level. TPWD also notes that the aggregation of impacts to justify larger, more meaningful compensatory mitigation projects, mitigation for significant fish and wildlife resources not otherwise regulated by federal law, and the use of mitigation banks, including "multi-function" banks, is advocated by the direction provided by the latest EPA/USACE guidance for mitigation banking (2008).

Please provide a copy of the EIS or other documentation prepared for this project to TPWD for review and comment.

TPWD appreciates the opportunity to coordinate with the Nuclear Regulatory Commission to ensure these projects are developed with the least amount of

Mr. Kenneth Ainger
July 8, 2008
Page Thirteen

impact to the natural resources of the state. If you have any questions regarding our comments, contact Amy Hanna of my staff at (361) 576-0022. Thank you.

Sincerely,

A handwritten signature in black ink, appearing to read "Carter Smith". The signature is fluid and cursive, with a large initial "C" and a stylized "S".

Carter Smith
Executive Director

CS:KB:AH:gg

Attachments

cc: Ms. Harriett Nash, Nuclear Regulatory Commission

Attachment 1

Federal and State Listed EndangeredAttwater's Prairie-Chicken (*Tympanuchus cupido attwateri*)

This species population numbers are severely reduced and the species is no longer present in Victoria County. An on going reintroduction of Attwater's Prairie-Chicken in neighboring Goliad County is underway. Also, a very large area extending across Refugio County (south of Victoria County) formerly supported the largest population of this species. This subspecies is endemic to Texas, therefore the loss of 11,000-acres, particularly of the native coastal prairie habitat present on site, will further reduce the ability for recovery/re-introduction of this species by reducing available managed prairie habitat and fragmentation of the historic range. The draft 2007 updated recovery plan for this species includes the proposed project site in the areas targeted for priority management zones and the coastal prairie conservation initiative. TPWD recommends Exelon enter into formal consultation with the U.S. Fish and Wildlife Service (USFWS) for this species.

Brown Pelican (*Pelecanus occidentalis*) (Federally Proposed for Delisting)

This species would possibly feed in the reservoir. Although coastal, it is known to travel and feed at near coastal inland reservoirs and up the major rivers. This species was proposed for delisting at the federal level in February of this year. Effects of pesticide contamination were primarily responsible for the declines and subsequent listing of this species, which has substantially recovered in Texas. The Brown Pelican should be included in the EIS; although effects from the proposed project could be both positive and negative.

Eskimo curlew (*Numenius borealis*)

This species is known only from historic records as an extremely rare wintering species, thought to have not recovered from uncontrolled hunting losses. It has not been recorded in Texas in approximately 20 years, and does not need to be addressed in the EIS.

Interior Least Tern (*Sterna antillarum athalassos*)

The Least Tern is a listed species when it nests greater than 50 miles inland. Numerous Least Terns nest and winter along the coast, and the Interior Least Tern winters on the coast. This species should be considered in the EIS for impacts during migration and wintering habitat/nutrition.

Whooping Crane (*Grus americana*)

Whooping Cranes winter at the Aransas Wildlife Refuge (ANWR), located less than 15 miles south of the proposed site. An estimated migratory corridor centerline falls within approximately 2.25 miles of the proposed facility. The majority of recorded variations in flight path for Victoria County appear to be

generally less than the width of the county. The variation narrows as the path closes in on the ANWR. Any loss of individuals of this species to man-made causes would be an unacceptable loss, and advances this species progression toward extinction. All powerlines associated with the facility and any subsequent growth in the county should require avian powerline protection remedies recommended in the most current guidance from the Avian Powerline Interaction Committee at <http://www.aplic.org/>. Designated Critical Habitat for this species includes the ANWR and extends up and down the coast.

It is possible this species utilizes the project area. TPWD recommends surveys for this species be conducted during its annual migration to and from the refuge, as well as during its winter season at the refuge. Refuge personnel may have information on use of the various locations on and off the refuge where the birds have been observed or would likely visit. Whooping Cranes are very sensitive to changes in their environment, and their response to the facility should be monitored. This species should also be assessed with regard to impacts during migration and wintering habitat/nutrition. TPWD recommends Exelon enter into formal consultation with the USFWS for this and any other federally listed species that may be adversely impacted by the project. TPWD strongly encourages Exelon to develop a mitigation plan to avoid, minimize, and compensate for impacts to this species and its habitat.

Red Wolf (*Canis rufus*)

This species is extirpated from the State of Texas and does not need to be included in the EIS.

Jaguarundi (*Herpailurus yaguarondi*) and Ocelot (*Leopardus pardalis*)

Population numbers for these two species are extremely low. Presence of the Jaguarundi in Texas is currently under question, since the species has not been clearly photo-documented or cat-in-hand verified in Texas in over 20 years.

Ocelot numbers continue to decline. This species is currently found only in the southern most counties in the state in very small numbers. Habitat loss is the primary threat that impedes this species recovery. Victoria and the surrounding counties towards the south and coast would likely be out of range of any recovered population distribution for these two species. However, habitat loss and fragmentation would contribute to limit their recovery. These species would not need to be included in the EIS for this project.

West Indian Manatee (*Trichechus manatus*)

Texas has consistently received verified reports of manatees in the Port Aransas ship channel and in Copano Bay in recent years. Their habitat includes freshwater, brackish, and saltwater habitats; with a preference towards slow-moving rivers, river mouths, and coastal bays. Changes in the hydrologic regime and the draw pressure at the inflow valve on the Calhoun Canal could generate

adverse effects. It is not known if manatees use San Antonio Bay or if they travel up into the Guadalupe River. The project should be assessed for its potential to impact this species and the assessment should be included in the EIS.

Atlantic hawksbill sea turtle (*Eretmochelys imbricata*)

This species utilizes the bays and estuarine waters. Juvenile turtles are known to frequent the jetties for prey (mollusks, crustaceans, etc.). The project should be assessed for its potential to impact this species through indirect effects on the water and prey.

Kemp's Ridley sea turtle (*Lepidochelys kempi*)

This species utilizes the bays and estuarine waters; the hatchery reared Kemp's Ridley sea turtles were first recaptured near Port O'Connor, about 35 miles east of the project property. The project should be assessed for its potential to impact these species through indirect effects on the water, prey, and aquatic vegetation. The assessment should include evaluation of the sediments for buried contaminants that could be disturbed during dredging.

Leatherback sea turtle (*Dermochelys coriacea*)

This species occasionally utilizes the bays and estuarine waters. The turtles prey on jellyfish, squid, and other deep water species, following deep water upwellings that bring prey towards the surface waters. The project should be assessed for its potential to impact this species and the assessment should be included in the EIS.

Federal and State Listed Threatened

Piping Plover (*Charadrius melodus*)

This is a wintering species along the coast and at a few inland lakes/reservoirs. Designated Critical habitat tracts are within 30 miles of the project property tract. It is possible this species would utilize sandy or muddy shoreline present along the Guadalupe River and the other creeks and sloughs in the project area. Dredging and increases in wakes along the shorelines would add to erosion and subsequently prey habitat loss, adversely impacting this species. Although this species does not breed along the Texas coast, the species can spend up to 10 months on Texas coastal wintering grounds. Degraded winter habitat or food source and man-made threats and stresses within its wintering habitat can have significant adverse impacts on the species ultimate nesting success. The project should be assessed for its potential to impact this species through indirect effects and included in the EIS.

Black bear (*Ursus americana*) and Louisiana Black Bear (*Ursus Americana luteolus*)

Although formerly ranging into Victoria County, currently the ranges of these two species do not include Victoria County. This species would not need to be included in the EIS for this project.

Green sea turtle (*Chelonia mydas*)

This species occasionally utilizes the bays and estuarine waters. The adult turtles are mostly herbivorous and feed on sea grasses and algae. This species has recently begun to nest on Texas beaches. As the species recovers, higher use of Texas bays and estuaries is expected. The project should be assessed for its potential to impact this species and the assessment should be included in the EIS.

Loggerhead sea turtle (*Carretta caretta*)

Juveniles of this species occasionally utilize the bays and estuarine waters. In Texas coastal waters the turtles prey primarily on sea pen (a coral) and benthic crabs. The current draft recovery plan identifies this species as nesting on Texas beaches. As the species recovers, higher use of Texas bays and estuaries by more juveniles is expected. The project should be assessed for its potential to impact this species and the assessment should be included in the EIS.

State Listed ThreatenedBlack spotted newt (*Notophthalmus meridionalis*)

Effects of land clearing and pesticide use are primarily responsible for the loss and subsequent listing of this species. This species of newt continues to hold onto a tenuous existence. Thus, loss of additional habitat, especially coastal prairie habitat with freshwater wetlands will further reduce this species chances for recovery. The project should be assessed for its potential to impact this species and the assessment should be included in the EIS.

Sheep frog (*Hypopachus variolosus*)

Effects of land clearing and pesticide use are primarily responsible for the loss and subsequent listing of this species. The Sheep frog also continues to have a tenuous existence. Thus, loss of additional habitat, especially coastal prairie habitat with freshwater wetlands, will further reduce this species chances for recovery. However, this species is not known to occur as far north as Victoria County. The project should be assessed for its potential to impact this species and the assessment should be included in the EIS.

Bald Eagle (*Haliaeetus leucocephalus*)

Numerous nesting eagle pairs occur along this reach of the Guadalupe River, Coleto Creek, and the San Antonio River. One nesting territory is partially crossed by the project facility. It is very likely that additional territories would be impacted by the transmission lines, pipelines, and the haul road, depending on the proposed locations of those project elements. The project should be assessed for its potential to impact this species and the assessment should be included in the EIS.

Peregrine Falcon (*Falco peregrinus*)

Both subspecies, the American Peregrine Falcon (*Falco peregrinus anatum*) (state listed endangered) and the Arctic Peregrine Falcon (*Falco peregrinus tundrius*)

are found migrating/wintering along the coast. Although Texas has a small population of non-migratory, resident American peregrine falcons in West Texas, American peregrine falcons from more northern climes do migrate along the Texas Gulf Coast during the non-breeding season. Loss of habitat supporting its prey base, with subsequent loss or degradation of winter prey base could adversely impact this species. The project should be assessed for its potential to impact this species and the assessment should be included in the EIS.

Reddish Egret (*Egretta rufescens*)

This species is very closely associated with barrier islands along the coast, although dispersing juveniles have been identified at mixed species inland rookeries and may travel along major rivers. Reddish Egrets feed in salt and brackish water wetlands; withdrawing and impeding freshwater flow into the wetlands could decrease the overall acreage of wetlands downstream. Withdrawal could also increase the acreage and salinity concentration of brackish wetland relative to the acreage of freshwater wetlands. A corresponding change resulting in loss of prey base, and adverse impacts to this species food supply could then occur. The project should be assessed for its potential to impact this species and the assessment should be included in the EIS.

Sooty Tern (*Sterna fuscata*)

This is a seabird that nests on islands. TPWD would not anticipate impacts to this species from project activities. This species does not need to be included in the EIS.

White-faced Ibis (*Plegadis chihi*)

Effects of pesticide contamination were primarily responsible for the decline and subsequent listing of this species of ibis. White-faced Ibis are thought to have made a substantial recovery in Texas from the impacts of pesticide biomagnification. However, loss of wetland and riparian habitat adversely impact this species by reducing available natural habitat and fragmenting habitat. The numbers of nesting pairs counted in Texas through the Waterbird Society annual surveys is substantially reduced when comparing the last 10 years to the previous 10 year period. The project should be assessed for its potential to impact this species and the assessment should be included in the EIS.

White-tailed Hawk (*Buteo albicaudatus*)

Effects of pesticide contamination were primarily responsible for the decline and subsequent listing of the White-tailed Hawk. This species is also believed to have made a substantial recovery in Texas from the impacts of pesticide biomagnification. Juveniles of this species are frequently associated with seasonal South Texas agriculture burn-harvested fields which generate an abundance of easily targeted prey. It is likely that this species forages in the prairie habitat and loss of 11,000-acres of native prairie habitat could impact this species by reducing available foraging and breeding habitat, and by fragmenting existing habitat. The

project should be assessed for its potential to impact this species and the assessment should be included in the EIS.

Wood Stork (*Mycteria americana*)

Post-breeding dispersing juveniles of Wood Stork are regularly recorded in Texas. Twice in the 1990s the species has been observed during the Spring breeding season in Texas rookeries, although nesting has not yet been confirmed. Wood Storks roost with mixed groups of colonial waterbirds and migrates through the eastern portion of the state in large numbers during the fall. This stork species current breeding range is expanding and USFWS recovery criteria for population and productivity numbers have been met for down listing the status of this species to threatened. Also, loss of foraging habitat supporting its prey base, with subsequent loss of prey could adversely impact this species. There are recorded losses of this species from transmission lines, therefore, the project and associated transmission lines should be assessed for its potential to impact this species and the assessment included in the EIS.

White-nosed coati (*Nasua narica*)

Current status of this species in the state is not well understood. The project area would represent the most northern extent that this species is estimated to have ever traveled in Texas. This species would not need to be included in the EIS for this project.

Cagle's map turtle (*Graptemys caglei*)

This species is endemic to the Guadalupe River. Current records include the Cagle's map turtle downstream as far as DeWitt County. It may extend into Victoria County, although it is a freshwater species, has not been found south of Victoria and is not expected to enter the tidally influenced segment which can extend upstream of the project site. This species would not need to be included in the EIS for this project.

Texas horned lizard (*Phrynosoma cornutum*)

This species is no longer found in the eastern third of the state, north of the South Texas shrublands, although recent data for Gonzales, DeWitt, Victoria, and Jackson counties is entirely lacking. This species would not need to be included in the EIS for this project.

Texas scarlet snake (*Cemophora coccinea lineri*)

This subspecies is endemic to a few coastal counties in South Texas. The loss of 11,000-acres, could reduce this species chances for recovery by reducing available habitat and fragmenting habitat within its small range distribution. The project should be assessed for its potential to impact this species and the assessment should be included in the EIS.

Timber/Canebrake rattlesnake (*Crotalus horridus*), Indigo snake (*Drymarchon corais*) and Texas tortoise (*Gopherus berlandieri*)

The loss of 11,000-acres, could reduce these species chance for recovery by reducing available habitat. The project should be assessed for its potential to impact these species and the assessments should be included in the EIS.

Species of Concern

American eel (*Anguilla rostrata*)

Females of this species utilize all the coastal aquatic habitats, (freshwater, brackish, and saltwater), at some stage in its lifecycle. Thus, loss of the range of coastal wetland habitat would impacts to this species. The eel could also be susceptible to losses through water intake structures. The project should be assessed for its potential to impact this species and the assessment should be included in the EIS.

Texas diamondback terrapin (*Malaclemys terrapin littoralis*)

This species is known to inhabit the San Antonio Bay and its associated estuaries. Texas diamondback terrapin distribution extends up into Hynes and Guadalupe Bay and Mission Lake. The project should be assessed for its potential to impact this species and the assessment should be included in the EIS.

Welder machaerantha (*Psilactis heterocarpa*)

This species is endemic to only five counties in Texas. Soils mapped for the site and habitat appears to be favorable for this species. The project should be assessed for its potential to impact this species and the assessment should be included in the EIS.

Special Features

Colonial Waterbird Rookeries

The areas along the waterways, and perennial wetlands support numerous rookeries. The project should be reviewed with regards to the historical locations and current locations of the rookeries. Exelon should ensure buffer areas are established between the construction sites and rookeries. Tolerance levels for disturbance varies between species; the buffer areas should be large enough to address specific needs of all the species occurring in the rookery.

Colonial Waterbird Rookeries can support large numbers of birds. High numbers of birds breeding in a colony or concentrated area will temporarily degrade the vegetation in their roosting habitat due to the increase in nitrogen and phosphorus from the breakdown of their waste. Buffers should be large enough to not only ensure the rookery is protected from disturbance, but also ensure the rookery is not crowded by maintaining adequate acreage within the nesting territory for the

birds to move over time between several rookery locations for the long term health of the rookery.

Migratory Songbird Stopover and Fallout Sites

Coastal riparian areas are strong attractants for migratory birds as stopover and fallout sites. Stopover sites are essential resting areas and high quality foraging areas for many migratory bird species heading south for the winter. Fallout sites are resting, foraging, and shelter areas for migratory birds returning in the spring which are forced down by inclement weather, or are the targeted first land stops for migratory birds coming across the open Gulf of Mexico waters.

Guadalupe River Tidal Ecologically Significant Stream Segment

The Guadalupe River segment occurring from northwest Victoria County down to confluence with Guadalupe Bay has been identified by TPWD as an ecologically significant stream segment (ESSS). The ESSSs are identified through extensive review by TPWD staff and are determined to be ecologically important due to one or more of the following criteria: biological function; hydrologic function; riparian conservation areas; high water quality/exceptional aquatic life/high aesthetic value; or threatened or endangered species/unique communities. The qualifying criteria for this segment of the Guadalupe River include:

Biological Function: extensive freshwater and wetland habitat

Hydrologic Function: Victoria Memorial Park; Guadalupe Delta Wildlife Management Area (one of the largest wetland reserve projects in the U.S.)

Riparian Conservation Area: overall use

Threatened or Endangered Species/Unique Communities: Whooping Crane; unique and extensive marsh

TPWD has identified ecologically significant stream segments throughout the state to assist regional water planning groups in identifying ecologically unique stream segments under Texas Administrative Code Title 31 357.8. Until approved by the legislature, this is not a legal designation. Additional information on ecologically significant stream segments can be found online at http://www.tpwd.state.tx.us/landwater/water/environconcerns/water_quality/sigsegs/. Additional information on the Guadalupe River estuaries can be found online at http://www.tpwd.state.tx.us/landwater/water/conservation/freshwater_inflow/guadalupe/index.phtml.

Sensitive Managed Areas

Aransas National Wildlife Refuge
Designated Critical Habitat for the Whooping Crane

Designated Critical Habitat for the Piping Plover
Guadalupe Delta Wildlife Management Area


These managed lands are the nearest known sensitive managed areas. TPWD recommends Exelon conducted further research to identify other properties under conservation management in the area.

TPWD Recommendations for Electrical Transmission/Distribution Line Design and Construction

Construction of the line should be performed to avoid adverse environmental impact and to restore or enhance environmental quality to the greatest extent practical. In order to minimize the possible project effects upon wildlife, the following measures are recommended:

1. For distribution lines, use wood or non-conducting cross arms to minimize the possibility of electrical contact with perching birds. When possible, install electrical equipment on the bottom cross arm to allow top cross arm for perching. All pole design should be single phase (without arms), where possible, to preserve the aesthetics of the area.
2. To protect raptors, procedures should be followed as outlined in:

“Suggested Practices for Avian Protection on Power Lines: The State of the Art in 2006” by Avian Power Line Interaction Committee, Edison Electric Institute and California Energy Commission.
3. Construction should avoid identified wetland areas. Coordination with appropriate agencies should be accomplished to ensure regulatory compliance.
4. Construction should attempt to minimize the amount of flora and fauna disturbed. Reclamation of construction sites should emphasize replanting with native grasses and leguminous forbs.
5. Existing rights-of-way should be used to upgrade facilities, where possible, in order to avoid additional clearing and prevent adverse impacts associated with habitat loss and fragmentation of existing blocks of wooded habitat. Implementation of wildlife management plans along rights-of-way should be considered whenever feasible.
6. Because forest and woody areas provide food and cover for wildlife, these cover types should be preserved. Mature trees, particularly those which produce nuts or acorns, should be retained; shrubs and trees should be trimmed rather than cleared.
7. Birds typically establish flight corridors along and within river and creek drainages. Transmission lines that cross or are located very near these drainages should have line markers installed at the crossings or closest points to the drainages to reduce the potential of collisions by birds flying along or near the drainage corridors. Transmission lines should be designed to cross streams at right angles, at points of narrowest width, and/or at the lowest banks whenever feasible to provide the least disturbance to stream corridor habitat.
8. Lines should be buried, when practical. Line alterations to prevent bird electrocutions should not necessarily be implemented after such events occur, as all electrocutions may not be known or documented. Incorporation of preventative measures along portions of the routes that are most attractive to birds (as indicated by frequent sightings) prior to any electrocutions is much preferred.



Compiled by Texas Parks & Wildlife, Wildlife Habitat Assessment Program. 2008. Base Map USGS 250,000 Topographic Beeville.

Element Occurrence Record

Scientific Name: <i>Haliaeetus leucocephalus</i>	Occurrence #: 115	Eo Id: 7854	
Common Name: Bald Eagle	TX Protection Status: T		
Global Rank: G4	State Rank: S3B,S3N		

Location Information:

Watershed Code:	Watershed Description:
12100204	Lower Guadalupe
12100403	East San Antonio Bay

County Code:	County Name:	Mapsheet Code:	Mapsheet Name:	State:
TXVICT	Victoria	28096-F8	Bloomington	TX
		28096-E8	Bloomington SW	TX

Directions:

TERRITORY WEST OF BLOOMINGTON, INCLUDING LINN LAKE, GUADALUPE RIVER, AND VICTORIA BARGE CANAL

Survey Information:

First Observation: 2000	Survey Date:	Last Observation: 2001
Eo Type:	EO Rank:	EO Rank Date:
Observed Area (acres):	Estimated Representation Accuracy:	

Comments:

General

Description:

Comments: TPWD NEST #235-7A

Protection

Comments:

Management

Comments:

Data:

EO Data: NEST #235-7A: 2000-2001 ACTIVE NEST PRODUCED 2 YOUNG

Managed Area:

Managed Area Name:

Managed Area Type:

Reference:

Element Occurrence Record

Full Citation:

ORTEGO, BRENT. 2001. PERFORMANCE REPORT. PROJECT NO. 10: BALD EAGLE NEST SURVEY AND MANAGEMENT. FEDERAL AID GRANT NO. W-125-R-12. SEPTEMBER 30, 2001.

ORTEGO, BRENT. 2002. MAPS CLARIFYING QUESTIONS ABOUT BALD EAGLE TERRITORY LOCATIONS FROM THE 2001 SURVEY. RECEIVED JUNE 13, 2002.

POLASEK, LEN G. 2000. PERFORMANCE REPORT. PROJECT NO. 10: BALD EAGLE NEST SURVEY AND MANAGEMENT. FEDERAL AID GRANT NO. W-125-R-11. AUGUST 31, 2000.

Specimen:

Associated Species:

<u>Species Name</u>	<u>Type</u>	<u>Comments</u>

Element Occurrence Record

Scientific Name: *Rookery* **Occurrence #:** 93 **Eo Id:** 7170

Common Name:

TX Protection Status:

Global Rank: GNR

State Rank: SNR

Location Information:

Watershed Code:

Watershed Description:

12100204

Lower Guadalupe

County Code:

County Name:

Mapsheet Code:

Mapsheet Name:

State:

TXVICT

Victoria

28096-E8

Bloomington SW

TX

Directions:

7 TO 8 MILES NORTHWEST OF VICTORIA, RUFUGIO, AND CALHOUN COUNTY INTERSECTION

Survey Information:

First Observation: 1975

Survey Date:

Last Observation: 1992

Eo Type:

EO Rank:

EO Rank Date:

Observed Area (acres):

Estimated Representation Accuracy:

Comments:

General

CYPRESS SWAMP

Description:

Comments:

COLONY NUMBER 609-180

Protection

Comments:

Management

Comments:

Data:

EO Data:

NESTING COLONY OF THE OLIVACEOUS CORMORANT, CATTLE EGRET

Managed Area:

Managed Area Name:

Managed Area Type:

Reference:

Element Occurrence Record

Full Citation:

TEXAS COLONIAL WATERBIRD SOCIETY AND TEXAS PARKS & WILDLIFE DEPARTMENT. 1991-1992. TEXAS COLONIAL WATERBIRD CENSUS SUMMARIES. SPECIAL ADMINISTRATIVE REPORTS.

TEXAS COLONIAL WATERBIRD SOCIETY AND TEXAS PARKS & WILDLIFE DEPARTMENT. 1986-1989. TEXAS COLONIAL WATERBIRD CENSUS SUMMARY. SPECIAL ADMINISTRATIVE REPORTS.

MULLINS, L.M. ET.AL. 1982. ET.SEQ. ATLAS & CENSUS OF TEXAS WATERBIRD COLONIES, 1973-1980. TX COLONIAL WATERBIRD SOCIETY.

WAHL, C. R. ET AL. 1986. SURVEY OF COASTAL WATERBIRD COLONIES ON NATURAL AND MAN-MADE ISLANDS IN THE S. LAGUNA MADRE, TEXAS. 2-6 JUNE 1986.

Specimen:

Associated Species:

<u>Species Name</u>	<u>Type</u>	<u>Comments</u>

Element Occurrence Record

Scientific Name: <i>Haliaeetus leucocephalus</i>	Occurrence #: 6	Eo Id: 4960
Common Name: Bald Eagle	TX Protection Status: T	
Global Rank: G4	State Rank: S3B,S3N	

Location Information:

Watershed Code:	Watershed Description:
12100204	Lower Guadalupe
12100403	East San Antonio Bay

County Code:	County Name:	Mapsheet Code:	Mapsheet Name:	State:
TXVICT	Victoria	28096-F8	Bloomington	TX
		28097-F1	Raisin	TX

Directions:

TERRITORY ON GUADALUPE RIVER/VICTORIA BARGE CANAL; INCLUDES DUPONT PLANT; SOUTHWEST OF CRESCENT VALLEY

Survey Information:

First Observation: 1981	Survey Date:	Last Observation: 2001
Eo Type:	EO Rank:	EO Rank Date:
Observed Area (acres):	Estimated Representation Accuracy:	

Comments:

General Description:

Comments: TPWD NEST #235-2A/B/C/D/E/F

Protection Comments:

Management Comments:

Data:

EO Data: ACTIVE NEST SITE; NEST 235-2A: 1982, ACTIVE NEST PRODUCED 2 YOUNG; 1983-1984, ACTIVE NEST PRODUCED 1 YOUNG; 1985, ACTIVE NEST PRODUCED 0 YOUNG; 1986, NEST FELL; NEST 235-2B: 1985, ACTIVE NEST PRODUCED 0 YOUNG; 1986, ACTIVE NEST PRODUCED 3 YOUNG; 1987, ACTIVE NEST PRODUCED 2 YOUNG; 1988, ACTIVE NEST PRODUCED 0 YOUNG; 1989, INACTIVE; 1990, NEST FELL; NEST 235-2C: 1989, ACTIVE NEST PRODUCED 1 YOUNG; 1990-1991, ACTIVE NEST PRODUCED 2 YOUNG; 1992, ACTIVE NEST PRODUCED 3 YOUNG; 1993, ACTIVE NEST PRODUCED 2 YOUNG; 1994, INACTIVE; NEST 235-2D: 1989, INACTIVE; 1990, NEST FELL; NEST 235-2E: 1994-1995, ACTIVE NEST PRODUCED 2 YOUNG; 1996, ACTIVE NEST PRODUCED 1 YOUNG; 1997, ACTIVE NEST PRODUCED 0 YOUNG; 1998-1999, ACTIVE NEST PRODUCED 1 YOUNG; 2000, NEST FELL; NEST 235-2F: 2000, UNKNOWN PRODUCTION; 2001, ACTIVE NEST PRODUCED 2 YOUNG

Element Occurrence Record

Managed Area:

Managed Area Name:

Managed Area Type:

Reference:

Full Citation:

ORTEGO, BRENT. 2001. PERFORMANCE REPORT. PROJECT NO. 10: BALD EAGLE NEST SURVEY AND MANAGEMENT. FEDERAL AID GRANT NO. W-125-R-12. SEPTEMBER 30, 2001.

MITCHELL, MARK. 1999. PROJECT NO. 30: BALD EAGLE NEST SURVEY AND MANAGEMENT. PERFORMANCE REPORT. AUGUST 31, 1999.

MITCHELL, MARK. 1997. MEMO TO SHANNON BRESLIN OF 30 JULY 1997 PROVIDING BALD EAGLE NESTING DATA, INCLUDING COUNTY MAPS WITH ESTIMATED TERRITORIES.

MABIE, DAVID J. NO DATE. TPWD, 715 SOUTH BRONTE, ROCKPORT, TEXAS 78382. 512-729-2315.

POLASEK, LEN. 1999. CHRONOLOGICAL OUTCOME OF BALD EAGLE NEST SURVEYS IN TEXAS. 1982-1999.

POLASEK, LEN G. 2000. PERFORMANCE REPORT. PROJECT NO. 10: BALD EAGLE NEST SURVEY AND MANAGEMENT. FEDERAL AID GRANT NO. W-125-R-11. AUGUST 31, 2000.

ORTEGO, BRENT. 2002. MAPS CLARIFYING QUESTIONS ABOUT BALD EAGLE TERRITORY LOCATIONS FROM THE 2001 SURVEY. RECEIVED JUNE 13, 2002.

Specimen:

Associated Species:

<u>Species Name</u>	<u>Type</u>	<u>Comments</u>

Element Occurrence Record

<u>Scientific Name:</u>	Psilactis heterocarpa	<u>Occurrence #:</u>	15	<u>Eo Id:</u>	2278
<u>Common Name:</u>	Welder machaeranthera	<u>TX Protection Status:</u>			
<u>Global Rank:</u>	G2	<u>State Rank:</u>	S2S3		

Location Information:

<u>Watershed Code:</u>	<u>Watershed Description:</u>
12100204	Lower Guadalupe
12100303	Lower San Antonio

<u>County Code:</u>	<u>County Name:</u>	<u>Mapsheet Code:</u>	<u>Mapsheet Name:</u>	<u>State:</u>
TXVICT	Victoria	28097-E1	McFaddin	TX

Directions:

EAST SIDE OF U.S. ROUTE 77, 0.4 ROAD MILE NORTH OF JUNCTION WITH FM 445

Survey Information:

<u>First Observation:</u>	1992-10-20	<u>Survey Date:</u>	1992-10-20	<u>Last Observation:</u>	1992-10-20
<u>Eo Type:</u>		<u>EO Rank:</u>		<u>EO Rank Date:</u>	
<u>Observed Area (acres):</u>		<u>Estimated Representation Accuracy:</u>			

Comments:

General Description: ROADSIDE AND GRAZED PASTURE, LEVEL TOPOGRAPHY, GRAY CLAY OR SILTY CLAY OVER LISSIE FORMATION; WEEDY FORBS ABUNDANT

Comments: VOUCHER: W.R. CARR #12467 (TEX-LL)

Protection Comments:

Management Comments:

Data:

EO Data: PLANTS WITH FLOWERS AND ACHENES ON 20 OCTOBER 1992; PLANTS RARE IN BORROW (BARRE) DITCH; NOT SEEN ACROSS FENCE

Managed Area:

<u>Managed Area Name:</u>	<u>Managed Area Type:</u>
----------------------------------	----------------------------------

Reference:

Element Occurrence Record

Full Citation:

CARR, W.R. AND D.H. HERNANDEZ. 1992. FIELD SURVEY OF REFUGIO, SAN PATRICIO, AND ADJACENT COUNTIES, 20-21 OCTOBER 1992.

Specimen:

University of Texas at Austin Herbarium. 1992. W.R. Carr #12467 and D.H. Hernandez, Specimen # ? TEX. 20 October 1992.

Associated Species:

<u>Species Name</u>	<u>Type</u>	<u>Comments</u>

Managed Area Report

Managed Area Code: M.USTXHP*230 **Acreage:** 7,100.00

Managed Area Name: GUADALUPE DELTA WILDLIFE MANAGEMENT AREA

Managed Area Description:

FRESH TO BRACKISH WETLANDS; COASTAL MARSH; ALLIGATOR SLIDE LAKE; DELTAIC ESTUARY OF THE GUADALUPE RIVER; HYNES BAY UNIT WITH SUBMERGENT MARSH; THIRD TRACT LIES WITHIN THE CONFLUENCE OF THE GUADALUPE AND SAN ANTONIO RIVERS AND ELM BAYOU AND CONSISTS OF WETLANDS AND BOTTOMLAND HARDWOODS; FROM VICTORIA TAKE STATE HIGHWAY 185 SOUTHEAST 22 MILES TO STATE HIGHWAY 35, TAKE SH 35 SOUTH ONE MILE

Managed Area Comments:

ACCESS RESTRICTED TO PERMITTED HUNTERS; PRIMARY PUBLIC USE IS FOR WATERFOWL AND ALLIGATOR HUNTING AND BIRDING TOURS DURING THE PEAK MIGRATIONS; FOUR UNITS

Protection:

Protection Comments:

Land Tenure Comments:

Public Access: Restricted

Public Access Comments:

Manager: TODD MERENDINO **Institution:** AREA MANAGER

Street Address: GUADALUPE DELTA WMA **Phone:** 409 244-7697
COUNTY COURTHOUSE, ROOM 101

City: BAY CITY **Zip Code:** 77414

Cooperating Institution:

Cooperating Institution

Comments:

Management Plan

Comments:

Management

Comments:



United States Department of the Interior

FISH AND WILDLIFE SERVICE

Ecological Services
c/o TAMU-CC, Campus Box 338
6300 Ocean Drive
Corpus Christi, Texas 78412

October 03, 2008

Joshua Trembley
Exelon Nuclear
200 Excelon Way, KSA 3-E
Kennett Square, PA 19348

Consultation Number 21410-2008-TA-0335

Dear Mr. Trembley:

Thank you for your inquiry to the U.S. Fish and Wildlife (Service) about a proposed nuclear plant to be sited approximately 13 miles south of Victoria, Victoria County, Texas. This involves the construction and operation of two new 1600 megawatt generating units and supporting facilities in about a 300 acre area in the northwest part of the approximately 11,000-acre site. Construction of the units may take eight and half years with associated offsite infrastructure, including a heavy-haul road from the plant to the barge slip on the Victoria Barge Canal. The barge slip would accommodate delivery of large components for the nuclear units. The road would traverse undeveloped land, Black Bayou, and the Guadalupe River (via a newly constructed bridge). A pipeline for discharging plant effluent to the Guadalupe River would parallel the heavy-haul road then turn south along the river.

A 4,800-acre cooling reservoir will also be built on the site with water purchased from the Guadalupe-Blanco River Authority (GBRA). Water would be obtained from the Calhoun Canal, southeast of Green Lake via a newly constructed pipeline. The ultimate source of the water would be the Guadalupe River. The construction of an approximately 1,300-acre water storage basin east of and adjacent to the proposed 4,800-acre cooling reservoir is also planned and the storage basin and associated pipeline would be operated by the GBRA. It may also be necessary to build at least two new electrical transmission lines, including a west-running line that would extend to the Coletto Creek Reservoir area of Goliad County and a northeast-running line that would pass through Calhoun, Jackson, Wharton, and Matagorda counties.

We are providing the following information to assist consultants and/or federal action agencies assess and avoid impacts to federally listed threatened and endangered species, their habitat, migratory birds and designated wetlands.

Federally Listed Species

Your review included a 50-mile radius as shown on Figure 1.0, therefore, we have enclosed an updated list of federally listed or proposed threatened and endangered species that have been documented or are known to occur in Aransas, Bee, Calhoun, DeWitt, Goliad, Gonzales, Jackson, Karnes, Lavaca, Matagorda, Refugio, San Patricio, Victoria, and Wharton counties, Texas. Species information may be obtained at <http://ifw2es.fws.gov/endangeredspecies/lists/>. The species information should help you determine if suitable habitat for these listed species exists in any of the proposed project areas or if project activities may affect species on-site, off-site, and/or result in "take" of a federally listed species. It should also be

noted that the counties listed fall under the area of responsibility of two U.S. Fish and Wildlife Ecological Services Field Offices: Corpus Christi and Clear Lake.

“Take” is defined as harass, harm, pursue, hunt, shoot, wound, kill, trap, capture or collect, or to attempt to engage in any such conduct. In addition to the direct take of an individual animal, habitat destruction or modification can be considered take, regardless of whether it has been formally designated as critical habitat, if it would result in the death or injury of wildlife by removing essential habitat components or impairing essential behavior patterns, including breeding, feeding, or sheltering.

Whooping Crane

Whooping cranes are known to occur on and around the proposed site and 50-mile radius as they migrate to Aransas National Wildlife Refuge and use it and surrounding coastal areas from the Nueces River to the Colorado River for their wintering range. Whooping cranes use a variety of habitats during migrations between northern Canada and the Texas Coast. Croplands are used for feeding and large wetland areas are used for feeding and roosting. Water depth at roost is usually less than 10 inches, the majority between 1 and 6 inches deep. Principal wintering habitat consists of about 22,500 acres of marshes and salt flats on Aransas National Wildlife Refuge and adjacent publicly and privately owned islands that consist of marshes, tidal flats, uplands, and barrier islands. Whooping cranes usually arrive on the Texas coast between late-October and mid-November. They spend almost six months on the wintering grounds. As spring approaches, they leave for the breeding grounds normally between March 25 and April 15. The last birds are usually gone by May 1st, but occasional stragglers may stay into mid-May.

Tall structures including buildings, construction equipment, fences, antennas and transmission lines may need to be marked to provide higher visibility and such sites monitored for impacts to Federally-listed species and other migratory birds. We also recommend that a comprehensive look at migratory bird hazards in the project area such as refinery complexes, communication towers, and power lines be included in the endangered species effects analysis of baseline conditions and cumulative effects. Depletion of water to the downstream bays and estuaries may also impact whooping crane food resources. This will need to be analyzed and considered.

Attwater's Prairie Chicken

The Attwater's prairie chicken is an endangered bird represented by only a few remnant populations. Populations are known from Aransas, Goliad, Refugio and Victoria Counties. This species occurs in coastal grassland prairies in areas of diverse vegetation that provide a variety of cover. Grasslands providing appropriate prairie chicken habitat, will contain approximately 10% or less canopy cover and range between 25-40 cm in height. Adults and young will use this habitat for feeding and roosting. Tall grass (40-60 cm) clumps are also necessary for nesting, loafing, feeding and escape cover. Courtship (booming) and nesting occurs from January 1st through June 30th. Booming grounds can include naturally occurring, short grass flats or artificially maintained areas, such as roads, airport runways, oil well pads, drainage ditches, and pipeline rights-of-way.

In some areas where suitable habitat occurs, but the bird has not been in evidence lately, work may proceed with caution. Any work conducted in areas where prairie chickens may occur should begin after ten a.m. and end before 4 p.m. If mowing is to occur, the grass level should be cut no shorter than 20 cm and a “walk through” should be conducted in the area before mowing occurs in order to reduce impact to Attwater's prairie chickens and/or nests.

Black lace cactus

The black lace cactus of the Cactaceae Family occurs in natural open areas in mesquite brush, in loamy to

sandy loam soils. This species may be found near streams or in streambeds in Kleberg, Jim Wells, Nueces, and Refugio counties. The black lace cactus is a small, deep green cylinder shaped cactus with dark-tipped spines and pink to purple flowers. Project sites should be surveyed by a qualified biologist or botanist to determine if the species is present. Please notify the Service with the results of any surveys for review and further determinations of impacts.

Ocelot

The ocelot is a medium-sized (30-41 inches long and 15-30 lbs) feline. Its body coloration is variable; with the upper parts gray or buff with dark brown or black spots, small rings, blotches, and short bars. The under parts are white spotted with black. The tail is ringed or marked with dark bars on the upper surface. The backs of the rounded ears are black with a white central spot. They hunt and move around beginning at dusk. Their area of activity is normally 1-4 square miles. The female ocelot hunts during the night but spends the day at the den site. Kittens are born from late spring through December. The usual litter size is one or two kittens. They accompany the mother on hunts at about 3 months of age and stay with her until they are about a year old. In Texas, the ocelots occur in dense shrubland. Although the ocelot's prime habitat needs are 70 to 90% canopy coverage, it will utilize a lesser degree of cover for hunting areas, and travel corridors. Tracts of at least 100 acres of isolated dense brush, or 75 acres of brush interconnected with other habitat corridors are important, however, ocelots will use tracts as small as 5 acres, when adjacent to larger areas of habitat. Roads, narrow water bodies, and rights-of-way, brushy fence lines, watercourses and other brush strips connecting areas of habitat are important habitat.

The ocelot population in Texas is very small; probably no more than 80 to 120 individuals (1993 estimate) and approximately 30-35 are known to occur in the chaparral remaining at or near the Laguna Atascosa National Wildlife Refuge in Cameron County. Although the distribution of these endangered cats is limited mostly to the southern portion of Texas, a northern population of ocelot may range through portions of Jim Wells, Live Oak, Atascosa, and McMullen, San Patricio and Aransas counties.

Maintenance or creation of brush corridors, and, most importantly, conservation of the remaining habitat is necessary for the ocelot's survival in Texas. Clearing should be limited to areas essential for the proposed project and impacted areas should be restored with native vegetation. Habitat assessments should be performed, and if potential habitat is found to occur, the Service should be contacted.

Gulf Coast Jaguarundi

The jaguarundi is a small, slender-bodied, unspotted cat, slightly larger than a domestic cat (8-16 lbs). They have a long tail, short legs, small flattened head and have two color phases, a rusty-brown and a charcoal gray. They hunt primarily in the morning and evening. They are not as cautious as the ocelot and have been observed during the day. It is believed that the jaguarundi is similar to the ocelot in their requirement for dense brush cover, however, information from Mexico indicate that they may be more tolerant of open areas. They are good swimmers and enter the water freely. Mating season occurs in November and December, and kittens have been reported in March and also in August. Gestation period is 9 to 10 weeks and litters contain two to four young. In Texas, they occur in dense shrub lands. Although the distribution of these endangered cats is limited mainly to the Rio Grande Valley, there have been unconfirmed sightings of jaguarundi as far north as Aransas, Jim Wells, Kleberg, Live Oak, and San Patricio counties.

Maintenance or creation of brush corridors, and, most importantly, conservation of the remaining habitat is necessary for the jaguarundi's survival. Clearing should be limited to areas essential for the proposed project and impacted areas need to be restored with native vegetation. Habitat assessments should be performed. If potential habitat is found to occur, the Service should be contacted.

Northern aplomado falcon

The name aplomado means “steel gray” in Spanish. The aplomado falcon is a medium sized falcon with a total length about 15-18 inches and a wingspan of about 32-36 inches. Adults have rufous (rust) under parts, a gray back, a long, banded tail and a distinctive black and white facial pattern. They are extremely fast in level flight and agile on foot. Their habitat consists of open terrain with scattered trees, relatively low ground cover, abundance of insects and small to medium-sized birds for prey, a supply of previously constructed nests, and above ground nesting substrate such as yucca and mesquite habitat. Aplomado falcons hunt together, soar together, perch near one another, and even feed together outside the breeding season. During the spring of their second year, pair bonds are formed. They do not construct their own nests, but use the stick platforms built by other birds. Nests are usually 1-3 feet in diameter. They nest only once a year during the dry season (January-June) with most nesting in April and May. They lay 2-3 eggs between March and June and both parents incubate the eggs. Eggs hatch in about 32 days, and nestlings fledge at 32 to 40 days.

Project sites should be evaluated for suitable habitat. Grassland and savannah habitats with abundant small birds and stick nests built by ravens or other raptors should receive special attention. During March through June all large stick nests should be examined from a distance for signs of adults incubating eggs or brooding chicks. Observers should remain a safe distance away from the nest or perch, at least 100-300 yards, depending on the sensitivity of the individual bird, and keep human contact to a minimum. If suitable habitat is found to exist, further surveys should be performed and the Service should be contacted for further review of survey results and impact determinations.

Bald Eagle

The bald eagle has been removed from the Federal Endangered and Threatened list (rule effective August 8, 2007). However, protections provided to the bald eagle under the Bald and Golden Eagle Protection (BGEPA) and the Migratory Bird Treaty Act (MBTA) will continue to remain in place after the species is delisted. Both Federal laws prohibit “take,” and the BGEPA prohibits disturbance as a form of “take” as well. To help provide more clarity on the management of the bald eagle after delisting, the Service published a regulatory definition of “disturb” (72 FR 31132), and the Final National Bald Eagle Management Guidelines (72 FR 31156). The management guidelines and further information on the bald eagle may be viewed at <http://www.fws.gov>.

Section 7

Section 7 of the Endangered Species Act of 1973, as amended (ESA) requires that all Federal agencies consult with the Service to ensure that actions authorized, funded or carried out by such agencies do not jeopardize the continued existence of any listed threatened or endangered species or adversely modify or destroy critical habitat of such species. *It is the responsibility of the Federal action agency to determine if the proposed project may affect threatened or endangered species.* If a “may affect” determination is made, the Federal agency shall initiate the formal section 7 consultation process by writing to: Field Supervisor; U.S. Fish and Wildlife Service; c/o TAMU-CC, Unit 5837; 6300 Ocean Drive; Corpus Christi, Texas 78412-5837. If no effect is evident, no further consultation is needed; however, we would appreciate the opportunity to review the criteria used to arrive at that determination.

Non-federal representatives (i.e. consultants, state agencies, county or local officials) may request and receive species lists, prepare environmental documents, biological assessments, and provide information for formal consultations. However, the Service requires the action agency to designate the non-federal representative in writing. If not designated, we recommend non-federal representatives provide a complete record of their evaluation to the federal action agency so that they may make a determination of affect and,

if necessary, consult with this office on the proposed action. After evaluating the potential for effect, one of the following determinations is made by the federal action agency or their non-federal representative.

No effect – the action agency determines its proposed action will not affect federally listed species or critical habitat. No section 7 consultation is necessary and the Service believes the agency has complied with section 7(a)(2) of the ESA by making the determination. However, if the project changes or additional information on the distribution of listed or proposed species becomes available the project should be reanalyzed for effects not previously considered.

May Affect, but is not likely to adversely effect – the action agency determines their project may affect listed species and or critical habitat; however, the effects are expected to be discountable, or insignificant, or completely beneficial. Certain avoidance and minimization measures may need to be implemented in order to reach this level of effects. The action agency should seek written concurrence from the Service that adverse effects have been eliminated. If agreement cannot be reached the agency is advised to initiate formal consultation.

Is likely to adversely affect – the action agency determines adverse effects to listed species may occur as a direct or indirect result of the proposed action or its interrelated or interdependent actions, and the effect is not discountable, insignificant, or beneficial. If the overall effect of the proposed action is beneficial to the listed species but also is likely to cause some adverse effects to individuals of that species, then the proposed action “is likely to adversely affect” the listed species. An “is likely to adversely affect” determination requires formal section 7 consultation.

The Service recommends the action agency and/or non-federal representative maintain a complete record that identifies steps leading to the determination of affect, the qualified personnel conducting the evaluation, habitat conditions, site photographs, and any other related articles. The Service’s Consultation Handbook is available at <http://endangered.fws.gov/consultations/s7hndbk/s7hndbk.html> for further information on definitions and process.

State Listed Species

The State of Texas protects certain species. Please contact the Texas Parks and Wildlife Department (Endangered Resources Branch), Fountain Park Plaza Building, Suite 100, 3000 South IH-35, Austin, Texas 78704 (telephone 512/912-7011) for information concerning fish, wildlife, and plants of State concern or visit their website at <http://www.tpwd.state.tx.us/nature/endang/animals/mammals/>.

Migratory Birds

The Migratory Bird Treaty Act implements various treaties and conventions for the protection of migratory birds. Under the Act, taking, killing or possessing migratory birds is unlawful. Many may nest in trees, brush areas or other suitable habitat. The Service recommends activities requiring vegetation removal or disturbance avoid the peak nesting period of March through August to avoid destruction of individuals, nests or eggs. If project activities must be conducted during this time, we recommend surveying for nests prior to commencing work. If a nest is found, and if possible, the Service recommends a buffer of vegetation ($\geq 50\text{m}$ for songbirds, $> 100\text{m}$ for wading birds, and $> 180\text{m}$ for terns, skimmers and birds of prey) remain around the nest until young have fledged or the nest is abandoned. A list of migratory birds may be viewed at <http://migratorybirds.fws.gov/intrnltr/mbta/proposedbirdlist.pdf>. We also recommend that a comprehensive look at migratory bird hazards from the project and in the project area such as refinery complexes, communication towers, and power lines be included in the National Environmental Policy Act analysis cumulative effects section.

Wetlands

Wetlands and riparian zones provide valuable fish and wildlife habitat as well as contribute to flood control, water quality enhancement, and groundwater recharge. Wetland and riparian vegetation provides food and cover for wildlife, stabilizes banks and decreases soil erosion. These areas are inherently dynamic and very sensitive to changes caused by such activities as overgrazing, logging, major construction, or earth disturbance. Executive Order 11990 asserts that each agency shall provide leadership and take action to minimize the destruction, loss or degradation of wetlands, and to preserve and enhance the natural and beneficial value of wetlands in carrying out the agency's responsibilities. Construction activities near riparian zones should be carefully designed to minimize impacts. If vegetation clearing is needed in these riparian areas, they should be re-vegetated with native wetland and riparian vegetation to prevent erosion or loss of habitat. We recommend minimizing the area of soil scarification and initiating incremental re-establishment of herbaceous vegetation at the proposed work sites. Denuded and/or disturbed areas should be re-vegetated with a mixture of native legumes and grasses. Species commonly used for soil stabilization are listed in the Texas Department of Agriculture's (TDA) Native Tree and Plant Directory, available from TDA at P.O. Box 12847, Austin, Texas 78711. The Service also urges taking precautions to ensure sediment loading does not occur to any receiving streams in the proposed project area. To prevent and/or minimize soil erosion and compaction associated with construction activities, avoid any unnecessary clearing of vegetation, and follow established rights-of-way whenever possible. All machinery and petroleum products should be stored outside the floodplain and/or wetland area during construction to prevent possible contamination of water and soils. No permanent structures should be placed in the 100-year floodplain.

If your project will involve filling, dredging, or trenching of a wetland or riparian area it may require a Section 404 permit from the U.S. Army Corps of Engineers (COE). For permitting requirements please contact the U.S. Corps of Engineers, District Engineer, P.O. Box 1229, Galveston, Texas 77553-1229, (409) 766-3002.

Beneficial Landscaping

In accordance with Executive Order 13112 on Invasive Species and the Executive Memorandum on Beneficial Landscaping, where possible, any landscaping associated with project plans should be limited to seeding and replanting with native species. A mixture of grasses and forbs appropriate to address potential erosion problems and long-term cover should be planted when seed is reasonably available. Although Bermuda grass is listed in seed mixtures, this species and other introduced species should be avoided as much as possible. The Service also recommends the use of native trees, shrubs, and herbaceous species that are adaptable, drought tolerant and conserve water.

Thank you for your concern for endangered and threatened species and other resources. We appreciate the opportunity to comment on the proposed project and if we can be of further assistance, please contact Mary Orms of my staff at 361/994-9005, extension 246. Please refer to the Service Consultation number listed above in any future correspondence regarding this project.

Sincerely,



Allan M. Strand
Field Supervisor

cc: Clear Lake Ecological Services Field Office

Federally Listed as Threatened and Endangered Species of Texas
May 1, 2008

County-by-County lists containing species information is available at the U.S. Fish and Wildlife Service's (Service), Southwest Region, web site <http://www.fws.gov/southwest/es/EndangeredSpecies/lists>. This list represents species that may be found in counties throughout the state. It is recommended that the field station responsible for a project area be contacted if additional information is needed.

DISCLAIMER

This County by County list is based on information available to the U.S. Fish and Wildlife Service at the time of preparation, date on page 1. This list is subject to change, without notice, as new biological information is gathered and should not be used as the sole source for identifying species that may be impacted by a project.

(Aransas County)

Attwater's greater prairie-chicken	(E)	<i>Tympanuchus cupido attwateri</i>
Bald eagle	(DM)	<i>Haliaeetus leucocephalus</i>
Brown pelican	(E)	<i>Pelecanus occidentalis</i>
Green sea turtle	(T)	<i>Chelonia mydas</i>
Gulf Coast jaguarundi	(E)	<i>Herpailurus yagouaroundi cacomitli</i>
Hawksbill sea turtle	(E w/CH†)	<i>Eretmochelys imbricata</i>
Kemp's Ridley sea turtle	(E)	<i>Lepidochelys kempii</i>
Leatherback sea turtle	(E w/CH†)	<i>Dermochelys coriacea</i>
Loggerhead sea turtle	(T)	<i>Caretta caretta</i>
Northern aplomado falcon	(E)	<i>Falco femoralis septentrionalis</i>
Ocelot	(E)	<i>Leopardus pardalis</i>
Piping plover	(T w/CH)	<i>Charadrius melodus</i>
West Indian manatee	(E)	<i>Trichechus manatus</i>
Whooping crane	(E w/CH)	<i>Grus Americana</i>

(Bee County)

Gulf Coast jaguarundi	(E)	<i>Herpailurus yagouaroundi cacomitli</i>
Ocelot	(E)	<i>Leopardus pardalis</i>
Whooping crane	(E w/CH)	<i>Grus americana</i>

(Calhoun County)

Bald eagle	(DM)	<i>Haliaeetus leucocephalus</i>
Brown pelican	(E)	<i>Pelecanus occidentalis</i>
Green sea turtle	(T)	<i>Chelonia mydas</i>
Hawksbill sea turtle	(E w/CH†)	<i>Eretmochelys imbricata</i>
Kemp's Ridley sea turtle	(E)	<i>Lepidochelys kempii</i>
Leatherback sea turtle	(E w/CH†)	<i>Dermochelys coriacea</i>
Loggerhead sea turtle	(T)	<i>Caretta caretta</i>
Northern aplomado falcon	(E)	<i>Falco femoralis septentrionalis</i>
Piping plover	(T w/CH)	<i>Charadrius melodus</i>
West Indian manatee	(E)	<i>Trichechus manatus</i>
Whooping crane	(E w/CH)	<i>Grus americana</i>

(DeWitt County)

Bald eagle	(DM)	<i>Haliaeetus leucocephalus</i>
Whooping crane	(E w/CH)	<i>Grus americana</i>

(Goliad County)

Attwater's greater prairie-chicken	(E)	<i>Tympanuchus cupido attwateri</i>
Bald eagle	(DM)	<i>Haliaeetus leucocephalus</i>
Whooping crane	(E w/CH)	<i>Grus americana</i>

(Gonzales County)

Bald eagle	(DM)	<i>Haliaeetus leucocephalus</i>
Whooping crane	(E w/CH)	<i>Grus americana</i>

(Jackson County)

Bald eagle	(DM)	<i>Haliaeetus leucocephalus</i>
West Indian manatee	(E)	<i>Trichechus manatus</i>
Whooping crane	(E w/CH)	<i>Grus americana</i>

(Karnes County)

Gulf Coast jaguarundi	(E)	<i>Herpailurus yagouaroundi cacomitli</i>
Ocelot	(E)	<i>Leopardus pardalis</i>
Whooping crane	(E w/CH)	<i>Grus americana</i>

(Lavaca County)

Bald eagle	(DM)	<i>Haliaeetus leucocephalus</i>
Houston toad	(E w/CH)	<i>Bufo houstonensis</i>
Whooping crane	(E w/CH)	<i>Grus americana</i>

[Matagorda County]

Bald eagle	(DM)	<i>Haliaeetus leucocephalus</i>
Brown pelican	(E)	<i>Pelecanus occidentalis</i>
Green sea turtle	(T)	<i>Chelonia mydas</i>
Hawksbill sea turtle	(E w/CH‡)	<i>Eretmochelys imbricata</i>
Kemp's Ridley sea turtle	(E)	<i>Lepidochelys kempii</i>
Leatherback sea turtle	(E w/CH‡)	<i>Dermochelys coriacea</i>
Loggerhead sea turtle	(T)	<i>Caretta caretta</i>
Northern aplomado falcon	(E)	<i>Falco femoralis septentrionalis</i>
Piping plover	(T w/CH)	<i>Charadrius melodus</i>
Whooping crane	(E w/CH)	<i>Grus americana</i>

(Refugio County)

Attwater's greater prairie-chicken	(E)	<i>Tympanuchus cupido attwateri</i>
Bald eagle	(DM)	<i>Haliaeetus leucocephalus</i>
Black lace cactus	(E)	<i>Echinocereus reichenbachii</i> var. <i>albertii</i>
Brown pelican	(E)	<i>Pelecanus occidentalis</i>
Green sea turtle	(T)	<i>Chelonia mydas</i>
Gulf Coast jaguarundi	(E)	<i>Herpailurus yagouaroundi cacomitli</i>
Hawksbill sea turtle	(E w/CH‡)	<i>Eretmochelys imbricata</i>
Kemp's Ridley sea turtle	(E)	<i>Lepidochelys kempii</i>

Leatherback sea turtle	(E w/CH‡)	<i>Dermochelys coriacea</i>
Loggerhead sea turtle	(T)	<i>Caretta caretta</i>
Northern aplomado falcon	(E)	<i>Falco femoralis septentrionalis</i>
Ocelot	(E)	<i>Leopardus pardalis</i>
Piping plover	(T w/CH)	<i>Charadrius melodus</i>
West Indian manatee	(E)	<i>Trichechus manatus</i>
Whooping crane	(E w/CH)	<i>Grus americana</i>
(San Patricio County)		
Brown pelican	(E)	<i>Pelecanus occidentalis</i>
Green sea turtle	(T)	<i>Chelonia mydas</i>
Gulf Coast jaguarundi	(E)	<i>Herpailurus yagouaroundi cacomitli</i>
Hawksbill sea turtle	(E w/CH‡)	<i>Eretmochelys imbricata</i>
Kemp's Ridley sea turtle	(E)	<i>Lepidochelys kempii</i>
Leatherback sea turtle	(E w/CH‡)	<i>Dermochelys coriacea</i>
Loggerhead sea turtle	(T)	<i>Caretta caretta</i>
Ocelot	(E)	<i>Leopardus pardalis</i>
Piping plover	(T w/CH)	<i>Charadrius melodus</i>
West Indian manatee	(E)	<i>Trichechus manatus</i>
Whooping crane	(E w/CH)	<i>Grus americana</i>
(Victoria County)		
Attwater's greater prairie-chicken	(E)	<i>Tympanuchus cupido attwateri</i>
Bald eagle	(DM)	<i>Haliaeetus leucocephalus</i>
Whooping crane	(E w/CH)	<i>Grus americana</i>
[Wharton County]		
Bald eagle	(DM)	<i>Haliaeetus leucocephalus</i>
Whooping crane	(E w/CH)	<i>Grus americana</i>

INDEX

Statewide or areawide migrants are not included by county, except where they breed or occur in concentrations. The whooping crane is an exception; an attempt is made to include all confirmed sightings on this list.

E	=	Species in danger of extinction throughout all or a significant portion of its range.
T	=	Species which is likely to become endangered within the foreseeable future throughout all or a significant portion of its range.
DM	=	Delisted, monitoring for 5 years
C	=	Species for which the Service has on file enough substantial information to warrant listing as threatened or endangered.
CH	=	Critical Habitat (in Texas unless annotated ‡)
P/	=	Proposed ...
P/E	=	Species proposed to be listed as endangered.
P/T	=	Species proposed to be listed as threatened.
□	=	with special rule
‡	=	CH designated (or proposed) outside Texas
~	=	protection restricted to populations found in the "interior" of the United States. In Texas, the least tern receives full protection, except within 50 miles (80 km) of the Gulf Coast.

* = These species and their critical habitat are found in Hays and/or Comal counties but may be affected by activities within the southern segment of the Edwards Aquifer, which includes portions of Bexar County.

ES Field Office area of responsibility:

(Bee) = Corpus Christi ES office
[Galveston] = Clear Lake ES office



NP-09-0012

December 21, 2009

Mr. Charles W. Maguire
Director, Water Quality Division
Texas Commission on Environmental Quality
MC 145, P.O. Box 13087
Austin, Texas 78711-3087

Subject: Exelon Victoria County Station Site - Request for Clean Water Act
Section 401 Certification Applicability Determination

Dear Mr. Maguire:

Exelon Generation Company, LLC (Exelon), has met with the Texas Commission on Environmental Quality (TCEQ) on several occasions regarding nuclear licensing activities associated with a site in Victoria County, Texas. On September 2, 2008, Exelon submitted a Combined License (COL) application to the U.S. Nuclear Regulatory Commission (NRC) seeking authorization to construct and operate a nuclear power plant at the referenced site (known as the Victoria County Station (VCS) site). Exelon subsequently informed the NRC of our intent to seek an Early Site Permit (ESP) in lieu of a COL, citing the need to take a longer term approach to new nuclear development.

Exelon intends to submit the ESP application in the first quarter of 2010, and Exelon does not plan to seek a limited work authorization to perform nuclear construction activities as part of the ESP. If the ESP application were to be approved, the NRC would be certifying that the VCS site satisfies its criteria for site safety, environmental impacts, and emergency planning; however, as discussed in more detail in the sections below, the ESP would not authorize Exelon to commence nuclear construction activities at the chosen property.

Recognizing that an ESP (if issued) would not authorize any activities within the jurisdiction of the NRC, the purpose of this correspondence is to request a determination regarding the need for a Clean Water Act (CWA) Section 401 certification in association with the proposed federal licensing action (i.e., the NRC's issuance of an ESP for the VCS site).

December 21, 2009
Mr. Charles Maguire
Page 2

Victoria County Station Site ESP

As discussed above, Exelon intends to submit an ESP application to the NRC in the first quarter of 2010. The site referenced in the application, the VCS site, is located approximately 13 miles south of the City of Victoria in Victoria County. Figure A depicts the site location and major features of the surrounding landscape.

In reviewing the ESP application, the NRC staff will address site safety issues, environmental protection issues, and plans for coping with emergencies, independent of the review of a specific nuclear plant design. By issuing the ESP, the NRC would be approving the site for a nuclear power facility or facilities. The ESP could later be used to support an application for a construction permit or COL to construct and operate such a plant. An ESP is valid for 10 to 20 years from the date of issuance and can be renewed for an additional 10 to 20 years.

The NRC regulations at 10 CFR 50.10(c) define the requirements for a person wishing to conduct nuclear construction:

No person may begin the construction of a production or utilization facility on a site on which the facility is to be operated until that person has been issued either a construction permit under this part, a combined license under part 52 of this chapter, an early site permit authorizing the activities under paragraph (d) of this section, or a limited work authorization under paragraph (d) of this section.

At this time, Exelon does not intend to seek authorization (i.e., via a limited work authorization or ESP authorizing the activities described at 10 CFR 50.10(d), as referenced in the above citation) to initiate nuclear construction activities at the VCS site prior to the issuance of a COL or construction permit. Accordingly, if an ESP is approved for the VCS site, it will not grant Exelon permission to begin nuclear construction activities.

It should be noted that the NRC regulations at 10 CFR 50.10(a)(2) identify activities (known as "pre-construction" activities) that are not related to nuclear safety and, therefore, fall beyond the scope of NRC jurisdiction. Examples of "pre-construction" activities include site grading, monitoring well installation, and the erection of support structures. Such activities may be undertaken by an applicant prior to issuance of an NRC license or permit, subject to compliance with other applicable laws and regulations.

Depending on the scope of work undertaken, conducting "pre-construction" activities at the VCS site could necessitate the issuance of multiple federal, Texas, and / or local permits, including those required under CWA sections 402 and 404. In the event that Exelon were to begin such activities, whether before or after the issuance of an NRC license or permit, we would continue to work with the TCEQ and other regulatory and resource agencies to ensure that the applicable permits / authorizations were issued for regulated activities. Note that such activities would be undertaken independently of any action or approval by the NRC.

December 21, 2009
 Mr. Charles Maguire
 Page 3

Request for CWA Section 401 Certification Applicability Determination

The requirement for a CWA Section 401 certification is codified at 33 USC 1341(a)(1), as follows:

*Any applicant for a Federal license or permit to conduct **any activity** including, but not limited to, the construction or operation of facilities, **which may result in any discharge into the navigable waters**, shall provide the licensing or permitting agency a certification from the State in which the discharge originates or will originate... (emphasis added)*

Similarly, 40 CFR 121 (“State Certification of Activities Requiring a Federal License or Permit”) defines “license or permit”:

***License or permit means any license or permit granted by an agency of the Federal Government to conduct any activity which may result in any discharge into the navigable waters of the United States** (emphasis added)*

The previous discussion demonstrated that the proposed federal licensing action (i.e., the NRC’s issuance of an ESP for the VCS site) would not authorize activities that could result in discharges to federal waters or Waters in the State. Therefore, in accordance with the above excerpts, it appears that a CWA Section 401 certification would not be required prior to NRC issuance of the ESP.

Additionally, future NRC approval in the form of a COL, construction permit, or limited work authorization would be required prior to the commencement of nuclear construction activities, necessitating the issuance of a CWA Section 401 certification at such time. Furthermore, if Exelon were to undertake applicable “pre-construction” activities (i.e., those not regulated by the NRC) at the site, we would be required to obtain environmental permits, licenses, and approvals (including those required by the CWA) in association with the work.

We believe that a CWA Section 401 certification would not be required prior to NRC issuance of the ESP. However, given the TCEQ’s responsibility for the certification program, we would like the TCEQ to confirm its position on this matter. Accordingly, we request a determination regarding the need for a CWA Section 401 certification in association with the NRC’s potential issuance of an ESP for the VCS site. Your reply is requested by February 15, 2010, to allow for inclusion with Exelon’s ESP application submittal to the NRC.

December 21, 2009
Mr. Charles Maguire
Page 4

If you have any questions, please contact Mr. Joshua Trembley at 610-765-5345.

Respectfully,

A handwritten signature in cursive script that reads "Marilyn Kray".

Marilyn Kray
Vice-President, Project Development

Enclosures: Figure A - Map of the Victoria County Station Site

cc: Mr. Alan Batchellor, P.G., TCEQ
Mr. Kelly Holligan, TCEQ
Mr. Mark Fisher, TCEQ

FIGURE A

Map of the Victoria County Station Site

Note: The attached figure is labeled DRAFT because it is an excerpt from the VCS ESP application, which will not be submitted to the NRC until the first quarter of 2010. The yellow star represents the approximate location of the proposed power block area, and the grey border delineates the site boundary. Neither of these features is subject to change in the forthcoming application.

DRAFT




Figure 2.1-2 6-Mile Vicinity

INFORMATION ONLY



NP-09-0013

December 21, 2009

Ms. Tammy Brooks
Program Specialist, Coastal Resources
Texas General Land Office
P.O. Box 12873
Austin, Texas 78711-2873

Subject: Exelon Victoria County Station Site - Request for Coastal Zone
Management Act Consistency Review Applicability Determination

Dear Ms. Brooks:

Exelon Generation Company, LLC (Exelon), met with the General Land Office (GLO) on April 15, 2008, regarding nuclear licensing activities associated with a site in Victoria County. On September 2, 2008, Exelon submitted a Combined License (COL) application to the U.S. Nuclear Regulatory Commission (NRC) seeking authorization to construct and operate a nuclear power plant at the referenced site (known as the Victoria County Station (VCS) site). Exelon subsequently informed the NRC of our intent to seek an Early Site Permit (ESP) in lieu of a COL, citing the need to take a longer term approach to new nuclear development.

Exelon intends to submit the ESP application in the first quarter of 2010, and Exelon does not plan to seek a limited work authorization to perform nuclear construction activities as part of the ESP. If the ESP application were to be approved, the NRC would be certifying that the VCS site satisfies its criteria for site safety, environmental impacts, and emergency planning; however, as discussed in more detail in the sections below, the ESP would not authorize Exelon to commence nuclear construction activities at the chosen property.

Recognizing that an ESP (if issued) would not authorize any activities within the jurisdiction of the NRC, the purpose of this correspondence is to request a determination regarding the need for a Coastal Management Program (CMP) consistency review in association with the proposed federal licensing action (i.e., the NRC's issuance of an ESP for the VCS site).

December 21, 2009
Ms. Tammy Brooks
Page 2

Victoria County Station Site ESP

As discussed above, Exelon intends to submit an ESP application to the NRC in the first quarter of 2010. The site referenced in the application, the VCS site, is located approximately 13 miles south of the City of Victoria in Victoria County. Figure A depicts the site location and major features of the surrounding landscape.

In reviewing the ESP application, the NRC staff will address site safety issues, environmental protection issues, and plans for coping with emergencies, independent of the review of a specific nuclear plant design. By issuing the ESP, the NRC would be approving the site for a nuclear power facility or facilities. The ESP could later be used to support an application for a construction permit or COL to construct and operate such a plant. An ESP is valid for 10 to 20 years from the date of issuance and can be renewed for an additional 10 to 20 years.

The NRC regulations at 10 CFR 50.10(c) define the requirements for a person wishing to conduct nuclear construction:

No person may begin the construction of a production or utilization facility on a site on which the facility is to be operated until that person has been issued either a construction permit under this part, a combined license under part 52 of this chapter, an early site permit authorizing the activities under paragraph (d) of this section, or a limited work authorization under paragraph (d) of this section.

At this time, Exelon does not intend to seek authorization (i.e., via a limited work authorization or ESP authorizing the activities described at 10 CFR 50.10(d), as referenced in the above citation) to initiate nuclear construction activities at the VCS site prior to the issuance of a COL or construction permit. Accordingly, if an ESP is approved for the VCS site, it will not grant Exelon permission to begin nuclear construction activities.

It should be noted that the NRC regulations at 10 CFR 50.10(a)(2) identify activities (known as "pre-construction" activities) that are not related to nuclear safety and, therefore, fall beyond the scope of NRC jurisdiction. Examples of "pre-construction" activities include site grading, monitoring well installation, and the erection of support structures. Such activities may be undertaken by an applicant prior to issuance of an NRC license or permit, subject to compliance with other applicable laws and regulations.

Depending on the scope of work undertaken, conducting "pre-construction" activities at the VCS site could necessitate the issuance of multiple federal, Texas, and / or local permits, including those required under Clean Water Act sections 402 and 404. In the event that Exelon were to begin such activities, whether before or after the issuance of an NRC license or permit, we would continue to work with the GLO and other regulatory and resource agencies to ensure that the applicable permits / authorizations were issued for regulated activities. Note that such activities would be undertaken independently of any action or approval by the NRC.

December 21, 2009
Ms. Tammy Brooks
Page 3

Request for CMP Applicability Determination

In order to allow the NRC to assess the potential impacts associated with constructing and operating a nuclear plant and appurtenant infrastructure at the VCS site, the ESP application Environmental Report will describe the proposed project and its potential interactions with the environment. The Guadalupe River will be presented as the planned source of make up water to an approximately 4,900-acre onsite cooling basin, which would serve as the heat sink in the plant's closed-cycle cooling system. A pump station equipped with environmental controls and an associated diversion canal would be constructed immediately upstream of the existing Guadalupe-Blanco River Authority (GBRA) saltwater barrier. Water would be conveyed from the pump station to the VCS site via an approximately 8 – 10 mile pipeline.

Based on the Texas Coastal Management Program Atlas, the intake structure and associated diversion canal described in the ESP application would be located within the CMP boundary. The regulations at 31 TAC 16, Chapter 506.12(a)(2)(F) indicate that NRC licenses issued under Section 103 of the Atomic Energy Act, when within the CMP boundary, are considered federal actions that “may adversely affect coastal natural resource areas (CNRAs).” Thus, NRC licenses issued under Section 103 of the Atomic Energy Act constitute “listed federal license or permit activities” per 15 CFR 930.53, and generally may not be issued until the requirements of 15 CFR 930, Subpart D, have been satisfied (15 CFR 930.53(d)).

While NRC licenses issued under Section 103 of the Atomic Energy Act are broadly captured under the 31 TAC 16, Chapter 506 regulations, an ESP is unique in that it does not alone authorize nuclear construction activities and / or facility operation. For Coastal Zone Management Act (CZMA) consistency purposes, “federal license or permit” is defined at 15 CFR 950.51:

*The term “**federal license or permit**” means any authorization that an applicant is required by law to obtain in order to conduct activities affecting any land or water use or natural resource of the coastal zone and that any Federal agency is empowered to issue to an applicant.*
(emphasis added)

The previous discussion demonstrated that the proposed federal licensing action (i.e. , the NRC's issuance of an ESP for the VCS site) would not authorize activities that could result in discharges to federal waters or Waters in the State. Therefore, in accordance with the above definition, it does not appear that the issuance of an ESP meets the intent of the requirement for a CZMA / CMP consistency review.

December 21, 2009
Ms. Tammy Brooks
Page 4

Additionally, future NRC approval in the form of a COL, construction permit, or limited work authorization would be required prior to the commencement of nuclear construction activities, necessitating a CMP consistency review at such time. Furthermore, if Exelon were to undertake applicable "pre-construction" activities (i.e., those not regulated by the NRC) at the site, we would be required to obtain environmental permits, licenses, and approvals in association with the work.

We believe that a CMP consistency review would not be required prior to NRC issuance of the ESP. However, given the GLO's responsibility for the CMP, we would like the GLO to confirm its position on this matter. Accordingly, we request a determination regarding the need for a CMP consistency review in association with the NRC's potential issuance of an ESP for the VCS site. Your reply is requested by February 15, 2010, to allow for inclusion with Exelon's ESP application submittal to the NRC.

If you have any questions, please contact Mr. Joshua Trembley at 610-765-5345.

Respectfully,



Marilyn Kray
Vice-President, Project Development

Enclosures: Figure A - Map of the Victoria County Station Site

cc: Ms. Jodena Henneke, GLO

FIGURE A

Map of the Victoria County Station Site

Note: The attached figure is labeled DRAFT because it is an excerpt from the VCS ESP application, which will not be submitted to the NRC until the first quarter of 2010. The yellow star represents the approximate location of the proposed power block area, and the grey border delineates the site boundary. Neither of these features is subject to change in the forthcoming application.

DRAFT

Victoria County Station
 ESP Application
 Part 3 — Environmental Report




Figure 2.1-2 6-Mile Vicinity

INFORMATION ONLY