### U. S. NUCLEAR REGULATORY COMMISSION

## **MATERIALS LICENSE**

Pursuant to the Atomic Energy Act of 1954, as amended, the Energy Reorganization Act of 1974 (Public Law 93-438), and Title 10, Code of Federal Regulations, Chapter I, Parts 30, 31, 32, 33, 34, 35, 36, 39, 40, and 70, and in reliance on statements and representations heretofore made by the licensee, a license is hereby issued authorizing the licensee to receive, acquire, possess, and transfer byproduct, source, and special nuclear material designated below; to use such material for the purpose(s) and at the place(s) designated below; to deliver or transfer such material to persons authorized to receive it in accordance with the regulations of the applicable Part(s). This license shall be deemed to contain the conditions specified in Section 183 of the Atomic Energy Act of 1954, as amended, and is subject to all applicable rules, regulations, and orders of the Nuclear Regulatory Commission now or hereafter in effect and to any conditions specified below.

Licensee		Cin pagerdo	
Licensee		In accordance with letter dated  March 11, 2013,	
1. Molecular Imaging, Inc.		License No. 21-32816-01 is amended in its entirety to read as follows:	
2. 800 Technology Drive		4. Expiration Date: January 31, 2021	
Ann Arbor, Michigan 48108		1	o. 030-38386
		Reference	<del></del>
Byproduct, source, and/or 7.     special nuclear material	Chemical and/or physical form	8.	Maximum amount that licensee may possess at any one time under this license
A. Fluorine-18	A. Solution		A. Not to exceed 120 millicuries
B. Cobalt-57	B. Sealed sources (Eckert Ziegler Model PHI-0119		B. 2 sources not to exceed 5 millicuries each
C. Germanium-68	C. Sealed sources (Siemer Model CS-6-14)	ns	C. 2 sources not to exceed 5 millicuries total
D. Cesium-137	<ul> <li>D. Sealed sources (Eckert Ziegler Model RV-137-2</li> </ul>		D. 2 sources not to exceed 300 microcuries <b>total</b>
E. Technetium-99m	E. Any		E. 50 millicuries
F. Indium-111	F. Any		F. 50 millicuries
G. lodine-123	G. Any		G. 50 millicuries
H. lodine-125	H. Any		H. 60 millicuries
I. Gallium-67	I. Any (Bound)		I. 50 millicuries
J. Thallium-201	J. Any (Bound)		J. 50 millicuries
K. Copper-64	K. Any (Bound)		K. 50 millicuries
L. Yttrium-86	L. Any (Bound)		L. 50 millicuries
M. Cobalt-55	M. Any (Bound)		M. 50 millicuries
N. lodine-124	N. Any (Bound)		N. 100 millicuries
O. Zirconium-89	O. Any (Bound)		O. 100 millicuries
P. Gallium-68	P. Any (Bound)		P. 150 millicuries
Q. Lutetium-177	Q. Any (Bound)		Q. 100 millicuries

NRC	<b>FORM</b>	374A
HILL	L OLIVI	3170

#### U.S. NUCLEAR REGULATORY COMMISSION

PAGE 2 of 3 PAGES

# MATERIALS LICENSE SUPPLEMENTARY SHEET

9. Authorized Use:

- A. and E. **through Q.** For research and development as defined in 10 CFR 30.4 in rodents.
- B. through D. For instrument calibration.

### **CONDITIONS**

- 10. Licensed material shall be used only at the licensee's facilities located at 800 Technology Drive, Ann Arbor, Michigan.
- 11. Licensed materials shall be used only by, or under the supervision of Patrick McConville, Ph.D., and Deanne Lister, B.Sc.
- 12. The Radiation Safety Officer (RSO) for this license is Carol Lentz.
- 13. A. Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed the intervals specified in the certificate of registration issued by NRC under 10 CFR 32.210 or by an Agreement State.
  - B. In the absence of a certificate from a transferor indicating that a leak test has been made within the intervals specified in the certificate of registration issued by NRC under 10 CFR 32.210 or by an Agreement state prior to the transfer, a sealed source received from another person shall not be put into use until tested.
  - C. Sealed sources need not be tested if they are in storage and are not being used. However, when they are removed from storage for use or transferred to another person, and have not been tested within the required leak test interval, they shall be tested before use or transfer. No sealed source shall be stored for a period of more than 10 years without being tested for leakage and/or contamination.
  - D. The leak test shall be capable of detecting the presence of 0.005 microcurie (185 becquerels) of radioactive material on the test sample. If the test reveals the presence of 0.005 microcurie (185 becquerels) or more of removable contamination, a report shall be filed with the U. S. Nuclear Regulatory Commission in accordance with 10 CFR 30.50(c)(2), and the source shall be removed immediately from service and decontaminated, repaired, or disposed of in accordance with Commission regulations.
  - E. Tests for leakage and/or contamination shall be performed by persons specifically licensed by the Commission or an Agreement State to perform such services. In addition, the licensee is authorized to collect leak test samples but not perform the analysis: analysis of leak test samples must be performed by persons specifically licensed by the Commission or an Agreement State to perform such services.
  - F. Records of leak test results shall be kept in units of microcuries and shall be maintained for three years.

### MATERIALS LICENSE SUPPLEMENTARY SHEET

License No.
21-32816-01

Docket or Reference No.
030-38386

Amendment No. 06

- 14. Sealed sources containing licensed material shall not be opened.
- 15. The licensee shall conduct a physical inventory every six months, or at other intervals approved by the U. S. Nuclear Regulatory Commission, to account for all sources and/or devices received and possessed under the license.
- 16. The licensee is authorized to transport licensed material only in accordance with the provisions of 10 CFR Part 71, "Packaging and Transportation of Radioactive Material."
- 17. Licensed material shall not be used in or on humans.
- 18. Experimental animals or the products from experimental animals that have been administered licensed materials shall not be used for human consumption.
- 19. The licensee is authorized to hold radioactive material with a physical half-life of less than or equal to 120 days for decay-in-storage before disposal in ordinary trash, provided:
  - A. Before disposal as ordinary trash, the waste shall be surveyed at the container surface with the appropriate survey instrument set on its most sensitive scale and with no interposed shielding to determine that its radioactivity cannot be distinguished from background. All radiation labels shall be removed or obliterated.
  - B. A record of each such disposal permitted under this license condition shall be retained for three years. The record must include the date of disposal, the date on which the byproduct material was placed in storage, the radionuclides disposed, the survey instrument used, the background dose rate, the dose rate measured at the surface of each waste container, and the name of the individual who performed the disposal.
- 20. Except as specifically provided otherwise in this license, the licensee shall conduct its program in accordance with the statements, representations, and procedures contained in the documents, including any enclosures, listed below. The U. S. Nuclear Regulatory Commission's regulations shall govern unless the statements, representations, and procedures in the licensee's application and correspondence are more restrictive than the regulations.
  - A. Application dated June 9, 2010 (with attachment); and
  - B. Letters dated March 16, 2012, March 23, 2012, April 27, 2012, October 15, 2012, and **March 11,** 2013.

FOR THE U. S. NUCLEAR REGULATORY COMMISSION

Date MAY 2 9 2013

Ву

Cassandra F. Frazier

Materials Licensing Branch

Region III